API Specification Documentation
Swvl notification app

1. Individual notification

Individual notification endpoint

Request

Method	URL
PUT	`base_api/notification/individual`

Type	Params	Values	Description
body	type	String	Type of notification (push/text)
Body	content	Object	Notification object containing language based content
Body	content[language]	Object	Notification content
Body	content[language].title	String	Notification title (empty for text)
Body	content[language].body	String	Notification body
Body	ids	Array	User ids

language
`language` must be "english" or "urdu" for now.

Response

Status	Response
200	{ "message": "Notification sending process initiated" }
401	{ message: "unauthorized Access" }
422	{ "message": "unprocessable data" }
404	{ "message": "endpoint not found" }

Test API calls

Text notification

```
curl -X 'PUT' \
 'http://127.0.0.1:8080/notification/individual' \
 -H 'accept: application/json' \
 -H 'Content-Type: application/json' \
 -d '{
 "type": "text",
 "content": {
   "english": {
     "title": "test title english",
     "body": "test body english"
   },
   "urdu": {
     "title": "test ttitle urdu",
     "body": "test title english"
   }
 },
 "ids": [
   1,2,3,4,5
 ]
}'
```

Push notification

```
curl -X 'PUT' \
 'http://127.0.0.1:8080/notification/individual' \
 -H 'accept: application/json' \
 -H 'Content-Type: application/json' \
 -d '{
 "type": "push",
 "content": {
   "english": {
     "title": "test title english",
     "body": "test body english"
   },
   "urdu": {
     "title": "test ttitle urdu",
     "body": "test title english"
   }
 },
 "ids": [
   1,2,3,4,5
 ]
}'
```

1. Group notification

Group notification endpoint

Request

Method	URL
PUT	base_api/notification/group

Type	Params	Values	Description
body	type	String	Type of notification (push/text)
Body	content	Object	Notification object containing language based content
Body	content[language]	Object	Notification content
Body	content[language].title	String	Notification title (empty for text)
Body	content[language].body	String	Notification body
Body	ids	Array	Group ids

language

`language` must be "english" or "urdu" for now.

Response

Status	Response
200	{ "message": "Notification sending process initiated" }
401	{ message: "unauthorized Access" }
422	{ "message": "unprocessable data" }
404	{ "message": "endpoint not found" }

Test API calls

Text notification

```
curl -X 'PUT' \
 'http://127.0.0.1:8080/notification/group \
 -H 'accept: application/json' \
 -H 'Content-Type: application/json' \
 -d '{
 "type": "text",
 "content": {
   "english": {
     "title": "test title english",
     "body": "test body english"
   },
   "urdu": {
     "title": "test ttitle urdu",
     "body": "test title english"
   }
 },
 "ids": [
   1,2,3,4,5
 ]
}'
```

Push notification

```
curl -X 'PUT' \
 'http://127.0.0.1:8080/notification/group \
 -H 'accept: application/json' \
 -H 'Content-Type: application/json' \
 -d '{
 "type": "push",
 "content": {
   "english": {
     "title": "test title english",
     "body": "test body english"
   },
   "urdu": {
     "title": "test ttitle urdu",
     "body": "test title english"
   }
 },
 "ids": [
   1,2,3,4,5
 ]
}'
```