DEVELOPMENT SUMMARY

	REQUIREMENT	PROPOSED	COMPLIANCE
MIN. LOT SIZE	400m²	708.20 m²	Y
ZONE	-	R2	Y
BUILDING HEIGHT	MAX. 8.5 m	7.3 m	Y
GFA 25% of SITE AREA + 300 m²	477.05 m²	421.3m²	Y
FRONT SETBACK	(7.405m + 9.065m)/2=8.235m	8.235m	Y
SIDE SETBACK PARENT LOT WIDTH 12m-24m			Y
building height 0m-4.5m	0.9m	1.120m	
building height >4.5m-8.5m	(7.3-4.5m)/4+0.9m = 1.60	1.605m	
REAR SETBACK LOT AREA 400m²-900m²			Y
building height 0m-4.5m	3m	14m	
building height >4.5m-8.5m	8m	14m	
DWELLING CONFIGURATION	• Each dwelling must face a public road • Each dwelling, incl. an off-street car parking space must have a min. width of 6.5m	• Direct access to Johnston Ave available • Building width each 6.5m	Y
BALCONY, DECKS, PATIO, TERRACES & VERANDAH	• Max height of the floor level is 4m. • Any attached side or rear that has a floor level of more than 2m above ground level (existing) must have a setback from side and rear boundaries of at least 3m • Total area must no be more than 12m²	• Balcony Height 4m	Y
LANDSCAPING (min dimension 1.5m x 1.5m)			
MIN. LANDSCAPE AREA (50% of Site area - 100 m²)	254.1 m²	255.8m²	Y
FRONT LANDSCAPE AREA 25% of the area forward of the front building line	63.52 m²	65m²	Y
REAR LANDSCAPE REAR 50% of total landscape required	127.05 m²	141.4m²	Y
PRIVATE OPEN SPACE (min dimension 3m)	16m²	16m²	Y

NatHERS ASSESSMENT

Climate Zone: 28, Richmond
Lowest Conditioned Floor: Concrete slab on ground

		Energy Usage (MJ/m²)		
	Star Rating	Heating Load	Cooling Load	Total
Limit	7	25	18	-
3A	7.0	14.9	14.9	29.8
3B	7.4	12.4	14.1	26.5

3A Johnston Avenue, Kirrawee

ROOF and CEILING: Flat metal roof
- **R5.0** bulk ceiling insulation and reflective sisalation under the roof

FLOORS: Concrete slab on ground, suspended slab first floor
- No insulation to the concrete slab on ground or suspended first floor

WALLS: As per plans
- **R1.5** foamboard between the double brick walls, excluding the garage external walls
- **No** insulation between the double brick Parti-walls
- **R2.5** insulation to all other external walls with stud walls
- **R2.5** insulation to the internal stud walls of both bathrooms

GLAZING: Aluminium frame specifications

Description	Type	Glazing	Specification
WA2, WA3, WA4 & WA7	Sliding windows	Clear single glazing	U-value: 6.16, SHGC: 0.65
All other	Sliding windows	Clear double glazing with argon gap	U-value: 3.73, SHGC: 0.59
All	Fixed	Clear double glazing with argon gap	U-value: 2.98, SHGC: 0.64
All	Sliding doors	Clear double glazing with argon gap	U-value: 3.82, SHGC: 0.61

3B Johnston Avenue, Kirrawee

ROOF and CEILING: Flat metal roof
- **R5.0** bulk ceiling insulation and reflective sisalation under the roof

FLOORS: Concrete slab on ground, suspended slab first floor
- No insulation to the concrete slab on ground or suspended first floor

WALLS: As per plans
- **R1.5** foamboard between the double brick walls, including the garage external walls
- **No** insulation between the double brick Parti-walls
- **R2.5** insulation to all other external walls with stud walls
- **R2.5** insulation to the internal stud walls of both bathrooms

GLAZING: Aluminium frame specifications

Description	Type	Glazing	Specification
WB2, WB3, WB4 & WB7	Sliding windows	Clear single glazing	U-value: 6.16, SHGC: 0.65
All other	Sliding windows	Clear double glazing with argon gap	U-value: 3.73, SHGC: 0.59
All	Fixed	Clear double glazing with argon gap	U-value: 2.98, SHGC: 0.64
All	Sliding doors	Clear double glazing with argon gap	U-value: 3.82, SHGC: 0.61

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:20 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISISON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
DEVELOPMENT SUMMARY

Checked
Checker

SCALE @A1 SHEET

8848
JOB No.

CDC 001
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



1 CDC 103 **SITE PLAN**
1 : 100

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

NOTE:
REFER TO LANDSCAPE DRAWING FOR LANDSCAPE DETAIL

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 3:12:27 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISISON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
SITE PLAN

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 002
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

1 CDC 103 PROPOSED SUBDIVISION PLAN
1 : 100

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:23 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
PROPOSED SUBDIVISION PLAN

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 003
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

1 DEMOLITION PLAN

CDC 103

1 : 100

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:34 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood, NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A. : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
DEMOLITION

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 100
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

zhinarchitects



2 UPPER FLOOR PLAN
CDC 103
1 : 100



1 GROUND FLOOR PLAN
CDC 103
1 : 100

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025
Chen Wu
Certifier
BDC3224

BRICKWORK	BAL BALUSTRADE
BLOCKWORK	BOL BOLLARD
CONCRETE WALL	CC CONCRETE COLUMN
STUD WALL	DM DOOR MAT
D 88 DOOR NUMBER	DP DOWN PIPE
W 88 WINDOW NUMBER	FW FLOOR WASTE
BOUNDARY	G.D. GRATED DRAIN
	HR HANDRAIL
NEW PIT	OF OVERFLOW
EXISTING PIT	RWO RAINWATER OUTLET
ACCESS PANEL	SC STEEL COLUMN
TREE TO REMAIN	STR CUPBOARD
TREE TO BE REMOVED	T.I. TACTILE INDICATOR
	VJ VERTICAL JOINT
	WB WHITEBOARD
	90.00 EXISTING LEVEL
	+ RL 90.00 DESIGN LEVEL

FLOOR FINISHES

CT1	SELECTED CERAMIC TILE
CT2	SELECTED CERAMIC TILE
CPT	SELECTED CARPET
TBR	SELECTED TIMBER FLOOR

NOTE:
REFER TO STRUCTURE AND STORMWATER ENG'S DRAWING FOR MORE DETAIL

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufacturers instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:18:01 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY
Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+ 61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
GROUND FLOOR AND UPPER FLOOR PLAN

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 101
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



1 UNIT 1 - ROOF

CDC 104

1 : 100

zhinarchitects

	BRICKWORK	BAL	BALUSTRADE
	BLOCKWORK	BOL	BOLLARD
	CONCRETE WALL	CC	CONCRETE COLUMN
	STUD WALL	DM	DOOR MAT
D 88	DOOR NUMBER	DP	DOWN PIPE
W 88	WINDOW NUMBER	FW	FLOOR WASTE
		G.D.	GRATED DRAIN
	BOUNDARY	HR	HANDRAIL
		OF	OVERFLOW
	NEW PIT	RWO	RAINWATER OUTLET
	EXISTING PIT	SC	STEEL COLUMN
A B	ACCESS PANEL	STR	CUPBOARD
	TREE TO REMAIN	T.I.	TACTILE INDICATOR
	TREE TO BE REMOVED	VJ	VERTICAL JOINT
		WB	WHITEBOARD
00.00			EXISTING LEVEL
+ RL 00.00			DESIGN LEVEL

FLOOR FINISHES

CT1	SELECTED CERAMIC TILE
CT2	SELECTED CERAMIC TILE
CPT	SELECTED CARPET
TBR	SELECTED TIMBER FLOOR

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 3:12:29 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A.: SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
ROOF PLAN

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 102
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

1 CDC 101 NORTH ELEVATION
1 : 100

2 CDC 101 SOUTH ELEVATION / STREET ELEVATION
1 : 100



3 CDC 101 EAST ELEVATION
1 : 100

4 CDC 101 WEST ELEVATION
1 : 100

COLOUR & MATERIAL SCHEDULE

01.
MAIN WALL
AUSTRAL BRICKS
SAN SELMO CLASSICO
COLOUR: AGED RED

02. WALL CLADDING
COLORBOND® STEEL
COLOUR: MONUMENT IN
MATT FINISH OR SIMILAR

03.
BRICK VENEER RENDERED
DULUX
COLOUR : DOMINO OR SIMILAR



04. SCREEN & FASCIA
COLORBOND® STEEL
COLOUR: MONUMENT

05. BALCONY CEILING
TAUBMANS
COLOUR : CRISP WHITE OR SIMILAR

06. GARAGE DOOR
COLORBOND FLATLINE
COLOUR : MONUMENT

08.
WINDOWS FRAME- RAILING
COLORBOND
COLOUR: MONUMENT

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025
Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:13:34 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

REGISTRATION NUMBER
NSW No. 8317

Member Australian Institute of Architects

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
ELEVATIONS

Checked
Checker

SCALE @A1 SHEET
As indicated

8848
JOB No.

CDC 103
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



1 CDC 101 **SECTION 1**
1 : 100



3 CDC 101 **SECTION 3**
1 : 100



2 CDC 101 **SECTION 2**
1 : 100



Beyond Certification (Sonder Project Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

4 CDC 101 **SECTION 4**
1 : 100

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 3:12:38 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A.: SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
SECTIONS

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 104
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

zhinarchitects



1 SWIMMING POOL DETAIL
CDC 101 — 1 : 50



D SECTION D
CDC 101 — 1 : 100



3 FOOTING PLAN DETAIL
CDC 101 — 1 : 20

4 STRUCTURE FOOTING SECTION DETAIL
CDC 105 — 1 : 20



A SECTION A
CDC 101 — 1 : 100



2 SECTION C
CDC 101 — 1 : 100



B SECTION B
CDC 101 — 1 : 100

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025
Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:38 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISISON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY
Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
SWIMMING POOL AND RETAINING WALL DETAILS

Checked
Checker

SCALE @A1 SHEET
As indicated

8848
JOB No.

CDC 105
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

zhinarchitects



2 CDC 103 **GROUP FLOOR PLAN**
1 : 100

Area Schedule (FSR)	
Name	Area
UNIT 1	100.5 m²
UNIT 1	108.3 m²
UNIT 2	100.8 m²
UNIT 2	111.7 m²
	421.2 m²

PROPOSED
Unit 1 GFA = 208.8 m²
Unit 2 GFA = 212.5 m²
TOTAL GFA = 421.3 m²

UNIT 1
UNIT 2

3 CDC 103 **UPPER FLOOR PLAN**
1 : 100

1 CDC 103 **FLOOR PLAN**
1 : 100

Area Schedule (LANDSCAPE)		
Name	Level	Area
FRONT LANDSCAPE	UNIT 1 - LG	15.6 m²
FRONT LANDSCAPE	UNIT 1 - LG	4.6 m²
FRONT LANDSCAPE	UNIT 1 - LG	24.4 m²
FRONT LANDSCAPE	UNIT 1 - LG	20.4 m²
FRONT LANDSCAPE		65.0 m²
LANDSCAPE	UNIT 1 - LG	18.5 m²
LANDSCAPE	UNIT 1 - LG	23.8 m²
LANDSCAPE	UNIT 1 - LG	7.1 m²
LANDSCAPE		49.4 m²
REAR LANDSCAPE	UNIT 1 - LG	39.3 m²
REAR LANDSCAPE	UNIT 1 - LG	30.9 m²
REAR LANDSCAPE	UNIT 1 - LG	36.3 m²
REAR LANDSCAPE	UNIT 1 - LG	23.8 m²
REAR LANDSCAPE	UNIT 1 - LG	11.2 m²
REAR LANDSCAPE		141.4 m²
Grand total		255.8 m²

Beyond Certification Sander Pinnock Pty
Reference: 31251765DC
Date: 30/09/2025
Certifier
BCA

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 3:12:46 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

TRUE NORTH :
N

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood, NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
AREA CALCULATIONS

Checked
Checker

SCALE @A1 SHEET
1 : 100

8848
JOB No.

CDC 200
DRAWING No.

C
ISSUE

0 1 2 3 4 5 10
scale 1:100 @A1sheet

3D PERSPECTIVE FRONT

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 7:17:46 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
3D PERSPECTIVE 1

Checked
Checker

SCALE @A1 SHEET

8848
JOB No.

CDC 300
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

3D PERSPECTIVE REAR

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:17:57 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISISON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
3D PERSPECTIVE 2

Checked
Checker

SCALE @A1 SHEET

8848
JOB No.

CDC 301
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

DOOR SCHEDULE

Mark	Type Mark	Height	Width	Description	Type Comments
A1	A	2400	1090	TIMBER	
A2	B	2400	2890	PCA	
A3	C	2100	900	TMB	
A6	F	2100	800	TMB	
A7	C	2100	900	TMB	
A8	G	2060	800	TMB	SLIDING DOOR
A10	H	2700	3490	PCA	4 PANELS STACKED
A11	I	2400	1030	PCA	
A11	I	2400	1030	PCA	
A12	F	2100	800	TMB	
A13	C	2100	900	TMB	
A14	C	2100	900	TMB	
A15	C	2100	900	TMB	
A16	F	2100	800	TMB	
A17	K	2700	3200	PCA	3 PANELS STACKED
B1	A	2400	1090	TIMBER	
B2	B	2400	2890	PCA	
B3	C	2100	900	TMB	
B6	F	2100	800	TMB	
B7	C	2100	900	TMB	
B8	G	2060	800	TMB	SLIDING DOOR
B9	L	2700	2050	PCA	2 PANELS SLIDING
B10	H	2700	3490	PCA	4 PANELS STACKED
B11	J	2400	1030	PCA	
B11	J	2400	1030	PCA	
B12	F	2100	800	TMB	
B13	C	2100	900	TMB	
B14	C	2100	900	TMB	
B15	C	2100	900	TMB	
B16	F	2100	800	TMB	
B17	K	2700	3200	PCA	3 PANELS STACKED



DOOR TYPE A



DOOR TYPE B



DOOR TYPE C



DOOR TYPE D



DOOR TYPE E



DOOR TYPE F



DOOR TYPE G



DOOR TYPE H

LEGEND

Door Finish	PAG	Powdercoated Aluminium Glazing
	SCP	Solid Core Painted Finish
	SCPX	Solid Core External Grade (Metal Clad) Painted finish
	PCA	Powdercoated Aluminium
Frame Material	MSP	Mild Steel Painted
	PCA	Powdercoated Aluminium
Door Closer	HO	Hold Open Door Closer
	DA	Delayed Action Door Closer (AS1428.1 Compliant)
Door Grille	UC	Door Undercut by 25mm
Seals	SM	Smoke Seals -
	AC	Acoustic Seals -



DOOR TYPE I



DOOR TYPE J



DOOR TYPE K



DOOR TYPE L

WINDOW SCHEDULE

Mark	Height	Width	Sill Height	Description	Comments
A1	4000	625	300	PCA	FOYER
A2	600	1210	1500	PCA	GARAGE (HIGHLIGHT WINDOW)
A3	600	1210	1500	PCA	GARAGE (HIGHLIGHT WINDOW)
A4	600	970	1800	PCA	BATHROOM (HIGHLIGHT WINDOW)
A5	1300	1690	1100	PCA	BED ROOM
A6	1300	1690	1100	PCA	DINING/LIVING
A6	1300	1690	1100	PCA	DINING/LIVING
A7	600	970	1800	PCA	BATHROOM (HIGHLIGHT WINDOW)
A8	1300	1450	1100	PCA	BED ROOM
A9	1300	1690	1100	PCA	BED ROOM
A10	600	970	1800	PCA	BATHROOM (HIGHLIGHT WINDOW)
A11	600	2410	1800	PCA	BED ROOM (HIGHLIGHT WINDOW)
A12	1370	710	1100	PCA	KITCHEN (UNIT 3A)
A12	600	2410	1800	PCA	FAMILY ROOM (HIGHLIGHT)
B1	4000	625	300	PCA	FOYER
B2	600	1210	1500	PCA	GARAGE (HIGHLIGHT WINDOW)
B3	600	1210	1500	PCA	GARAGE (HIGHLIGHT WINDOW)
B4	600	970	1800	PCA	BATHROOM (HIGHLIGHT WINDOW)
B5	1300	1690	1100	PCA	BED ROOM
B6	600	1210	900	PCA	KITCHEN (UNIT 3B)
B7	600	970	1800	PCA	BATHROOM (HIGHLIGHT WINDOW)
B8	1300	1690	1100	PCA	BED ROOM
B9	1300	1690	1100	PCA	BED ROOM
B10	600	610	1800	PCA	BATHROOM (HIGHLIGHT WINDOW)
B11	600	2410	1800	PCA	BEDROOM (HIGHLIGHT WINDOW)
B12	600	2410	1800	PCA	FAMILY ROOM (HIGHLIGHT)

WINDOW
A1
B1



WINDOW
A2, A3
B2, B3



WINDOW
A4, A7, A10
B4, B7



WINDOW
A5, A6, A9
B5, B8, B9



WINDOW
B6, B10



WINDOW
A11, A12
B11, B12



WINDOW A12

WINDOW B11

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

LEGEND

CLE	CLEAR GLAZING - EXTERNAL
OBS	OBSCURE GLAZING
PCA	POWDER COATED ALUMINIUM

REMARKS

1. ALUMINIUM COVER PLATE TO MATCH WINDOWS.
2. ELECTRICALLY OPERATED REMOTE CONTROLS.
3. MANUALLY OPERATED REMOTE CONTROLS.

NOTE: ALL WINDOWS MUST BE SITE MEASURED BEFORE THE PREPARATION OF SHOP DRAWINGS & FABRICATION

REFER TO SECTION 'J' OF THE BCA FOR GLAZING VALUES

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:34 PM

ISSUE	AMENDMENT	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	TH	IC
A	ISSUE FOR CDC SUBMISISON	TH	IC
DATE			
7/11/2025			
28/10/2025			
18/09/2025			

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

REGISTRATION NUMBER
NSW No. 8317

Member Australian Institute of Architects

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
DOOR & WINDOW SCHEDULE

Checked
Checker

SCALE @A1 SHEET
1 : 50

8848
JOB No.

CDC 400
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

BASIX™Certificate

Building Sustainability Index
www.planningportal.nsw.gov.au/development-and-assessment/basix

Multi Dwelling

Certificate number: 1809098M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.planningportal.nsw.gov.au/definitions

Secretary
Date of issue: Tuesday, 19 August 2025
To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.

NSW GOVERNMENT

When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate 12345678.

Project summary	
Project name	3 Johnston Avenue Kirrawee
Street address	3 JOHNSTON AVENUE KIRRAWEE 2232
Local Government Area	SUTHERLAND SHIRE
Plan type and plan number	Deposited Plan 31795
Lot No.	2
Section no.	-
No. of residential flat buildings	0
Residential flat buildings: no. of dwellings	0
Multi-dwelling housing: no. of dwellings	2
No. of single dwelling houses	0

Project score		
Water	✔ 41	Target 40
Thermal Performance	✔ Pass	Target Pass
Energy	✔ 73	Target 72
Materials	✔ -47	Target n/a

Certificate Prepared by
Name / Company Name: Angela Georges
ABN (if applicable):

Description of project

Project address	
Project name	3 Johnston Avenue Kirrawee
Street address	3 JOHNSTON AVENUE KIRRAWEE 2232
Local Government Area	SUTHERLAND SHIRE
Plan type and plan number	Deposited Plan 31795
Lot No.	2
Section no.	-

Project type	
No. of residential flat buildings	0
Residential flat buildings: no. of dwellings	0
Multi-dwelling housing: no. of dwellings	2
No. of single dwelling houses	0

Site details	
Site area (m²)	708.20
Roof area (m²)	280
Non-residential floor area (m²)	-
Residential car spaces	2
Non-residential car spaces	-

Common area landscape	
Common area lawn (m²)	0
Common area garden (m²)	0
Area of indigenous or low water use species (m²)	0

Assessor details and thermal loads	
Assessor number	12345678
Certificate number	12345678
Climate zone	56

Project score		
Water	✔ 41	Target 40
Thermal Performance	✔ Pass	Target Pass
Energy	✔ 73	Target 72
Materials	✔ -47	Target n/a

Description of project

The tables below describe the dwellings and common areas within the project

Multi-dwelling houses

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
3A	4+	199.8	9	123	0
3B	4+	202.5	10	132	0

No common areas specified.

Schedule of BASIX commitments

1. Commitments for multi-dwelling housing
   - (a) Dwellings
     - (i) Water
     - (ii) Energy
     - (iii) Thermal Performance and Materials

2. Commitments for common areas and central systems/facilities for the development (non-building specific)
   - (b) Common areas and central systems/facilities
     - (i) Water
     - (ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for multi-dwelling housing

(a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	✔	✔	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		✔	✔
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		✔	✔
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✔	✔
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✔	✔
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	✔	✔	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		✔	
(g) The pool or spa must be located as specified in the table.	✔	✔	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	✔	✔	✔

	Fixtures					Appliances		Individual pool				Individual spa		
Dwelling no.	All shower-heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish-washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 4.5 but <= 6 L/min)	3 star	3 star	3 star	-	-	-	18	no	outdoors	no	-	-	-

	Alternative water source							
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top-up	Spa top-up
All dwellings	Individual water tank (No. 1)	Tank size (min) 2000 liters	To collect run-off from at least: 130 square metres of roof area;	yes	no	yes	yes	no

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	✔	✔	✔
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		✔	✔
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		✔	✔
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		✔	✔

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	✔	✔	✔
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		✔	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		✔	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		✔	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		✔	✔
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✔	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		✔	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	✔	✔	✔

	Hot water	Bathroom ventilation system		Kitchen ventilation system		Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	gas instantaneous - 4 star	individual fan, ducted to façade or roof	manual on / timer off	individual fan, ducted to façade or roof	manual on / timer off	individual fan, ducted to façade or roof	manual on / timer off

	Cooling		Heating		Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
All dwellings	airconditioning ducting only	airconditioning ducting only	airconditioning ducting only	airconditioning ducting only	3	yes

	Individual pool			Individual spa		Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	no heating	single speed-3 stars	yes	-	-	gas cooktop & electric oven	-	-	-	-

	Alternative energy		
Dwelling no.	Photovoltaic system (min rated electrical output in peak kW)	Photovoltaic collector installation	Orientation inputs
3A	between >10° to <=25° degree to the horizontal	3	E
All other dwellings	-	-	-

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025
Chen Wu
Certifier
BDC3224
BEYOND CERTIFICATION

(iii) Thermal Performance and Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	✔		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		✔	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		✔	✔
(g) Where there is an in-slab heating or cooling system, the applicant must: (aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or	✔	✔	✔

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:57 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISISON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

REGISTRATION NUMBER
NSW No. 8317

Member Australian Institute of Architects

DIAL BEFORE YOU DIG www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
BASIX (1/2)

Checked
Checker

SCALE @A1 SHEET
1 : 13

8848
JOB No.

CDC 500
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

(iii) Thermal Performance and Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	✔	✔	✔
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	✔		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		✔	

	Thermal loads		
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
3A	16.1	13.1	29.200
All other dwellings	15.3	14.6	29.900

	Construction of floors and walls				
Dwelling no.	Concrete slab on ground (m²)	Suspended floor with open subfloor (m²)	Suspended floor with enclosed subfloor (m²)	Suspended floor above garage (m²)	Primarily rammed earth or mudbrick walls
3A	100.5	-	-	13	no
All other dwellings	100.8	-	-	13	no

	Floor types									
	Concrete slab on ground				Suspended floor above enclosed subfloor			Suspended floor above open subfloor		
Dwelling no.	Area (m²)	Insulation	Low emissions option	Dematerialisation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation
3A	100.5	-	-	conventional slab	-	-	-	-	-	-
All other dwellings	100.8	-	-	conventional slab	-	-	-	-	-	-

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		✔	✔
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	✔	✔	✔
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	✔	✔	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		✔	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		✔	✔
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		✔	✔

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		✔	✔
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		✔	✔
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	✔	✔	✔

Nationwide House Energy Rating Scheme® Multiple Class 1 Dwellings Summary NatHERS® Certificate No. A2VVDU9KIE

Generated on 18 Aug 2025 using FirstRate5 v5.5.5a

Property

Address 2/-/DP31795, 3 Johnston Avenue, Kirrawee, NSW, 2232

Lot/DP

NatHERS Climate Zone Mascot (Sydney Airport)

Accredited assessor

Name Stephen Burgum

Business name V-Star Energy in association with Ecoplus Consultants

Email info@vstarenergy.com.au

Phone 0421810026

Accreditation No. DMN/18/1890

Assessor Accrediting Organisation

Verification

To verify this certificate, scan the QR code or visit https://www.fr5.com.au/QRCodeLanding?PublicId=A2VVDU9KIE&GrpCert=1 When using either link, ensure you are visiting www.fr5.com.au.

National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy efficiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at www.abcb.gov.au.

Note, variations and additions to the NCC energy efficiency requirements may apply in some states and territories.

Summary of all dwellings

Certificate number and link	Unit number	Heating load (load limit) [MJ/m²/p.a.]	Cooling load (load limit) [MJ/m²/p.a.]	Total load [MJ/m²/p.a.]	Star rating	Whole of Home Rating
YH159QRT0G		14.9 (N/A)	14.9 (N/A)	29.8	7	NA
UTENIIKMJO		12.4 (N/A)	14.1 (N/A)	26.5	7.4	NA

Nationwide House Energy Rating Scheme (NatHERS) is an initiative of the Australian, state and territory governments. For more details see www.nathers.gov.au.
Generated on 18 Aug 2025 using FirstRate5 v5.5.5a for 2/-/DP31795, 3 Johnston Avenue, Kirrawee, NSW, 2232 Page 1 of 2

	Floor types										
	First floor above habitable rooms or mezzanine				Suspended floor above garage			Garage floor				
Dwelling no.	Construction type	Area (m²)	Insulation		Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Low emissions option	Dematerialisation
3A	concrete - suspended	92	-		concrete - suspended	13	-	concrete slab on ground	19	-	-	conventional slab
All other dwellings	concrete - suspended	95	-		concrete - suspended	13	-	concrete slab on ground	19	-	-	conventional slab

	External walls							
	External wall type 1				External wall type 2			
Dwelling no.	Wall type	Area (m²)	Insulation	Low emissions option	Wall type	Area (m²)	Insulation	Low emissions option
3A	cavity brick	120	foil-foam composite board	none	brick veneer, frame : timber - H2 treated softwood	75	fibreglass batts or roll	none
All other dwellings	cavity brick	96	foil-foam composite board	none	brick veneer, frame : timber - H2 treated softwood	75	fibreglass batts or roll	none

	External walls							
	External wall type 3				External wall type 4			
Dwelling no.	Wall type	Area (m²)	Insulation	Low emissions option	Wall type	Area (m²)	Insulation	Low emissions option
All dwellings	-	-	-	-	-	-	-	-

Central energy systems	Type	Specification
Other	-	-

	Internal walls								
	Internal walls shared with garage			Internal wall type 1			Internal wall type 2		
Dwelling no.	Wall type	Area (m²)	Insulation	Wall type	Area (m²)	Insulation	Wall type	Area (m²)	Insulation
All dwellings	plasterboard, frame: timber - H2 treated softwood	16.5	-	plasterboard, frame: timber - H2 treated softwood	135	-	-	-	-

	Ceiling and roof								
	Flat ceiling / pitched roof			Raked ceiling / pitched or skillion roof			Flat ceiling / flat roof		
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation
All dwellings	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:	framed - metal roof, frame: timber - H2 treated softwood	140	Ceiling:fibreglass batts or roll,Roof: foil backed blanket

	Glazing type			Frame types				
Dwelling no.	Single glazing (m²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m²)	uPVC frames (m²)	Steel frames (m²)	Composite frames (m²)
3A	48	-	-	48	-	-	-	-
All other dwellings	45	-	-	45	-	-	-	-

Notes

1. In these commitments, "applicant" means the person carrying out the development.
2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
5. If a star or other rating is specified in a commitment, this is a minimum rating.
6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

1. Commitments identified with a "✔" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
2. Commitments identified with a "✔" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
3. Commitments identified with a "✔" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfilment it is required to monitor in relation to the building or part, has been fulfilled).

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:12:39 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

REGISTRATION NUMBER
NSW No. 8317

Member Australian Institute of Architects

DIAL BEFORE YOU DIG www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
BASIX (2/2)

Checked
Checker

SCALE @A1 SHEET
1 : 15

8848
JOB No.

CDC 501
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10

zhinarchitects



2 ENCLOSED SHOWER - SIDE VIEW 1
1 : 10



4 ENCLOSED SHOWER - SIDE VIEW 2
1 : 10



1 TYPICAL ENCLOSED SHOWER - PLAN VIEW
1 : 10



3 ENCLOSED SHOWER - FRONT VIEW
1 : 10



5 WATER STOP AT DOOR THRESHOLD - SHEET MEMBRANE
1 : 1

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:13:00 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

REGISTRATION NUMBER
NSW No. 8317

Member Australian Institute of Architects

DIAL BEFORE YOU DIG www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood, NSW 2122
+ 61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
WET AREA DETAILS 1

Checked
Checker

SCALE @A1 SHEET
As indicated

8848 JOB No.
CDC-700 DRAWING No.
C ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



1 CDC-700 **CORNER JOINT DETAIL - PLAN**
1 : 1



3 **TAP AND SHOWER OUTLET DETAIL**
1 : 2



4 **PLUMBING PENETRATIONS**
1 : 2



5 **VANITY PIPE**
1 : 1



6 **LAUNDRY TUB/SINK INSTALLATION**
1 : 2



8 **Detail 9-A**
1 : 2



9 **Detail 9-B**
1 : 2



NOTE:
1:100 FALLS TO ENCLOSED SHOWER
1:80 FALLS TO OPEN SHOWERS

2 CDC-700 **SET OUT FOR STEP DOWN IN BATHROOM**
1 : 5

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 3:13:01 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

REGISTRATION NUMBER
NSW No. 8317

Member Australian Institute of Architects

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
WET AREA DETAILS 2

Checked
Checker

SCALE @A1 SHEET
As indicated

8848 JOB No. | CDC-701 DRAWING No. | C ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10



SEDIMENT FENCE

N.T.S



PORTABLE ROCK KERB INLET

SEDIMENT TRAP

N.T.S



TEMPORARY CONSTRUCTION EXIT / ENTRANCE

N.T.S

Typical Silt Protection Measures - NTS

See Stormwater Engineering Plans for additional detail



2 CDC 103

CONSTRUCTION MANAGEMENT PLAN

1 : 200

CONSTRUCTION MANAGEMENT PROGRAM

ALL STAGES

SITE / SECURITY FENCING AND SEDIMENT BARRICADES TO BE ERECTED PRIOR TO ANY OTHER WORKS. ALL PLANT AND EQUIPMENT TO BE KEPT AND OPERATED WHOLLY WITHIN THE SITE BOUNDARY.

SEE SITE PLAN FOR THE PLACEMENT OF:
SITE OFFICE, STAFF AMENITIES, TEMPORARY CAR PARKING, TRUCK UNLOADING AREAS, MATERIALS STORAGE AREAS, DUST AND MUD MINIMISATION MEASURES, INTERNAL VEHICLE CIRCULATION PATH, EMERGENCY EVACUATION POINT, SITE SECURITY, PLACEMENT OF TRAFFIC/PEDESTRIAN CONTROL DEVICES, AND WASTE BINS.

STAGE 1 - EXCAVATION

PRIMARILY THE EXCAVATION OF THE SITE AND ASSOCIATED GROUND WORKS. THE PLAN DETAILS THE INITIAL PLANNING ARRANGEMENTS AND SITE LAYOUT. SITE MANAGER TO DETERMINE THE OPTIMUM TEMPORARY LOCATIONS FOR PLANT, EQUIPMENT AND MATERIALS STORAGE.

CONSTRUCTION OF THE BASEMENT LEVEL. REFER TO STRUCTURAL ENGINEERING PLANS FOR DEAD-LOAD PLACEMENT DURING CONSTRUCTION.

STAGE 2 - BACKFILL OVER BASEMENT

COMPLETION OF BASEMENT LEVEL,
SLAB, RAIN WATER TANK. ONCE COMPLETE, STAFF
VEHICLES, PLANT + EQUIPMENT AND SMALL MATERIALS TO BE STORED WITHIN THE BASEMENT. SOIL BACK-FILL TO NEW GROUND LEVEL WITHIN THE FRONT SET-BACK.

STAGE 3 - CONSTRUCTION

MAIN CONSTRUCTION OF BUILDINGS ABOVE GROUND LEVEL. STAGGERED DELETION / RECONSTRUCTION OF THE DRIVEWAY CROSSINGS.

NOTE:

WORKS DESCRIBED HERE DO NOT INCLUDE ANY CIVIL ENGINEERING WORKS EITHER WITHIN THE SEWER EASEMENT OR IN THE PUBLIC ROADWAY. PLANNING AND COORDINATION OF CIVIL / STREET WORKS BY OTHERS.

TEMPORARY PEDESTRIAN MANAGEMENT PROGRAM

ALL STAGES

NOTIFICATION IS TO BE DELIVERED TO LOCAL RESIDENTS OF WORKS PROGRAM. ALL OUTSIDE-SITE WORKS ARE TO BE SECURED AFTER HOURS (AS MUCH AS PRACTICABLE) FOR THE DURATION OF WORKS.

PEDESTRIANS ADJACENT TO THE SITE WILL BE PROTECTED BY THE FOLLOWING MEANS:

THE SITE WILL BE FENCED WITH CYCLONE WIRE MESH WITH DUST-FABRIC BACKING ALONG THE STREET BOUNDARY AND SIDE/REAR BOUNDARIES TO PREVENT BOTH UNAUTHORISED ACCESS AND TO CONTAIN DUST RAISED BYCROSS-BREEZES.

SIDE AND REAR BOUNDARIES WILL BE FITTED WITH SILT / RUN-OFF BARRIERS AS PER THE STORMWATER ENGINEERING DETAILS AND SEDIMENT AND EROSION CONTROL PLANS.

VEHICLE ACCESS GATES TO SWING INWARDS AWAY FROM THE STREET, AND VEHICLES CROSSING TO BE SUPERVISED BY THE DESIGNATED TRAFFIC WARDEN. VEHICLES WILL BE REQUIRED TO GIVE WAY TO PEDESTRIAN TRAFFIC BEFORE CROSSING, PARTICULARLY DURING EGRESS. TRAFFIC WARDEN WILL ALSO REQUIRE SITE VEHICLES TO GIVE WAY TO STREET TRAFFIC (RESIDENT AND VISITOR).

ALL EGRESSING SITE VEHICLES TO BE CHECKED FOR DUST / MUD AND TO BE CLEANED TO RTA STANDARDS BEFORE DEPARTING. WATER SPRAY OR MUD IS TO BE CONTAINED ON SITE WHERE POSSIBLE. OVERSPRAY AND SPLASHING OFF-SITE TO BE AVOIDED.

DURING ANY TRAFFIC CONTROL EVENT WITH TRAFFIC WARDEN OR STOP/GO LOLLIPOP EQUIPMENT, MEASURES ARE TO BE PLACE AND OPERATING BEFORE SITE VEHICLE INGRESS OR EGRESS. NOTIFICATION OF DELIVERY E.T.A. TO BE GIVEN TO SITE MANAGER AND/OR TRAFFIC WARDEN FOR PREPARATION TIME.

CONSTRUCTION - STAGE 3

NOTIFICATION IS TO BE DELIVERED TO LOCAL RESIDENTS OF DELETION OF EXISTING DRIVE-WAYS AND THEIR REPLACEMENT.

PRIOR TO DEMOLITION, BARRICADES ARE TO BE PUT IN PLACE DIVERTING PEDESTRIAN TRAFFIC TO OPPOSITE FOOTPATH. IF BARRICADES ARE TO BE IN PLACE FOR MORE THAN DAYLIGHT HOURS, THEY ARE TO INCLUDE FLASHING WARNING LIGHTS FOR THE DURATION OF WORKS.

DURING WORKS OUTSIDE SITE AREA, TRAFFIC WARDEN IS TO PROVIDE SUPERVISION TO PROTECT PEDESTRIAN AMENITY AND TO ENFORCE PEDESTRIAN RIGHT-OF-WAY.

TRAFFIC FLOW PROGRAM

ALL STAGES

ALL TRUCKS AND DELIVERY VEHICLES TO APPROACH FROM JOHNSTON AVE MAKING A LEFT-HAND TURN INTO THE SITE AND THEY EXIT TURN LEFT ONTO BEAUFORT ST.

ALL STAFF AND TRADE VEHICLES TO APPROACH SITE AND PARK WITHIN DESIGNATED / APPROVED TEMPORARY SURFACE SPACES OR WITHIN BUILDING ONCE BASEMENT CONSTRUCTION COMPLETE.

STREET PARKING FOR STAFF / TRADE VEHICLES IS TO BE DISENCOURAGED.

STAFF CAR-POOLING AND PUBLIC TRANSPORT USE IS TO BE ENCOURAGED.

SITE INGRESS AND EGRESS OF STAFF VEHICLES TO BE ORDERLY AND OUTSIDE 'NORMAL' MORNING AND EVENING PEAK TRAFFIC FLOW PERIODS TO AVOID CONGESTION WHEN PRACTICABLE.

STAGE 1 - EXCAVATION:

ARRIVAL:

LADEN AND DELIVERY VEHICLES WILL PROCEED TO ENTRY GATE. UNLOADING TO TAKE PLACE WITHIN SITE AREA TO DESIGNATED STORAGE.

UNLADEN TRUCKS (TO COLLECT EXCAVATION MATERIAL) WILL APPROACH GATE AND REVERSE ONTO SITE AWAITING PICK-UP.
LOADING TO TAKE PLACE WITHIN SITE, IN DESIGNATED LOADING AREA.

DEPARTURE:

DURING EXCAVATION AND CONSTRUCTION, ALL VEHICLES WILL BE CHECKED FOR DUST / MUD AND BE WASHED DOWN BEFORE EXITING THE SITE, WHEN APPROPRIATE.

MANAGEMENT OF LARGE VEHICLES EXITING THE SITE WILL BE OVERSEEN / MANAGED BY THE GATE CONTROLLER OR DESIGNATED TRAFFIC WARDEN RESPONSIBLE FOR ANY TEMPORARY TRAFFIC CLOSURE.

EXCAVATION EQUIPMENT AND VEHICLES TO BE GARAGED ON SITE DURING THIS STAGE. UNLADEN EXCAVATION TRUCKS TO BE STAGGERED ARRIVAL - NO WAITING IN THE STREET. UNLADEN EXCAVATION TRUCKS TO TO BE OVERSEEN AND DIRECTED INTO PLACE BY DESIGNATED TRAFFIC WARDEN.

FOR TRUCK REVERSE TURNS INTO GATE , STOP/GO LOLLIPOP CONTROLS MAY BE REQUIRED (REFER TO TRAFFIC REPORT). SCHEDULING OF ARRIVAL TO BE COORDINATED WITH SITE MANAGER.

STAGE 2 - CONSTRUCTION

TEMPORARY ACCESS DRIVEWAY REPLACED WITH CONCRETE DRIVEWAY AS PER ENGINEER'S DETAILS, ENDING THE REQUIREMENT FOR DUST/MUD WASH - DOWN INSPECTIONS.

ARRIVAL:

DELIVERY VEHICLES WILL PROCEED TO ENTRY GATE. (DRIVEWAY RAMP) UNLOADING TO TAKE PLACE WITHIN SITE AREA TO MATERIAL STORAGE.

SITE EXIT VIA GATE IN FORWARDS DIRECTION.

SMALL LADEN TRUCKS WILL APPROACH GATE AND REVERSE ONTO SITE FOR DELIVERY - TRUCKS NOT TO PROCEED INTO BESEMENT. DELIVERY PROCESS OVERSEEN BY GATE CONTROLLER / DESIGNATED TRAFFIC WARDEN.

UNLOADING TO TAKE PLACE WITHIN SITE, IN DESIGNATED LOADING AREA.

MANAGEMENT OF VEHICLES EXITING THE SITE WILL BE OVERSEEN / MANAGED BY THE GATE CONTROLLER OR DESIGNATED TRAFFIC WARDEN RESPONSIBLE FOR ANY TEMPORARY TRAFFIC CLOSURE.

BRICK DELIVERIES

BRICK DELIVERY TRUCKS MAY BE TOO LARGE TO BE CONTAINED WITHIN THE SITE. HOWEVER, AS DELIVERIES ARE ONLY ONE TRUCK AT A TIME AND SOME WEEKS APART, THE FOLLOWING METHOD SHOULD NOT CAUSE UNDUE DISRUPTION:

ARRIVING BRICK TRUCK TO TURN INTO YOUNG ST AND REVERSE TO GATE PART STOPPING ON THE DRIVEWAY AND PUBLIC ROAD. PALLET UNLOADING ACROSS THE DRIVEWAY INTO THE TEMPORARY UNLOADING AREA TO OCCUR ONCE PEDESTRIAN PROTECTION MEASURES ARE IN FORCE (SEE NOTES). EGRESS FROM SITE IN A FORWARD DIRECTION VIA EGRESS ROUTE.

EXCAVATION CONDITIONS

THE FINISHED FLOOR LEVEL OF PROPOSED SLABS WERE RL 77.9 M (UNIT 3A) AND RL 79.0 (UNIT 3B) AND THE SITE PREPARATION WOULD LIKELY INVOLVE MINOR CUTTING AND FILLING.

BASED ON THE SUBSURFACE MATERIAL ENCOUNTERED IN THE BOREHOLES, THE EXCAVATIONS FOR THE SLAB AREA WOULD LIKELY BE IN FILL AND CLAYS SANDS WHICH SHOULD BE UNDERTAKEN USING A MEDIUM SIZE EXCAVATOR WITH MINOR RIPPING IF BANDS OF WEATHERED ROCK ARE PRESENT.

WHERE REQUIRED, ANY FILL MATERIAL SHALL BE PLACED IN LOOSE LAYERS WITH A THICKNESS NOT GREATER THAN 250MM AT A MOISTURE CONTENT IN THE RANGE -1% TO +3% OF THE STANDARD OPTIMUM MOISTURE CONTENT. THE FILL LAYERS SHALL BE COMPACTED TO A MINIMUM DRY DENSITY RATIO OF 98% STANDARD COMPACTION. PRIOR TO PLACEMENT OF FILL MATERIAL, ANY SOFT AND SATURATED SOILS SHALL BE REMOVED

Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:13:02 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSION	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood, NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A. : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
CONSTRUCTION MANAGEMENT PLAN

Checked
Checker

SCALE @A1 SHEET
As indicated

8848
JOB No.

CDC-702
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10









Beyond Certification (Sonder Projects Pty Ltd)
Reference: 3125176CDC
Date: 17/11/2025

Chen Wu
Certifier
BDC3224

COPYRIGHT & GENERAL NOTE:
Figured dimensions shall be taken in preference to scaling. Drawing to be read in conjunction with information on first page. Check all dimensions and levels on site before commencing work or ordering materials. All existing ground lines & trees location are approximate, therefore, to be verified on-site by the builder. Any discrepancies to be verified back to Zhinar Architects before proceeding. All workmanship and materials shall comply with all relevant codes, ordinances, Australian Standards and manufactures instructions. Unless noted 'Issued for Construction' drawing not to be used for construction. All art / graphic representations are indicative only. Information on this drawing is the copyright of Zhinar Architects. Copying or using this drawing in whole or part without written permission infringes copyright.

7/11/2025 2:13:04 PM

ISSUE	AMENDMENT	DATE	DRAWN	CHECK
C	ISSUE FOR CDC SUBMISSION 3	7/11/2025	TH	IC
B	ISSUE FOR CDC SUBMISSION 2	28/10/2025	TH	IC
A	ISSUE FOR CDC SUBMISSON	18/09/2025	TH	IC

Drawing is NOT VALID or issued for use, unless checked

PROJECT ARCHITECTS
IAN CONRY

Member Australian Institute of Architects

REGISTRATION NUMBER
NSW No. 8317

DIAL BEFORE YOU DIG
www.1100.com.au

Zhinar Architects Pty Ltd
Suite 1, Level 2
2 Rowe Street
Eastwood. NSW 2122
+61 2 8893 8888 / p
info@zhinar.com.au / e
www.zhinar.com.au / w
28 495 869 790 / abn

PROJECT STATUS :
Complying Development Certificate

PROJECT NAME
Dual Occupancy

3 Johnston Ave

Kirrawee, NSW 2232
L.G.A : SUTHERLAND SHIRE COUNCIL

SHEET TITLE:
TRAFFIC SWEPTH PATH

Checked
Checker

SCALE @A1 SHEET
1 : 200

8848
JOB No.

CDC-800
DRAWING No.

C
ISSUE

0 1 2 3 4 5 scale 1:100 @A1sheet 10