

FOR CONSTRUCTION

LOT 152 IN DP 1295782
Located at No.20 HAMLET AVENUE, LEPPINGTON NSW2179
Proposed construction of a Two-Storey Residential Dwelling
with attached Garage and Associated Site Works on a Vacant Lot

Paragon Building Certifiers Pty Ltd


RBC00045

Registered Certifier

APPROVED

Reference: 260400/01

Date: 31/08/2026



BASIX COMMITMENTS		Certificate number: 1844392S
		Date of issue: Thursday, 30 April 2026
WATER		
LANDSCAPE	164m2	
TOILETS	4 STARS	
KITCHEN TAPS	4 STARS	
SHOWER HEADS	4 STAR (>4.5 but <=6 Umin)	
BASIN TAPS	4 STARS	
ALTERNATIVE WATER	1500L RAINWATER TANK	
ROOF WATER TO TANK	252m2	
ALT.WATER USES- TANK	LAUNDRY	
ALT. WATER USES - RETIC	ALL TOILETS + ONE OUTDOOR TAP	
SWIMMING POOL	N/A	
ENERGY		
HOT WATER	GAS INSTANTANEOUS - 5 STAR	
AIR-CON (HEATING)	3 PHASE DUCTED - EER 3.0-3.5	
AIR-CON (COOLING)	3 PHASE DUCTED - EER 3.0-3.5	
VENTILATION - BATHROOM	NONE/ NATURAL VENTILATION	
VENTILATION - KITCHEN	DUCTED - MANUAL SWITCH	
VENTILATION - LAUNDRY	NONE/ NATURAL VENTILATION	
PV SYSTEM	N/A	
COOKTOP	GAS	
OVEN	ELECTRIC	
CLOTHES DRYING	OUTDOOR CLOTHESLINE	
LIGHTING	DEDICATED LED	

GENERAL LEGEND

AC	AIR CONDITIONING UNIT
AL	POWDERCOATED ALUMINIUM DOOR/ WINDOW
BAL	BALUSTRADE TYPE
BG	BOX GUTTER
BR1, BR2, etc.	BRICK FACE TYPE
CAP	METAL CAPPING
CD1, CD2, etc.	WALL CLADDING
CONC.	CONCRETE FLOOR
CPT	CARPET
CRT	CONCRETE ROOF TILES
CR1, CR2, etc.	CEMENT RENDER TYPE/ COLOUR
DP/S	DOWN PIPE
DW	DISH WASHER
ED	ENTRY DOOR
F	FRIDGE
FAS	FASCIA
FET	FEATURE TILE
FT, FT1, FT2, etc.	FLOOR TILES
FW	FLOOR WASTE
GD	GARAGE DOOR
GUT	GUTTER
HWU	HOT WATER UNIT
HYB	HYBRID FLOOR
L	LINEN
MR	METAL ROOF
MW	MICROWAVE OVEN
NGL	NATURAL GROUND LEVEL
OBS	OBSCURED GLASS
P	PANTRY
R	ROBE
RL	REDUCED LEVEL
RWH	RAIN WATER HEAD
RWT	RAIN WATER TANK
S	STORAGE
TOW	TOP OF WALL
TL	TIMBER LAMINATE
WC	WATER CLOSET
WM	WASHING MACHINE
SD	SMOKE DETECTOR

Sheet List			
Sheet No.	Sheet Name	Drawn By	Revision
CC.01	COVER SHEET	ROHIT	3
CC.02A	GENERAL NOTES	ROHIT	3
CC.02B	GENERAL NOTES	ROHIT	3
CC.03A	LOCATION PLAN AND SITE PLAN	ROHIT	3
CC.03B	SITE CUT/FILL	ROHIT	3
CC.03C	DRIVEWAY PLAN	ROHIT	3
CC.04	SITE ANALYSIS AND SEDIMENT CONTROL	ROHIT	3
CC.05	GROUND FLOOR PLAN	ROHIT	3
CC.06	FIRST FLOOR LEVEL	ROHIT	3
CC.07	ROOF PLAN	ROHIT	3

Sheet List			
Sheet No.	Sheet Name	Drawn By	Revision
CC.08	ELEVATION 01	ROHIT	3
CC.09	ELEVATION 02	ROHIT	3
CC.10	SECTIONS	ROHIT	3
CC.11	FLOOR AREA PLAN	ROHIT	3
CC.12	RENTABLE AREA PLAN	ROHIT	3
CC.13	ROOM AREA PLAN	ROHIT	3
CC.14	COLOR SCHEDULE	ROHIT	3
CC.15	LANDSCAPE PLAN	ROHIT	3
CC.16	WATERPROOFING DETAILS	ROHIT	3

BASIX™Certificate

Building Sustainability Index
www.planningportal.nsw.gov.au/development-and-assessment/basix

Single Dwelling

Certificate number: 1844392S

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability. It is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at: www.planningportal.nsw.gov.au/definitions

Secretary
Date of issue: Thursday, 30 April 2026
To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



Project summary		
Project name	20 HAMLET AVENUE LEPPINGTON	
Street address	20 HAMLET Avenue LEPPINGTON 2179	
Local Government Area	Camden Council	
Plan type and plan number	Deposited Plan DP1295782	
Lot no.	152	
Section no.	-	
Project type	dwelling house (detached)	
No. of bedrooms	6	
Project score		
Water	41	Target 40
Thermal Performance	Pass	Target Pass
Energy	70	Target 70
Materials	60	Target n/a

Certificate Prepared by	
Name / Company Name:	HOMESVALE PTY LTD.
ABN (if applicable):	76638763160

BASIX Department of Planning, Housing and Infrastructure www.basix.nsw.gov.au Version: 4.03 / EUCAL VPT025_03_01_0 Certificate No.: 1844392S Thursday, 30 April 2026 page 1/12

NOTE: ALL IMAGES ARE FOR ILLUSTRATION ONLY AND ARE SUBJECT TO VARIATION AND TO AVAILABILITY OF MATERIALS.

			CC ISSUE	
			LOT NO:	DATE:
			152	13-08-2026
			SCALE:	DRAWING No:
			As indicated	CC.01
			REV:	3
			ISSUED BY:	
			CLIENT NAME:	
			Ying Chen	
3	13-08-2026	CC ISSUE		
2	22-06-2026	RFI ISSUE		
1	01-05-2026	DA issue		
REV	DATE	DESCRIPTION	BY	



THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
COVER SHEET

NORTH:

BUILDING SPECIFICATIONS

**National Construction Code – Volume 2,
Amendment 1 – Building Code of Australia 2022
& Housing Provisions Standard 2022**

SITE PREPARATION

- PART 3.1 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.

EARTHWORKS

- TO BE CARRIED OUT IN ACCORDANCE WITH THE REQUIREMENTS OF THE ENVIRONMENTAL PLANNING & ASSESSMENT ACT 1979 AND DEVELOPMENT CONSENT CONDITIONS
- PART 3.2 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 4678:2002 - EARTH-RETAINING STRUCTURES

DRAINAGE

- PART 3.3 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS/NZS 3500.1:2021 - PLUMBING & DRAINAGE - WATER SERVICES
- AS/NZS 3500.2:2021 - PLUMBING & DRAINAGE - SANITARY PLUMBING & DRAINAGE
- AS/NZS 3500.3:2021 - PLUMBING & DRAINAGE - STORMWATER DRAINAGE
- AS/NZS 3500.4:2021 - PLUMBING & DRAINAGE - HEATED WATER SERVICES

STRUCTURAL WORK

- Part 2.2 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 4100:2020 - STEEL STRUCTURES CODES
- AS/NZS 1170.0:2002 - GENERAL PRINCIPLES
- AS/NZS 1170.1:2002 - PARTS 1 PERMANENT, IMPOSED AND OTHER ACTIONS
- AS/NZS 1170.2:2021 - PART 2 WIND ACTIONS
- AS 3700:2018 - SAA MASONRY CODE
- AS 1684.3:2021 - RESIDENTIAL TIMBER FRAMED CONSTRUCTION

FOOTINGS & SLABS

- PART 4 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 2159:2009 - PILING - DESIGN & INSTALLATION
- AS 2870:2011 - RESIDENTIAL SLABS & FOOTINGS
- AS 3600:2018 - CONCRETE STRUCTURES

MASONRY

- PART 5 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 3700:2018 - MASONRY STRUCTURES
- PART 6 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 1684.2:2021 - RESIDENTIAL TIMBER-FRAMED CONSTRUCTION - NON-CYCLONIC AREAS
- AS 1720.1:2010 - TIMBER STRUCTURES - DESIGN METHODS
- AS 4100:2020 - STEEL STRUCTURES
- AS 3660.1:2014 - TERMITE MANAGEMENT SYSTEM

ROOF & WALL CLADDING

- PART 7 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 1273:1991 - UNPLASTICIZED PVC (UPVC) DOWNPIPES & FITTINGS FOR RAINWATER
- AS 1562.1:2018 - DESIGN & INSTALLATION OF SHEET ROOF & WALL CLADDING - METAL
- AS/NZS 1562.3:2006 - DESIGN & INSTALLATION OF SHEET ROOF & WALL CLADDING - PLASTIC
- AS 2049:2002 - ROOF TILES
- AS 2050:2018 - INSTALLATION OF ROOF TILES
- AS 4285:2019 - ROOFLIGHTS

GLAZING

- PART 8 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 1288:2021 - GLASS IN BUILDINGS - SELECTION & INSTALLATION
- AS 2047:2014 - WINDOWS & EXTERNAL GLAZED DOORS IN BUILDINGS
- AS/NZS 2208:1996 - SAFETY GLAZING MATERIALS IN BUILDINGS

FIRE SAFETY

- PART 9 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 3786:2014 - SMOKE ALARMS USING SCATTERED LIGHT, TRANSMITTED LIGHT OR IONIZATION

HEALTH & AMENITY

- PART 10 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS/NZS ISO 717.1:2004 - ACOUSTICS - RATING OF SOUND INSULATION IN BUILDINGS & OF BUILDING ELEMENTS - AIRBORNE SOUND INSULATION
- AS ISO 717.2:2004 - ACOUSTICS - RATING OF SOUND INSULATION IN BUILDINGS & OF BUILDING ELEMENTS - IMPACT SOUND INSULATION
- AS 1668.2:2012 - THE USE OF VENTILATION & AIR CONDITIONING IN BUILDINGS - MECHANICAL VENTILATION IN BUILDINGS
- AS 1668.4:2012 - THE USE OF VENTILATION & AIR CONDITIONING IN BUILDINGS - NATURAL VENTILATION OF BUILDINGS
- AS/NZS 1680.0:2009 - INTERIOR LIGHTING - SAFE MOVEMENT
- AS 3740:2021 - WATERPROOFING OF DOMESTIC WET AREAS
- AS 3000:2018 - ELECTRICAL INSTALLATION
- BCA Part 10.8.1, AS 4200.1 & AS 4200.2 - PLIABLE BUILDING MEMBRANE INSTALLED.

WATERPROOFING

- PART 10.2 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022
- AS 3740:2021 - WATERPROOFING TO WET AREA
- AS 4654:2012 - EXTERNAL WET AREAS

SAFE MOVEMENT & ACCESS

- PART 11 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 1428.1:2009 - DESIGN FOR ACCESS & MOBILITY - GENERAL REQUIREMENTS FOR ACCESS - NEW BUILDING WORK
- AS 1657:2018 - FIXED PLATFORMS, WALKWAYS, STAIRWAYS & LADDERS - DESIGN, CONSTRUCTION & INSTALLATION

HANDRAILS & BALUSTRADE

- PART 11.3.3 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- PART 11.3.4 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- PART 11.3.5 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.
- AS 1170.1:2002 - BALUSTRADE INSTALLATION

PROTECTION OF OPENABLE WINDOW


PART 11.3.7 AND 11.3.8 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022.

ENERGY EFFICIENCY


- PART 13 OF THE NCC VOLUME 2, AMENDMENT 1 - BUILDING CODE OF AUSTRALIA 2022 & HOUSING PROVISIONS STANDARD 2022 & BASIX CERTIFICATE.

MECHANICAL VENTILATION

- EXHAUST FROM A BATHROOM, SANITARY COMPARTMENT TO DISCHARGE DIRECTLY TO OUTDOOR AIR WITH MINIMUM FLOW RATE OF 25L/S & MAKE-UP AIR VIA OPENINGS TO AN ADJACENT ROOM WITH A FREE AREA OF 14,000 MM². THIS EXHAUST SYSTEM MUST BE INTERLOCKED WITH LIGHT SWITCH AND INCLUDE RUN-ON TIMER SO THAT THE EXHAUST SYSTEM CONTINUES TO OPERATE FOR 10 MINUTES AFTER THE LIGHT SWITCH IS OFF.
- ANY INSTALLED - KITCHEN RANGEHOOD EXHAUST TO DISCHARGE DIRECTLY OR VIA DUCT TO OUTDOOR AIR WITH MINIMUM FLOW RATE OF 40L/S & MAKE-UP AIR VIA OPENINGS TO AN ADJACENT ROOM WITH A FREE AREA OF 14,000 MM².
- LAUNDRY EXHAUST TO DISCHARGE DIRECTLY OR VIA DUCT TO OUTDOOR AIR WITH MINIMUM FLOW RATE OF 40L/S & MAKE-UP AIR VIA OPENINGS TO AN ADJACENT ROOM WITH A FREE AREA OF 14,000 MM².



REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	



PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
GENERAL NOTES

NORTH:

LOT NO:	DATE:	SCALE:	DRAWING No:	REV:
152	13-08-2026	1 : 2	CC.02A	3
DRAWN BY:	CHECKED BY:			ISSUED BY:
ROHIT	RH			
CLIENT NAME:				
Ying Chen				

CC ISSUE

TERMITE SHEET


- TERMITE SHEET EXTENDS THROUGH THE ENTIRE MASONRY LEAF AND IS VISIBLE AT THE FINISHED FACE OF THE WALL.



FIGURE 5.5 (in part) TYPICAL SHEET INSTALLATION TO EXTERNAL WALL WITH CONCRETE FLOOR SLAB

DPC FOR BRICKS

DAMP-PROOF COURSE (DPC) TO EXTENDS THROUGH THE ENTIRE MASONRY LEAF AND NEED TO BE VISIBLE AT THE FINISHED FACE OF THE WALL FROM OUTSIDE



WATERPROOFING

FALL TO FLOOR WASTE TO BE MINIMUM 1:80 TO MAXIMUM 1:50

Figure 10.2.29: Typical membrane termination at drainage outlet








Figure 10.2.24: Typical bathroom door details for whole bathroom waterproofing





BASIN & BATHTUB:

Figure 10.2.5: Bath and vessel abutting wall — areas to be protected





OVERFLOW TO BALCONY:

- SURFACE DRAIN & OVERFLOW TO BALCONY



ENCLOSED SHOWER AREA

Figure 10.2.17: Typical hobless construction



PLANTER BOX

REFER BELOW DETAILS FOR PLANTER BOX.




FIGURE 2.17 TYPICAL PLANTER BOX CONSTRUCTION

CC ISSUE

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
GENERAL NOTES

NORTH:

LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 2	DRAWING No: CC.02B	REV: 3
DRAWN BY: ROHIT	CHECKED BY: RH			ISSUED BY:
CLIENT NAME: Ying Chen				

HAMLET

AVENUE

STREET

DUNCAN

PARAGON

Paragon Building Certifiers Pty Ltd

RBC00045

Registered Certifier

APPROVED

Reference: 260400/01

Date: 31/08/2026

BENCHMARK
RL 106.83 AHD
SSM202684

1 CC - SITE PLAN
1 : 200



LEGENDS

GROUND FLOOR

FIRST FLOOR

PRIVATE OPEN SPACE 20M²

COMPLIANCE TABLE Camden Council Growth Centre Precincts Development Control Plan -2025				
DESCRIPTION		COMPLIANCE		COMMENT
ELEMENT	CODE CONTROL	REQUIREMNT	PROPOSED	
LAND ZONE	R2-LOW DENSITY RESIDENTIAL			
LOT NO	LOT 152			
LOT AREA	420.2 m²			
HEIGHT	MAX. Height	9m	8.3m (MAX.)	YES
FRONT SETBACK	FRONT SET BACK (Min. Setback from Primary Road)	4.5 m	4.5m	YES
	FRONT SET BACK (Min. Setback from Secondary Road)	2 m	2.0m	YES
REAR SET BACK (MIN.)	GROUND FLOOR	4m	4.0m	YES
	FIRST FLOOR	6m	9.6m	
SIDE SET BACK (MIN.)	GROUND FLOOR	0.9/2m	1.7m/3.0m	YES
	FIRST FLOOR	0.9/2m	1.7m/3.0m	
SITE COVERAGE	Single storey dwellings: 60% Lot >375sqm, upper level no more than 35% of lot area.	Ground floor:168m²(40%) upper floor :132m²(31.4%)		YES
PRIVATE OPEN SPACE	Minimum 20m² with minimum dimension of 4.0m. 50% of the area of the required PPOS	PPOS 20m2, with dimension 4m x 6m		YES
LANDSCAPE AREA	Minimum 25% of allotment area	164m²(39%)		YES

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
**LOCATION PLAN
AND SITE PLAN**

NORTH:

LOT NO:
152

DRAWN BY:
ROHIT

CLIENT NAME:
Ying Chen

DATE:
13-08-2026

CHECKED BY:
RH

SCALE:
As indicated

DRAWING No:
CC.03A

REV:
3

ISSUED BY:

CC ISSUE



Paragon Building Certifiers Pty Ltd

RBC00045

Registered Certifier

APPROVED

Reference: 260400/01

Date: 31/08/2026

AVENUE

BENCHMARK
RL 106.83 AHD

STREET

DUNCAN

LEGENDS

CUT UPTO 250MM
FILL UPTO 405MM

CC - CUT AND FILL

1

1 : 200

CC ISSUE

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	



THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
SITE CUT/FILL

NORTH:



LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 200	DRAWING No: CC.03B	REV: 3
DRAWN BY: ROHIT	CHECKED BY: RH		ISSUED BY:	
CLIENT NAME: Ying Chen				

HAMLET

AVENUE

STREET

DUNCAN

PARAGON

Paragon Building Certifiers Pty Ltd

RBC00045

Registered Certifier

APPROVED

Reference: 260400/01

Date: 31/08/2026

AS PER BASIX, Rainwater tank to have a minimum capacity of 1500 liters.

AC

RWT

RWU

ALFRESCO

FFL 106.605

DN

PPOS

24m2

PROPOSED TWO STOREY BUILDING

FFL 106.605

LOT 125

DP 1295782

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

FFL 106.605

SIDE SETOUT

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

SIDE SETOUT

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

SIDE SETOUT

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

SIDE SETOUT

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710

1710


1710

1710

1710





1710

1710



CC - SITE ANALYSIS AND SEDIMENT CONTROL

1 : 200



SEDIMENT AND EROSION NOTES:

- THIS PLAN TO BE READ IN CONJUNCTION WITH SEDIMENT AND EROSION CONTROL DETAILS AS ATTACHED.
- THE CONTRACTOR SHALL IMPLEMENT ALL SOIL EROSION AND SEDIMENT CONTROL MEASURES AS NECESSARY AND TO THE SATISFACTION OF COUNCIL PRIOR TO THE COMMENCEMENT AND DURING CONSTRUCTION. NO DISTURBANCE TO THE SITE SHALL BE PERMITTED OTHER THAN IN THE IMMEDIATE AREA OF THE WORK AND NO MATERIAL SHALL BE REMOVED FROM THE SITE WITHOUT COUNCIL'S APPROVAL. ALL SEDIMENT AND EROSION CONTROL DEVICES TO BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH STANDARDS OUTLINED IN NSW DEPARTMENT OF HOUSING "MANAGING URBAN STORMWATER-SOILS AND CONSTRUCTIONS". TOPSOIL SHALL BE STRIPPED AND STOCKPILED OUTSIDE HAZARDOUS AREAS SUCH AS DRAINAGE LINES. THIS TOPSOIL IS TO BE RESPIRED LATER ON AREAS TO BE REVEGETATED AND STABILISED ONLY. (I.E ALL FOOTPATHS, BATTERS, SITE REGARDING AREAS, BASINS AND CATCH DRAINS), TOPSOIL SHALL NOT BE RESPIRED ON ANY OTHER AREAS UNLESS SPECIALLY INSTRUCTED BY THE SUPERINTENDENT. IF THEY ARE TO REMAIN FOR LONGER THAN ONE MONTH STOCKPILES SHALL BE PROTECTED FROM EROSION BY COVERING THEM WITH A MULCH AND HYDROSEEDING AND, IF NECESSARY, BY LOCATING BANKS OR DRAINS DOWNSTREAM OF A STOCKPILE TO RETARD SILT LADEN RUNOFF.
- THE CONTRACTOR SHALL REGULARLY MAINTAIN ALL SEDIMENT AND EROSION CONTROL DEVICES AND REMOVE ACCUMULATED SILT FROM SUCH DEVICES SUCH THAT MORE THAN 60% OF THEIR CAPACITY LOST. ALL THE SILTS TO BE PLACED OUTSIDE THE LIMIT OF WORKS. THE PERIOD FOR MAINTAINING THESE DEVICES SHALL BE AT LEAST UNTIL ALL DISTURBED AREAS ARE REVEGETATED AND FURTHER AS MAY BE DIRECTED BY THE SUPERINTENDENT OR COUNCIL.
- LAY TURF STRIP (MIN 300 mm WIDE) ON 100 mm TOPSOIL WITH 1.0 m LONG RETURNS EVERY 6.0m BEHIND ALL KERB AT THE TOP OF ALL BATTERS AND AROUND STRUCTURES IMMEDIATELY AFTER BACKFILLING OR FORMATION.
- THE CONTRACTOR SHALL GRASS SEED ALL DISTURBED AREAS WITH AN APPROVED MIX AS SOWN AS PRACTICABLE AFTER COMPLETION OF EARTHWORKS AND REGRADING.
- VEHICULAR TRAFFIC SHALL BE CONTROLLED DURING CONSTRUCTION CONFINING ACCESS WHERE POSSIBLE TO NOMINATED STABILISED ACCESS POINTS.
- WHEN ANY DEVICES ARE TO BE HANDED OVER TO COUNCIL, THEY SHALL BE IN CLEAN AND STABLE CONDITION.
- THE CONTRACTOR SHALL IMPLEMENT DUST CONTROL BY REGULAR WETTING DOWN (BUT NOT SATURATING) DISTURBED AREA.
- PROVIDE AND MAINTAIN SILT TRAPS AROUND ALL SURFACE INLET PITS UNTIL CATCHMENT IS REVEGETATED OR PAVED.
- REVEGETATE ALL TRENCHES IMMEDIATELY UPON COMPLETION OF BACKFILLING.
- ALL DRAINAGE PIPE INLETS TO BE CAPPED UNTIL:
 - A) DOWNPIPES CONNECTED
 - B) PITS CONSTRUCTED & PROTECTED WITH SILT BARRIER

SITE WORKS NOTES

- ORIGIN OF LEVELS PROVIDED BY SURVEYOR
- THE BUILDER SHALL VERIFY ALL DIMENSIONS AND EXISTING LEVELS ON SITE PRIOR TO THE COMMENCEMENT OF WORK AND ANY DISCREPANCIES SHALL BE REPORTED TO THE SURVEYOR / ENGINEER.
- TOPSOIL SHALL BE STRIPPED FROM THE CONSTRUCTION AREA AND STOCKPILED ON SITE, TO BE LATER SPREAD OR DISPOSED OFF SITE, AS DIRECTED BY SUPERVISOR / ENGINEER.
- ALL TRENCH BACKFILL MATERIAL SHALL BE COMPACTED TO THE SAME DENSITY AS THE ADJACENT MATERIAL.
- ALL SERVICE TRENCHES UNDER VEHICULAR PAVEMENTS SHALL BE BACKFILLED WITH SAND OR APPROVED GRANULAR MATERIALS, TO THE UNDERSIDE OF THE PAVEMENT, AND COMPACTED TO 95% STANDARD MAXIMUM DRY DENSITY, IN ACCORDANCE WITH AS 1289E1.1.

SD 5-7 STABILISED SITE ACCESS

- STRIP TOPSOIL AND LEAVE SITE.
- COMPACT SUBGRADE.
- COVER AREA WITH GEOTEXTILE.
- CONSTRUCT 200 mm THICK PAD OVER GEOTEXTILE USING ROADBASE OR 30 mm AGGREGATE. Min 15 m LONG OR TO BUILDING ALIGNMENT. Min 3 m WIDE.
- CONSTRUCT HUMP IMMEDIATELY WITHIN BOUNDARY TO DIVERT WATER TO A SEDIMENT FENCE OR OTHER SEDIMENT TRAP.

TEMPORARY 1.8M HIGH WIRE MESH FENCE WITH DUSTPROOF MESH APPLIED TO FULL HEIGHT TO BOUNDARIES AS REQUIRED

LOCATION OF WASTE BINS
SEDIMENT FENCE AS REQUIRED
GRAVEL ACCESS
SITE ACCESS AREA TO BE USED FOR WASHDOWN AREA
FOOTPATH CLEAN AND CLEAR AT ALL TIMES

LOCATION OF STOCKPILE MATERIAL
MATERIAL STORAGE AREA
TEMPORARY TOILETS
INSTALL TEMPORARY SEDIMENT BARRIERS TO ALL INLET PITS LIKELY TO COLLECT SILT LADEN WATER, TO COUNCIL'S REQUIREMENTS.

SD 6-9 GEOTEXTILE INLET FILTER

- FABRICATE A SEDIMENT BARRIER MADE FROM GEOTEXTILE. REFER SD6-7 FOR DETAILS.
- SUPPORT GEOTEXTILE WITH MESH TIED TO POSTS AT 1m Ctrs.
- DO NOT COVER INLET WITH GEOTEXTILE.

CC ISSUE


REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

RUBY HOMES

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER AND THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.


PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET AVENUE LEPPINGTON NSW

DRAWING TITLE:
SITE ANALYSIS AND SEDIMENT CONTROL



LOT NO:	DATE:	SCALE:	DRAWING No:	REV:
152	13-08-2026	As indicated	CC.04	3
DRAWN BY:	CHECKED BY:	CLIENT NAME:	ISSUED BY:	
ROHIT	RH	Ying Chen		

IMPORTANT NOTES:
ALL DIMENSIONS AND NOTES ON ALL PLANS MUST BE CHECKED AND VERIFIED BY BUILDERS AND OWNER PRIOR TO COMMENCEMENT OF ANY BUILDING WORKS. TO CLARIFY AND CONFIRM WITH CONSTRUCTION COMPANY FOR DISCREPANCIES ON ALL DOCUMENTS AND PLANS PROVIDED FOR CONSTRUCTION. ANY WORK INDICATED ON THE PLAN BUT NOT IN THE SPECIFICATION BUT WHICH IS NECESSARY AS PART OF THE CONTRACT, VARIATION TO PLANS, SPECIFICATIONS MAY NOT BE MADE WITHOUT THE WRITTEN CONSENT OF OWNER. IT IS THE RESPONSIBILITY OF THE BUILDER/END USER TO VERIFY PLANS AND SPECIFICATIONS AS TO THEIR ACCURACY AND COMPLY CURRENT BCA AND AUSTRALIAN STANDARDS. WINDOWS TO COMPLY WITH 3.9.3.5 OF THE BCA.



1 Ground Floor

1 : 100



Riser and going dimensions (mm)

Stair type	Riser (R)		Going (G)		Slope relationship (2R+G)	
	Max	Min	Max	Min	Max	Min
Stairs	190	115	355	240	700	550

NOTE: PLEASE REFER TO TENDER FOR ALL INCLUSIONS.

CC ISSUE

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

RUBY HOMES

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
GROUND FLOOR
PLAN



LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 100	DRAWING No: CC.05	REV: 3
DRAWN BY: ROHIT	CHECKED BY: RH		ISSUED BY:	
CLIENT NAME: Ying Chen				

IMPORTANT NOTES:
ALL DIMENSIONS AND NOTES ON ALL PLANS MUST BE CHECKED AND VERIFIED BY BUILDERS AND OWNER PRIOR TO COMMENCEMENT OF ANY BUILDING WORKS. TO CLARIFY AND CONFIRM WITH CONSTRUCTION COMPANY FOR DISCREPANCIES ON ALL DOCUMENTS AND PLANS PROVIDED FOR CONSTRUCTION. ANY WORK INDICATED ON THE PLAN BUT NOT IN THE SPECIFICATION BUT WHICH IS NECESSARY AS PART OF THE CONTRACT. VARIATION TO PLANS. SPECIFICATIONS MAY NOT BE MADE WITHOUT THE WRITTEN CONSENT OF OWNER. IT IS THE RESPONSIBILITY OF THE BUILDER/END USER TO VERIFY PLANS AND SPECIFICATIONS AS TO THEIR ACCURACY AND COMPLY CURRENT BCA AND AUSTRALIAN STANDARDS. WINDOWS TO COMPLY WITH 3.9.3.5 OF THE BCA.



NOTE: PLEASE REFER TO TENDER FOR ALL INCLUSIONS.

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

RUBY HOMES

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET AVENUE LEPPINGTON NSW

DRAWING TITLE:
FIRST FLOOR LEVEL

NORTH:

LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 100	DRAWING No: CC.06	REV: 3
DRAWN BY: ROHIT	CHECKED BY: RH		ISSUED BY:	
CLIENT NAME: Ying Chen				

IMPORTANT NOTES:
ALL DIMENSIONS AND NOTES ON ALL PLANS MUST BE CHECKED AND VERIFIED BY BUILDERS AND OWNER PRIOR TO COMMENCEMENT OF ANY BUILDING WORKS. TO CLARIFY AND CONFIRM WITH CONSTRUCTION COMPANY FOR DISCREPANCIES ON ALL DOCUMENTS AND PLANS PROVIDED FOR CONSTRUCTION. ANY WORK INDICATED ON THE PLAN BUT NOT IN THE SPECIFICATION BUT WHICH IS NECESSARY AS PART OF THE CONTRACT, VARIATION TO PLANS, SPECIFICATIONS MAY NOT BE MADE WITHOUT THE WRITTEN CONSENT OF OWNER. IT IS THE RESPONSIBILITY OF THE BUILDER/END USER TO VERIFY PLANS AND SPECIFICATIONS AS TO THEIR ACCURACY AND COMPLY CURRENT BCA AND AUSTRALIAN STANDARDS. WINDOWS TO COMPLY WITH 3.9.3.5 OF THE BCA.

ABCB HOUSING PROVISIONS STANDARD 2022

10.8.3 VENTILATION OF ROOF SPACES

1. IN CLIMATE ZONES 6, 7 AND 8, A ROOF MUST HAVE A ROOF SPACE THAT
(A) IS LOCATED
(I) IMMEDIATELY ABOVE THE *PRIMARY INSULATION LAYER*, OR
(II) IMMEDIATELY ABOVE SARKING WITH A *VAPOUR PERMEANCE* OF NOT LESS THAN 1.14 µG/N.S, IMMEDIATELY ABOVE THE *PRIMARY INSULATION LAYER*, OR
(III) IMMEDIATELY ABOVE CEILING INSULATION THAT MEETS THE REQUIREMENTS OF 13.2.3(3) AND 13.2.3(4); AND
(B) HAS A HEIGHT OF NOT LESS THAN 20MM; AND
(C) IS EITHER -
(I) VENTILATED TO OUTDOOR AIR THROUGH EVENLY DISTRIBUTED OPENINGS IN ACCORDANCE WITH 10.8.3; OR
(II) LOCATED IMMEDIATELY UNDERNEATH THE TILES OF A UNSARKED TILED ROOF.

Figure 10.8.3 (explanatory): Example of roof space with low level ventilation




Figure Notes
(1) Minimum 20 mm gap maintained between insulation and sarking.
(2) Eave ventilation opening in accordance with Table 10.8.3.

VENTILATION OF ROOF SPACES


ROOF SPACE AS PER 10.8.3 1(a) & 1(b)

(i) VENTILATED TO OUTDOOR AIR THROUGH EVENLY DISTRIBUTED OPENINGS IN ACCORDANCE WITH TABLE 10.8.3;

Table 10.8.3: Roof space ventilation requirements

Roof pitch	Ventilation openings
< 10°	25,000 mm ² /m provided at each of two opposing ends
≥ 10° and < 15°	25,000 mm ² /m provided at the eaves and 5,000 mm ² /m at high level
≥ 15° and < 75°	7,000 mm ² /m provided at the eaves and 5,000 mm ² /m at high level, plus an additional 18,000 mm ² /m at the eaves if the roof has a cathedral ceiling

Figure 7.2.3: Minimum pitch requirements for metal roofing profiles



Roof Schedule

Mark	Base Level	Area	Comments
R1	CEILING LEVEL	190 m ²	COLORBOND
R2	Ground Ceiling	59 m ²	COLORBOND
Grand total: 2		248 m ²	

CC ISSUE

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	


THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW


DRAWING TITLE:
ROOF PLAN



LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 100	DRAWING No: CC.07	REV: 3
DRAWN BY: ROHIT	CHECKED BY: RH		ISSUED BY:	
CLIENT NAME: Ying Chen				



1
1 : 100



2
1 : 100

Window Schedule 1					
Mark	Height	Width	Sill Height	Head Height	Description

Ground Floor					
GW1	1400	1500	1000	2400	SLIDING
GW2	1500	1500	900	2400	SLIDING
GW3	800	800	1600	2400	SLIDING
GW4	600	1200	920	1520	SLIDING
GW5	600	1800	920	1520	FIXED
GW6	600	1800	1800	2400	SLIDING
GW7	1400	2000	1000	2400	FIXED AND SLIDING
GW8	600	900	1800	2400	SLIDING

Ground Floor: 8

Level 1					
FW1	1400	1800	1050	2450	SLIDING
FW2	800	1000	1650	2450	SLIDING
FW3	800	1500	1650	2450	SLIDING
FW4	800	1500	1650	2450	SLIDING
FW5	800	1000	1650	2450	SLIDING
FW6	1400	2000	1050	2450	FIXED AND SLIDING
FW7	1400	1500	1050	2450	SLIDING
FW8	1850	1200	600	2450	FIXED

Level 1: 8

Door Schedule 1				
Mark	Height	Width	Count	Description

Ground Floor				
D1	2340	820	1	FLUSH DOOR
D2	2340	800	1	FLUSH DOOR
D3	2340	800	1	FLUSH DOOR
D3A	2340	1100	1	FLUSH DOOR
D4	2340	820	1	FLUSH DOOR
D5	2340	720	1	FLUSH DOOR
D6	2340	920	1	FLUSH DOOR
D7	2340	720	1	FLUSH DOOR
D8	2340	800	1	FLUSH DOOR
D9	2340	720	1	FLUSH DOOR
D10	2340	720	1	FLUSH DOOR
GD	2400	4800	1	GARAGE DOOR
MD	2400	1260	1	SOLID CORE DOOR
SD1	2300	1800	1	SLIDING DOOR

Ground Floor: 14

Level 1				
D11	2340	820	1	FLUSH DOOR
D12	2340	720	1	FLUSH DOOR
D13	2340	820	1	FLUSH DOOR
D14	2340	820	1	FLUSH DOOR
D15	2340	820	1	FLUSH DOOR
D16	2340	820	1	FLUSH DOOR
D17	2340	720	1	FLUSH DOOR
SD2	2300	2650	1	SLIDING DOOR

Level 1: 8

CC ISSUE

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	




THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW


DRAWING TITLE:
ELEVATION 01

NORTH:

LOT NO:	DATE:	SCALE:	DRAWING No:	REV:
152	13-08-2026	1 : 100	CC.08	3
DRAWN BY:	CHECKED BY:	CLIENT NAME:		
ROHIT	RH	Ying Chen		



1 North-East Elevation
1 : 100



2 South- West Elevation
1 : 100

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	



THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT: 20 HAMLET AVENUE LOT 152 IN DP 1295782 LOCATED AT NO., 20 HAMLET AVENUE LEPPINGTON NSW	DRAWING TITLE: ELEVATION 02	NORTH:	LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 100	DRAWING No: CC.09	REV: 3
			DRAWN BY: ROHIT	CHECKED BY: RH			ISSUED BY:
			CLIENT NAME: Ying Chen				

CC ISSUE

PARAGON

Paragon Building Certifiers Pty Ltd



RBC00045

Registered Certifier

APPROVED

Reference: 260400/01

Date: 31/08/2026



REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.


PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
SECTIONS

NORTH:

LOT NO:	DATE:	SCALE:	DRAWING No:	REV:
152	13-08-2026	1 : 100	CC.10	3
DRAWN BY:	CHECKED BY:			ISSUED BY:
ROHIT	RH			
CLIENT NAME: Ying Chen				

CC ISSUE



Area Schedule (Gross Building)	
Name	Area

Ground Floor

GFA	150 m²
PORCH	2 m²
ALFRESCO	11 m²
GARAGE	34 m²

Ground Floor: 4 197 m²

Level 1


FFA	137 m²
BALCONY	8 m²
STAIRCASE VOID	6 m²

Level 1: 3 150 m²

Grand total: 7 347 m²

1 Ground Floor

1 : 100



2 Level 1


1 : 100

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	


THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
FLOOR AREA PLAN



CC ISSUE	
LOT NO: 152	DATE: 13-08-2026
DRAWN BY: ROHIT	CHECKED BY: RH
CLIENT NAME: Ying Chen	
DRAWING No: CC.11	REV: 3
	ISSUED BY:



Area Schedule (Rentable)	
Name	Area

Ground Floor

GFA	137 m²
GARAGE	31 m²

Ground Floor: 2 168 m²


Level 1

FFA	132 m²
-----	--------

Level 1: 1 132 m²

Grand total: 3 300 m²

1 Ground Floor
1 : 100




2 Level 1
1 : 100

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.


PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
**RENTABLE AREA
PLAN**



LOT NO: 152	DATE: 13-08-2026	SCALE: 1 : 100	DRAWING No: CC.12	REV: 3
DRAWN BY: ROHIT	CHECKED BY: RH			ISSUED BY:
CLIENT NAME: Ying Chen				

CC ISSUE



Ground Floor Room Area Plan

1

1 : 100

Room Schedule

Name Area

Ground Floor

ALFRESCO	10 m²
BATH	4 m²
BATH	5 m²
DINING	11 m²
G.BED	13 m²
GARAGE	31 m²
HALLWAY	19 m²
HOME OFFICE	15 m²
KITCHEN	16 m²
LDRY	5 m²
LIN/STORE	1 m²
LIVING	21 m²
MEETING ROOM	12 m²
NOOK	1 m²
PORCH	2 m²
STORE	3 m²
WIP	6 m²


Ground Floor: 17 174 m²

Level 1

BALCONY	7 m²
BATH	6 m²
BED2	14 m²
BED3	12 m²
BED4	12 m²
BED5	11 m²
ENS	5 m²
HALLWAY	16 m²
M.BED	21 m²
RUMPUS	14 m²
STAIRVOID	5 m²
WIR	8 m²

Level 1: 12 131 m²

Grand total 305 m²



Level 1 Room Area Plan

2

1 : 100

CC ISSUE

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	



THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.


PROJECT:

20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:

ROOM AREA PLAN

NORTH:



LOT NO:	152	DATE:	13-08-2026	SCALE:	1 : 100	DRAWING No:	CC.13	REV:	3
DRAWN BY:	ROHIT	CHECKED BY:	RH					ISSUED BY:	
CLIENT NAME:	Ying Chen								



	1. RF	2. BR1	3. CD1	4. CR1	5. AL	6. ED	7. GD	8. FAS	9. GUT
	ROOF	MAIN WALLS	CLADDING	ACCENT 1/RENDER	WINDOWS/ BALUSTRADE	MAIN DOOR	GARAGE DOOR	FASCIA	GUTTER
MATERIAL	COLORBOND DARK MONUMENT	BRICK	BLUEBOARD	BRICK	ALUMINIUM	TIMBER	COLORBOND	COLORBOND	COLORBOND
COLOUR									

NOTE : ALL COLOURS SPECIFIED ARE INDICATIVE ONLY AND ARE SUBJECT TO VARIATION AND TO AVAILABILITY
ANY DISCREPANCY PLEASE FOLLOW AS PER RENDERED IMAGE

				CC ISSUE									
				  THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.	PROJECT: 20 HAMLET AVENUE LOT 152 IN DP 1295782 LOCATED AT NO., 20 HAMLET AVENUE LEPPINGTON NSW	DRAWING TITLE: COLOR SCHEDULE	NORTH:	LOT NO:	DATE:	SCALE: 1 : 100	DRAWING No:	REV:	
3	13-08-2026	CC ISSUE											
2	22-06-2026	RFI ISSUE											
1	01-05-2026	DA issue											
REV	DATE	DESCRIPTION	BY					CLIENT NAME: Ying Chen				CC.14	3
ISSUED BY:													



Paragon Building Certifiers Pty Ltd

RBC00045

Registered Certifier

APPROVED

Reference: 260400/01

Date: 31/08/2026

LEGENDS

- PROPOSED SCREENING PLANTING
- PROPOSED SHRUB PLANTING
- PROPOSED ACCENT PLANTING
- PROPOSED TREE
- PROPOSED TURF AREA TO BE SIR WALTER SOFT LEAF BUFFALO
- PROPOSED CONCRETE PATH

AVENUE

REAR LANDSCAPE AREA : 59m²
FRONT LANDSCAPE AREA : 57m²
SIDE LANDSCAPE AREA : 48m²
TOTAL LANDSCAPE AREA : 164m²

DA - LANDSCAPE PLAN

1 : 200

PLANT SCHEDULE

Genus	Common Name	Qty	Pot size	Height	width
Trees					
Backhousia myrtifolia	Grey Myrtle	1	45L	6-10m	Dense feature tree with, green glossy foliage. Greenish yellow flowers in small terminal clusters.
Shrubs					
Bursaria Spinosa Var Sppinosa	Blackthorn ,Boxthorn	8	140mm	1.5m	Thorny, wiry branches. Leaf size and shape vary's with age. Small, white fragrant flowers.
Dodonea Visco ssp. Cuneata	Wedge-Leaft Hop Bush	6	140mm	1m	Compact growth. Sticky leaves taper to sharp point. Green fruit turns red and purple
Indigofera Australis	Native Indigo	5	140mm	1m	Slender, erect. Pink to lilac pea flowers, numerous along stems.
Hedgeing & screening Plants					
Acmena smithii 'Cherry Surprise'	Lilly Pilly Cherry Surprise PBR	10	140mm	3m	It has attractive small dense green foliage that provides a continuous flush of cherry-red new growth nearly all year round. Small white starry flowers bloom in summer.



Bursaria spinosa var spinosa
Blackthorn, Boxthorn
Type: Shrub. Description: Thorny, wiry branches. Leaf size and shape vary's with age. Small, white fragrant flowers. Height: Medium. Flowers: Jan-April. Propagation: sow seed. Prune: after flowering, only to maintain shape.



Dodonea viscosa ssp. cuneata
Wedge-leaf Hop Bush
Type: Shrub. Description: Compact growth. Sticky leaves taper to sharp point. Green fruit turns red and purple. Height: 1m. Flowers: Spring. Propagation: sow from seed or take cutting in Spring and Summer. Prune: minimally.



Indigofera australis
Native Indigo
Type: Shrub. Description: Slender, erect. Pink to lilac pea flowers, numerous along stems. Height: 1m. Flowers: Spring. Propagation: from cutting, early to mid-Summer. Prune: trim lightly after flowering.



Backhousia myrtifolia
Grey Myrtle
Type: Tree. Description: Dense feature tree with, green glossy foliage. Greenish yellow flowers in small terminal clusters. Height: 6-10m. Flowers: Nov-Dec. Propagation: sow seed in Spring. Prune: minimally.

GENERAL NOTES:

- LANDSCAPE CONTRACTOR TO CHECK DA CONDITIONS AND STAMPED LANDSCAPE PLAN
- BEFORE COMMENCING WORKS TO ENSURE NO ADDITIONS/AMENDMENTS TO PLAN
- GARDEN BEDS IN OSD BASIN TO CONSIST OF NON FLOATABLE DECORATIVE GRAVEL.
- REFER TO HYDRAULICS ENGINEERS PLAN FOR OSD DETAILS/FINAL LEVELS.
- MULCHED PLANTING BEDS TO BE A MINIMUM DEPTH OF 75mm AS SELECTED.
- CONTRACTOR'S RESPONSIBILITY TO CHECK AND ADJUST SOIL pH AS REQUIRED.
- PROVIDE TIMBER EDGE AS A MINIMUM BENEATH FENCING/GATES TO DEFINE TURF AND GARDEN BEDS/PATHWAYS. EDGING TO BE PROVIDED TO ALL AREAS WHERE DIFFERING MATERIALS MEET i.e TURF/GARDEN, TURF/GRAVEL PATH ETC.
- WEED MAT BENEATH GRAVEL GRAVEL PATHWAYS REQUIRED TO LIMIT MUD TRACKING.
- PREMIUM ORGANIC GARDEN MIX TO BE USED.
- ALL PLANTS TO BE HEALTHY AND VIGOROUS.
- CONTRACTOR TO MAKE GOOD TURF ON NATURE STRIP POST CONSTRUCTION
- CONTRACTOR TO MAKE GOOD TURF ON NATURE STRIP POST CONSTRUCTION.
- DO NOT SCALE ARCHITECTURAL SETOUT FROM LANDSCAPE DRAWING.
- EXISTING TREE SPREAD APPROXIMATE ONLY. REFER TO TREE REPORT WHEN APPLICABLE.
- SITE SURVEY PROVIDED BY OTHERS.
- BUFFALO TURF PREFERRED OVER KIKUYU.

LANDSCAPE BASIX NOTE:

THE APPLICANT MUST PLANT INDIGENEOUS OR LOW WATER USE SPECIES OF VEGETATION THROUGHOUT 15 SQM OF THE SITE.

NOTE :BUILDER RESERVES THE RIGHT NOT TO UNDERTAKE NOR SUPPLY CERTIFICATE FOR OCCUPATION CERTIFICATE.

NOTE : TO AID COMPLIANCE WITH BASIX LEGISLATION, PLANTS (WHERE APPLICABLE) HAVE BEEN SELECTED FROM THE LOCAL CITY COUNCIL/SHIRE PLANT LISTS.

NOTE: LOCATION OF SEWER MAINS/LINES, WATER PIPES, UNDERGROUND ELECTRICITY AND OTHER SERVICES MUST BE OBTAINED PRIOR TO COMMENCEMENT OF ANY WORK ON SITE.

CONTRACTORS NOTE : CALCULATED AREAS DETERMINED BY CAD AND HAVE BEEN ROUNDED UP FOR USE AS A GUIDE ONLY ALLOW STANDARD PERCENTAGE FOR CUTTING AND WASTAGE .CONFIRM DIMENSIONS AND NUMBERS PRIOR TO QUOTING/ORDERING.

REV	DATE	DESCRIPTION	BY
3	13-08-2026	CC ISSUE	
2	22-06-2026	RFI ISSUE	
1	01-05-2026	DA issue	



THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:

20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:

LANDSCAPE PLAN

NORTH:



LOT NO:

152

DRAWN BY:

ROHIT

CLIENT NAME:

Ying Chen

DATE:

13-08-2026

CHECKED BY:

RH

SCALE:

1 : 200

CC ISSUE

DRAWING No:

CC.15

REV:

3

ISSUED BY:

ABCB HOUSING PROVISIONS : PART 10.2 WET AREA WATERPROOFING

10.2.1 Wet Areas

1.

Building elements in wet areas within a building must be protected with a waterproofing system.
2.

The waterproofing system in (1) must be either waterproof or water resistant in accordance with 10.2.2 to 10.2.6.

10.2.2 Shower Area (enclosed and unenclosed)

1.

For a shower area with a hob, step-down or level threshold, the following applies:

a.

The floor of the shower area must be waterproof, including any hob or step-down (see Figure 10.2.2); and

b.

The walls of the shower area must be waterproof not less than 1800 mm above the floor substrate (see Figure 10.2.2).

c.

Wall junctions and joints within the shower area must be waterproof not less than 40 mm either side of the junction (see Figure 10.2.2).

d.

Wall/floor junctions within the shower area must be waterproof (see Figure 10.2.2).

e.

Penetrations within the shower area must be waterproof.

2.

A shower with a preformed shower base must also comply with the requirements of (1), except for (a) which is not applicable.
- Figure 10.2.2: Extent of treatment for shower areas - concrete, compressed fibre-cement and fibre-cement sheet floors.
-
- Figure Notes
Wall/floor junction heights are to be as per 10.2.2 to 10.2.6 (as applicable).
- Notes
Where a shower is above a bath or spa, use requirements for shower.
- 10.2.3 Area outside shower area
1.

For concrete, compressed fibre-cement and fibre-cement sheet flooring, the floor of the room must be water resistant.

2.

For timber floors including particleboard, plywood and other timber based flooring materials, the floor of the room must be waterproof.

3.

Wall/floor junctions must be -

a.

waterproof, and

b.

where a flashing is used, the horizontal leg must be not less than 40 mm.
- 10.2.4 Areas adjacent to baths and spas without showers
1.

For areas adjacent to all baths and spas, the following applies:

a.

For concrete, compressed fibre-cement and fibre-cement sheet flooring, the floor of the room must be water resistant.

b.

For timber floors including particleboard, plywood and other timber based flooring materials, the floor of the room must be waterproof.

c.

Tap and spout penetrations must be waterproof where they occur in horizontal surfaces.

2.

For areas adjacent to non-freestanding baths and spas, the following applies:

a.

Walls must be water resistant (see Figure 10.2.4a and Figure 10.2.4b)-

•

to a height of not less than 150mm above the vessel, for the extent of the vessel, where the vessel is within 75mm of a wall, and

•

for all exposed surfaces below vessel lip.

b.

Wall junctions and joints must be water resistant within 150mm above a vessel for the extent of the vessel.

c.

Wall/floor junctions must be waterproof for the extent of the vessel (see Figure 10.2.4a and Figure 10.2.4b).

3.

For inserted baths and spas, the following applies:

a.

For floors and horizontal surfaces:

•

Any shelf area adjoining the bath or spa must be waterproof and include a waterstop under the vessel lip.

•

There are no requirements for the floor under a bath or spa.

b.

For walls:

•

Waterproof to not less than 150mm above the lip of a bath or spa.

•

There are no requirements for the floor under a bath or spa.

c.

For wall junctions and joints, the following applies:

•

Waterproof junctions within 150mm of a bath or spa.

•

There are no requirements for junctions and joints in walls beneath the lip of a bath or spa.

d.

Tap and spout penetrations must be waterproof where they occur in horizontal surfaces.

Figure 10.2.4a: Areas adjacent to baths and spas without showers for concrete, compressed fibre-cement and fibre-cement sheet flooring

Figure 10.2.4b: Areas adjacent to baths and spas without showers for timber floors including particle-board, plywood and other floor materials

10.2.5 Other areas

1.

For walls adjoining other types of vessels (e.g. sink, basin or laundry tub), the following applies:

a.

Walls must be water resistant to a height of not less than 150mm above the vessel, for the extent of the vessel, where the vessel is within 75 mm of a wall (see Figure 10.2.5.)

b.

Waterproof wall junctions where a vessel is fixed to a wall.

c.

Waterproof tap and spout penetrations where they occur in surfaces required to be waterproof or water resistant.

2.

For laundries and WCs, the following applies:

a.

The floor of the room must be water resistant.

b.

Wall/floor junctions must be water resistant, and where a flashing is used, the horizontal leg must not be less than 40 mm.

3.

For WCs with handheld bidet spray installations, the following applies:

a.

The floor of the room must be waterproof.

b.

Walls must be -

•

waterproof in WC area within a 900 mm radius from the wall connection of the handheld bidet spray device to a height of not less than 150mm above the floor substrate; and

•

water resistant in WC area within a 900 mm radius from the wall connection of the handheld bidet device to not less than 1200 mm above the finished floor level of the WC.

c.

Wall junctions within the WC area within 900 mm radius from the wall connection of the handheld bidet spray device must be waterproof.

d.

Wall/floor junctions within the WC area within 1000 mm radius from the wall connection of the handheld bidet spray device must be waterproof.

e.

Penetrations in the WC area must be waterproof.

Figure 10.2.5: Bath and vessel abutting wall - areas to be protected

10.2.6 Waterproofing systems

1.

For the purposes of this Part, a waterproofing system is deemed -

a.

waterproof, if it complies with (2); or

b.

water resistant, if it complies with (3).

2.

For a waterproofing system required to be waterproof in accordance with 10.2.2 to 10.2.5, the materials nominated in 10.2.8 must be used.

3.

For a waterproofing system required to be water resistant in accordance with 10.2.2 to 10.2.5, the materials nominated in 10.2.9 must be used in conjunction with the materials in 10.2.10.

10.2.12 Construction of wet area floors - falls

Where a floor waste is installed -

a.

the minimum continuous fall of a floor plane to the waste must be 1:80; and

b.

the maximum continuous fall of a floor plane to the waste must be 1:50.

				CC ISSUE			
				LOT NO:	DATE:	SCALE:	DRAWING No:
				152	13-08-2026	1 : 50	REV:
				DRAWN BY:	CHECKED BY:		3
				ROHIT	RH		ISSUED BY:
				CLIENT NAME:			
				Ying Chen			
3	13-08-2026	CC ISSUE					
2	22-06-2026	RFI ISSUE					
REV	DATE	DESCRIPTION	BY				

THIS DRAWING IS THE EXCLUSIVE PROPERTY OF THE DEVELOPER & THE REPRODUCTION OF ANY PART WITHOUT THE PRIOR WRITTEN CONSENT OF THE DEVELOPER IS A VIOLATION OF APPLICABLE LAWS. IN NO EVENT SHALL THE DEVELOPER BE HELD LIABLE FOR SPECIAL COLLATERAL, INCIDENTAL OR CONSEQUENTIAL LIABILITY IN CONNECTION WITH THE USE OF THIS DIGITAL DATA ONCE RELEASED FROM THE DEVELOPER'S OFFICE. THIS DRAWING IS TO BE READ & UNDERSTOOD IN CONJUNCTION WITH THE STRUCTURAL, MECHANICAL, ELECTRICAL & / OR ANY OTHER CONSULTANT'S DOCUMENTATION AS MAY BE APPLICABLE TO THE PROJECT PRIOR TO THE START OF ANY WORKS AND FOR ITS DURATION.

PROJECT:
20 HAMLET AVENUE
LOT 152 IN DP 1295782
LOCATED AT NO., 20 HAMLET
AVENUE LEPPINGTON NSW

DRAWING TITLE:
**WATERPROOFING
DETAILS**

NORTH:

LOT NO:	DATE:	SCALE:	DRAWING No:	REV:
152	13-08-2026	1 : 50	CC.16	3
DRAWN BY:	CHECKED BY:			ISSUED BY:
ROHIT	RH			
CLIENT NAME:				
Ying Chen				

A3