



Quote No	ABM0504PL5	Version	1	Site Address	Lot 224, 28 Guruwin Street, Austral, 2179, AU
Sales Rep.	Johng	Quote Date	2026-09-19	Quote Valid til	2026-10-19
Frame Color	Standard Color	Delivery by	ABM	Customer ID	Sandstone Construction


This version is quoted as per plan size


All window sizes are Aluminum Frame Size


W1	Storey: GF Location: STUDY	Qty: 1
W: 850 H: 1510 	System Classic Code SWSF Height(mm) 1510.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened Window Type Sliding Window View from Outside Left to Right Width(mm) 850.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
Recommended Stud Opening: Height: 1560.0 x Width: 910.0 Comment:		Client Sign:


W9	Storey: GF Location: STAIRS	Qty: 1						
W: 810 H: 4300 1433 1433 1433 	System Deluxe Code FWF_F_F Height(mm) 4300.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6.38 White Translucent Window Type Fix Window View from Outside N/A Width(mm) 810.0 Lock Lock Color Screen N/A Wind Class N3							
Recommended Stud Opening: Height: 4350.0 x Width: 870.0 Comment:		Client Sign:						
<table border="1"> <tr> <td></td><td>W9 quoted in deluxe system due to oversize.</td><td>☐</td></tr> <tr> <td></td><td>W9 quoted with obscure glass based on window schedule.</td><td>☐</td></tr> </table>			W9 quoted in deluxe system due to oversize.	☐		W9 quoted with obscure glass based on window schedule.	☐	
	W9 quoted in deluxe system due to oversize.	☐						
	W9 quoted with obscure glass based on window schedule.	☐						


W2		Storey: GF Location: BATH		Qty: 1
W: 850 H: 900 		System Classic Code SWSF Height(mm) 900.0 Install Method 127mm/18mm Timber Remove, Measure & Install NO Glass Type 6.38 White Translucent	Window Type Sliding Window View from Outside Left to Right Width(mm) 850.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 950.0 x Width: 910.0 Comment:		Client Sign:


W3		Storey: GF Location: DINING		Qty: 1
W: 2410 H: 2100 1500 600 		System Classic Code SWFS_FF Height(mm) 2100.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Right to Left Width(mm) 2410.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 2150.0 x Width: 2470.0 Comment: Design Changed W3 bottom fixed segment split into 2 due to oversized in width, please confirm. ☐		Client Sign:


SD5		Storey: GF Location: DINING		Qty: 1
W: 2410 H: 2400 		System Classic Code STDSSF Height(mm) 2400.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Stacking Door View from Outside Left to Right Width(mm) 2410.0 Lock Keyed Lock Lock Color Black Lock Height 1050.0 Screen Stainless Steel Wind Class N2	
		Recommended Stud Opening: Height: 2430.0 x Width: 2470.0 Comment:		Client Sign:


SD6		Storey: GF Location: FAMILY		Qty: 1																															
H: 2400 W: 3610 	<table><tr><td>System</td><td>Classic</td><td>Window Type</td><td>Stacking Door</td></tr><tr><td>Code</td><td>STDFSS</td><td>View from Outside</td><td>Right to Left</td></tr><tr><td>Height(mm)</td><td>2400.0</td><td>Width(mm)</td><td>3610.0</td></tr><tr><td>Install Method</td><td>138mm/18mm Timber</td><td>Lock</td><td>Keyed Lock</td></tr><tr><td>Remove, Measure & Install</td><td>NO</td><td>Lock Color</td><td>Black</td></tr><tr><td>Glass Type</td><td>6MM Clear Toughened</td><td>Lock Height</td><td>1050.0</td></tr><tr><td></td><td></td><td>Screen</td><td>Stainless Steel</td></tr><tr><td></td><td></td><td>Wind Class</td><td>N2</td></tr></table>			System	Classic	Window Type	Stacking Door	Code	STDFSS	View from Outside	Right to Left	Height(mm)	2400.0	Width(mm)	3610.0	Install Method	138mm/18mm Timber	Lock	Keyed Lock	Remove, Measure & Install	NO	Lock Color	Black	Glass Type	6MM Clear Toughened	Lock Height	1050.0			Screen	Stainless Steel			Wind Class	N2
	System	Classic	Window Type	Stacking Door																															
Code	STDFSS	View from Outside	Right to Left																																
Height(mm)	2400.0	Width(mm)	3610.0																																
Install Method	138mm/18mm Timber	Lock	Keyed Lock																																
Remove, Measure & Install	NO	Lock Color	Black																																
Glass Type	6MM Clear Toughened	Lock Height	1050.0																																
		Screen	Stainless Steel																																
		Wind Class	N2																																
Recommended Stud Opening: Height: 2430.0 x Width: 3670.0 Comment: <table><tr><td>Design Changed</td><td>SD6 changed from fixed-sliding-sliding-sliding door to fixed-sliding-sliding door as 4-panel stacker door is custom product, please confirm.</td><td>☐</td></tr></table>				Design Changed	SD6 changed from fixed-sliding-sliding-sliding door to fixed-sliding-sliding door as 4-panel stacker door is custom product, please confirm.	☐	Client Sign:																												
Design Changed	SD6 changed from fixed-sliding-sliding-sliding door to fixed-sliding-sliding door as 4-panel stacker door is custom product, please confirm.	☐																																	

W4		Storey: GF Location: FAMILY		Qty: 1
H: 2100 W: 3010 7501510750 1500 600 		System Code Height(mm) Install Method Remove, Measure & Install Glass Type Classic SWSFS_FFF 2100.0 138mm/18mm Timber NO 6MM Clear Toughened	Window Type View from Outside Width(mm) Lock Lock Color Screen Wind Class Sliding Window Both Sides 3010.0 Keyed Lock Black Nylon N2	
	Recommended Stud Opening: Height: 2150.0 x Width: 3070.0 Comment: Design Changed W4 changed from top sliding-fixed and bottom 1-panel fixed window to top sliding-fixed-sliding and bottom 3-panel fixed window due to oversize in width, please confirm. ☐			Client Sign:

W5		Storey: GF Location: KITCHEN				Qty: 1	
H: 600	W: 1810	System	Classic	Window Type	Fix Window		
		Code	FWF	View from Outside	N/A		
		Height(mm)	600.0	Width(mm)	1810.0		
		Install Method	138mm/18mm Timber	Lock			
		Remove, Measure & Install	NO	Lock Color			
		Glass Type	6MM Clear Toughened	Screen	N/A		
				Wind Class	N2		
		Recommended Stud Opening: Height: 650.0 x Width: 1870.0				Client Sign:	
		Comment: Stove Area					

W6		Storey: GF Location: B.PANTRY		Qty: 1
W: 1210 H: 600 		System Classic Code SWSF Height(mm) 600.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Left to Right Width(mm) 1210.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 650.0 x Width: 1270.0 Comment:		Client Sign:


W7		Storey: GF Location: BED-1		Qty: 1
W: 1810 H: 1200 		System Classic Code SWSF Height(mm) 1200.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Left to Right Width(mm) 1810.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 1250.0 x Width: 1870.0 Comment:		Client Sign:


SD7		Storey: FF Location: M-BED-5		Qty: 1		
H: 2400	W: 3010		System	Classic	Window Type	Stacking Door
			Code	STDSSF	View from Outside	Left to Right
			Height(mm)	2400.0	Width(mm)	3010.0
			Install Method	138mm/18mm Timber	Lock	Keyed Lock
			Remove, Measure & Install	NO	Lock Color	Black
			Glass Type	6MM Clear Toughened	Lock Height	1050.0
					Screen	Stainless Steel
					Wind Class	N2
			Recommended Stud Opening: Height: 2430.0 x Width: 3070.0			Client Sign:
			Comment:			
			SD7 sliding direction mismatches between elevation (left to right) and door schedule legend (right to left), quoted based on elevation, please confirm.		☐	
			138/18mm timber reveal is quoted for stacker door (SD7) for installation purpose.		☐	


W8		Storey: FF Location: WIR (M-BED-5)		Qty: 1						
W: 1210 H: 1800 605 1195	System Deluxe* Code ARCH-1 Height(mm) 1800.0 Install Method Flat Bracket (Remove Fin) Remove, Measure & Install NO Glass Type 6.38 White Translucent	Window Type Arch Fix Window View from Outside N/A Width(mm) 1210.0 Lock Lock Color Screen N/A Wind Class N3								
	Comment: ABM Arch Fixed Window <table border="1"> <tr> <td></td> <td>Flat Bracket (Remove Fin) is quoted for special shaped window W8. The lead time is about 6 weeks.</td> <td>☐</td> </tr> <tr> <td></td> <td>W8 quoted with obscure glass based on window schedule.</td> <td>☐</td> </tr> </table>				Flat Bracket (Remove Fin) is quoted for special shaped window W8. The lead time is about 6 weeks.	☐		W8 quoted with obscure glass based on window schedule.	☐	Client Sign:
	Flat Bracket (Remove Fin) is quoted for special shaped window W8. The lead time is about 6 weeks.	☐								
	W8 quoted with obscure glass based on window schedule.	☐								


W10		Storey: FF Location: RUMPUS		Qty: 1
W: 1810 H: 900	System Classic Code SWFS Height(mm) 900.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Right to Left Width(mm) 1810.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2		
	Recommended Stud Opening: Height: 950.0 x Width: 1870.0 Comment:			Client Sign:


W11		Storey: FF Location: BATH		Qty: 1
W: 1210 H: 900	System Classic Code SWFS Height(mm) 900.0 Install Method 127mm/18mm Timber Remove, Measure & Install NO Glass Type 6.38 White Translucent	Window Type Sliding Window View from Outside Right to Left Width(mm) 1210.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2		
	Recommended Stud Opening: Height: 950.0 x Width: 1270.0 Comment:			Client Sign:

W12		Storey: FF Location: BED-2		Qty: 1
H: 1200 W: 1810 		System Classic Code SWSF Height(mm) 1200.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Left to Right Width(mm) 1810.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 1250.0 x Width: 1870.0 Comment:		Client Sign:

W13		Storey: FF Location: BED-3		Qty: 1
H: 1200 W: 1810 		System Classic Code SWFS Height(mm) 1200.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Right to Left Width(mm) 1810.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 1250.0 x Width: 1870.0 Comment:		Client Sign:

W14		Storey: FF Location: BED-4		Qty: 1
H: 900 W: 2410 		System Classic Code SWSF Height(mm) 900.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Left to Right Width(mm) 2410.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 950.0 x Width: 2470.0 Comment:		Client Sign:

W15		Storey: FF Location: ENS (M-BED-5)		Qty: 1
H: 900 W: 1210 		System Classic Code SWFS Height(mm) 900.0 Install Method 127mm/18mm Timber Remove, Measure & Install NO Glass Type 6.38 White Translucent	Window Type Sliding Window View from Outside Right to Left Width(mm) 1210.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 950.0 x Width: 1270.0 Comment:		Client Sign:

W16		Storey: FF Location: M-BED-5		Qty: 1
H: 900 W: 1810 		System Classic Code SWSF Height(mm) 900.0 Install Method 138mm/18mm Timber Remove, Measure & Install NO Glass Type 6MM Clear Toughened	Window Type Sliding Window View from Outside Left to Right Width(mm) 1810.0 Lock Keyed Lock Lock Color Black Screen Nylon Wind Class N2	
		Recommended Stud Opening: Height: 950.0 x Width: 1870.0 Comment:		Client Sign:

Payment: Austwel Building Materials
BSB: 062 161
ACC: 1070 7448

NUMBER	19
Price For Windows	\$ 14,785.17
Price For Flyscreen	\$ 3,162.00
Install Items	N/A
Installation	\$ 0.00
Total Price	\$ 17,947.17
GST	\$ 1,794.72
Price Include GST	\$ 19,741.00

Modified / Highlight

Yellow highlight means window types that have been modified and special requests for manufacturing.

It is frame sizes without timber reveal. Stud opening sizes need extra by builder.

Includes

PLEASE NOTE: THIS QUOTE IS VALID FOR 30 DAYS ONLY.

Acceptance Of Terms and Conditions: By signing above customer confirms the accuracy of the order including the sizes, glass type, colours, reveals, configurations, quantities and other particulars and agrees with detailed Terms & Conditions. Once the order is signed and paid for, it is deemed as placed in production at which point no changes or cancellations are allowed. Same day order cancellation will attract a \$100+GST administration fee for processing and cancellation charges. For stock order cancellations, fly screens and reveals are non-refundable if cancelled after placement. If the fly screens have not been installed within 1.5 years of order date, then the original fly screen price would be invalid. Delivery and screens for your order must be arranged at the time of placing the order. If they are added later as a separate transaction admin fee of \$100+GST will apply. Lead times on the invoice are only indicative and may change due to production and supplier delays. We recommend clients do not arrange workers or take out windows/doors prior to receiving all items as ABM does not carry any liability associated with such delays. All order deliveries must be accepted on the scheduled date and pick-ups completed within 2 months after ordering to avoid storage fees of \$100+GST per day. Customer is responsible for providing scaffolding for panel and angle installation, ABM is available for scaffolding hiring from \$300+GST per day, plus \$60+GST per hour for labour cost. Angle installation should be requested 2 weeks in advance and wall and brick cleaning must be completed before angle installation. Customer is responsible for supplying correct information relating to the windows and doors in the order included herein, site consulting or site measuring start from \$300+GST per house. This information includes and is not limited to: BASIX Report, Council Stipulated Requirements, BAL

Rating requirements, Height Restricted Items, Wet area items etc. For jobs that requires delivery all at once (Frame, Panel, and Flyscreen), ABM will deliver the door, or any oversized frames and panel separate as the default option, and customer is responsible for installing the panel or notifying ABM to deliver as Panel-In-Frame when placing the order, otherwise a service fee will be charged from \$300+ GST for door panel installation or price on application for oversized window. ABM will not be held responsible for any take off errors or quotation errors. The signing of the quotation is full and final acceptance by the customer of all products and sizes detailed and specified in the quotation. Any product changes required after quotation is signed will incur a rework fee. If the Client owes ABM any money, the Client shall indemnify ABM from and against all costs and disbursements incurred by ABM in recovering the debt (including but not limited to internal administration fees, legal costs on a solicitor and own client basis, ABM's contract default fee, and bank dishonour fees). Warranty becomes valid only when full payment is received for the entire contracted work.

Quotation Acceptance

By signing this quote, you have agreed to all our conditions and terms of payment as below.

Terms of Payment:

- 1. Any orders under \$5,000.00, full payment must be made in advance to proceed the order.
- 2. Any orders exceeding \$5,000.00, 50% of full payment must be paid in advance to proceed the order, 50% of full payment must be paid 10 days prior to the agreed window and door panel scheduled delivery date, or 6 months after order placement, whichever comes earlier. Flyscreen upon request at least 8 days prior to the delivery.
- 3. Any order exceeding \$20,000, 30% of full payment must be paid in advance to proceed the order, 70% of full payment must be paid 15 days prior to the agreed window and door panel scheduled delivery date, or 6 months after order placement, whichever comes earlier. Flyscreen upon request at least 8 days prior to the delivery.
- 4. Any paid payments in order to proceeding the order are NON-REFUNDABLE.
- 5. The flyscreen price is part of a package of windows and doors, and ABM does not accept payment for flyscreens only.
- 6. Full payment must be paid before all the items are delivered.
- 7. The company may have, on demand, default interest at a rate equal to 5% above the current base lending rate from time to time set by the Company's bankers from the due date for payments until the date when payment is actually made.
- 8. If order is deposited, and the order production was not finalised before quote valid date due to client's reasons, ABM reserve the right to cancel or modify the order and its price.

Important Notice:

- 1. Frame colour is as close as possible to the actual paint colour, but may vary slightly between sheen levels.
- 2. Customer should sign under each window in this quote.
- 3. If the project received quotations from ABM in different prices with same contents, the highest price will be taken as the final price.
- 4. ABM reserve the right to have the Toughened glass and Laminate glass into changeable due to the availability status (under the BASIX and Australia Standard requirement).
- 5. Site measurement at order would make changes according to measured sizes for the supply & install jobs. For quoted removal jobs, an estimated basic removal fee is listed on the quote as reference and it will be subject to the site conditions upon site measure.
- 6. The frames will be delivered first, and panels will be installed in 4 - 8 weeks after frame deliver depending on the availability.
- 7. If panel installation time differs greatly, there may be a chance of glass colour be different due to difference in production periods.
- 8. All the ABM products including glass must be checked within 5 working days after delivery or installation, ABM will not be responsible for any damages after this date.
- 9. All the protection tape on the windows must be removed within 90 days after delivery.
- 10. The window with "Window Overridden" mark is out of the company scope, the customer has been notified and admits that ABM doesn't take any responsibility if any failure occurs.
- 11. All diamond grill flyscreens over 1250mm width will include (a) mid-rail by default.
- 12. Builder's must inform ABM on the working hours of the work site. ABM would not warrant any fines or fees associated with the working hours infringement.
- 13. ABM warranty will take effects ONLY after the full payment has been made, ABM reserved the rights to stop any forms of services before warranty coming into effect.
- 14. ABM will not withhold any windows or materials for the clients, stocking fees will apply as per ACCEPTANCE OF TERMS AND CONDITIONS.
- 15. This quotation is based on the BASIX.

Complied Documents:

Document	Document No.
BASIX	1862419S

Quotation Notes:

Highlights	Content	Confirmed
	All external hinged doors (with sidelight) and skylights are unquoted.	☐
	Full address TBC. Site address cannot be located on map.	☐
	All frame dimensions are quoted as aluminium frame size, please note.	☐
	Quote Nylon flyscreen for windows and Stainless Steel for doors as per customer requirement.	☐
	All windows in wet area(LDRY, BATH, ENS), use 127mm timber reveals for brick veneer, use 105mm timber reveals for cladding as per regular requirement.	☐
	Quote White Translucent rather than OB toughend, unless for BAL rating as per regular requirement.	☐
	Arch window supply job onle as per regular requirement.	☐

By signing this quotation, the client has CONFIRMED and AGREED with ALL the details within this quote, including the window sizes, quantities, designs, configurations, systems, glass types, timber reveal sizes, flyscreen types, special notes, all other particulars and detailed Terms & Conditions. ABM is NOT responsible for any quotation errors, and any product changes after ordering may incur an alteration fee.

Signature: _____

QUOTE NO: ABM0504PL5






Name: _____

Version: 1

Date: _____**Color:** _____

You can email this signed quote back to info@austwel.com.au

SLIDING DOOR SILL HEIGHT / FLOOR FINISH LEVEL

IMAGE		DESCRIPTION	
A 2 - Panel SD 3 - Panel STD	SYSTEM	INSTALL METHOD	
	Classic / Classic DG	Timber Reveal / Install Through Frame	
	1 Floor Finish Level: 44 mm to Flush Sill Height 2 Sill Height : 44 mm 3 Flyscreen door Sill Height: 27mm		
B 2 - Panel SD	SYSTEM	INSTALL METHOD	
	Deluxe / Deluxe DG	Timber Reveal	
	1 Floor Finish Level: 62 mm to Flush Sill Height 2 Sill Height : 62 mm		
C 2 - Panel SD 3 - Panel STD	SYSTEM	INSTALL METHOD	
	Deluxe / Deluxe DG	Timber Reveal / Subsill Subhead / Install Through Frame	
	1 Floor Finish Level: 60 mm to Flush Sill Height 2 Sill Height : 60 mm 3 Subsill Leg Height: 28mm		
D Bi-Fold Door	SYSTEM	INSTALL METHOD	
	Bi-Fold Door Deluxe / Deluxe DG	Subsill Subhead	
	1 Floor Finish Level: 62 mm to Flush Sill Height 2 Sill Height : 62 mm 3 Subsill Leg Height: 28mm		
E 2 - Panel SD 3 - Panel STD	SYSTEM	INSTALL METHOD	
	Optimum / Optimum +	Timber Reveal / Subsill Subhead / Install Through Frame	
	1 Floor Finish Level: 69 mm to Flush Sill Height 2 Sill Height : 69 mm 3 Subsill Leg Height: 28mm		