

Spring boot Thymeleaf


Spring Boot 請求與回應




樣板(主頁)



新增



更新



pom.xml

```
<?xml version="1.0" encoding="UTF-8"?>
1
    project xmlns="http://maven.apache.org/POM/4.0.0"
2
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
3
        xsi:schemaLocation="http://maven.apache.org/POM/4.0.0"
    https://maven.apache.org/xsd/maven-4.0.0.xsd">
        <modelVersion>4.0.0</modelVersion>
4
5
        <parent>
6
            <groupId>org.springframework.boot
7
            <artifactId>spring-boot-starter-parent</artifactId>
8
            <version>3.3.0</version>
9
            <relativePath/> <!-- lookup parent from repository -->
10
        </parent>
11
        <groupId>tw.com.lccnet.model
12
        <artifactId>Day07</artifactId>
```

```
13
        <version>1.0</version>
14
        <name>Day07</name>
15
        <description>Demo project for Spring Boot</description>
16
        cproperties>
17
            <java.version>17</java.version>
18
        </properties>
19
        <dependencies>
20
            <dependency>
21
                <groupId>org.springframework.boot
22
                 <artifactId>spring-boot-starter-thymeleaf</artifactId>
23
            </dependency>
24
            <dependency>
25
                <groupId>org.springframework.boot</groupId>
                <artifactId>spring-boot-starter-web</artifactId>
26
27
            </dependency>
28
29
            <dependency>
30
                <groupId>org.springframework.boot</groupId>
                <artifactId>spring-boot-devtools</artifactId>
31
32
                <scope>runtime</scope>
                <optional>true</optional>
33
34
            </dependency>
35
            <dependency>
                <groupId>org.springframework.boot
36
37
                <artifactId>spring-boot-starter-test</artifactId>
38
                <scope>test</scope>
39
            </dependency>
            <dependency>
40
                <groupId>org.springframework.boot</groupId>
41
                 <artifactId>spring-boot-starter-data-jpa</artifactId>
            </dependency>
43
            <dependency>
44
                <groupId>com.mysql</groupId>
45
46
                <artifactId>mysql-connector-j</artifactId>
47
                <scope>runtime</scope>
            </dependency>
48
        </dependencies>
49
50
51
        <build>
52
            <plugins>
53
                <plugin>
                     <groupId>org.springframework.boot</groupId>
54
                     <artifactId>spring-boot-maven-plugin</artifactId>
55
                </plugin>
56
57
            </plugins>
58
        </build>
59
60
    </project>
61
```

目錄結構

```
→ 

□ Day07 [boot] [devtools]

→ 

# tw.com.lccnet.model

      → # controller
      → # entity
      → # respository
      > # service
      Day07Application.java
  templates
        create student.html
        edit_student.html
        students.html
      application.properties
  > # src/test/java

→ JRE System Library [JavaSE-17]

  > Maven Dependencies
  > 🗁 src
  > 📂 target
    M HELP.md
    mvnw
    mvnw.cmd
```

thymeleaf

student.html

```
1 <!DOCTYPE html>
2 <html xmlns:th="http://www.thymeleaf.org">
4 <meta charset="UTF-8">
5 | <meta name="viewport" content="width=device-width, initial-scale=1">
6 <title>title</title>
7
   <!-- 導入css -->
   <link th:href="@{/css/main.css}" rel="stylesheet">
   <!-- 導入js -->
10 | <script type="text/javascript" th:src="@{/js/action.js}"></script>
11
   link
12
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.c
    ss"
13
        rel="stylesheet"
       integrity="sha384-
14
    F3w7mX95PdgyTmZZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
        crossorigin="anonymous">
15
```

```
16 </head>
17
        <body>
        <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
18
19
           <div class="container-fluid">
20
                 <a class="navbar-brand" href="#">Navbar</a>
                 <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
21
        data-bs-target="#navbarSupportedContent" aria-
        controls = "navbar Supported Content" \ aria-expanded = "false" \ aria-label = "Toggle" \ aria-label
        navigation">
22
                     <span class="navbar-toggler-icon"></span>
23
                 </button>
24
                 <div class="collapse navbar-collapse" id="navbarSupportedContent">
25
                     class="nav-item">
26
                             <a class="nav-link active" aria-current="page"</pre>
27
        th:href="@{/students}">Home</a>
28
                         29
                         class="nav-item">
                             <a class="nav-link" href="#">Link</a>
30
31
                         32
33
                             <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
        role="button" data-bs-toggle="dropdown" aria-expanded="false">
34
                                Dropdown
35
                             </a>
                             36
                                <a class="dropdown-item" href="#">Action</a>
37
                                 <a class="dropdown-item" href="#">Another action</a>
38
39
                                <hr class="dropdown-divider">
40
                                 <a class="dropdown-item" href="#">Something else here</a>
         41
                            42
43
                         class="nav-item">
44
                             <a class="nav-link disabled">Disabled</a>
45
                         46
                     <form class="d-flex">
47
                         <input class="form-control me-2" type="search" placeholder="Search"</pre>
48
        aria-label="Search">
49
                         <button class="btn btn-outline-success"</pre>
        type="submit">Search</button>
50
                     </form>
                 </div>
51
52
            </div>
53
       </nav>
54
55
        <br>><br>>
                 <div class="container">
56
57
                         <div class="row">
                                 <h1 class="text-center"> List Student</h1>
58
59
                         </div>
                         <div class="row">
60
                                 <div class="col-lg-3">
61
62
                                         <a th:href="@{/students/new}" class="btn btn-outline-danger</pre>
        mb-3">Add Students</a>
63
                                 </div>
                         </div>
64
```

```
65
66
         67
           <thead class="tavle-dark">
68
              Student First Name
69
70
                 Student Last Name
71
                 Student Email
72
                 Actions
73
              74
           </thead>
75
           76
              77
                78
79
                 80
                 81
                   <a th:href="@{/students/edit/{id}</pre>
   (id=${student.id})}" class="btn btn-primary">更新</a>
82
                   <a th:href="@{/students/{id}(id=${student.id}))}"</pre>
   class="btn btn-danger">刪除</a>
83
                84
85
              86
87
88
           89
        90
91
92
93
      </div>
94
95
96
      <script
97
   src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/js/bootstrap.bundle.
   min.js"
98
   integrity="sha384-/bQdsTh/da6pkI1MST/rWKFNjaCP5gBSY4sEBT38Q/9RBh9AH40zE0g7H
   1q2THRZ"
99
        crossorigin="anonymous"></script>
100
   </body>
101
   </html>
```

create_student.html

```
1 <!DOCTYPE html>
2 <html xmlns:th="http://wwww.thymeleaf.org">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1">
6 <title>title</title>
7 <!-- 導入css -->
8 <link th:href="@{/css/main.css}" rel="stylesheet">
9 <!-- 導入js -->
```

```
10 | <script type="text/javascript" th:src="@{/js/action.js}"></script>
11
    link
    href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.c
    ss" rel="stylesheet" integrity="sha384-
    F3w7mX95PdgyTmZZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
   crossorigin="anonymous">
12
   </head>
13
   <body>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
14
15
     <div class="container-fluid">
       <a class="navbar-brand" href="#">Navbar</a>
16
17
       <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
    data-bs-target="#navbarSupportedContent" aria-
    controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
    navigation">
18
         <span class="navbar-toggler-icon"></span>
19
       </button>
20
       <div class="collapse navbar-collapse" id="navbarSupportedContent">
         21
22
           class="nav-item">
             <a class="nav-link active" aria-current="page"</pre>
23
   href="@{/students}">Home</a>
           24
           class="nav-item">
25
             <a class="nav-link" href="#">Link</a>
26
27
28
           <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
29
    role="button" data-bs-toggle="dropdown" aria-expanded="false">
30
               Dropdown
31
             </a>
32
             <a class="dropdown-item" href="#">Action</a>
33
34
               <a class="dropdown-item" href="#">Another action</a>
35
               <hr class="dropdown-divider">
36
               <a class="dropdown-item" href="#">Something else here</a>
    37
             </u1>
           38
39
           class="nav-item">
             <a class="nav-link disabled">Disabled</a>
40
41
           42
         </u1>
         <form class="d-flex">
43
44
           <input class="form-control me-2" type="search" placeholder="Search"</pre>
    aria-label="Search">
           <button class="btn btn-outline-success"</pre>
45
    type="submit">Search</button>
46
         </form>
47
       </div>
48
     </div>
49
   </nav>
50
   <br><br><br>></pr>
       <div class="container">
51
52
           <div class="row">
53
               <div class="col-lg-6 col-md-6 col-sm-6 container justify-</pre>
    content-center card">
54
                   <h1 class="text-center"> Create New Student </h1>
```

```
55
                      <div class="card-body">
 56
                          <form th:action="@{/students}" th:object="${student}"</pre>
     method="post">
                              <div class="form-group">
 57
 58
                                   <label>Student First Name</label>
 59
                                   <input
 60
                                   type="text"
                                   name="firstName"
 61
                                   th:field="*{firstName}"
 62
 63
                                   class="form-control"
                                   placeholder="Enter Student First Name">
 64
 65
                              </div>
 66
 67
                              <div class="form-group">
 68
                                   <label>Student Last Name</label>
 69
                                   <input
 70
                                   type="text"
 71
                                   name="lastName"
 72
                                   th:field="*{lastName}"
                                   class="form-control"
 73
                                   placeholder="Enter Student last Name">
 74
 75
                              </div>
 76
 77
 78
                              <div class="form-group">
                                   <label>Student Email</label>
 79
 80
                                   <input
 81
                                   type="text"
 82
                                   name="email"
 83
                                   th:field="*{email}"
                                   class="form-control"
 84
 85
                                   placeholder="Enter Student Email">
 86
                              </div>
 87
 88
                              <div class="box-footer">
                                   <button type="submit" class=" btn btn-primary">
 89
 90
                                       submit
 91
                                   </button>
 92
                              </div>
 93
 94
                          </form>
 95
 96
 97
                      </div>
                  </div>
 98
 99
100
              </div>
101
102
103
104
         </div>
105
106
107
      <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/js/bootstrap.bundle.
     min.js"
     integrity="sha384-/bQdsTh/da6pkI1MST/rWKFNjaCP5gBSY4sEBT38Q/9RBh9AH40zE0g7H
     lq2THRZ" crossorigin="anonymous"></script>
```

```
108 </body>
109 </html>
```

edit_student.html

```
1
   <!DOCTYPE html>
   <html xmlns:th="http://www.thymeleaf.org">
 2
 3
   <head>
 4
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <title>title</title>
   <!-- 導入css -->
 7
   <link th:href="@{/css/main.css}" rel="stylesheet">
 8
9
   <!-- 導入js -->
   <script type="text/javascript" th:src="@{/js/action.js}"></script>
10
11
    link
   href="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/css/bootstrap.min.c
    ss" rel="stylesheet" integrity="sha384-
   F3w7mx95PdgyTmzZMECAngseQB83DfGTowi0iMjiWaeVhAn4FJkqJByhZMI3AhiU"
   crossorigin="anonymous">
12
   </head>
13
   <body>
14
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
15
     <div class="container-fluid">
       <a class="navbar-brand" href="#">Navbar</a>
16
       <button class="navbar-toggler" type="button" data-bs-toggle="collapse"</pre>
17
    data-bs-target="#navbarSupportedContent" aria-
    controls="navbarSupportedContent" aria-expanded="false" aria-label="Toggle
   navigation">
18
         <span class="navbar-toggler-icon"></span>
19
       </button>
       <div class="collapse navbar-collapse" id="navbarSupportedContent">
20
21
         class="nav-item">
22
23
             <a class="nav-link active" aria-current="page"</pre>
   href="@{/students}">Home</a>
24
           </1i>
           class="nav-item">
25
             <a class="nav-link" href="#">Link</a>
26
27
           28
           <a class="nav-link dropdown-toggle" href="#" id="navbarDropdown"</pre>
29
    role="button" data-bs-toggle="dropdown" aria-expanded="false">
30
              Dropdown
31
             </a>
32
             <a class="dropdown-item" href="#">Action</a>
33
               <a class="dropdown-item" href="#">Another action</a>
34
35
              <hr class="dropdown-divider">
              <a class="dropdown-item" href="#">Something else here</a>
36
    37
            38
           class="nav-item">
39
             <a class="nav-link disabled">Disabled</a>
40
           41
42
         </u1>
```

```
43
          <form class="d-flex">
44
             <input class="form-control me-2" type="search" placeholder="Search"</pre>
    aria-label="Search">
             <button class="btn btn-outline-success"</pre>
45
    type="submit">Search</button>
46
          </form>
47
        </div>
      </div>
48
49
    </nav>
50
    <br>><br>>
        <div class="container">
51
52
             <div class="row">
                 <div class="col-lg-6 col-md-6 col-sm-6 container justify-</pre>
53
    content-center card">
54
                     <h1 class="text-center"> Update Student </h1>
55
                     <div class="card-body">
56
                          <form th:action="@{/students/{id}(id=${student.id}))}"</pre>
    th:object="${student}" method="post">
57
                              <div class="form-group">
58
                                  <label>Student First Name</label>
59
                                  <input
60
                                  type="text"
61
                                  name="firstName"
62
                                  th:field="*{firstName}"
                                  class="form-control"
63
                                  placeholder="Enter Student First Name">
64
65
                              </div>
66
                              <div class="form-group">
67
68
                                  <label>Student Last Name</label>
69
                                  <input
70
                                  type="text"
71
                                  name="lastName"
                                  th:field="*{lastName}"
72
73
                                  class="form-control"
                                  placeholder="Enter Student last Name">
74
75
                              </div>
76
77
78
                              <div class="form-group">
79
                                  <label>Student Email</label>
                                  <input
80
                                  type="text"
81
82
                                  name="email"
                                  th:field="*{email}"
83
84
                                  class="form-control"
                                  placeholder="Enter Student Email">
85
                              </div>
86
87
                              <div class="box-footer">
88
89
                                  <button type="submit" class=" btn btn-primary">
90
                                      submit
                                  </button>
91
                              </div>
92
93
94
95
                          </form>
96
```

```
97
                     </div>
 98
                 </div>
 99
             </div>
100
101
102
103
         </div>
104
105
106
107
108
109
     <script
     src="https://cdn.jsdelivr.net/npm/bootstrap@5.1.1/dist/js/bootstrap.bundle.
     min.js"
     integrity="sha384-/bQdsTh/da6pkI1MST/rWKFNjaCP5gBSY4sEBT38Q/9RBh9AH40zE0g7H
     1q2THRZ" crossorigin="anonymous"></script>
110
    </body>
111 </html>
```

service

StudentService

```
package tw.com.lccnet.model.service;
 2
 3
    import java.util.List;
    import tw.com.lccnet.model.entity.Student;
 4
 5
 6
    public interface StudentService {
 8
        List<Student> getAllStudent();
 9
10
        Student saveStudent(Student student);
11
12
        Student getStudentById(Long id);
13
        Student updateStudent(Student student);
14
15
16
        void deleteStudentById(Long id);
17
18
```

StudentServiceImpl

```
package tw.com.lccnet.model.service.impl;

import java.util.List;
import org.springframework.stereotype.Service;
import tw.com.lccnet.model.entity.Student;
import tw.com.lccnet.model.respository.StudentRespository;
import tw.com.lccnet.model.service.StudentService;

@service
```

```
public class StudentServiceImpl implements StudentService{
10
11
12
        private StudentRespository studentRespository;
13
14
        public StudentServiceImpl(StudentRespository studentRespository) {
15
            super();
16
            this.studentRespository = studentRespository;
17
        }
18
19
        @override
        public List<Student> getAllStudent() {
20
21
22
            return studentRespository.findAll();
23
        }
24
        @override
25
26
        public Student saveStudent(Student student) {
27
            // TODO Auto-generated method stub
            return studentRespository.save(student);
28
        }
29
30
31
32
        @override
33
34
        public Student getStudentById(Long id) {
35
36
            return studentRespository.findById(id).get();
37
        }
38
39
        @override
        public Student updateStudent(Student student) {
40
41
42
            return studentRespository.save(student);
        }
43
44
        @override
45
        public void deleteStudentById(Long id) {
46
            studentRespository.deleteById(id);
47
        }
48
49
50
    }
51
```

respository

StudentRespository.java

entity

Student.java

```
1
    package tw.com.lccnet.model.entity;
 2
 3
    import jakarta.persistence.Column;
    import jakarta.persistence.Entity;
 4
    import jakarta.persistence.GeneratedValue;
 5
 6
    import jakarta.persistence.GenerationType;
 7
    import jakarta.persistence.Id;
 8
    import jakarta.persistence.Table;
 9
10
    @Entity
11
    @Table(name = "students")
    public class Student {
12
13
        @Id
14
        @GeneratedValue(strategy = GenerationType.IDENTITY)
15
        private Long id;
16
17
        @Column(name = "first_name", nullable = false)
18
        private String firstName;
19
        @Column(name = "last_name")
20
21
        private String lastName;
22
23
        @Column(name = "email")
24
        private String email;
25
26
        public Student() {
27
            super();
28
        }
29
        public Student(String firstName, String lastName, String email) {
30
31
            super();
32
            this.firstName = firstName;
            this.lastName = lastName;
33
34
            this.email = email;
        }
35
36
        public Long getId() {
37
38
            return id;
39
        }
```

```
40
41
        public void setId(Long id) {
42
            this.id = id;
43
        }
44
45
        public String getFirstName() {
46
             return firstName;
47
48
49
        public void setFirstName(String firstName) {
            this.firstName = firstName;
50
51
        }
52
        public String getLastName() {
53
54
            return lastName;
55
        }
56
57
        public void setLastName(String lastName) {
            this.lastName = lastName;
58
59
60
61
        public String getEmail() {
62
            return email;
63
        }
64
        public void setEmail(String email) {
65
            this.email = email;
66
        }
67
68
69
        @override
70
        public String toString() {
71
            return "Student [id=" + id + ", firstName=" + firstName + ",
    lastName=" + lastName + ", email=" + email + "]";
72
        }
73
74
    }
75
```

controller

StudentController.java

```
package tw.com.lccnet.model.controller;
 2
 3
    import org.springframework.stereotype.Controller;
    import org.springframework.ui.Model;
 4
    import org.springframework.web.bind.annotation.GetMapping;
 5
    import org.springframework.web.bind.annotation.ModelAttribute;
 7
    import org.springframework.web.bind.annotation.PathVariable;
    import org.springframework.web.bind.annotation.PostMapping;
 8
 9
10
    import tw.com.lccnet.model.entity.Student;
11
    import tw.com.lccnet.model.service.StudentService;
12
    @Controller
13
14
    public class StudentController {
15
```

```
16
        private StudentService studentService;
17
        public StudentController(StudentService studentService) {
18
19
            super();
20
            this.studentService = studentService;
21
        }
22
        //輸出全部Student
23
        @GetMapping("/students")
        public String listStudents(Model model) {
24
25
            model.addAttribute("students", studentService.getAllStudent());
            return "students";
26
27
        }
28
        //跳至新增Student頁面
29
30
        @GetMapping("/students/new")
        public String createStudentForm(Model model) {
31
32
            Student student=new Student();
            model.addAttribute("student", student);
33
34
            return "create_student"; //跳到View 頁面, 跳到某一個create_student.html
35
        }
36
37
38
        //新增輸入內容
39
        @PostMapping("/students")
40
        public String saveStudent(@ModelAttribute("student") Student student) {
41
42
             studentService.saveStudent(student);
            return "redirect:/students";
43
44
        }
45
46
        //更新的控制
        @GetMapping("/students/edit/{id}")
47
        public String editStudentForm(@PathVariable Long id,Model model) {
48
49
            model.addAttribute("student", studentService.getStudentById(id));
            return "edit_student";
50
51
52
        }
53
54
        //更新的存檔
55
        @PostMapping("/students/{id}")
        public String updateStudent(@PathVariable Long
56
    id,@ModelAttribute("student") Student student,Model model) {
57
58
                Student existingStudent=studentService.getStudentById(id);
59
                existingStudent.setId(id);
                existingStudent.setFirstName(student.getFirstName());
60
                existingStudent.setLastName(student.getLastName());
61
62
                existingStudent.setEmail(student.getEmail());
63
                //save update
                studentService.updateStudent(existingStudent);
64
65
            return "redirect:/students";
        }
66
67
        //刪除
68
        @GetMapping("/students/{id}")
69
70
        public String deleteStudent(@PathVariable Long id) {
71
            studentService.deleteStudentById(id);
72
```

Day07Application

```
package tw.com.lccnet.model;
    import org.springframework.boot.SpringApplication;
 4
    import org.springframework.boot.autoconfigure.SpringBootApplication;
 5
    @SpringBootApplication
    public class Day07Application {
9
        public static void main(String[] args) {
            SpringApplication.run(Day07Application.class, args);
10
11
        }
12
13
    }
14
```