

REFERENCES

- Alam, M., Alam, M. M., Curray, J. R., Chowdhury, M. L. R., & Gani, M. R. (2003). An overview of the sedimentary geology of the Bengal Basin in relation to the regional tectonic framework and basin-fill history. *Sedimentary geology*, 155(3-4), 179-208.
- Banglapedia, Physiographic map of Bangladesh. <https://en.banglapedia.org>
- Bhatia, M. R. (1983) Plate tectonics and geochemical composition of sandstones. *Journal of Geology*, 91: 611–627.
- Bhatia, M. R., Crook, K. A. W. (1986) Trace element characteristics of greywackes and tectonic setting discrimination of sedimentary basins: *Contributions to Mineralogy and Petrology*, 92: 181–193. 10.1007/BF00375292.
- Condie K. C. (1993) Chemical composition and evolution of the upper continental crust: Contrasting results from surface samples and shales, *Journal of Chemical Geology*. 104: 1–37.
- Cox, R., Low, D. R., Cullers, R. L. (1995) The influence of sediment recycling and basement composition on evolution of mudrock chemistry in the southwestern United States. *Geochim. Cosmochim. Acta*, 59 (14): 2919-2940.
- Cullers, R. L. (2000) The geochemistry of shales, siltstones and sandstones of Pennsylvanian–Permian age, Colorado, USA: implications for provenance and metamorphic studies: *Lithos*, 51: 181–203.
- Dickinson, W. R., Beard, L. S., Brakenridge, G. R., Erjavec, J. L., Ferguson, R. C., Inman, K. F., Knepp, R. A., Lindberg, F. A., Ryberg, P. T. (1983) Provenance of North American Phanerozoic sandstones in relation to tectonic setting: *Geological Society of America Bulletin*, 94: 222-235.

- Dickinson, W. R., Suczek, C. A. (1979) Plate tectonics and sandstone compositions: American Association of Petroleum Geologist, 63: 2164–2182.
- Fedo C. M., Nesbitt H. W., Young G. M. (1995) Unraveling the effects of potassium metasomatism in sedimentary rock sand paleosols, with implications for paleoweathering conditions and provenance, *Journal of Geology*. 23: 921–924.
- Gazi, M.Y., Kabir, S.M.M., Imam, M.B., Rahman, A. and Islam, M.A. (2017)
- Geochemistry of Neo-gene Mud rocks from Sitakund Anticline, Bengal Basin : Implications for Provenance, Weathering, Tectonic setting and Depositional Environment. *Journal of Geoscience and Environment protection.*, vol.5, pp.147-171.
- Guha, D.K., 1978. Tectonic framework and oil and gas prospects of Bangladesh. In Proc. 4th Annual Conference, Bangladesh Geological Society, Dhaka (pp. 65-76).
- Haque, Md. M. Roy, M. K. (2016) Petrography and Geochemistry of Miocene Sandstone, Bandarban Anticline, Bangladesh: Implication for Provenance and Tectonic Settings. *Journal of Life and Earth Sciences*, 11: 45-57
- Haque, Md. M., Roy, M. K., Joly, N. S. and Roy. P. J. (2010) Sequences Stratigraphy of the Surma Group of Rocks, Bandarban Anticline, Chittagong Hill Tracts, Bangladesh. *International Journal of Engineering and Earth sciences*, 3 (3) 341-356.
- Harnois, L. (1988) The CIW index: A new chemical index of weathering: *Sedimentary Geology*, 55: 319–322.
- Hayashi, K., Fujisawa, H., Holland, H., Ohmoto, H. (1997) Geochemistry of ~1.9Ga sedimentary rock from northern Labrador Canada. *Geochimica et cosmochimica Acta*, 61 (19): 4115-4137

- Hossain, H. M. Z., Roser B. P., Kimura J. I. (2010) Petrography and whole-rock geochemistry of the Tertiary Sylhet succession, northeastern Bengal Basin, Bangladesh: Provenance and source area weathering. *Journal of Sedimentary Geology*. 228: 171–183.
- Hossain, I., Roy, K.K., Biswas, P.K., Alam, M., Moniruzzaman, M. and Deeba, F (2014) Geochemical Characteristics of Holocene sediments from Chuadanga district, Bangladesh: Implications for weathering ,Climate, redox conditions,provenance and tectonic setting. Science Press and Institutionof Geochemistry, CAS and Springer-Verlag Berlin Heidelber., vol.33, pp.336-35.
- McCann, T. (1991) Petrological and Geochemical determinations of provenance in southern Welsh Basin. In: A.C. Morton, S. P., Todd and P. D. W. Haughton (editors),*Developments in Sedimentary provenance*. Geological Society Special Publication, 57: 215-230.
- McCulloch, M. T., Wasserburg G. J. (1978) Sm-Nd and Rb-Sr Chronology of the continental crust formation, *Science*, 200: 1003-1011,
- McLennan SM, Taylor SR, McCulloch MT, Maynard JB (1990). Geochemical and Nd-Sr isotopic composition of deepsea turbidites: crustal evolution and plate tectonic associations. *Geochim Cosmochim Acta* 54: 2015–2050.
- McLennan, S. M., Hemming, S., McDaniel, D. K., Hanson, G.N. (1993) Geochemical approaches to sedimentation, provenance and tectonics, in Johnsson, M.J., Basu, A. (eds.): *Geological Society of America, Special Papers* 285: 21–40.
- Nesbitt, H. W. and Young, G. M. (1984) Prediction of some weathering trends of plutonic and volcanic rocks based on thermodynamic and kinetic considerations. *Geochim.Cosmochim. Acta*, 48: 1523–1534.
- Nesbitt, H. W. and Young, G. M. (1996) Petrogenesis of sediments in the absence of chemical weathering: Effects of abrasion and sorting on bulk composition and mineralogy.*Sedimentology*, 43: 341–358.

- Nesbitt, H. W., Young, G. M. (1989) Formation and diagenesis of weathering profile: *Journal of Geology*, 97: 129–147.
- Nesbitt, H. W., Young, G. M. (1982) Early Proterozoic climates and plate motions inferred from major element chemistry of lutites: *Nature*, 299: 715–717.
- Ohta, T. (2004) Geochemistry of Jurassic to earliest Cretaceous deposits in the Nagato Basin, SW Japan: implication of factor analysis to sorting effects and provenance signatures. *Sedimentary Geology*, 171: 159–180.
- Ohta, T. (2008) Measuring and adjusting the weathering and hydraulic sorting effects for rigorous provenance analysis of sedimentary rocks: a case study from the Jurassic Ashikita Group, south-west Japan *Sedimentology* 55: 1687–1701
- Ohta, T., Arai, H. (2007) Statistical empirical index of chemical weathering in igneous rocks: a new tool for evaluating the degree of weathering. *Chemical Geology*, 240:280–297
- Pettijohn, F. J., Potter, P. E., Siever, R. (1975) *Sand and Sandstones*: New York, Springer-Verlag.
- Rollinson, H. R., 1993, *Using Geochemical Data: Evaluation, Presentation, Interpretation*: United Kingdom, Longman, 352 p.
- Rahman M. J. J., Suzuki, S. (2007) Geochemistry of sandstone from the Miocene Surma Group, Bengal Basin, Bangladesh: Implication for provenance, Tectonic setting and weathering. *Geochemical Journal*, 41: 415-428.
- Rahman, M. J. J., McCann, T. (2012) Diagenetic history of the Surma Group sandstones (Miocene) in the Surma Basin, Bangladesh *Journal of Asian Earth Sciences* 45: 65–78.
- Rahman, M.J.J., Sayem, A.S.M. and Bhuiyan, M.H.(2014) Geochemistry of the Plio-Pleistocene Dupi Tila sandstones from the Surma Basin, Bangladesh: Implications for provenance, tectonic setting and weathering . *Himalayan Geology*. Vol. 35(2), pp. 162-170.

- Rahman, M.J.J., Sayem, A.S.M. and McCann, T. (2014) Geochemistry and Provenance of the Miocene sandstones of the Surma Group from the Sitapahar Anticline, Sotheastern Bengal Basin, Bangladesh. *Jour. Geological Society of India.*, vol.83, pp.447-456.
- Roser, B. P., Korsch, R. J. (1986) Determination of tectonic setting of sandstone–mudstone suites using SiO₂ content and K₂O/Na₂O ratio: *Journal of Geology*, 94: 635–650.
- Roser, B. P., Korsch, R. J. (1988) Provenance signatures of sandstone–mudstone suites determined using discriminant function analysis of major-element data. *Chemical Geology*, 67: 119–139
- Roy D. and Roser B. P. (2012) Geochemistry of the Tertiary sequence in the Shahbajpur-1 well, Hatia Trough, Bengal Basin, Bangladesh: Provenance, source weathering and province affinity, *Journal of Life and Earth Science*. 7: 1–13.
- Singh, A., Debajyoti, P., Sinha, R., Thomsen, K. J., Gupta, S.(2016) Geochemistry of Buried river sediment from Ghaggar Plains NW India: multi-proxy records of variations in provenance, paleoclimate and paleovegetation patterns in the Late Quaternary. *Palaeogeography Palaeoclimatology Palaeoecology*, 449: 85-100.
- Taylor, S. R., McLennan, S. M. (1985) *The continental crust: its composition and evolution*: Oxford, Blackwell, 312 p.
- Toulkeridis, T., Clauer, N., Goldstein, S. L., Kröner, A., Reimer, T. and Todt, W. (1999) Characterization, provenance, and tectonic setting of Fig Tree greywackes from the Archaean Barberton Greenstone Belt, South Africa. *Journal Sedimentary Geology*, 124: 113-129.
- Verma, S. P., Armstrong-Altrin, J. S. (2013) New multidimensional diagrams for tectonic discrimination of siliciclastic sediments and their application to Precambrian basins, *Chemical Geology*.