

1. Which of the following is *not* a software development lifecycle model?

- a) Waterfall Model
- b) Spiral Model
- c) Prototyping Model
- d) Boolean Model

Answer: d) Boolean Model

2. SEI-CMM primarily focuses on:

- a) Hardware design
- b) Software process maturity
- c) User interface standards
- d) Risk elimination

Answer: b) Software process maturity

3. Which metric is *function-oriented*?

- a) Lines of Code (LOC)
- b) Function Points (FP)
- c) KLOC
- d) Cyclomatic Complexity

Answer: b) Function Points (FP)

4. The COCOMO model is mainly used for:

- a) Software testing
- b) Software cost estimation
- c) Risk analysis
- d) Debugging

Answer: b) Software cost estimation

5. In project scheduling, PERT stands for:

- a) Project Evaluation and Review Technique
- b) Program Efficiency Review Test
- c) Project Estimation and Resource Tracking
- d) Performance Evaluation of Risk Techniques

Answer: a) Project Evaluation and Review Technique

6. Which coupling type is considered the *best* or most desirable?

- a) Content Coupling
- b) Common Coupling
- c) Control Coupling
- d) Data Coupling

Answer: d) Data Coupling

7. The prototyping model is most useful when:

- a) Requirements are well-defined
- b) Requirements are unclear or evolving
- c) The project is very large
- d) Testing is not required

Answer: b) Requirements are unclear or evolving

8. Cyclomatic complexity measures:

- a) Data structure efficiency
- b) Number of modules in a system
- c) Independent paths in a program
- d) Execution time

Answer: c) Independent paths in a program

9. Top-down integration testing begins with:

- a) Outer modules
- b) Lowest-level modules
- c) Middle modules
- d) Main control module

Answer: d) Main control module

10. Which of the following is an automated cost estimation tool?

- a) MATLAB
- b) Oracle
- c) COCOMO II
- d) GitHub

Answer: c) COCOMO II