Contents

Purpose of this document	1
REST resources (services)	1
REST requests and responses	2
1 Get all products	2
2 Get all manufacturers	3
3 Get all types	4
4 Get all products of a type, by type name	6
5 Register new customer	7
6 Soft delete customer	7
HTTP methods	8

Purpose of this document

This document describes what REST services are provided in the Tiimi 2 pet shop app. It contains all needed information so that client can be implemented.

REST resources (services)

Base url: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi

- 1. Get all products -> /api/products
- 2. Get all types -> /api/types
- 3. Get all manufacturers -> /api/manufacturers
- 4. Get all products with certain type -> /api/products/type/{type_name}
- 5. Register new customer -> /api/customers
- 6. Soft delete customer -> /api/customers/{id}

REST requests and responses

1 Get all products

```
HTTP method: GET
```

API call: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi /api/products

Request body: -

Response example below:

```
"_embedded": {
"products": [
   "name": "Padded collar",
  "color": "black",
   "price": 14.49,
   "size": "S",
   " links": {
    "self": {
     "href": "http://localhost:8080/api/products/1"
    },
    "product": {
     "href": "http://localhost:8080/api/products/1"
    },
    "type": {
     "href": "http://localhost:8080/api/products/1/type"
    },
    "manufacturer": {
     "href": "http://localhost:8080/api/products/1/manufacturer"
    }
  }
 },
   "name": "Shirt",
   "color": "red",
   "price": 9.99,
   "size": "L",
   "_links": {
    "self": {
     "href": "http://localhost:8080/api/products/2"
    },
    "product": {
     "href": "http://localhost:8080/api/products/2"
    },
    "type": {
     "href": "http://localhost:8080/api/products/2/type"
```

```
},
     "manufacturer": {
      "href": "http://localhost:8080/api/products/2/manufacturer"
    }
   }
 },
 "_links": {
  "self": {
   "href": "http://localhost:8080/api/products"
  "profile": {
   "href": "http://localhost:8080/api/profile/products"
  "search": {
   "href": "http://localhost:8080/api/products/search"
  }
}
2 Get all manufacturers
HTTP method: GET
API call: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi/rest/manufacturers
Request body: -
Response example below:
 "_embedded": {
  "manufacturers": [
    "name": "Feel active",
    "_links": {
     "self": {
      "href": "http://localhost:8080/api/manufacturers/1"
     },
     "manufacturer": {
      "href": "http://localhost:8080/api/manufacturers/1"
     },
     "products": {
      "href": "http://localhost:8080/api/manufacturers/1/products"
    }
   }
```

```
]
 },
 "_links": {
  "self": {
   "href": "http://localhost:8080/api/manufacturers"
  "profile": {
   "href": "http://localhost:8080/api/profile/manufacturers"
 }
}
3 Get all types
HTTP method: GET
API call: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi /api/types
Request body: -
Response example below:
 " embedded": {
  "types": [
    "name": "clothing",
    "id": 1,
    "_links": {
     "self": {
      "href": "http://localhost:8080/api/types/1"
     "type": {
      "href": "http://localhost:8080/api/types/1"
     "products": {
      "href": "http://localhost:8080/api/types/1/products"
     }
    }
   },
    "name": "toy",
    "id": 2,
    "_links": {
     "self": {
```

"href": "http://localhost:8080/api/types/2"

```
},
      "type": {
      "href": "http://localhost:8080/api/types/2"
      },
      "products": {
      "href": "http://localhost:8080/api/types/2/products"
    }
   },
    "name": "food",
    "id": 3,
    " links": {
     "self": {
      "href": "http://localhost:8080/api/types/3"
      },
      "type": {
      "href": "http://localhost:8080/api/types/3"
      },
      "products": {
      "href": "http://localhost:8080/api/types/3/products"
     }
    }
   }
  ]
 "_links": {
  "self": {
   "href": "http://localhost:8080/api/types"
  },
  "profile": {
   "href": "http://localhost:8080/api/profile/types"
  }
 }
}
```

4 Get all products of a type, by type name

HTTP method: GET

API call: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi /api/products/type/{type_name}

Request body: -

Response example below:

```
[
  "id": 1,
  "name": "Padded collar",
  "color": "black",
  "price": 14.49,
  "size": "S",
  "manufacturer": {
   "id": 1,
   "name": "Feel active"
  "type": {
   "name": "clothing",
   "id": 1
  }
 },
  "id": 2,
  "name": "Shirt",
  "color": "red",
  "price": 9.99,
  "size": "L",
  "manufacturer": {
   "id": 1,
   "name": "Feel active"
  },
  "type": {
   "name": "clothing",
   "id": 1
  }
 }
]
```

5 Register new customer

HTTP method: POST

API call: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi/api/customers

Request body: Customer

Response example below:

?

6 Soft delete customer

HTTP method: PUT

API call: https://s24-tiimi2-backend-s24tiimi2backend.2.rahtiapp.fi/api/customers/{id}

Request body: -

Response example below:

?

HTTP methods

Http	Resource EndPoint	Input	Success	Error	Description
Method GET	/api/products	Body: empty	Status: 200 List of products	Response Status 500	Retrieves all products
GET	/api/manufacturers	Body: empty	Status: 200 List of manufacturers	Status 500	Retrieves all manufacturers
GET	/api/types	Body: empty	Status: 200 List of product types	Status 500	Retrieves all product types
GET	/api/products/type/{typename}	Body: empty	Status: 200 List of products	Status 500	Retrieves a list of products of a certain type searched by type name
POST	/api/customers	Body: Customer	?	?	Registers new user made in React form
PUT	/api/customers/{id}	Body: empty	?	?	Soft deletes user based on id. Used in React app where id is fetched based on email