



STUDIO2800

Website User Manual

NORMAL PATH

Local edit -> GitHub ->
Cloudflare

Cloudflare production setup, Agent Overlord oversight, admin links, metrics access, lead email alerts, business email forwarding, Twilio SMS, app push fallback, weekly traffic reporting, operating process, restore points, GitHub backup status, and the Studio2800 change workflow reference. Updated August 18, 2026.

Current decision: Cloudflare is the main production hosting platform. Netlify is retired from the active workflow and should not be used for regular deploys or DNS changes.

Item	Current status
Main website	https://studio2800.com/ returns HTTP 200
WWW website	https://www.studio2800.com/ returns HTTP 200
DNS	Nameservers are matias.ns.cloudflare.com and lilith.ns.cloudflare.com ; www resolves to studio2800.pages.dev .
Metrics page	https://studio2800.com/admin/metrics/ loads and requires admin password
Livestream page	Hidden by default; Admin can publish https://studio2800.com/Livestream/
Video API	All 9 video URLs are currently set to https://youtu.be/E18RGsfK7-Y
Weekly report	Cloudflare-native scheduled report runs Mondays after 9 AM Detroit time with report secrets, hourly cron, and Resend provider logic.
Lead email alerts	Contact form leads are saved to D1 and then sent as Studio2800-styled HTML emails. Resend API key is set, and the August 18 default-form test returned HTTP 201 with email sent.
Business email	Cloudflare Email Routing is enabled. studio@studio2800.com and jdanyliw@studio2800.com forward to the verified Studio2800 Gmail destination.

Item	Current status
SMS/text alerts	Optional Twilio-compatible lead and weekly report texts are enabled in the Worker. Twilio account credentials are set; sender and destination phone secrets are still required.
App push fallback	Optional Pushover-compatible backup alerts are deployed in the Worker but blocked until Pushover app token and user key are configured.
Agent Overlord	Daily 10 AM Studio2800 oversight automation coordinates with Boss Agent, builds a project plan, and emails the authenticated Gmail account.
Cloudflare Pages	Production deployment 9c0f5797 is the latest documented Pages deployment; live public pages returned HTTP 200 on August 18.
GitHub backup	Current Cloudflare production backup pushed to s2800-GH/studio2800.com at refresh commit 7c4032f, followed by documentation-status commits.
Latest restore point	August 18, 2026 Worker cleanup rollback marker saved at rollback-markers/20260818-operational-cleanup-pre-worker-fix/


Website Change Workflow

This visual is the reference workflow for future Studio2800 changes: request, local workspace, test and review, GitHub vault, Cloudflare deploy, then live website.



1. How The Site Is Set Up

The public website is hosted on Cloudflare Pages. The domain studio2800.com is managed through Cloudflare DNS and points to the Cloudflare Pages project named studio2800. Dynamic data for videos, submissions, metrics, and accounts is handled by a Cloudflare Worker API connected to a Cloudflare D1 database.



Layer	Service	Purpose
DNS	Cloudflare DNS	Routes studio2800.com and www.studio2800.com to Cloudflare Pages.
Website	Cloudflare Pages project studio2800	Serves the static website files from outputs/.
API	Cloudflare Worker studio2800-api	Handles videos, lead submissions, lead emails, SMS, app push fallback, admin login, metrics, weekly reports, user accounts, RSS support, and error logging.
Database	Cloudflare D1 studio2800-leads	Stores form submissions, 9 video URLs, page views, users, weekly report runs, and site error logs.
Email DNS	Cloudflare Email Routing	Free inbound forwarding for studio@studio2800.com and jdanyliw@studio2800.com into the verified Studio2800 Gmail destination.

1B. Services And Cost Tracking

Service	Role	Cost status
Cloudflare Pages	Main website hosting	Free tier active
Cloudflare Workers	API, forms, admin, metrics, reports	Free tier active; native Email Sending requires Workers Paid

Service	Role	Cost status
Cloudflare D1	Submissions, videos, metrics, settings	Free tier active; monitor read/write limits
Cloudflare DNS	Routes studio2800.com	Free tier active
Cloudflare Email Routing	Inbound business email forwarding	Free tier active; forwarding only, not a full mailbox
GoDaddy	Registrar	Paid externally; root GoDaddy MX removed August 14, 2026
GitHub	Source backup and rollback history	Free unless upgraded; current Cloudflare production backup pushed to s2800-GH/studio2800.com
Resend	Transactional email provider	Free plan active: 3,000/month, 100/day
Twilio SMS	Optional text-message provider	SMS_ENABLED=true; account credentials set; sender and destination phone still required
Pushover	Optional app push fallback	PUSH_ENABLED=true; sending blocked until Pushover secrets are configured
Google Ads / AdSense	Future traffic and monetization	Not active for Studio2800
YouTube	Video hosting and showcase links	Free unless upgraded
Agent Overlord	Daily oversight, Boss Agent coordination, project planning, and email reporting	Local Codex skill plus active automation

Email decision: use Resend Free first. Resend costs \$0/month with 3,000 emails/month and 100/day. Current Resend account: jason.danyliw@gmail.com. Current sending domain: studio2800.com. Resend DNS records are added in Cloudflare, public DNS returns them, Resend domain status is verified, and Worker secret RESEND_API_KEY is set. A protected lead email test sent successfully through Resend. Cloudflare Email Sending requires Workers Paid, which starts at \$5/month and includes 3,000 outbound emails/month before usage overage.

Business email decision: use Cloudflare Email Routing Free for the NVIDIA application and early business use. `studio@studio2800.com` and `jdanyliw@studio2800.com` forward to the verified Studio2800 Gmail destination. This is inbound forwarding only; sending replies from these addresses requires Gmail Send mail as setup or a paid mailbox/provider later.

SMS/text decision: the Worker SMS feature flag is on. `TWILIO_ACCOUNT_SID` and `TWILIO_AUTH_TOKEN` are stored as Cloudflare Worker secrets. Actual sending is still blocked until `TWILIO_FROM_NUMBER` and `SMS_TO_NUMBER` are configured. Twilio phone-number management redirected to the trial-account upgrade screen on July 18, 2026. SMS failures are logged and do not break form submissions or weekly report emails.

App push fallback decision: the Worker can send Pushover-compatible app notifications when Twilio SMS is disabled, blocked, expires, loses sender eligibility, or returns an API error. Required secrets are `PUSHOVER_APP_TOKEN` and `PUSHOVER_USER_KEY`. App push is not SMS, but it avoids SMS carrier setup and works well as a backup notification channel.

1C. Agent Overlord Oversight

Agent Overlord is the Studio2800 oversight skill used to consolidate project status across the public website, Cloudflare Worker/API, AIVN/studio2800news, the private Studio Central platform, NVIDIA/business collateral, documentation, automations, and Boss Agent status work.

Item	Current setup
Skill folder	<code>/Users/jasondanyliw/.codex/skills/agent-overlord/</code>
Project map	<code>/Users/jasondanyliw/.codex/skills/agent-overlord/references/studio2800-project-map.md</code>
Automation name	Agent Overlord Studio2800 Daily Oversight
Automation id	<code>daily-project-portfolio-status</code>
Schedule	Daily at 10:00 AM America/Detroit
Email delivery	Authenticated Gmail account using to: me
Security rule	Reports must not include passwords, API keys, OAuth tokens, cookies, recovery codes, or private account secrets.

2. Important Links

Use	Link
Main site	https://studio2800.com/
WWW site	https://www.studio2800.com/
Cloudflare preview	https://studio2800.pages.dev/
Admin tools	https://studio2800.com/admin
Metrics dashboard	https://studio2800.com/admin/metrics/
Network dashboard	https://studio2800.com/dashboard/
Livestream page	https://studio2800.com/Livestream/ - hidden unless enabled in Admin
Thanks page	https://studio2800.com/thanks
RSS feed	https://studio2800.com/feed.xml
Sitemap	https://studio2800.com/sitemap.xml
API health	https://studio2800-api.jason-danyliw.workers.dev/api/health
API videos	https://studio2800-api.jason-danyliw.workers.dev/api/videos
Weekly report API	https://studio2800-api.jason-danyliw.workers.dev/api/admin/monthly-report
Lead email test API	https://studio2800-api.jason-danyliw.workers.dev/api/admin/test-lead-email
Lead SMS test API	https://studio2800-api.jason-danyliw.workers.dev/api/admin/test-lead-sms
Lead push test API	https://studio2800-api.jason-danyliw.workers.dev/api/admin/test-lead-push
Notification status API	https://studio2800-api.jason-danyliw.workers.dev/api/admin/notification-status
Failover test API	https://studio2800-api.jason-danyliw.workers.dev/api/admin/test-notification-failover
Latest restore zip	rollback-markers/studio2800-restore-point-2026-07-07-current-production.zip

RSS note: the supported feed URL is <https://studio2800.com/feed.xml>. The alternate /rss.xml path is not currently configured as a feed and may fall back to the homepage until a future static Pages deploy adds that alias.

3. Admin And Metrics Access

The admin password is not written in this manual. It is stored as a Cloudflare Worker secret named ADMIN_PASSWORD. If it is lost, reset the ADMIN_PASSWORD secret on the Worker named studio2800-api.

Credential or secret	Where it lives	What it does
Admin password	Worker secret ADMIN_PASSWORD	Unlocks /admin and /admin/metrics.
Auth signing secret	Worker secret AUTH_SECRET	Signs temporary admin/user session tokens.
Admin account identity	Worker auth and D1 user roles	No public admin email is printed in the site manual.
Report recipient	Worker secret REPORT_TO_EMAIL	Receives the weekly traffic report through Resend.
Report sender	Worker secret REPORT_FROM_EMAIL	Approved sender address for the weekly traffic report.
Lead recipient	Optional Worker secret LEAD_TO_EMAIL	Receives contact form lead emails; falls back to REPORT_TO_EMAIL.
Lead sender	Worker secret LEAD_FROM_EMAIL	Currently set to a Studio2800 domain sender verified for Resend.
Resend API key	Worker secret RESEND_API_KEY	Enables Resend Free transactional email. Do not commit this key.
Email provider flag	Worker variable EMAIL_PROVIDER=resend	Routes email through Resend once RESEND_API_KEY exists.
Email binding	Worker binding EMAIL	Cloudflare fallback path if Workers Paid Email Sending is activated.
Business email forwarding	Cloudflare Email Routing	studio@studio2800.com and jdanyliw@studio2800.com forward to the verified Studio2800 Gmail destination.
Notification status	Protected route /api/admin/notification-status	Shows readiness without exposing secret values.

Credential or secret	Where it lives	What it does
Failover test	Protected route <code>/api/admin/test-notification-failover</code>	Simulates Twilio failure and tests app push backup.
SMS provider flag	Worker variable <code>SMS_PROVIDER=twilio</code>	Selects optional text-message provider logic.
SMS enable flag	Worker variable <code>SMS_ENABLED=true</code>	Enables SMS path; actual sending still requires provider secrets and destination phone.
Twilio SID	Worker secret <code>TWILIO_ACCOUNT_SID</code>	Required only when SMS is enabled.
Twilio token	Worker secret <code>TWILIO_AUTH_TOKEN</code>	Required only when SMS is enabled. Do not commit it.
SMS numbers	Worker secrets <code>TWILIO_FROM_NUMBER</code> and <code>SMS_TO_NUMBER</code>	Sender and destination numbers for text alerts.
Push provider flag	Worker variable <code>PUSH_PROVIDER=pushover</code>	Selects optional app push fallback logic.
Push enable flag	Worker variable <code>PUSH_ENABLED=true</code>	Enables app push path; actual sending still requires Pushover secrets.
Push fallback flag	Worker variable <code>PUSH_ON_SMS_FAILURE=true</code>	Sends app push only when SMS does not send.
Pushover secrets	Worker secrets <code>PUSHOVER_APP_TOKEN</code> and <code>PUSHOVER_USER_KEY</code>	App token and user key for push fallback. Do not commit them.
Cloudflare API token	Local environment variable <code>CLOUDFLARE_API_TOKEN</code>	Needed for command-line deploys to Cloudflare Pages.

Secure SMS secret entry: run `tools/set-studio2800-sms-secrets.sh` locally and paste Twilio values only into the Wrangler prompts. Do not paste Twilio credentials into chat, docs, shell commands, or committed files.

Secure app push secret entry: run `tools/set-studio2800-push-secrets.sh` locally and paste Pushover values only into the Wrangler prompts. Do not paste push tokens into chat, docs, shell commands, or committed files.

Metrics page test result

The metrics page itself returns HTTP 200. The metrics API returns HTTP 401 without a valid admin session, which is the correct protected behavior. Full authenticated metrics testing requires entering the current admin password in the browser.

4. Weekly Traffic Report

The weekly traffic report is designed as a Cloudflare-native scheduled Worker job instead of a reminder that depends on the local Mac. It reads Cloudflare D1 traffic data, builds a Studio2800-styled HTML report and SVG graphic, records the run status, and emails the report through Resend when RESEND_API_KEY is present, otherwise through Cloudflare Email Service when available.

Part	Current setup
Schedule	Hourly Cloudflare Cron Trigger with Detroit local-time guard.
Send rule	Runs once per week on Monday at or after 9 AM America/Detroit.
Data source	D1 page_views and submissions tables.
Audit trail	D1 monthly_report_runs table records sent, skipped, blocked, or failed status using weekly period keys.
Preview	Protected endpoint /api/admin/monthly-report and /api/admin/monthly-report?format=html.
Manual test	Protected endpoint /api/admin/monthly-report?send=true after admin login.
SMS summary	Optional short text summary when SMS_ENABLED=true and Twilio secrets are configured.
Push fallback	Optional app push summary when SMS does not send and Pushover secrets are configured.
Activation	Resend domain and RESEND_API_KEY are active. Forced weekly report test for week-2026-07-13 sent successfully through Resend.

Status as of August 18, 2026: Worker version b56f8fb2 is deployed. Worker is configured with REPORT_FREQUENCY=weekly, REPORT_SEND_WEEKDAY=1, REPORT_SEND_HOUR=9, EMAIL_PROVIDER=resend, report secrets, Resend-compatible provider logic, optional SMS logic, app push fallback logic, and hourly cron. Resend onboarding is complete and RESEND_API_KEY is set. The August 18 form test returned HTTP 201 with email sent. Cloudflare secret audit confirmed TWILIO_ACCOUNT_SID and TWILIO_AUTH_TOKEN are set; SMS still needs TWILIO_FROM_NUMBER and SMS_TO_NUMBER. Push fallback still needs PUSHOVER_APP_TOKEN and PUSHOVER_USER_KEY.

4B. Lead Submission Email Alerts

The public contact form saves each valid lead to Cloudflare D1 first. After the save succeeds, the Worker builds a Studio2800-styled HTML email and sends it through Resend when `RESEND_API_KEY` is present, otherwise through Cloudflare Email Service when available. If email delivery fails, the visitor still sees a successful thank-you page and the failure is logged to `site_errors` for admin review.

Part	Current setup
Form endpoint	<code>/api/submissions</code>
Email format	Studio2800-branded HTML email plus plain text fallback.
Recipient	<code>LEAD_TO_EMAIL</code> if present; otherwise <code>REPORT_TO_EMAIL</code> .
Sender	<code>LEAD_FROM_EMAIL</code> if present; otherwise <code>REPORT_FROM_EMAIL</code> .
Provider	Resend first when <code>RESEND_API_KEY</code> exists; Cloudflare fallback otherwise.
SMS alert	Optional Twilio text after lead save when <code>SMS_ENABLED=true</code> .
Push fallback	Optional Pushover app notification when Twilio SMS does not send.
Failure handling	Email/SMS/push failure is recorded in D1 <code>site_errors</code> ; the lead remains saved.
Admin test	Use Send test email, Send test text, or Send test push on the private Admin page Form submissions panel.

Status as of August 18, 2026: Worker version `b56f8fb2` includes Resend, weekly reporting, Twilio SMS hooks, Pushover-compatible push fallback, notification readiness status, a simulated failover test endpoint, and the corrected form project allowlist. The live default public form payload returned HTTP 201 with email sent. Resend DNS records are verified and `RESEND_API_KEY` is set. `TWILIO_ACCOUNT_SID` and `TWILIO_AUTH_TOKEN` are set; SMS still needs `TWILIO_FROM_NUMBER` and `SMS_TO_NUMBER`. Push fallback still needs Pushover app token and user key.

4C. Business Email Forwarding

Cloudflare Email Routing provides free inbound forwarding for Studio2800 domain addresses. This is useful for applications and first business contact points because the address looks professional while mail still arrives in Gmail.

Part	Current setup
Status	Cloudflare Email Routing is enabled for <code>studio2800.com</code> .

Part	Current setup
Forwarding rules	studio@studio2800.com and jdanyliw@studio2800.com forward to the verified Studio2800 Gmail destination.
Root MX	route1.mx.cloudflare.net priority 7, route2.mx.cloudflare.net priority 17, and route3.mx.cloudflare.net priority 96.
DKIM	Cloudflare Email Routing DKIM TXT exists at cf2024-1._domainkey.studio2800.com.
SPF	Root TXT uses v=spf1 include:_spf.mx.cloudflare.net ~all.
Resend	The send.studio2800.com MX record remains for Resend bounce/feedback handling.
Limitation	Inbound forwarding only. This is not a full mailbox and does not automatically send replies from the domain address.
Rollback	To revert, remove Cloudflare root MX and restore GoDaddy MX smtp.secureserver.net priority 0 and mailstore1.secureserver.net priority 10.

5. Day-To-Day Operating Process

Step	Action
1	Edit site files locally under outputs/.
2	Preview locally in the browser if needed.
3	Create a restore point before larger design, routing, admin, DNS, or API changes.
4	Deploy outputs/ to Cloudflare Pages project studio2800.
5	If API code changed, deploy cloudflare-api/src/index.js to Worker studio2800-api.
6	If weekly reporting or lead email changed, verify Resend or Email Service and email secrets before relying on email delivery.
7	Verify studio2800.com, /admin/metrics/, /api/health, /api/videos, report endpoint, and Admin notification test buttons. Use Send test text only after SMS is enabled and Send test push only after Pushover secrets are set.
8	Do not switch DNS to Netlify unless making an intentional rollback.

6. Current DNS And Cloudflare Resources

Resource	Value
Cloudflare account ID	bd02c969c7d0831d3bb239ffdefe0fdb
Zone ID	2a5c8eda6234e6738907b112980f71a7
Pages project	studio2800
Pages project ID	5f80fc54-1c13-4a25-804f-f76ccb72418c
Worker API	studio2800-api
D1 database	studio2800-leads / 917320e2-6309-4bad-b732-1d5d96fb3b40
Email binding	EMAIL on Worker studio2800-api
Report schedule	Weekly Mondays after 9 AM America/Detroit, guarded by Worker logic
Root DNS	studio2800.com CNAME -> studio2800.pages.dev
WWW DNS	www.studio2800.com CNAME -> studio2800.pages.dev
Mail MX	Cloudflare Email Routing route1/route2/route3.mx.cloudflare.net
Mail aliases	studio@studio2800.com and jdanyliw@studio2800.com forward to Studio2800 Gmail

7. Local Files Reference

File or folder	Purpose
outputs/	Public website files served by Cloudflare Pages.
outputs/index.html	Main public website page.
outputs/styles.css	Site visual styling.
outputs/script.js	Video carousel, form submit, metrics tracking, ad placeholder logic, and public visibility settings.
outputs/admin.html	Admin page for video URLs, form submissions, lead email/text tests, and Livestream visibility.
outputs/thanks.html	Public post-submission thank-you page.

File or folder	Purpose
outputs/admin/metrics/index.html	Protected metrics dashboard page.
outputs/dashboard/index.html	Protected Studio2800 and Studio2800News network dashboard.
outputs/Livestream/index.html	Player-only Livestream page adapted from the AIVN live player. Hidden unless enabled in Admin.
outputs/Livestream/livestream.js	Livestream visibility check and hover-preview player logic for YouTube, MP4/MOV, image, or GIF sources.
cloudflare-api/src/index.js	Cloudflare Worker API source.
cloudflare-api/wrangler.jsonc	Worker API configuration and bindings.
deploy-production.sh	Cloudflare Pages deploy helper. Netlify is no longer used.
rollback-markers/	Restore point folders and zip packages for rollback protection before future changes.
CHANGELOG.md	Human-readable history of production workflow, restore points, deploys, and documentation updates.

8. Referenced AVIN/AIVN Website 2026 Notes

The AVIN/AIVN Website 2026 project was reviewed as a related reference for Studio2800. It contains protected rollback snapshots, GitHub-ready source packages, monetization notes, and the Studio2800News/AIVN site manual. These notes do not replace the Studio2800 production setup above; they document related assets and workflow decisions that affect future Studio2800 changes.

Reference	What changed or matters
Build 1-studio2800-GitHub	Protected rollback/reference snapshot for studio2800.com before GitHub repository setup. It preserves the live www.studio2800.com capture plus the original static site and Cloudflare Worker API source.
GitHub-ready studio2800.com package	Prepared repository structure with public website files, account pages, admin/metrics pages, Cloudflare API source, and deployment notes. Production deploys should still be tested in preview before wiring automatic deployment.
Build 7-12026-AIVN	Studio2800News/AIVN rollback point after adding PBS, official blogs, and public blog/editorial AI video sources. Saved with 40 stories, 24 sources, and active AdSense publisher ID.

Reference	What changed or matters
Build 8-GitHub-AIVN	Studio2800News/AIVN protected rollback point before GitHub setup. Saved with 43 stories, 25 sources, 3 GitHub entries, and the active AdSense publisher ID.
AIVN relationship	Studio2800News (AIVN) remains part of the public Studio2800 network links. It is a separate news/feed property from studio2800.com but should be referenced when planning content, traffic, monetization, and cross-link strategy.
Monetization note	The AIVN project includes AdSense assets such as ads.txt and a head snippet. Do not copy monetization settings into studio2800.com blindly; confirm publisher ID, domain approval, and ad placement strategy first.

User manual update note: This section was added to record the AVIN/AIVN Website 2026 reference materials. Keep future Studio2800 manual revisions synchronized with any GitHub repository, Cloudflare deploy, DNS, admin password, or monetization workflow change.

GitHub backup status as of August 18, 2026: the active Studio2800 working folder is not itself a Git repository. The canonical GitHub-ready backup package at `/Users/jasondanyliw/Documents/Codex/2026-06-26/c/outputs/github-ready/studio2800.com` points to `git@github.com:s2800-GH/studio2800.com.git` and has been refreshed with the current Cloudflare production public files, Worker source, and operational docs. The backup refresh commit is `7c4032f`, Refresh Cloudflare production backup, followed by `documentation-status` commits. Netlify remains legacy reference only under `beta-archive`.

9. Quick Troubleshooting

Symptom	Likely cause	What to check
Old site appears	Browser cache or DNS pointed elsewhere.	Hard refresh, private tab, and confirm DNS CNAME to <code>studio2800.pages.dev</code> .
Metrics page locked	No admin token or expired session.	Log in with <code>ADMIN_PASSWORD</code> .
Form fails	Worker API or D1 issue.	Check <code>/api/health</code> and <code>/api/submissions</code> .
Form saves but no lead email arrives	Resend key/domain issue or Worker email error.	Check Admin notification status, Resend domain verification, and <code>/api/admin/test-lead-email</code> .

Symptom	Likely cause	What to check
Business email does not arrive	Email Routing DNS not propagated or forwarding rule disabled.	Check Cloudflare Email Routing status, route1/route2/route3 MX, and the verified destination inbox.
SMS test says blocked	Twilio secrets or phone numbers are missing.	Run tools/set-studio2800-sms-secrets.sh and paste values only into Wrangler prompts.
Push test says blocked	Pushover app token or user key is missing.	Run tools/set-studio2800-push-secrets.sh and paste values only into Wrangler prompts.
Videos do not update	Admin URLs not saved or API unavailable.	Check /api/videos and the admin page.
Deploy script stops	Missing Cloudflare API token.	Set CLOUDFLARE_API_TOKEN before running deploy-production.sh.

Reference note: Netlify should not be used for production deployment, normal site updates, or DNS. Keep Cloudflare as the single source for hosting unless you intentionally choose a rollback.

Rollback marker note: The July 1, 2026 Livestream page change has a rollback marker at `rollback-markers/2026-07-01-livestream-page/ROLLBACK-NOTE.md`. A July 7, 2026 current production restore point is saved at `rollback-markers/2026-07-07-current-production-restore-point/` with the zip package `rollback-markers/studio2800-restore-point-2026-07-07-current-production.zip`. The July 17, 2026 form/email fix rollback marker is saved at `rollback-markers/20260717-005604-form-email-fix/`.

Netlify dashboard note: Leave the existing Netlify projects in place for now as inactive historical references. Do not add billing, buy credits, reconnect DNS, or use Netlify for new deploys. The Studio2800 Netlify beta files were archived separately in the GitHub-ready `studio2800.com` repository under `beta-archive/netlify-retirement-2026-06-30/`.