

The CONTENTS Procedure

Data Set Name	WORK.IMPORT	Observations	836
Member Type	DATA	Variables	17
Engine	V9	Indexes	0
Created	03/08/2026 19:27:13	Observation Length	144
Last Modified	03/08/2026 19:27:13	Deleted Observations	0
Protection		Compressed	NO
Data Set Type		Sorted	NO
Label			
Data Representation	SOLARIS_X86_64, LINUX_X86_64, ALPHA_TRU64, LINUX_IA64		
Encoding	utf-8 Unicode (UTF-8)		

Engine/Host Dependent Information	
Data Set Page Size	131072
Number of Data Set Pages	1
First Data Page	1
Max Obs per Page	909
Obs in First Data Page	836
Number of Data Set Repairs	0
Filename	/saswork/SAS_work6A1C000001D8_odaws01-usw2.oda.sas.com/SAS_workFAEF000001D8_odaws01-usw2.oda.sas.com/import.sas7bdat
Release Created	9.0401M8
Host Created	Linux
Inode Number	3766059
Access Permission	rw-r--r--
Owner Name	u64380188
File Size	256KB
File Size (bytes)	262144

Alphabetic List of Variables and Attributes						
#	Variable	Type	Len	Format	Informat	Label
17	Arrears	Num	8	BEST.		Arrears
9	Borrowing	Num	8	BEST.		Borrowing
14	Borrowing_portfolio_ratio	Num	8	COMMA15.2		Borrowing_portfolio_ratio
11	Collateral	Num	8	BEST.		Collateral
12	Collateral_type	Num	8	BEST.		Collateral_type
5	Cure_date	Char	10	\$10.	\$10.	Cure_date
1	Customer	Num	8	BEST.		Customer
16	Customer_type	Num	8	BEST.		Customer_type
2	Date	Char	10	\$10.	\$10.	Date
4	Default_date	Char	10	\$10.	\$10.	Default_date
10	LTV	Num	8	BEST.		LTV
8	Limit	Num	8	COMMA15.		Limit
13	Portfolio_value	Num	8	COMMA15.		Portfolio_value
15	Postcode_index	Num	8	BEST.		Postcode_index
6	Re_default_date	Char	10	\$10.	\$10.	Re_default_date
7	Utilisation	Num	8	COMMA15.2		Utilisation
3	Year	Num	8	BEST.		Year

Table:

WORK.IMPORT

View:

Column names



Total rows: 836 Total columns: 17

Rows 1-100

Columns	
☒	Select all
☒	Customer
☒	Date
☒	Year
☒	Default_date
☒	Cure_date
☒	Re_default_date
☒	Utilisation
☒	Limit
☒	Borrowing
☒	LTV
☒	Collateral
☒	Collateral_type
☒	Portfolio_value
☒	Borrowing_portfolio_ratio
☒	Postcode_index
☒	Customer_type
☒	Arrears
Property Value	
Label	
Name	
Length	
Type	
Format	
Informat	

	Customer	Date	Year	Default_date	Cure_date	Re_default_date	Utilisation	Limit
1	5182106	02.07.2012	2012	.	.	.	0.66	1,287,187
2	5182106	03.06.2013	2013	.	.	.	0.24	1,545,673
3	5182106	08.06.2014	2014	08.06.2014	13.05.2015	.	1.02	1,324,381
4	5182106	09.06.2015	2015	.	.	.	0.68	1,545,673
5	5182106	31.03.2016	2016	.	.	.	0.38	1,545,673
6	5182106	30.06.2017	2017	.	.	.	0.71	1,545,673
7	9326623	04.06.2013	2013	.	.	.	0.76	1,888,555
8	9326623	06.09.2017	2017	.	.	.	0.46	1,449,952
9	10968236	03.04.2016	2016	.	.	.	0.19	928,585
10	1608830	06.02.2012	2012	.	.	.	0.74	247,086
11	1608830	07.12.2013	2013	.	.	.	0.50	792,660
12	1608830	04.12.2014	2014	.	.	.	0.81	792,660
13	1608830	05.12.2015	2015	.	.	.	0.49	792,660
14	1608830	30.12.2016	2016	.	.	.	0.45	792,660
15	1608830	5.03.2017	2017	.	.	.	0.56	792,660
16	6161840	06.01.2012	2012	.	.	.	0.70	261,194
17	6161840	06.01.2013	2013	.	.	.	0.61	1,512,212
18	6161840	05.01.2014	2014	.	.	.	0.70	1,503,274
19	6161840	05.01.2015	2015	.	.	.	0.70	1,237,320
20	6161840	02.12.2016	2016	02.12.2016	.	.	0.98	1,385,358
21	6463148	05.01.2013	2013	.	.	.	0.73	1,086,211
22	6463148	05.02.2014	2014	.	.	.	0.34	947,610
23	8603912	01.07.2009	2009	.	.	.	0.72	1,813,424
24	8603912	08.08.2010	2010	.	.	.	0.56	650,803
25	8603912	03.08.2011	2011	.	.	.	0.67	1,108,009
26	8603912	05.08.2012	2012	.	.	.	0.56	817,750
27	8603912	05.07.2012	2012	.	.	.	0.60	928,778
28	8603912	06.07.2012	2012	.	.	.	0.56	1,467,458
29	8603912	06.07.2013	2013	.	.	.	0.56	411,399
30	8603912	05.07.2014	2014	.	.	.	0.56	697,118
31	8603912	04.07.2015	2015	.	.	.	0.69	1,306,726
32	8603912	04.07.2016	2016	.	.	.	0.56	1,986,489
33	8603912	04.07.2017	2017	.	.	.	0.65	1,684,405

Model Information	
Data Set	WORK.MODEL_LATEST_RECORD
Distribution	Binomial
Link Function	Logit
Dependent Variable	dflt

Number of Observations Read	139
Number of Observations Used	139
Number of Events	5
Number of Trials	139

Class Level Information		
Class	Levels	Values
Collateral_type	4	1 2 3 4
Customer_type	5	1 2 3 4 5

Response Profile		
Ordered Value	dflt	Total Frequency
1	1	5
2	0	134

Criteria For Assessing Goodness Of Fit			
Criterion	DF	Value	Value/DF
Log Likelihood		0.0000	
Full Log Likelihood		0.0000	
AIC (smaller is better)		26.0000	
AICC (smaller is better)		28.9120	
BIC (smaller is better)		64.1482	

Algorithm converged.

Analysis Of Maximum Likelihood Parameter Estimates								
Parameter		DF	Estimate	Standard Error	Wald 95% Confidence Limits		Wald Chi-Square	Pr > Chi Sq
Intercept		1	-478.836	1.5438E9	-3.026E9	3.0258E9	0.00	1.0000
Utilisation		1	234.3623	1.212E9	-2.375E9	2.3754E9	0.00	1.0000
LTV		1	7.0403	70429763	-1.38E8	1.3804E8	0.00	1.0000
Collateral_type	1	1	-37.5173	1.337E9	-2.621E9	2.6206E9	0.00	1.0000
Collateral_type	2	1	-22.4757	9.1746E8	-1.798E9	1.7982E9	0.00	1.0000
Collateral_type	3	1	-28.2264	8.6701E8	-1.699E9	1.6993E9	0.00	1.0000
Collateral_type	4	0	0.0000	0.0000	0.0000	0.0000	.	.
Borrowing_portfolio_		1	72.1665	3.1311E9	-6.137E9	6.1367E9	0.00	1.0000
Postcode_Index		1	2.3862	22576327	-4.425E7	44248790	0.00	1.0000
Customer_type	1	1	-14.9373	9.0421E8	-1.772E9	1.7722E9	0.00	1.0000
Customer_type	2	1	10.4409	6.9651E8	-1.365E9	1.3651E9	0.00	1.0000
Customer_type	3	1	50.0913	7.6202E8	-1.494E9	1.4935E9	0.00	1.0000
Customer_type	4	1	-18.9441	8.313E8	-1.629E9	1.6293E9	0.00	1.0000
Customer_type	5	0	0.0000	0.0000	0.0000	0.0000	.	.
Arrears		1	87.6578	5.2247E8	-1.024E9	1.024E9	0.00	1.0000
Scale		0	1.0000	0.0000	1.0000	1.0000		

Note: The scale parameter was held fixed.

```

Proc Genmod data=model_validation
descending;
Weight validation_sample;
Model dflt = utilisation ltv
borrowing_portfolio_ratio
postcode_index arrears_flag
relationship_length/ dist=binomial;
Output
out=preds(where=(validation_sample=0)
) p=pred l=lower u=upper;
Run;

```

```

1      OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
72
73      Proc Genmod data=model_validation descending;
ERROR: File WORK.MODEL_VALIDATION.DATA does not exist.
74      Weight validation_sample;
ERROR: No data set open to look up variables.
75      Model dflt = utilisation ltv borrowing_portfolio_ratio postcode_index arrears_flag
ERROR: No data set open to look up variables.
76      relationship_length/ dist=binomial;
77      Output out=preds(where=(validation_sample=0)) p=pred l=lower u=upper;
78      Run;

```

NOTE: The SAS System stopped processing this step because of errors.

WARNING: The data set WORK.PREDS may be incomplete. When this step was stopped there were 0 observations and 0 variables.
WARNING: Data set WORK.PREDS was not replaced because this step was stopped.

NOTE: PROCEDURE GENMOD used (Total process time):

real time	0.00 seconds
user cpu time	0.00 seconds
system cpu time	0.00 seconds
memory	399.46k
OS Memory	27556.00k
Timestamp	03/08/2026 11:45:09 PM
Step Count	167
Page Faults	0
Page Reclaims	100
Page Swaps	0
Voluntary Context Switches	0
Involuntary Context Switches	0
Block Input Operations	0
Block Output Operations	8

```

79
80      OPTIONS NONOTES NOSTIMER NOSOURCE NOSYNTAXCHECK;
92

```

Model Information		
Data Set	WORK.PREDS	Predicted Values and Diagnostic Statistics
Response Variable	dfit	
Number of Response Levels	2	
Model	binary logit	
Optimization Technique	Fisher's scoring	

Number of Observations Read	139
Number of Observations Used	139


Response Profile		
Ordered Value	dfit	Total Frequency
1	1	5
2	0	134

Probability modeled is: dfit=1.

Score Test for Global Null Hypothesis		
Chi-Square	DF	Pr > Chi Sq
0.0000	0	<.0001

ROC Model: Genmod model

ROC Model Information		
ROC Contrast Coefficients	pred	Predicted Value



ROC Association Statistics						
ROC Model	Mann-Whitney			Somers' D	Gamma	Tau-a
	Area	Standard Error	95% Wald Confidence Limits			
Genmod model	1.0000	0	1.0000 1.0000	1.0000	1.0000	0.0699