Print Report

Test Case Detailed Report

This report displays all of the test cases defined for the current project in the order they appear in the test case list. The test case's details and execution status are displayed, along with sub-tables containing the list of test steps, test runs, attached documents, the change history, and a list of any associated open incidents

Product24:ParaBank website

Folder:Root

Folder:Selenium Assignment

Folder:Bill Payments

Test TC:350-BILL-1: Pay a bill with valid payee and payment details

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:	Rajeev Jawaji	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR461	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026
TR368	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ812	US-4: Pay Bills	Tested	User Story	1 - Critical

Test TC:351-BILL-2: Verify a missing payee name prevents payment

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:	Rajeev Jawaji	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR462	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026
TR369	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ812	US-4: Pay Bills	Tested	User Story	1 - Critical

Test TC:352-BILL-3: Verify mismatched payee account numbers prevent payment

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:	Rajeev Jawaji	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR463	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026
TR370	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ812	US-4: Pay Bills	Tested	User Story	1 - Critical

Test TC:353-BILL-4: Verify a missing payment amount prevents payment

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:	Rajeev Jawaji	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR464	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026
TR371	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority

RQ812	US-4: Pay Bills	Tested	User Story	1 - Critical

Test TC:354-BILL-5: Verify a non-numeric payment amount prevents payment

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:	Rajeev Jawaji	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR465	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026
TR372	Chey Sadler-Cahoon	Bill Payments			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ812	US-4: Pay Bills	Tested	User Story	1 - Critical

Folder:Find Transactions

Test TC:362-TRANS-1: Find a transaction by its transaction ID

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR448	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR399	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR390	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR380	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:363-TRANS-2: Find transactions by a specific date

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR449	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR400	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR391	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR381	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:364-TRANS-3: Find transactions within a date range

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR450	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR401	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR392	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR382	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:365-TRANS-4: Find transactions by a specific amount

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft

Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR451	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR402	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR393	Chey Sadler-Cahoon	Find Transactions			Failed	Automated			0.00	21-Oct-2026
TR383	Chey Sadler-Cahoon	Find Transactions			Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:366-TRANS-5: Verify an amount with no matching transactions returns empty results

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026

Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR452	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR403	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR394	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR384	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:367-TRANS-6: Verify searching without a transaction ID displays a validation message

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR453	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR404	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR395	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR385	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:368-TRANS-7: Verify searching without a date displays a validation message

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR454	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR405	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR396	Chey Sadler-Cahoon	Find Transactions			Failed	Automated			0.00	21-Oct-2026
TR386	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:369-TRANS-8: Verify searching without a date range displays a validation message

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date

TR455	Chey Sadler-Cahoon	Find Transactions	Passed	Automated	0.00	21-Oct-2026
TR406	Chey Sadler-Cahoon	Find Transactions	Passed	Automated	0.00	21-Oct-2026
TR397	Chey Sadler-Cahoon	Find Transactions	Passed	Automated	0.00	21-Oct-2026
TR387	Chey Sadler-Cahoon	Find Transactions	Passed	Automated	0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Test TC:370-TRANS-9: Verify searching without an amount displays a validation message

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR456	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026
TR407	Chey Sadler-Cahoon	Find Transactions			Passed	Automated			0.00	21-Oct-2026

TR398	Chey Sadler-Cahoon	Find Transactions	Failed	Automated	0.00	21-Oct-2026
TR388	Chey Sadler-Cahoon	Find Transactions	Passed	Automated	0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ811	US-6: Find Transactions	Tested	User Story	1 - Critical

Folder:Log In

Tests for Logging in functionality

Test TC:319-LOG-1: Log in with valid credentials

Verify that a registered user with correct details can log into their account and access the Accounts Overview page.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Call'REG-1: Register with valid details'			N/A
2	Open the ParaBank home page in Chrome.	The Customer Login section is displayed.	https://parabank.parasoft.com/parabank/index.htm	Not Run

3	Enter a valid username and password.	All fields accept the values.	Username: User1 Password: Password123	Not Run
4	Click the Log In button.	The login form is submitted.		Not Run
5	Check the result.	The "Accounts Overview" heading is shown.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR466	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR362	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR339	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR329	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ808	US-2: Log into an account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:322-LOG-2: Log in with an invalid username

Verify that a user with an incorrect username does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The Customer Login section is displayed.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Enter an invalid username and valid password.	All fields accept the values.	Username: invalidUsername Password: Password123	Not Run
3	Click the Log In button.	The login form is submitted.		Not Run
4	Check the result.	An "Error!" with "The username and password could not be verified."' Is displayed to the user.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR467	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR363	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR340	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR330	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ808	US-2: Log into an account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:321-LOG-3: Log in with an invalid password

Verify that a user with an incorrect password to the account username they are trying to log into, does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The Customer Login section is displayed.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Enter an invalid username and valid password.	All fields accept the values.	Username: User1 Password: invalidPassword	Not Run
3	Click the Log In button.	The login form is submitted.		Not Run
4	Check the result.	An error message containing "The username and password could not be verified."' Is displayed to the user.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR468	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026

TR364	Chey Sadler-Cahoon	Logging into a user account	Passed	Automated	0.00	21-Oct-2026
TR341	Chey Sadler-Cahoon	Logging into a user account	Passed	Automated	0.00	21-Oct-2026
TR331	Chey Sadler-Cahoon		Passed	Automated	0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ808	US-2: Log into an account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:330-LOG-4: Log in with blank details

Verify that a user that enters in no details before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter credentials.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status

1	Open the ParaBank home page in Chrome.	The Customer Login section is displayed.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Log In button.	The login form is submitted.		Not Run
3	Check the result.	An error message containing, "Please enter a username and password."' Is displayed to the user, and Accounts Overview is not displayed to the User.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR469	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR365	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR342	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR332	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ808	US-2: Log into an account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:332-LOG-5: Log in with valid password, blank username

Verify that a user that enters in no username with a valid password before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The Customer Login section is displayed.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Enter a blank username and valid password.	All fields accept the values.	Username: Password: Password123	Not Run
3	Click the Log In button.	The login form is submitted.		Not Run
4	Check the result.	An error message containing, “Please enter a username and password." Is presented to the User.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR470	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR366	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR343	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026
TR333	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ808	US-2: Log into an account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:333-LOG-6: Log in with blank password, valid username

Verify that a user that enters in no password with a valid usernamebefore submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The Customer Login section is displayed.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Enter a valid username and blank password.	All fields accept the values.	Username: User1 Password:	Not Run
3	Click the Log In button.	The login form is submitted.		Not Run
4	Check the result.	An error message containing, “Please enter a username and password." Is presented to the User.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR471	Chey Sadler-Cahoon	Logging into a user account			Passed	Automated			0.00	21-Oct-2026

TR367	Chey Sadler-Cahoon	Logging into a user account	Passed	Automated	0.00	21-Oct-2026
TR344	Chey Sadler-Cahoon	Logging into a user account	Passed	Automated	0.00	21-Oct-2026
TR334	Chey Sadler-Cahoon		Passed	Automated	0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ808	US-2: Log into an account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Folder:OpenAccount

Tests for Opening Account functionality

Test TC:324-ACC-1: Open a checking account from the first funding account

Verify that opening a checking account creates one new account with a $100.00 balance and available amount, and reduces the first funding account’s balance by $100.00.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026

Automation Engine: **Last Updated:** 21-Oct-2026

Component(s):

Step	Description	Expected Result	Sample Data	Last Status
1	Call'LOG-1: Log in with valid credentials'			N/A
2	Record the accounts listed.	There should be one account with a balance of $515.50.		Not Run
3	Click Open New Account in the side menu.	The Open New Account form is shown.		Not Run
4	Select CHECKING as the account type, and note the account being withdrawn from.	CHECKING is selected.	CHECKING	Not Run
5	Click Open New Account.	"Account Opened!" and "Congratulations, your account is now open." are shown, with a new account number.		Not Run
6	Click the new account number.	Account Details shows the new account number, account type CHECKING, balance $100.00 and available $100.00.		Not Run
7	Click the Funds Transfer Received link.	The Transaction Details page shows the details of the transaction, including an appropriate date, description, type, and amount.		Not Run
8	Click on the Accounts Overview link, and note the accounts present.	Two accounts are listed. The original account's balance has been reduced by $100.00 and the new account's balance and available amount are both $100.00.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR457	Chey Sadler-Cahoon	Creating a new bank account			Failed	Automated			0.00	21-Oct-2026
TR345	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR335	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority

RQ804	US-3: Open a new bank account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:325-ACC-2: Open a savings account from the first funding account

Verify that opening a savings account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Call'LOG-1: Log in with valid credentials'			N/A
2	Record the accounts listed.	There should be one account with a balance of $515.50.		Not Run
3	Click Open New Account in the side menu.	The Open New Account form is shown.		Not Run
4	Select CHECKING as the account type, and note the account being withdrawn from.	SAVINGS is selected.	SAVINGS	Not Run
5	Click Open New Account.	"Account Opened!" and "Congratulations, your account is now open." are shown, with a new account number.		Not Run
6	Click the new account number.	Account Details shows the new account number, account type SAVINGS, balance $100.00 and available $100.00.		Not Run

7	Click the Funds Transfer Received link.	The Transaction Details page shows the details of the transaction, including an appropriate date, description, type, and amount.	Not Run
8	Click on the Accounts Overview link, and note the accounts present.	Two accounts are listed. The original account's balance has been reduced by $100.00 and the new account's balance and available amount are both $100.00.	Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR458	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR346	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR336	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ804	US-3: Open a new bank account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:326-ACC-3: Verify opening an account allows balance to go into negatives.

Verify that opening accounts after having not enough money in the account to transfer, provides the original account with an appropriate negative balance on the account overview, and an available amount of $0.00.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested

Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Call'LOG-1: Log in with valid credentials'			N/A
2	Record the accounts listed.	There should be one account with a balance of $515.50.		Not Run
3	Click Open New Account in the side menu.	The Open New Account form is shown.		Not Run
4	Select CHECKING as the account type, and note the account being withdrawn from.	CHECKING is selected.	CHECKING	Not Run
5	Record the accounts listed.	There should be one account with a balance of $515.50.		Not Run
6	Click Open New Account.	"Account Opened!" and "Congratulations, your account is now open." are shown, with a new account number.		Not Run
7	Click Open New Account in the side menu.	The Open New Account form is shown.		Not Run
8	Go to Accounts Overview.	Two accounts are listed. The original account's balance has been reduced by $100.00 and the new account's balance and available amount are both $100.00.		Not Run
9	Repeats Step 2 to 8 until the first account's balance is negative.	The first account's balance goes below $0.00 four new accounts.		Not Run
10	Click on the Accounts Overview link, and note the accounts present.	The balance is -$84.50, the available amount is $0.00, and seven accounts are listed in total.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR459	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR347	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR337	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ804	US-3: Open a new bank account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:328-ACC-4: Open an account using the second funding account

Verify that opening a checking account, newly made using the second funding dropdown option provides a $100 balance to the new account, while reducing the selected account by $100, and leaves all other existing accounts unchanged

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Call'LOG-1: Log in with valid credentials'			N/A
2	Record the accounts listed.	There should be one account with a balance of $515.50.		Not Run
3	Click Open New Account in the side menu.	The Open New Account form is shown.		Not Run

4	Select CHECKING as the account type, and select the SECOND account available in the dropdown menu.	CHECKING is selected, and the second account avaliable has been selected.	CHECKING, Second funding account selected in the dropdown box.	Not Run
5	Click Open New Account.	"Account Opened!" and "Congratulations, your account is now open." are shown, with a new account number.		Not Run
6	Click the new account number.	Account Details shows the new account number, account type CHECKING, balance $100.00 and available $100.00.		Not Run
7	Check Account Activity.	One "Funds Transfer Received" entry is shown, with no debit and a $100.00 credit.	Account Type: CHECKING Balance: $100.00 Available: $100.00 **Date** **Transaction** **Debit (-)** Credit (+) **MM-DD-YYYY** **Funds Transfer Received** $100.00	Not Run
8	Click on the Accounts Overview link, and note the accounts present.	One more account is listed, with a balance and available amount of $100.00. The second account's balance previously selected earlier has $100.00 less, and every other account is unchanged.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR460	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR348	Chey Sadler-Cahoon	Creating a new bank account			Passed	Automated			0.00	21-Oct-2026
TR338	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ804	US-3: Open a new bank account	Tested	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Folder:Register

Tests for Registering functionality

Test TC:316-REG-1: Register with valid details

Verify that submitting valid user details (unique username, matching passwords) displays a successful registration confirmation confirming the account is made.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Fill in all registration fields with valid details.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne	Not Run

			State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password123	
4	Click 'Register' submit button.	The form is submitted.		Not Run
5	Check the result page	"Welcome User1 Your account was created successfully. You are now logged in." is shown.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR428	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR408	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR349	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR316	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:339-REG-10: Register with invalid state

Checks that registration is rejected with an error when the state field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run
4	Clear the State field and enter only a ‘&’	The State field contains only &.	State: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘State’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR437	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR417	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR358	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR325	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:340-REG-11: Register with invalid zip code

Checks that registration is rejected with an error when the zip code field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run
4	Clear the Zip Code field and enter only a ‘&’	The Zip Code field contains only &.	Zip Code: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘Zip Code’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR438	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR418	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR359	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR326	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:342-REG-12: Register with invalid phone number

Checks that registration is rejected with an error when the phone number field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456	Not Run

			Username: User1 Password: Password123 Password Confirm: Password456	
4	Clear the Phone # field and enter only a ‘&’	The Phone # field contains only &.	Phone #: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘Phone #’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR439	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR419	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR360	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR327	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:346-REG-13: Register with invalid Social Security Number

Checks that registration is rejected with an error when the SSN field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	20-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run
4	Clear the SSN Field and enter only a ‘&’	The SSN field contains only &.	SSN field: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘SSN’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR440	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026
TR420	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026
TR361	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026
TR328	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:317-REG-2: Register with an existing username

Verify that submitting user details, with a non-unique username displays an error message, informing the user the account has not been successfully made.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Fill in all registration fields with valid details, however with a username that already exists (typically created in Test 1).	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password123	Not Run
4	Click 'Register' submit button.	The form is submitted.		Not Run
5	Check the error next to Username.	The error "This username already exists." is shown and no account is created.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR429	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR409	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR350	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR317	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:318-REG-3: Register with non-matching passwords

Verify that submitting user details, with non-matching passwords displays an error message, informing the user the account has not been successfully made.

Execution Status:	Passed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Fill in all registration fields with valid details, however non-matching passwords.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run

4	Click 'Register' submit button.	The form is submitted.	Not Run
5	Check the error next to Passwords.	The error "Passwords did not match." is shown and no account is created.	Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR430	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR410	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR351	Chey Sadler-Cahoon	Registering a new user account			Passed	Automated			0.00	21-Oct-2026
TR318	Chey Sadler-Cahoon				Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:344-REG-4: Register with empty details

Verify that submitting register form, without completing each field prevents the user from registering an account, and displays appropriate errors for each field.

Execution Status: Failed **Priority:** 1 - Critical

Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Click 'Register' submit button.	The form is submitted.		Not Run
4	Check the errors for the required fields.	"First name is required.", "Last name is required.", "Address is required.", "City is required.", "State is required.", "Zip Code is required.", “Phone number is required” "Social Security Number is required.", "Username is required.", "Password is required." and "Password confirmation is required." all are shown.		Not Run
5	Check that registration did not succeed.	The "Your account was created successfully" message is not shown.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR431	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR411	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR352	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR319	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:345-REG-5: Register with single values

Verify that registration is rejected when personal details are only one letter long, testing character minimum.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter a single letter in every personal-detail field.	All fields accept the values.	First name: A Last name: A Address: A City: A State: A Zip Code: A Phone #: A SSN: A	Not Run

			Username: User1 Password: Password123 Password Confirm: Password456	
4	Enter a new username and matching passwords.	All fields accept the values.	Username: User1 Password: Password123 Confirm: Password123	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check for validation errors.	Errors for any field with only one letter present.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR432	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR412	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR353	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR320	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:338-REG-6: Register with invalid first name

Checks that registration is rejected with an error when the first name field has aa special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run
4	Clear the First name field and enter only a ‘&’	The First name field contains only &.	Last name: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘First name’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR433	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR413	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR354	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR321	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:335-REG-7: Register with invalid last name

Checks that registration is rejected with an error when the last name field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run
4	Clear the Last name field and enter only a ‘&’	The Last name field contains only &.	Last name: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘Last Name’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR434	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR414	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR355	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR322	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:341-REG-8: Register with invalid address

Checks that registration is rejected with an error when the address field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456	Not Run

			Username: User1 Password: Password123 Password Confirm: Password456	
4	Clear the Address field and enter only a ‘&’	The Address field contains only &.	Address: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘Address’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR435	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR415	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR356	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR323	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Test TC:337-REG-9: Register with invalid city

Checks that registration is rejected with an error when the city field has a special character ("&") as its input.

Execution Status:	Failed	**Priority:**	1 - Critical
Type:	Unit	**Status:**	Tested
Author:	Chey Sadler-Cahoon	**Creation Date:**	19-Oct-2026
Owner:	Chey Sadler-Cahoon	**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Open the ParaBank home page in Chrome.	The home page loads.	https://parabank.parasoft.com/parabank/index.htm	Not Run
2	Click the Register link.	The Register form appears with various text fields to be entered.		Not Run
3	Enter ‘valid’ information in every personal-detail field.	All fields accept the values.	First name: Chey Last name: Sadler-Cahoon Address: 21 Bond Street City: Melbourne State: Victoria Zip Code: 3000 Phone #: 0491 570 159 SSN: 000-12-3456 Username: User1 Password: Password123 Password Confirm: Password456	Not Run
4	Clear the City field and enter only a ‘&’	The City field contains only &.	City: &	Not Run
5	Click 'Register' submit button.	The form is submitted.		Not Run
6	Check the result	Registration is rejected: the account-created message is not shown and an error is shown next to ‘City’.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR436	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR416	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR357	Chey Sadler-Cahoon	Registering a new user account			Failed	Automated			0.00	21-Oct-2026
TR324	Chey Sadler-Cahoon				Failed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ801	US-1: Register a user account	Developed	User Story	1 - Critical

Release Coverage:

Name	Version Number	Type	Status	Start Date	End Date	Release #
Release 1.0	1.0.0.0	Major Release	Planned	21-Oct-2026	20-Nov-2026	RL158

Folder:Request Loans

Test TC:355-LOAN-1: Request a loan with valid details and verify approval, the new loan account and down payment deduction

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft

Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR441	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR421	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR373	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Test TC:356-LOAN-2: Verify a down payment exceeding available funds results in denial

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026

Component(s):

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR442	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR422	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR374	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Test TC:357-LOAN-3: Verify a negative loan amount results in denial

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026

Component(s):

Step	Description	Expected Result	Sample Data	Last Status

1	Description	Works as expected.	Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR443	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR423	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR375	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Test TC:358-LOAN-4: Verify a missing loan amount displays an error

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR444	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR424	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR376	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Test TC:359-LOAN-5: Verify a non-numeric loan amount displays an error

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR445	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR425	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

TR377	Chey Sadler-Cahoon	Loan Request	Passed	Automated	0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Test TC:360-LOAN-6: Verify a missing down payment displays an error

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR446	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR426	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR378	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Test TC:361-LOAN-7: Verify a zero loan amount displays an error

Execution Status:	Passed	**Priority:**	
Type:	Functional	**Status:**	Draft
Author:	Rajeev Jawaji	**Creation Date:**	21-Oct-2026
Owner:		**Last Execution:**	21-Oct-2026
Automation Engine:		**Last Updated:**	21-Oct-2026
Component(s):			

Step	Description	Expected Result	Sample Data	Last Status
1	Description	Works as expected.		Not Run

Test Runs:

Run #	Tester	Test Set	Release	Version	Status	Type	Automation Host	Est. Duration	Actual Duration	Execution Date
TR447	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026
TR427	Chey Sadler-Cahoon	Loan Request			Failed	Automated			0.00	21-Oct-2026
TR379	Chey Sadler-Cahoon	Loan Request			Passed	Automated			0.00	21-Oct-2026

Requirements Coverage:

Req #	Name	Status	Type	Priority
RQ810	US-5: Request Loans	Tested	User Story	1 - Critical

Print Report

Test Run Detailed Report

This report displays all of the test runs defined for the current project in date order (most recent first). The test run's details and execution status are displayed, along with sub-tables containing the list of test run steps, and a list of any associated open incidents

Product24:ParaBank website

Test Run TR:471-LOG-6: Log in with blank password, valid username

Verify that a user that enters in no password with a valid usernamebefore submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC333		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankPassword()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:470-LOG-5: Log in with valid password, blank username

Verify that a user that enters in no username with a valid password before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC332		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:469-LOG-4: Log in with blank details

Verify that a user that enters in no details before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter credentials.

Test Case #:	TC330		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:468-LOG-3: Log in with an invalid password

Verify that a user with an incorrect password to the account username they are trying to log into, does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC321		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidPassword()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:467-LOG-2: Log in with an invalid username

Verify that a user with an incorrect username does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC322		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidUsername()

# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:466-LOG-1: Log in with valid credentials

Verify that a registered user with correct details can log into their account and access the Accounts Overview page.

Test Case #:	TC319		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:465-BILL-5: Verify a non-numeric payment amount prevents payment

Test Case #:	TC354		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithNonNumericAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:464-BILL-4: Verify a missing payment amount prevents payment

Test Case #:	TC353		
Release #:		**Status:**	Passed

Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithoutAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:463-BILL-3: Verify mismatched payee account numbers prevent payment

Test Case #:	TC352		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithMismatchedAccountNumbers()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:462-BILL-2: Verify a missing payee name prevents payment

Test Case #:	TC351		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithoutPayeeName()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:461-BILL-1: Pay a bill with valid payee and payment details

Test Case #:	TC350		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:460-ACC-4: Open an account using the second funding account

Verify that opening a checking account, newly made using the second funding dropdown option provides a $100 balance to the new account, while reducing the selected account by $100, and leaves all other existing accounts unchanged

Test Case #:	TC328		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountUsingSecondFundingAccount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:459-ACC-3: Verify opening an account allows balance to go into negatives.

Verify that opening accounts after having not enough money in the account to transfer, provides the original account with an appropriate negative balance on the account overview, and an available amount of $0.00.

Test Case #:	TC326		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenAccountsUntilNegative()

# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:458-ACC-2: Open a savings account from the first funding account

Verify that opening a savings account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Test Case #:	TC325		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountValidSavings()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:457-ACC-1: Open a checking account from the first funding account

Verify that opening a checking account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Test Case #:	TC324		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountValidChecking()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: The customer should start with one account ==> expected: <1> but was: <2>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:150)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:563)
        at au.edu.rmit.selenium.OpenAccountTest.OpenNewAccountValidChecking(OpenAccountTest.java:62)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
```

```
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:569)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
```

```
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:456-TRANS-9: Verify searching without an amount displays a validation message

Test Case #:	TC370		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:455-TRANS-8: Verify searching without a date range displays a validation message

Test Case #:	TC369		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDateRange()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:454-TRANS-7: Verify searching without a date displays a validation message

Test Case #:	TC368		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDate()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:453-TRANS-6: Verify searching without a transaction ID displays a validation message

Test Case #:	TC367		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutTransactionId()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:452-TRANS-5: Verify an amount with no matching transactions returns empty results

Test Case #:	TC366		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithNoMatchingAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:451-TRANS-4: Find transactions by a specific amount

Test Case #:	TC365		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:450-TRANS-3: Find transactions within a date range

Test Case #:	TC364		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDateRange()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:449-TRANS-2: Find transactions by a specific date

Test Case #:	TC363		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions

Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDate()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:448-TRANS-1: Find a transaction by its transaction ID

Test Case #:	TC362		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionById()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:447-LOAN-7: Verify a zero loan amount displays an error

Test Case #:	TC361		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithZeroAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:446-LOAN-6: Verify a missing down payment displays an error

Test Case #: TC360

Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithoutDownPaymentShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:445-LOAN-5: Verify a non-numeric loan amount displays an error

Test Case #:	TC359		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithNonNumericAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:444-LOAN-4: Verify a missing loan amount displays an error

Test Case #:	TC358		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithoutAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:443-LOAN-3: Verify a negative loan amount results in denial

Test Case #:	TC357		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithNegativeAmount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:442-LOAN-2: Verify a down payment exceeding available funds results in denial

Test Case #:	TC356		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithInsufficientFunds()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:441-LOAN-1: Request a loan with valid details and verify approval, the new loan account and down payment deduction

Test Case #:	TC355		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:440-REG-13: Register with invalid Social Security Number

Checks that registration is rejected with an error when the SSN field has a special character ("&") as its input.

Test Case #:	TC346		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandSsn()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.ssn, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandSsn(RegistrationTest.java:274)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
```

```
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:439-REG-12: Register with invalid phone number

Checks that registration is rejected with an error when the phone number field has a special character ("&") as its input.

Test Case #:	TC342		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandPhoneNumber()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.phoneNumber, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandPhoneNumber(RegistrationTest.java:265)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
```

```
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
        at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
        at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:438-REG-11: Register with invalid zip code

Checks that registration is rejected with an error when the zip code field has a special character ("&") as its input.

Test Case #:	TC340		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandZipCode()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.zipCode, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandZipCode(RegistrationTest.java:256)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
```

```
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:437-REG-10: Register with invalid state

Checks that registration is rejected with an error when the state field has a special character ("&") as its input.

Test Case #:	TC339		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandState()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.state, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandState(RegistrationTest.java:247)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
```

```
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:436-REG-9: Register with invalid city

Checks that registration is rejected with an error when the city field has a special character ("&") as its input.

Test Case #:	TC337		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandCity()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.city, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandCity(RegistrationTest.java:238)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
```

```
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:569)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
```

```
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:435-REG-8: Register with invalid address

Checks that registration is rejected with an error when the address field has a special character ("&") as its input.

Test Case #:	TC341		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandAddress()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.street, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandAddress(RegistrationTest.java:229)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:434-REG-7: Register with invalid last name

Checks that registration is rejected with an error when the last name field has a special character ("&") as its input.

Test Case #:	TC335
Release #:	
Tester:	Chey Sadler-Cahoon

Automation Host:

Est. Duration:

Automation Engine: JUnit

Asserts: 1

Stack Trace:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=156.0.8078.47)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '17.0.20.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [3fabd6666f1c5a811341f310e52bab02, findElement {value=rightPanel, using=id}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 3fabd6666f1c5a811341f310e52bab02
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandLastName(RegistrationTest.java:220)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
```

```
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:433-REG-6: Register with invalid first name

Checks that registration is rejected with an error when the first name field has aa special character ("&") as its input.

Test Case #:	TC338
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1

Stack Trace:	`org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}`
	`  (Session info: chrome=156.0.8078.47)`
	`For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception`

```
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '17.0.20.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [3f415b04bcfa1a69fead706f4327e25c, findElement {value=rightPanel, using=id}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 3f415b04bcfa1a69fead706f4327e25c
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandFirstName(RegistrationTest.java:211)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
```

```
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:432-REG-5: Register with single values

Verify that registration is rejected when personal details are only one letter long, testing character minimum.

Test Case #:	TC345		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithSingleLetterDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a validation error for single-letter personal details ==> expected: <true> but was: <false>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithSingleLetterDetails(RegistrationTest.java:201)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
```

```
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:431-REG-4: Register with empty details

Verify that submitting register form, without completing each field prevents the user from registering an account, and displays appropriate errors for each field.

Test Case #:	TC344		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithEmptyDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a required-phone-number validation error for the empty phone field ==> expected: <true> but was: <false>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithEmptyDetails(RegistrationTest.java:154)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
```

```
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:430-REG-3: Register with non-matching passwords

Verify that submitting user details, with non-matching passwords displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC318		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDifferentPasswords()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:429-REG-2: Register with an existing username

Verify that submitting user details, with a non-unique username displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC317		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDuplicateUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:428-REG-1: Register with valid details

Verify that submitting valid user details (unique username, matching passwords) displays a successful registration confirmation confirming the account is made.

Test Case #:	TC316		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:427-LOAN-7: Verify a zero loan amount displays an error

Test Case #:	TC361
Release #:	
Tester:	Chey Sadler-Cahoon

Automation Host:

Est. Duration:

Automation Engine: JUnit

Asserts: 1

Stack Trace:

```
org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection
from disconnected: not connected to DevTools
  (Session info: chrome=156.0.8078.47)
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '17.0.20.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [0b7d551b806253ea7c95f04ad587393a, findElements {value=Log Out, using=link text}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 0b7d551b806253ea7c95f04ad587393a
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElements(ElementLocation.java:190)
        at org.openqa.selenium.remote.ElementLocation.findElements(ElementLocation.java:104)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:445)
        at org.openqa.selenium.remote.RemoteWebDriver.findElements(RemoteWebDriver.java:439)
        at au.edu.rmit.selenium.TestCustomer.ensureLoggedIn(TestCustomer.java:89)
        at au.edu.rmit.selenium.LoanRequestTest.prepareLoanRequest(LoanRequestTest.java:46)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptLifecycleMethod(TimeoutExtension.java:133)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptBeforeEachMethod(TimeoutExtension.java:83)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.ClassBasedTestDescriptor.invokeMethodInExtensionContext(ClassBasedTestDescriptor.java:547)
        at org.junit.jupiter.engine.descriptor.ClassBasedTestDescriptor.lambda$synthesizeBeforeEachMethodAdapter$20(ClassBasedTestDescriptor.java:532)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeBeforeEachMethods$2(TestMethodTestDescriptor.java:193)
        at org.junit.jupiter.engine.descriptor.CallbackSupport.lambda$invokeBeforeCallbacks$0(CallbackSupport.java:34)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.CallbackSupport.invokeBeforeCallbacks(CallbackSupport.java:34)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeBeforeEachMethods(TestMethodTestDescriptor.java:191)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:155)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
```

```
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:426-LOAN-6: Verify a missing down payment displays an error

Test Case #:	TC360		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithoutDownPaymentShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:425-LOAN-5: Verify a non-numeric loan amount displays an error

Test Case #:	TC359		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithNonNumericAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:424-LOAN-4: Verify a missing loan amount displays an error

Test Case #:	TC358		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithoutAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:423-LOAN-3: Verify a negative loan amount results in denial

Test Case #:	TC357		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithNegativeAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:422-LOAN-2: Verify a down payment exceeding available funds results in denial

Test Case #:	TC356		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithInsufficientFunds()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:421-LOAN-1: Request a loan with valid details and verify approval, the new loan account and down payment deduction

Test Case #:	TC355		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:420-REG-13: Register with invalid Social Security Number

Checks that registration is rejected with an error when the SSN field has a special character ("&") as its input.

Test Case #:	TC346		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandSsn()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.ssn, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandSsn(RegistrationTest.java:274)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:419-REG-12: Register with invalid phone number

Checks that registration is rejected with an error when the phone number field has a special character ("&") as its input.

Test Case #:	TC342		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandPhoneNumber()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.phoneNumber, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandPhoneNumber(RegistrationTest.java:265)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
```

```
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:418-REG-11: Register with invalid zip code

Checks that registration is rejected with an error when the zip code field has a special character ("&") as its input.

Test Case #:	TC340		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandZipCode()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.zipCode, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandZipCode(RegistrationTest.java:256)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:417-REG-10: Register with invalid state

Checks that registration is rejected with an error when the state field has a special character ("&") as its input.

Test Case #:	TC339		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00

Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandState()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.state, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandState(RegistrationTest.java:247)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
```

```
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:416-REG-9: Register with invalid city

Checks that registration is rejected with an error when the city field has a special character ("&") as its input.

Test Case #:	TC337		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandCity()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.city, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandCity(RegistrationTest.java:238)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
```

```
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:415-REG-8: Register with invalid address

Checks that registration is rejected with an error when the address field has a special character ("&") as its input.

Test Case #:	TC341		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandAddress()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.street, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandAddress(RegistrationTest.java:229)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
```

```
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:414-REG-7: Register with invalid last name

Checks that registration is rejected with an error when the last name field has a special character ("&") as its input.

Test Case #:	TC335
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1
Stack Trace:	

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=156.0.8078.47)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '17.0.20.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
```

```
Command: [e1435e7c6e9dde2f7e2e9221e962e671, findElement {value=rightPanel, using=id}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: e1435e7c6e9dde2f7e2e9221e962e671
	at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
	at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
	at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandLastName(RegistrationTest.java:220)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)
	at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
	at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
	at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
	at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
	at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
	at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
```

```
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
        at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
        at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:413-REG-6: Register with invalid first name

Checks that registration is rejected with an error when the first name field has aa special character ("&") as its input.

Test Case #:	TC338
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1

Stack Trace:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=156.0.8078.47)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '17.0.20.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [53d12349e83b7792262a840677bf7147, findElement {value=rightPanel, using=id}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 53d12349e83b7792262a840677bf7147
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandFirstName(RegistrationTest.java:211)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:569)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
```

```
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:412-REG-5: Register with single values

Verify that registration is rejected when personal details are only one letter long, testing character minimum.

Test Case #:	TC345		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithSingleLetterDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a validation error for single-letter personal details ==> expected: <true> but was: <false>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithSingleLetterDetails(RegistrationTest.java:201)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
```

```
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:411-REG-4: Register with empty details

Verify that submitting register form, without completing each field prevents the user from registering an account, and displays appropriate errors for each field.

Test Case #:	TC344

Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithEmptyDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a required-phone-number validation error for the empty phone field ==> expected: <true> but was: <false>
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
	at au.edu.rmit.selenium.RegistrationTest.RegisterWithEmptyDetails(RegistrationTest.java:154)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	at java.base/java.lang.reflect.Method.invoke(Method.java:569)
	at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
	at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
	at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
	at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:410-REG-3: Register with non-matching passwords

Verify that submitting user details, with non-matching passwords displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC318		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDifferentPasswords()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:409-REG-2: Register with an existing username

Verify that submitting user details, with a non-unique username displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC317

Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDuplicateUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:408-REG-1: Register with valid details

Verify that submitting valid user details (unique username, matching passwords) displays a successful registration confirmation confirming the account is made.

Test Case #:	TC316		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:407-TRANS-9: Verify searching without an amount displays a validation message

Test Case #:	TC370		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutAmount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:406-TRANS-8: Verify searching without a date range displays a validation message

Test Case #:	TC369		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDateRange()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:405-TRANS-7: Verify searching without a date displays a validation message

Test Case #:	TC368		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDate()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:404-TRANS-6: Verify searching without a transaction ID displays a validation message

Test Case #:	TC367		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutTransactionId()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:403-TRANS-5: Verify an amount with no matching transactions returns empty results

Test Case #:	TC366		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithNoMatchingAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:402-TRANS-4: Find transactions by a specific amount

Test Case #:	TC365		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:401-TRANS-3: Find transactions within a date range

Test Case #:	TC364		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026

Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDateRange()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:400-TRANS-2: Find transactions by a specific date

Test Case #:	TC363		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDate()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:399-TRANS-1: Find a transaction by its transaction ID

Test Case #:	TC362		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionById()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:398-TRANS-9: Verify searching without an amount displays a validation message

Test Case #:	TC370
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1

Stack Trace:

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for au.edu.rmit.selenium.FindTransactionsTest$$Lambda/0x00003f000138e490@42b4df5a
(tried for 20 seconds with 500 milliseconds interval)
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '25.0.4.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 32a9dc6ff20679dd433d2eb60ebc6182
        at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85)
        at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234)
        at au.edu.rmit.selenium.FindTransactionsTest.prepareTransactionSearch(FindTransactionsTest.java:47)
        at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
        at java.base/java.lang.reflect.Method.invoke(Method.java:565)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptLifecycleMethod(TimeoutExtension.java:133)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptBeforeEachMethod(TimeoutExtension.java:83)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.ClassBasedTestDescriptor.invokeMethodInExtensionContext(ClassBasedTestDescriptor.java:547)
        at org.junit.jupiter.engine.descriptor.ClassBasedTestDescriptor.lambda$synthesizeBeforeEachMethodAdapter$20(ClassBasedTestDescriptor.java:532)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeBeforeEachMethods$2(TestMethodTestDescriptor.java:193)
        at org.junit.jupiter.engine.descriptor.CallbackSupport.lambda$invokeBeforeCallbacks$0(CallbackSupport.java:34)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.CallbackSupport.invokeBeforeCallbacks(CallbackSupport.java:34)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeBeforeEachMethods(TestMethodTestDescriptor.java:191)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:155)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:66)
at com.intellij.junit5.JUnit5TestRunnerHelper.execute(JUnit5TestRunnerHelper.java:134)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:70)
at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:226)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:62)
```

Test Run TR:397-TRANS-8: Verify searching without a date range displays a validation message

Test Case #:	TC369		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDateRange()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:396-TRANS-7: Verify searching without a date displays a validation message

Test Case #:	TC368
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1

Stack Trace:

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for au.edu.rmit.selenium.FindTransactionsTest$$Lambda/0x00003f000138e490@42b4df5a
(tried for 20 seconds with 500 milliseconds interval)
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '25.0.4.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 2613756c051353dba95136b58992ac7a
        at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85)
        at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234)
        at au.edu.rmit.selenium.FindTransactionsTest.prepareTransactionSearch(FindTransactionsTest.java:47)
        at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
        at java.base/java.lang.reflect.Method.invoke(Method.java:565)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptLifecycleMethod(TimeoutExtension.java:133)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptBeforeEachMethod(TimeoutExtension.java:83)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.ClassBasedTestDescriptor.invokeMethodInExtensionContext(ClassBasedTestDescriptor.java:547)
        at org.junit.jupiter.engine.descriptor.ClassBasedTestDescriptor.lambda$synthesizeBeforeEachMethodAdapter$20(ClassBasedTestDescriptor.java:532)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeBeforeEachMethods$2(TestMethodTestDescriptor.java:193)
        at org.junit.jupiter.engine.descriptor.CallbackSupport.lambda$invokeBeforeCallbacks$0(CallbackSupport.java:34)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.CallbackSupport.invokeBeforeCallbacks(CallbackSupport.java:34)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeBeforeEachMethods(TestMethodTestDescriptor.java:191)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:155)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:66)
at com.intellij.junit5.JUnit5TestRunnerHelper.execute(JUnit5TestRunnerHelper.java:134)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:70)
at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:226)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:62)
```

Test Run TR:395-TRANS-6: Verify searching without a transaction ID displays a validation message

Test Case #:	TC367		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutTransactionId()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:394-TRANS-5: Verify an amount with no matching transactions returns empty results

Test Case #:	TC366		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithNoMatchingAmount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:393-TRANS-4: Find transactions by a specific amount

Test Case #:	TC365
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1
Stack Trace:	

```
org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection
from disconnected: not connected to DevTools
  (Session info: chrome=156.0.8078.47)
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '25.0.4.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [574a49e51c925642691078fb120acf03, findElement {value=24222, using=link text}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: 574a49e51c925642691078fb120acf03
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
        at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:756)
        at org.openqa.selenium.support.ui.ExpectedConditions$22.apply(ExpectedConditions.java:749)
        at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:210)
        at au.edu.rmit.selenium.FindTransactionsTest.preparePayment(FindTransactionsTest.java:78)
        at au.edu.rmit.selenium.FindTransactionsTest.findTransactionsByAmount(FindTransactionsTest.java:153)
```

```
at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
at java.base/java.lang.reflect.Method.invoke(Method.java:565)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:66)
at com.intellij.junit5.JUnit5TestRunnerHelper.execute(JUnit5TestRunnerHelper.java:134)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:70)
at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
```

```
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:226)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:62)
```

Test Run TR:392-TRANS-3: Find transactions within a date range

Test Case #:	TC364		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDateRange()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:391-TRANS-2: Find transactions by a specific date

Test Case #:	TC363		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDate()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:390-TRANS-1: Find a transaction by its transaction ID

Test Case #:	TC362		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026

Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionById()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:388-TRANS-9: Verify searching without an amount displays a validation message

Test Case #:	TC370		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutAmount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:387-TRANS-8: Verify searching without a date range displays a validation message

Test Case #:	TC369		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDateRange()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:386-TRANS-7: Verify searching without a date displays a validation message

Test Case #:	TC368		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutDate()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:385-TRANS-6: Verify searching without a transaction ID displays a validation message

Test Case #:	TC367		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithoutTransactionId()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:384-TRANS-5: Verify an amount with no matching transactions returns empty results

Test Case #:	TC366		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsWithNoMatchingAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:383-TRANS-4: Find transactions by a specific amount

Test Case #: TC365

Release #:

Tester: Chey Sadler-Cahoon

Automation Host:

Est. Duration:

Automation Engine: JUnit

Asserts: 1

Stack Trace:

```
org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element found by By.linkText: 17229 to be clickable, but the element was not found: org.openqa.selenium.NoSuchElementException: no
(tried for 20 seconds with 500 milliseconds interval)
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '27.0.1', java.version: '25.0.4.1'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 156.0.8078.47, chrome: {chromedriverVersion: 156.0.8078.47 (1d17a2e2ee14..., userDataDir: /var/folders/2_/9xw7cm3504d...}, fedcm:
Session ID: d1e8fe32fb1e6f11d2193bbf73239b57
        at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:85)
        at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:234)
        at au.edu.rmit.selenium.FindTransactionsTest.preparePayment(FindTransactionsTest.java:78)
        at au.edu.rmit.selenium.FindTransactionsTest.findTransactionsByAmount(FindTransactionsTest.java:153)
        at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)
        at java.base/java.lang.reflect.Method.invoke(Method.java:565)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
```

```
at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1604)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.SessionPerRequestLauncher.execute(SessionPerRequestLauncher.java:66)
at com.intellij.junit5.JUnit5TestRunnerHelper.execute(JUnit5TestRunnerHelper.java:134)
at com.intellij.junit5.JUnit5IdeaTestRunner.startRunnerWithArgs(JUnit5IdeaTestRunner.java:70)
at com.intellij.rt.junit.IdeaTestRunner$Repeater$1.execute(IdeaTestRunner.java:38)
at com.intellij.rt.execution.junit.TestsRepeater.repeat(TestsRepeater.java:11)
at com.intellij.rt.junit.IdeaTestRunner$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35)
at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:226)
at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:62)
```

Test Run TR:382-TRANS-3: Find transactions within a date range

Test Case #:	TC364		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDateRange()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:381-TRANS-2: Find transactions by a specific date

Test Case #:	TC363		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionsByDate()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:380-TRANS-1: Find a transaction by its transaction ID

Test Case #:	TC362		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Find Transactions
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	findTransactionById()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:379-LOAN-7: Verify a zero loan amount displays an error

Test Case #:	TC361		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithZeroAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:378-LOAN-6: Verify a missing down payment displays an error

Test Case #:	TC360		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithoutDownPaymentShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:377-LOAN-5: Verify a non-numeric loan amount displays an error

Test Case #:	TC359		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithNonNumericAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:376-LOAN-4: Verify a missing loan amount displays an error

Test Case #:	TC358		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request

Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithoutAmountShowsError()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:375-LOAN-3: Verify a negative loan amount results in denial

Test Case #:	TC357		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithNegativeAmount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:374-LOAN-2: Verify a down payment exceeding available funds results in denial

Test Case #:	TC356		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithInsufficientFunds()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:373-LOAN-1: Request a loan with valid details and verify approval, the new loan account and down payment deduction

Test Case #:	TC355		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Loan Request
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	requestLoanWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:372-BILL-5: Verify a non-numeric payment amount prevents payment

Test Case #:	TC354		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithNonNumericAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:371-BILL-4: Verify a missing payment amount prevents payment

Test Case #:	TC353		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithoutAmount()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:370-BILL-3: Verify mismatched payee account numbers prevent payment

Test Case #:	TC352		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithMismatchedAccountNumbers()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:369-BILL-2: Verify a missing payee name prevents payment

Test Case #:	TC351		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithoutPayeeName()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:368-BILL-1: Pay a bill with valid payee and payment details

Test Case #:	TC350		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Bill Payments
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	payBillWithValidDetails()

# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:367-LOG-6: Log in with blank password, valid username

Verify that a user that enters in no password with a valid usernamebefore submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC333		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankPassword()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:366-LOG-5: Log in with valid password, blank username

Verify that a user that enters in no username with a valid password before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC332		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankUsername()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:365-LOG-4: Log in with blank details

Verify that a user that enters in no details before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter credentials.

Test Case #:	TC330		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:364-LOG-3: Log in with an invalid password

Verify that a user with an incorrect password to the account username they are trying to log into, does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC321		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidPassword()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:363-LOG-2: Log in with an invalid username

Verify that a user with an incorrect username does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC322		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidUsername()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:362-LOG-1: Log in with valid credentials

Verify that a registered user with correct details can log into their account and access the Accounts Overview page.

Test Case #:	TC319		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:361-REG-13: Register with invalid Social Security Number

Checks that registration is rejected with an error when the SSN field has a special character ("&") as its input.

Test Case #:	TC346		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandSsn()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.ssn, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandSsn(RegistrationTest.java:274)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
```

```
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
```

```
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:360-REG-12: Register with invalid phone number

Checks that registration is rejected with an error when the phone number field has a special character ("&") as its input.

Test Case #:	TC342		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandPhoneNumber()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.phoneNumber, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandPhoneNumber(RegistrationTest.java:265)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
```

```
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:359-REG-11: Register with invalid zip code

Checks that registration is rejected with an error when the zip code field has a special character ("&") as its input.

Test Case #:	TC340		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00

Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandZipCode()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.zipCode, but succeeded. ==> expected: <false> but was: <true>
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
	at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
	at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
	at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
	at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandZipCode(RegistrationTest.java:256)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
	at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
	at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
	at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
	at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
	at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
	at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
```

```
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
        at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
        at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:358-REG-10: Register with invalid state

Checks that registration is rejected with an error when the state field has a special character ("&") as its input.

Test Case #:	TC339		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandState()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.state, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandState(RegistrationTest.java:247)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
```

```
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:357-REG-9: Register with invalid city

Checks that registration is rejected with an error when the city field has a special character ("&") as its input.

Test Case #:	TC337		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandCity()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.city, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandCity(RegistrationTest.java:238)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
```

```
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:356-REG-8: Register with invalid address

Checks that registration is rejected with an error when the address field has a special character ("&") as its input.

Test Case #:	TC341		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandAddress()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.street, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
```

```
at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:56)
at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandAddress(RegistrationTest.java:229)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:568)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
```

```
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:355-REG-7: Register with invalid last name

Checks that registration is rejected with an error when the last name field has a special character ("&") as its input.

Test Case #: TC335

Release #:

Tester: Chey Sadler-Cahoon

Automation Host:

Est. Duration:

Automation Engine: JUnit

Asserts: 1

Stack Trace:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=155.0.8059.85)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [1ff1c756caa0607e1de9a413a684ae5d, findElement {value=rightPanel, using=id}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 155.0.8059.85, chrome: {chromedriverVersion: 155.0.8059.84 (5869fe313571..., userDataDir: C:\Users\Chey\AppData\Local...}, fedcm:
Session ID: 1ff1c756caa0607e1de9a413a684ae5d
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandLastName(RegistrationTest.java:220)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
```

```
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:354-REG-6: Register with invalid first name

Checks that registration is rejected with an error when the first name field has aa special character ("&") as its input.

Test Case #:	TC338
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1

Stack Trace:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=155.0.8059.85)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [2f2a6504386b67b05ef111548e645871, findElement {value=rightPanel, using=id}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 155.0.8059.85, chrome: {chromedriverVersion: 155.0.8059.84 (5869fe313571..., userDataDir: C:\Users\Chey\AppData\Local...}, fedcm:
Session ID: 2f2a6504386b67b05ef111548e645871
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandFirstName(RegistrationTest.java:211)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:353-REG-5: Register with single values

Verify that registration is rejected when personal details are only one letter long, testing character minimum.

Test Case #:	TC345		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026

Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithSingleLetterDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a validation error for single-letter personal details ==> expected: <true> but was: <false>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithSingleLetterDetails(RegistrationTest.java:201)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
```

```
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:352-REG-4: Register with empty details

Verify that submitting register form, without completing each field prevents the user from registering an account, and displays appropriate errors for each field.

Test Case #:	TC344		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithEmptyDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a required-phone-number validation error for the empty phone field ==> expected: <true> but was: <false>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithEmptyDetails(RegistrationTest.java:154)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
```

```
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:351-REG-3: Register with non-matching passwords

Verify that submitting user details, with non-matching passwords displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC318		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDifferentPasswords()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:350-REG-2: Register with an existing username

Verify that submitting user details, with a non-unique username displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC317		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDuplicateUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:349-REG-1: Register with valid details

Verify that submitting valid user details (unique username, matching passwords) displays a successful registration confirmation confirming the account is made.

Test Case #:	TC316		
Release #:		**Status:**	Passed

Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Registering a new user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:348-ACC-4: Open an account using the second funding account

Verify that opening a checking account, newly made using the second funding dropdown option provides a $100 balance to the new account, while reducing the selected account by $100, and leaves all other existing accounts unchanged

Test Case #:	TC328		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountUsingSecondFundingAccount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:347-ACC-3: Verify opening an account allows balance to go into negatives.

Verify that opening accounts after having not enough money in the account to transfer, provides the original account with an appropriate negative balance on the account overview, and an available amount of $0.00.

Test Case #:	TC326		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenAccountsUntilNegative()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:346-ACC-2: Open a savings account from the first funding account

Verify that opening a savings account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Test Case #:	TC325		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountValidSavings()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:345-ACC-1: Open a checking account from the first funding account

Verify that opening a checking account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Test Case #:	TC324		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Creating a new bank account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountValidChecking()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:344-LOG-6: Log in with blank password, valid username

Verify that a user that enters in no password with a valid usernamebefore submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC333		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankPassword()

# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:343-LOG-5: Log in with valid password, blank username

Verify that a user that enters in no username with a valid password before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC332		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankUsername()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:342-LOG-4: Log in with blank details

Verify that a user that enters in no details before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter credentials.

Test Case #:	TC330		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankDetails()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:341-LOG-3: Log in with an invalid password

Verify that a user with an incorrect password to the account username they are trying to log into, does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC321		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidPassword()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:340-LOG-2: Log in with an invalid username

Verify that a user with an incorrect username does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC322		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:339-LOG-1: Log in with valid credentials

Verify that a registered user with correct details can log into their account and access the Accounts Overview page.

Test Case #:	TC319		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	Logging into a user account
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:338-ACC-4: Open an account using the second funding account

Verify that opening a checking account, newly made using the second funding dropdown option provides a $100 balance to the new account, while reducing the selected account by $100, and leaves all other existing accounts unchanged

Test Case #:	TC328		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountUsingSecondFundingAccount()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:337-ACC-3: Verify negative amounts when opening a new account

Verify that opening accounts after having not enough money in the account to transfer, provides the original account with an appropriate negative balance on the account overview, and an available amount of $0.00.

Test Case #:	TC326		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenAccountsUntilNegative()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:336-ACC-2: Open a savings account from the first funding account

Verify that opening a savings account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Test Case #:	TC325		
Release #:		**Status:**	Passed

Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountValidSavings()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:335-ACC-1: Open a checking account from the first funding account

Verify that opening a checking account creates one new account with a $100.00 balance and available amount, and reduces the first funding account's balance by $100.00.

Test Case #:	TC324		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	OpenNewAccountValidChecking()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:334-LOG-6: Log in with blank password, valid username

Verify that a user that enters in no password with a valid usernamebefore submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC333		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankPassword()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:333-LOG-5: Log in with valid password, blank username

Verify that a user that enters in no username with a valid password before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter valid credentials.

Test Case #:	TC332		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:332-LOG-4: Log in with blank details

Verify that a user that enters in no details before submitting receives an error preventing them from logging in, does not access the Accounts Overview page, and an error warning appears to inform the user they need to enter credentials.

Test Case #:	TC330		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithBlankDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:	`Test Succeeded`		

Test Run TR:331-LOG-3: Log in with an invalid password

Verify that a user with an incorrect password to the account username they are trying to log into, does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC321		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidPassword()

# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:330-LOG-2: Log in with an invalid username

Verify that a user with an incorrect username does not access the Accounts Overview page, and an error warning appears to inform the user they have incorrect credentials.

Test Case #:	TC322		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithInvalidUsername()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:329-LOG-1: Log in with valid credentials

Verify that a registered user with correct details can log into their account and access the Accounts Overview page.

Test Case #:	TC319		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	loginWithValidDetails()
# Asserts:	1	**Message:**	Nothing Reported

Stack Trace:

```
Test Succeeded
```

Test Run TR:328-REG-13: Register with invalid Social Security Number

Checks that registration is rejected with an error when the SSN field has a special character ("&") as its input.

Test Case #:	TC346		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandSsn()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.ssn, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandSsn(RegistrationTest.java:272)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
```

```
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
        at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
        at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:327-REG-12: Register with invalid phone number

Checks that registration is rejected with an error when the phone number field has a special character ("&") as its input.

Test Case #:	TC342		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandPhoneNumber()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.phoneNumber, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandPhoneNumber(RegistrationTest.java:263)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
```

```
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
```

```
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:326-REG-11: Register with invalid zip code

Checks that registration is rejected with an error when the zip code field has a special character ("&") as its input.

Test Case #:	TC340		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandZipCode()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.zipCode, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandZipCode(RegistrationTest.java:254)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:325-REG-10: Register with invalid state

Checks that registration is rejected with an error when the state field has a special character ("&") as its input.

Test Case #:	TC339		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00

Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandState()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.state, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandState(RegistrationTest.java:245)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
```

```
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:324-REG-9: Register with invalid city

Checks that registration is rejected with an error when the city field has a special character ("&") as its input.

Test Case #:	TC337		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandCity()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.city, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandCity(RegistrationTest.java:236)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
```

```
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:323-REG-8: Register with invalid address

Checks that registration is rejected with an error when the address field has a special character ("&") as its input.

Test Case #:	TC341		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithAmpersandAddress()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Registration should reject '&' in customer.address.street, but succeeded. ==> expected: <false> but was: <true>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertFalse.failNotFalse(AssertFalse.java:63)
        at org.junit.jupiter.api.AssertFalse.assertFalse(AssertFalse.java:36)
        at org.junit.jupiter.api.Assertions.assertFalse(Assertions.java:239)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:54)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandAddress(RegistrationTest.java:227)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
```

```
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:322-REG-7: Register with invalid last name

Checks that registration is rejected with an error when the last name field has a special character ("&") as its input.

Test Case #:	TC335
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1
Stack Trace:	

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=155.0.8059.85)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11'
Driver info: org.openqa.selenium.chrome.ChromeDriver
```

```
Command: [107a228cea3cc2207c39911f94ec8d45, findElement {using=id, value=rightPanel}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 155.0.8059.85, chrome: {chromedriverVersion: 155.0.8059.84 (5869fe313571..., userDataDir: C:\Users\Chey\AppData\Local...}, fedcm:
Session ID: 107a228cea3cc2207c39911f94ec8d45
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
        at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:52)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandLastName(RegistrationTest.java:218)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
        at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
        at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
        at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
```

```
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
        at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
        at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
        at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
        at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
        at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
        at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
        at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
        at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
        at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
        at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
        at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:321-REG-6: Register with invalid first name

Checks that registration is rejected with an error when the first name field has aa special character ("&") as its input.

Test Case #:	TC338
Release #:	
Tester:	Chey Sadler-Cahoon
Automation Host:	
Est. Duration:	
Automation Engine:	JUnit
# Asserts:	1

Stack Trace:

```
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#rightPanel"}
  (Session info: chrome=155.0.8059.85)
For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#nosuchelementexception
Build info: version: '4.50.0', revision: 'be845fb be845fb44341cd7a6e7b27ba02dc1bdcf69dc51c'
System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.11'
Driver info: org.openqa.selenium.chrome.ChromeDriver
Command: [340b47e1ef90bfb95a5a55140139bec9, findElement {using=id, value=rightPanel}]
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 155.0.8059.85, chrome: {chromedriverVersion: 155.0.8059.84 (5869fe313571..., userDataDir: C:\Users\Chey\AppData\Local...}, fedcm:
Session ID: 340b47e1ef90bfb95a5a55140139bec9
        at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:169)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:143)
        at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)
        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:252)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:217)
        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:667)
        at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:173)
        at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
        at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:432)
```

```
at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:426)
at au.edu.rmit.selenium.RegistrationTest.assertAmpersandRejected(RegistrationTest.java:52)
at au.edu.rmit.selenium.RegistrationTest.RegisterWithAmpersandFirstName(RegistrationTest.java:209)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.base/java.lang.reflect.Method.invoke(Method.java:568)
at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
```

```
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:320-REG-5: Register with single values

Verify that registration is rejected when personal details are only one letter long, testing character minimum.

Test Case #:	TC345		
Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithSingleLetterDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a validation error for single-letter personal details ==> expected: <true> but was: <false>
        at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
        at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
        at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
        at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
        at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
        at au.edu.rmit.selenium.RegistrationTest.RegisterWithSingleLetterDetails(RegistrationTest.java:199)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:568)
        at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
        at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
        at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
        at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
        at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
        at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
        at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
        at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
        at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
        at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
```

```
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:319-REG-4: Register with empty details

Verify that submitting register form, without completing each field prevents the user from registering an account, and displays appropriate errors for each field.

Test Case #:	TC344

Release #:		**Status:**	Failed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterWithEmptyDetails()
# Asserts:	1	**Message:**	Test Failed

Stack Trace:

```
org.opentest4j.AssertionFailedError: Expected a required-phone-number validation error for the empty phone field ==> expected: <true> but was: <false>
	at org.junit.jupiter.api.AssertionFailureBuilder.build(AssertionFailureBuilder.java:151)
	at org.junit.jupiter.api.AssertionFailureBuilder.buildAndThrow(AssertionFailureBuilder.java:132)
	at org.junit.jupiter.api.AssertEquals.failNotEqual(AssertEquals.java:197)
	at org.junit.jupiter.api.AssertEquals.assertEquals(AssertEquals.java:182)
	at org.junit.jupiter.api.Assertions.assertEquals(Assertions.java:1156)
	at au.edu.rmit.selenium.RegistrationTest.RegisterWithEmptyDetails(RegistrationTest.java:152)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	at org.junit.platform.commons.util.ReflectionUtils.invokeMethod(ReflectionUtils.java:787)
	at org.junit.platform.commons.support.ReflectionSupport.invokeMethod(ReflectionSupport.java:478)
	at org.junit.jupiter.engine.execution.MethodInvocation.proceed(MethodInvocation.java:60)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$ValidatingInvocation.proceed(InvocationInterceptorChain.java:131)
	at org.junit.jupiter.engine.extension.TimeoutExtension.intercept(TimeoutExtension.java:161)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestableMethod(TimeoutExtension.java:152)
	at org.junit.jupiter.engine.extension.TimeoutExtension.interceptTestMethod(TimeoutExtension.java:91)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker$ReflectiveInterceptorCall.lambda$ofVoidMethod$0(InterceptingExecutableInvoker.java:112)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.lambda$invoke$0(InterceptingExecutableInvoker.java:94)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain$InterceptedInvocation.proceed(InvocationInterceptorChain.java:106)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.proceed(InvocationInterceptorChain.java:64)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.chainAndInvoke(InvocationInterceptorChain.java:45)
	at org.junit.jupiter.engine.execution.InvocationInterceptorChain.invoke(InvocationInterceptorChain.java:37)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:93)
	at org.junit.jupiter.engine.execution.InterceptingExecutableInvoker.invoke(InterceptingExecutableInvoker.java:87)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.lambda$invokeTestMethod$4(TestMethodTestDescriptor.java:221)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.invokeTestMethod(TestMethodTestDescriptor.java:217)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:159)
	at org.junit.jupiter.engine.descriptor.TestMethodTestDescriptor.execute(TestMethodTestDescriptor.java:70)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:157)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)
	at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.invokeAll(SameThreadHierarchicalTestExecutorService.java:41)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$6(NodeTestTask.java:161)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$8(NodeTestTask.java:147)
	at org.junit.platform.engine.support.hierarchical.Node.around(Node.java:137)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.lambda$executeRecursively$9(NodeTestTask.java:145)
	at org.junit.platform.engine.support.hierarchical.ThrowableCollector.execute(ThrowableCollector.java:73)
	at org.junit.platform.engine.support.hierarchical.NodeTestTask.executeRecursively(NodeTestTask.java:144)
```

```
at org.junit.platform.engine.support.hierarchical.NodeTestTask.execute(NodeTestTask.java:101)
at org.junit.platform.engine.support.hierarchical.SameThreadHierarchicalTestExecutorService.submit(SameThreadHierarchicalTestExecutorService.java:35)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestExecutor.execute(HierarchicalTestExecutor.java:57)
at org.junit.platform.engine.support.hierarchical.HierarchicalTestEngine.execute(HierarchicalTestEngine.java:54)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.executeEngine(EngineExecutionOrchestrator.java:230)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.failOrExecuteEngine(EngineExecutionOrchestrator.java:204)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:172)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:101)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.lambda$execute$0(EngineExecutionOrchestrator.java:64)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.withInterceptedStreams(EngineExecutionOrchestrator.java:150)
at org.junit.platform.launcher.core.EngineExecutionOrchestrator.execute(EngineExecutionOrchestrator.java:63)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:109)
at org.junit.platform.launcher.core.DefaultLauncher.execute(DefaultLauncher.java:91)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.junit.platform.launcher.core.InterceptingLauncher.lambda$execute$1(InterceptingLauncher.java:39)
at org.junit.platform.launcher.core.ClasspathAlignmentCheckingLauncherInterceptor.intercept(ClasspathAlignmentCheckingLauncherInterceptor.java:25)
at org.junit.platform.launcher.core.InterceptingLauncher.execute(InterceptingLauncher.java:38)
at org.junit.platform.launcher.core.DelegatingLauncher.execute(DelegatingLauncher.java:47)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.executeWithoutCancellationToken(LauncherAdapter.java:60)
at org.apache.maven.surefire.junitplatform.LauncherAdapter.execute(LauncherAdapter.java:52)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.execute(JUnitPlatformProvider.java:203)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invokeAllTests(JUnitPlatformProvider.java:168)
at org.apache.maven.surefire.junitplatform.JUnitPlatformProvider.invoke(JUnitPlatformProvider.java:136)
at org.apache.maven.surefire.booter.ForkedBooter.runSuitesInProcess(ForkedBooter.java:385)
at org.apache.maven.surefire.booter.ForkedBooter.execute(ForkedBooter.java:162)
at org.apache.maven.surefire.booter.ForkedBooter.run(ForkedBooter.java:507)
at org.apache.maven.surefire.booter.ForkedBooter.main(ForkedBooter.java:495)
```

Test Run TR:318-REG-3: Register with non-matching passwords

Verify that submitting user details, with non-matching passwords displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC318		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDifferentPasswords()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:317-REG-2: Register with an existing username

Verify that submitting user details, with a non-unique username displays an error message, informing the user the account has not been successfully made.

Test Case #:	TC317

Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterDuplicateUsername()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```

Test Run TR:316-REG-1: Register with valid details

Verify that submitting valid user details (unique username, matching passwords) displays a successful registration confirmation confirming the account is made.

Test Case #:	TC316		
Release #:		**Status:**	Passed
Tester:	Chey Sadler-Cahoon	**Execution Date:**	21-Oct-2026
Automation Host:		**Test Set:**	
Est. Duration:		**Actual Duration:**	0.00
Automation Engine:	JUnit	**Runner Test:**	RegisterValidDetails()
# Asserts:	1	**Message:**	Nothing Reported
Stack Trace:			

```
Test Succeeded
```