

New Parameters of 970 & BWA 2.0


Dry Lean Mass(adjusted muscle index)

A muscle indicator that removes excess water based on age-specific average ECW ratio, in order to exclude abnormal ECW from muscle mass.

Dry Lean Mass = **Removal of abnormal ECW** in lean mass







New Parameters of 970 & BWA 2.0

Dry Lean Mass(adjusted muscle index)

A muscle indicator that removes excess water based on age-specific average ECW ratio, in order to exclude abnormal ECW from muscle mass.

Dry Lean Mass = **Removal of abnormal ECW** in lean mass





Fig. 2. Relationship between normovolemia (S_{NV}) and hypervolemia (S_{HV}) with respect to body weight.

➔ **FFM**




ECW/FFM graph with age-increasing by InBody data

Dry FFM = current FFM – ECW / (1 – ECW/FFM ratio according to ages)

New Parameters of 970 & BWA 2.0

Dry Lean Mass(adjusted muscle index)

Ex) Calculation of adjusted SMI for a 58-year-old hemodialysis patient



Right arm 2.27 kg

Left arm 2.78 kg

Right leg 8.83 kg

Left leg 7.88 kg

SMI = **8.7 kg/m²**

= (2.27+2.78+8.83+7.88) / (1.58 ×1.58)

Overestimation of muscle mass due to overhydration

Right arm 2.27 kg – excessive ECW

Left arm 2.78 kg – excessive ECW

Right leg 8.83 kg – excessive ECW

Left leg 7.88 kg – excessive ECW

Adjusted SMI = 7.7 kg/m²

Excess ECW removed based on the average ECW ratio for individuals in their 50s