

CLOUDKART

Troubleshooting Guide

Technical Support Knowledge Base

Structured diagnostic steps for app crashes, slow performance, installation failures, sync issues, and notification problems, plus escalation paths for unresolved cases.

Document Code	TEC-TS-2026
Knowledge Base Category	Technical Support
Version	3.2
Last Reviewed	June 2026
Audience	Customer Support Agents, Support Chatbot Knowledge Base
Classification	Internal — Confidential

Table of Contents

1. How to Use This Guide	3
2. App Crashes	4
3. Slow Loading and Timeouts	5
4. Installation Issues	6
5. Sync Issues Across Devices	7
6. Notification Issues	8
7. Collecting Diagnostic Information	9
8. Escalation Paths	10
9. Quick Reference: Symptom Routing	11
Appendix A: Sync Status Indicators	12

1. How to Use This Guide

This guide provides structured troubleshooting steps for the most common technical issues reported by CloudKart users across web, desktop, and mobile apps. It is intended to be the first reference checked for any non-billing, non-shipping technical complaint.

How to Use This Guide

Work through each scenario's steps in order. Most issues are resolved within the first two steps; escalate only after the listed steps have been attempted and the issue persists.

Before beginning device-specific troubleshooting, always check the CloudKart Status Page at status.cloudkart.com. Platform-wide incidents affect many users simultaneously, and working through individual troubleshooting steps during an active incident wastes both the customer's and the agent's time. If an incident is active, inform the customer and provide the estimated resolution window if one has been published.

Worked Examples

Scenario: Multiple customers report slow loading at the same time.

Resolution: Check the Status Page first — concurrent reports almost always indicate an incident rather than individual issues needing separate troubleshooting.

Scenario: Customer says the app is crashing on every launch.

Resolution: Start with Section 2 (App Crashes) and work through steps before escalating.

2. App Crashes

App crashes are most often caused by an outdated app version, corrupted local cache, or a conflict with device-level settings such as low storage.

- 1 Confirm the app is on the latest version available in the App Store or Google Play Store; update if not.
- 2 Restart the device completely (not just the app) to clear stuck background processes.
- 3 Clear the app's local cache from Settings > Apps > CloudKart > Storage > Clear Cache (Android) or by reinstalling (iOS, which doesn't expose cache-clear).
- 4 If the crash happens on a specific screen every time, note the exact screen and action, then escalate with device model and OS version attached.

When collecting information before escalating a crash, always ask for the exact screen on which the crash occurs and whether it is reproducible on demand. Crashes that are random are harder to triage than crashes that happen consistently on a specific action; both should be escalated, but the reliable reproduction case is much more actionable for engineering.

Worked Examples

Scenario: Customer's iOS app crashes every time they tap 'My Orders'.

Resolution: Reliable reproduction — note exact screen ('My Orders'), update the app first; if the crash persists post-update, escalate with tag tech-crash-unresolved.

Scenario: Customer says the app 'crashes sometimes' with no pattern.

Resolution: Ask for the app version and device model; advise updating if not on latest. If it continues with no reproducible trigger, escalate for diagnostic log review.

3. Slow Loading and Timeouts

Slow loading or timeouts in the web app are usually network-related, but can also stem from browser extensions or an overloaded local cache.

- 1 Test the connection by loading another high-traffic website; if that is also slow, the issue is network-side, not CloudKart-side.
- 2 Try an incognito/private browsing window to rule out extensions — especially ad blockers and privacy extensions, which can interfere with API calls.
- 3 Clear browser cache and cookies for cloudkart.com specifically rather than all browsing data.
- 4 Check the CloudKart Status Page for any active incidents before assuming a local issue.

Tip

If multiple customers report slowness within the same short window, check the Status Page first; this likely indicates a platform-wide incident.

Worked Examples

Scenario: Customer says the web app is slow but other websites load fine.

Resolution: Narrow to CloudKart-specific issue; try incognito window and cache clear. If it persists, escalate with a HAR file capture if the customer can provide one.

Scenario: Customer on Chrome has no issues; customer on Firefox has slow loads.

Resolution: Browser-specific issue — check whether a Firefox extension is interfering; test in Firefox's safe mode (no extensions) to confirm.

4. Installation Issues

Installation issues differ by platform. The steps below cover the desktop application installer for Windows and macOS.

Symptom	Platform	Resolution Steps
Installer fails with permissions error	Windows	Run installer as Administrator; check antivirus isn't blocking it
'App is damaged' message	macOS	Re-download installer; Gatekeeper may have blocked an incomplete download
Installer hangs at 90%	Windows	Temporarily disable third-party antivirus during install, then re-enable
App opens but shows blank window	macOS	Reset app preferences via Terminal command provided in escalation ticket

Windows Defender and other third-party antivirus tools occasionally flag the CloudKart installer as suspicious due to its use of auto-update mechanisms, even though the installer is signed with a valid code-signing certificate. When this happens, the customer needs to whitelist the installer in their antivirus settings rather than simply dismissing the warning — otherwise the antivirus will block the installation again on the next attempt.

Worked Examples

Scenario: Windows customer's antivirus quarantined the CloudKart installer.

Resolution: Guide them to restore the installer from quarantine and whitelist it, or temporarily disable real-time scanning during installation and re-enable after.

Scenario: macOS customer sees 'App is damaged and can't be opened'.

Resolution: Re-download from the official site; if the error persists, the quarantine flag may need clearing via Terminal: `xattr -cr /Applications/CloudKart.app`

5. Sync Issues Across Devices

Sync issues occur when data entered on one device doesn't appear on another. This is almost always caused by being signed into different accounts or a connectivity interruption during the last sync attempt.

- 1 Verify both devices are signed into the exact same account email, including checking for typos or an old email no longer in use.
- 2 Check the sync status indicator in the app's top bar — a spinning or red icon indicates sync is stalled.
- 3 Manually trigger a sync from Settings > Sync > Sync Now on the affected device.
- 4 If data still doesn't appear, check Settings > Sync > Conflict Log for entries that may have been flagged as conflicting edits.

Worked Examples

Scenario: Customer edits a project on their phone but changes don't appear on their laptop.

Resolution: Confirm both devices use the same account email; trigger a manual sync on the laptop. If the phone shows a red sync icon, resolve connectivity first.

Scenario: Customer sees a conflict warning in the Sync Log.

Resolution: Open the Conflict Log to show both versions; ask the customer which version to keep, then resolve manually — conflicts are not auto-resolved to avoid data loss.

6. Notification Issues

Notification issues are typically caused by OS-level permission settings rather than a CloudKart account setting, though both should be checked.

- Confirm notifications are enabled for CloudKart in the device's system Settings, not just within the CloudKart app itself.
- Check Account Settings > Notifications within the app to confirm the specific notification type is toggled on.
- For email notifications not arriving, check spam/junk folders and confirm the account email address is correct and verified.
- On iOS, confirm Focus Mode or Do Not Disturb is not silently suppressing notifications from the app.

Worked Examples

Scenario: Android customer not receiving order update push notifications.

Resolution: Check system-level notification permission for CloudKart under device Settings; many Android versions require per-app notification permission to be granted.

Scenario: Customer not receiving billing alert emails.

Resolution: Ask them to check spam/junk; if not there, confirm the email address in Account Settings matches their expected inbox; also check if they've unsubscribed.

7. Collecting Diagnostic Information

Some issues require collecting diagnostic information before they can be properly investigated by engineering. Agents should gather this before escalating to avoid a back-and-forth delay.

Information	Where to Find It
App version	Settings > About
Device model and OS version	Device system settings
Account ID	Settings > Account > Account ID (not the email)
Error timestamp (exact, with timezone)	Reported by customer or visible in error toast
Diagnostic log export	Settings > Help > Export Diagnostic Log

Diagnostic logs are the single most valuable piece of information for engineering to identify the root cause of a crash or performance issue. Agents should request the log export in the same message that they ask for device details, rather than making a second follow-up request — every additional round-trip adds hours to the resolution timeline.

Worked Examples

Scenario: Agent is about to escalate a crash ticket without a diagnostic log.

Resolution: Request the diagnostic log export before escalating; the engineering team will ask for it anyway and the ticket will be bounced back without it.

Scenario: Customer doesn't know their Account ID.

Resolution: It's found in Settings > Account > Account ID, not the email address — the ID is a unique alphanumeric string starting with 'acc_'.

8. Escalation Paths

Issues that cannot be resolved using the steps above should be escalated with the correct tag so they reach the right engineering team without delay.

Issue Type	Escalation Tag	Team
Repeated app crash, steps didn't help	tech-crash-unresolved	Mobile Engineering
Persistent slow performance, status page clear	tech-perf-investigate	Platform Engineering
Installer failure after standard steps	tech-install-failed	Desktop Engineering
Sync conflict not resolved by manual sync	tech-sync-conflict	Sync Platform Team
Suspected platform-wide incident	tech-incident-candidate	Incident Response

When creating an escalation ticket, include all the diagnostic information from Section 7 in the ticket body rather than as a note, since engineering teams triage from the ticket body first. A well-populated ticket reduces the time to first engineering response by an average of 40% compared to a blank ticket with attachments only.

Worked Examples

Scenario: Agent escalates a crash ticket with just 'app keeps crashing' in the body.

Resolution: Insufficient for engineering — reopen and add app version, device model, OS version, the screen on which the crash occurs, and the diagnostic log.

Scenario: Multiple agents receive identical crash reports within 1 hour.

Resolution: Flag the issue as tech-incident-candidate immediately rather than creating individual tickets; Incident Response can assess whether it's a rollout issue.

9. Quick Reference: Symptom Routing

This quick reference maps common symptom descriptions to the correct troubleshooting section, helping agents and the chatbot route efficiently.

Customer Says	Section	Key First Step
'App keeps crashing'	2 – App Crashes	Update app; clear cache; get device model + OS
'Website is really slow'	3 – Slow Loading	Test in incognito; check Status Page
'Can't install the app'	4 – Installation Issues	Check platform; run as admin (Windows)
'Changes on my phone don't show on laptop'	5 – Sync Issues	Confirm same account; manual sync
'Not getting notifications'	6 – Notification Issues	Check OS-level app notification permissions
'Need to send you a log file'	7 – Diagnostic Information	Confirm Settings > Help > Export Diagnostic Log

Worked Examples

Scenario: Agent uncertain whether to escalate or try another troubleshooting step.

Resolution: Rule of thumb: if all listed steps for the symptom category have been tried and the issue persists, escalate with the corresponding tag from Section 8.

Scenario: Customer is frustrated and wants immediate escalation without trying steps.

Resolution: Empathise, then explain that the steps take under 5 minutes and engineering will ask for this information anyway; complete them together if the customer is willing.

Appendix A: Sync Status Indicators

Quick reference for sync status indicators shown in the CloudKart sync bar.

Indicator	Meaning
Green check	Fully synced
Spinning icon	Sync in progress
Yellow triangle	Sync delayed, will retry automatically
Red icon	Sync failed, manual action required