

Current Data Access Group: [No Assignment]

[Switch](#)

Data Dictionary Codebook

2. TRAINING Patient Data - Measuring and Monitoring Aphasia Services (PID: 2455)

21-05-2024 14:00

Instruments		
Instrument	Form Name	Events
Admission Details	admission_details	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Sociodemographic Information	sociodemographic_information	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Quality Indicators	quality_indicators	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Baseline WABR	baseline_wabr	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Baseline Scenario Test	baseline_scenario_test	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Baseline GHQ12	baseline_ghq12	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Baseline SAQOL39	baseline_saqol39	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Therapy	therapy	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Therapy Sessions	therapy_sessions	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
Clinician Anchor Language	clinician_anchor_language	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Patient Anchor Language	patient_anchor_language	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Post WABR	post_wabr	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Clinician Anchor Communication	clinician_anchor_communication	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Patient Anchor Communication	patient_anchor_communication	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Post Scenario Test	post_scenario_test	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Clinician Anchor Emotional Wellbeing	clinician_anchor_emotional_wellbeing	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Patient Anchor Emotional Wellbeing	patient_anchor_emotional_wellbeing	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Post GHQ12	post_ghq12	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Clinician Anchor Quality Of Life	clinician_anchor_quality_of_life	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Patient Anchor Quality Of Life	patient_anchor_quality_of_life	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Post SAQOL39	post_saqol39	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Patient Experience Survey	patient_experience_survey	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1
Discharge Information	discharge_information	inpatient_acute_arm_1 inpatient_rehabsub_arm_1
End Of Study	end_of_study	inpatient_acute_arm_1 inpatient_rehabsub_arm_1 community_arm_1

Events	
Event Name	Unique event name
Inpatient Acute	inpatient_acute_arm_1
Inpatient Rehab/Subacute	inpatient_rehabsub_arm_1
Community	community_arm_1

#	Variable / Field Name	Field Label <i>Field Note</i>	Field Attributes (Field Type, Validation, Choices, Calculations, etc.)
Instrument: Admission Details (admission_details)			
1	[participant_id]	Participant ID	text
2	[data_entry_id]	Data entry person ID	text Field Annotation: @USERNAME @READONLY
3	[today]	Date created	text (date_dmy) Field Annotation: @HIDDEN @TODAY
4	[screening_id]	Screening ID	sql

	Show the field ONLY if: ([inpatient_rehabsub_arm_1][screening_id] = " and [event-name] = 'inpatient_acute_arm_1' or ([inpatient_acute_arm_1][screening_id] = " and [event-name] = 'inpatient_rehabsub_arm_1')		<pre>SELECT record, CONCAT_WS(' ', record, if(T2.group_name IS NULL, '?', T2.group_name), pt_initials, date_screen, [user-dag-name]) AS ListVal FROM (SELECT si.project_id, si.record, si.value AS pt_initials, dt.value AS date_screen, co.value AS gained_consent, gi.value AS group_id FROM [data-table] si LEFT JOIN [data-table] dt ON (si.project_id = dt.project_id AND si.record = dt.record AND dt.field_name = 'date_screen') LEFT JOIN [data-table] co ON (si.project_id = co.project_id AND si.record = co.record AND co.field_name = 'gained_consent') LEFT JOIN [data-table] gi ON (si.project_id = gi.project_id AND si.record = gi.record AND gi.field_name = '__GROUPID__') WHERE si.project_id=2591 AND si.field_name = 'pt_initials' AND co.value = '1') AS T1 LEFT JOIN redcap_data_access_groups AS T2 ON T1.project_id = T2.project_id AND T1.group_id = T2.group_id WHERE ((T2.group_name = [user-dag-label] OR T2.group_name = '' OR T2.group_name IS NULL) AND record NOT IN (SELECT distinct value FROM [data-table] WHERE project_id=[project-id] AND field_name = 'screening_id' AND record <> [record-name])) OR record IN (SELECT value FROM [data-table] WHERE project_id=[project-id] AND field_name = 'screening_id' AND record = [record-name]))</pre>																												
5	[onsetdate_unknown]	Is the stroke onset date known?	radio <table border="1"><tr><td>TRUE</td><td>Known</td></tr><tr><td>FALSE</td><td>Unknown</td></tr></table>	TRUE	Known	FALSE	Unknown																								
TRUE	Known																														
FALSE	Unknown																														
6	[onsetdate]	Date of stroke onset <i>DD-MM-YYYY Only enter if not previously collected</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																												
7	[onsetdate_history]	Stroke onset date recorded: Inpatient Acute: [inpatient_acute_arm_1][onsetdate] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][onsetdate]	descriptive																												
8	[admhospital]	Hospital site of admission	radio <table border="1"><tr><td>1</td><td>Royal Brisbane and Women's Hospital</td></tr><tr><td>2</td><td>Surgical, Treatment and Rehabilitation Service</td></tr><tr><td>3</td><td>Brighton Rehabilitation Unit</td></tr><tr><td>4</td><td>Caboolture Hospital</td></tr><tr><td>5</td><td>Redcliffe Hospital</td></tr><tr><td>6</td><td>St Vincent's Hospital Melbourne - Acute Fitzroy</td></tr><tr><td>7</td><td>St Vincent's Hospital Melbourne - Rehab Fitzroy</td></tr><tr><td>8</td><td>St Vincent's Hospital Melbourne - Rehab SGHS</td></tr><tr><td>9</td><td>Monash Medical Centre</td></tr><tr><td>10</td><td>Kingston Centre</td></tr><tr><td>11</td><td>Sir Charles Gairdner Hospital</td></tr><tr><td>12</td><td>Osborne Park Hospital</td></tr><tr><td>13</td><td>Fiona Stanley Hospital</td></tr><tr><td>14</td><td>Fremantle Hospital</td></tr></table>	1	Royal Brisbane and Women's Hospital	2	Surgical, Treatment and Rehabilitation Service	3	Brighton Rehabilitation Unit	4	Caboolture Hospital	5	Redcliffe Hospital	6	St Vincent's Hospital Melbourne - Acute Fitzroy	7	St Vincent's Hospital Melbourne - Rehab Fitzroy	8	St Vincent's Hospital Melbourne - Rehab SGHS	9	Monash Medical Centre	10	Kingston Centre	11	Sir Charles Gairdner Hospital	12	Osborne Park Hospital	13	Fiona Stanley Hospital	14	Fremantle Hospital
1	Royal Brisbane and Women's Hospital																														
2	Surgical, Treatment and Rehabilitation Service																														
3	Brighton Rehabilitation Unit																														
4	Caboolture Hospital																														
5	Redcliffe Hospital																														
6	St Vincent's Hospital Melbourne - Acute Fitzroy																														
7	St Vincent's Hospital Melbourne - Rehab Fitzroy																														
8	St Vincent's Hospital Melbourne - Rehab SGHS																														
9	Monash Medical Centre																														
10	Kingston Centre																														
11	Sir Charles Gairdner Hospital																														
12	Osborne Park Hospital																														
13	Fiona Stanley Hospital																														
14	Fremantle Hospital																														
9	[admdate_unknown]	Is the date of admission to [event-label] known? <i>Date of admission to inpatient acute means when they were first admitted to the hospital. In most instances this is the admission to the Emergency Department, unless they were admitted directly to the ward.</i>	radio <table border="1"><tr><td>TRUE</td><td>Known</td></tr><tr><td>FALSE</td><td>Unknown</td></tr></table>	TRUE	Known	FALSE	Unknown																								
TRUE	Known																														
FALSE	Unknown																														
10	[admdate]	Date of admission to [event-label] <i>DD-MM-YYYY</i>	text (date_dmy), Required Field Annotation: @HIDEBUTTON																												
11	[admtime_unknown]	Is the time of admission to [event-label] known?	radio <table border="1"><tr><td>TRUE</td><td>Known</td></tr><tr><td>FALSE</td><td>Unknown</td></tr></table>	TRUE	Known	FALSE	Unknown																								
TRUE	Known																														
FALSE	Unknown																														
12	[admtime]	Time of admission to [event-label]	text (time), Required Field Annotation: @HIDEBUTTON																												
13	[admission_details_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																						
0	Incomplete																														
1	Unverified																														
2	Complete																														
Instrument: Sociodemographic Information (sociodemographic_information)																															
14	[describe_header]	These data can be completed in any order, at any time during admission. Please do not leave any data fields blank.	descriptive																												

	15	[age]	Section Header: <i>Sociodemographic characteristics</i> Age <i>Please enter age in years</i>	text (integer, Min: 0, Max: 150)										
	16	[age_warning] Show the field ONLY if: [age]<18	Please re-check if the patient is eligible for this study before continuing	descriptive										
	17	[education]	How many years of education did the patient complete? <i>Write 99 if unknown. As a guide to answer this question: 7 years: primary school 6 years: secondary school Also add years of TAFE or university</i>	text (integer, Min: 0, Max: 99)										
	18	[sex]	What is the patient's biological sex (sex at birth)? <i>Where sex is defined as the distinction between male, female, or the combination of male and female biological characteristics. To be captured as written in the medical record. Self-identified sex may be reported in the case of conflict.</i>	radio <table border="1"><tr><td>1</td><td>Male</td></tr><tr><td>2</td><td>Female</td></tr><tr><td>3</td><td>Intersex</td></tr><tr><td>8</td><td>Other {sex_other}</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Male	2	Female	3	Intersex	8	Other {sex_other}	9	Unknown
1	Male													
2	Female													
3	Intersex													
8	Other {sex_other}													
9	Unknown													
	19	[sex_other] Show the field ONLY if: [sex]='8'	If other, please specify	text										
	20	[lang_primary]	Section Header: <i>Language use</i> What is the language (including sign language) most frequently used for communication? Spoken {lang_primary_spoken} Written {lang_primary_written}	descriptive										
	21	[lang_primary_spoken]	Spoken	text										
	22	[lang_primary_written]	Written	text										
	23	[lang_treatment]	What is the language used by the patient during treatment and testing? Spoken {lang_treatment_spoken} Written {lang_treatment_written}	descriptive										
	24	[lang_treatment_spoken]	Spoken	text										
	25	[lang_treatment_written]	Written	text										
	26	[lang_multi]	Does the patient use more than one language on a regular basis?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown				
1	Yes													
2	No													
9	Unknown													
	27	[lang_multi_spec] Show the field ONLY if: [lang_multi]='1'	If yes, please specify all languages: Spoken {lang_multi_spoken} Written {lang_multi_written}	descriptive										
	28	[lang_multi_spoken]	Spoken	text										
	29	[lang_multi_written]	Written	text										
	30	[history_stroke]	Section Header: <i>Neurological history</i> Does the patient have a history of stroke prior to the most recent episode (excluding TIA)?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown				
1	Yes													
2	No													
9	Unknown													
	31	[history_stroke_present] Show the field ONLY if: [history_stroke]='1'	How long ago was the previous stroke? (months) <i>If more than one previous stroke, time since most recent stroke. Enter 9999 if unknown</i>	text (integer, Min: 0, Max: 9999)										
	32	[history_comm]	Does the patient have a history of an acquired or developmental condition known to impact communication or cognition? <i>Conditions included here must have been present prior to most recent neurological event.</i>	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown				
1	Yes													
2	No													
9	Unknown													
	33	[history_comm_condition] Show the field ONLY if: [history_comm]='1'	Please describe the condition/sExamples include: Developmental language disorder or delay Developmental articulation disorder Childhood Apraxia of Speech Childhood stuttering Encephalitis Autism Spectrum Disorder Hearing loss Multiple Sclerosis Motor Neuron Disease Cerebral Palsy Parkinson's disease Huntington's disease Meningitis Traumatic Brain Injury Acquired motor speech disorder (e.g. apraxia, dysarthria) Neurogenic stuttering Brain tumour Dementia <i>Examples include: Developmental language disorder or delay Developmental articulation disorder Childhood Apraxia of Speech Childhood stuttering Encephalitis Autism Spectrum Disorder Hearing loss Multiple Sclerosis Motor Neuron Disease Cerebral Palsy Parkinson's disease Huntington's disease Meningitis Traumatic Brain Injury Acquired motor speech disorder (e.g. apraxia, dysarthria) Neurogenic stuttering Brain tumour Dementia</i>	notes										
	34	[stroke_hemisphere]	Section Header: <i>Current stroke</i> Which hemisphere was affected by the current stroke?	radio <table border="1"><tr><td>1</td><td>Left</td></tr><tr><td>2</td><td>Right</td></tr><tr><td>3</td><td>Both</td></tr></table>	1	Left	2	Right	3	Both				
1	Left													
2	Right													
3	Both													

			<input type="checkbox"/> 9 Unknown												
35	[aphasia_onset]	When was the onset of patient's aphasia DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON												
36	[stroke_cond_arising]	Are there conditions present which have arisen from the most recent neurological event (i.e. post-stroke)? Examples include: apraxia of speech non-verbal oral apraxia dysarthria hemiplegia hemiparesis cognitive impairment sensory impairment depression, anxiety, or mood disorder <i>Examples include: apraxia of speechnon-verbal oral apraxiadysarthriahemiplegiahemiparesiscognitive impairmentssensory impairmentdepression, anxiety, or mood disorder</i>	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown						
1	Yes														
2	No														
9	Unknown														
37	[stroke_cond_arising_spec]	Please specify Show the field ONLY if: [stroke_cond_arising]='1'	text												
38	[comm_partner]	Does the patient have a communication partner?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown						
1	Yes														
2	No														
9	Unknown														
39	[comm_partner_age]	What is the primary communication partner's age? <i>If unknown, write 99</i>	text (integer, Min: 0, Max: 150)												
40	[comm_partner_sex]	What is the primary communication partner's biological sex (sex at birth)? <i>Where sex is defined as the distinction between male, female, or the combination of male and female biological characteristics.</i>	radio <table border="1"><tr><td>1</td><td>Male</td></tr><tr><td>2</td><td>Female</td></tr><tr><td>3</td><td>Intersex</td></tr><tr><td>8</td><td>Other {comm_partner_sexoth}</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Male	2	Female	3	Intersex	8	Other {comm_partner_sexoth}	9	Unknown		
1	Male														
2	Female														
3	Intersex														
8	Other {comm_partner_sexoth}														
9	Unknown														
41	[comm_partner_sexoth]	If other, please specify Show the field ONLY if: [comm_partner_sex]='8'	text												
42	[comm_partner_rel]	What is the primary relationship of the communication partner to the patient? <i>*Other Relative is a person who is related to the patient but not represented by the available selections. This could include a grandparent, step-parent, or foster-parent. **Professional Carers are people who are trained and paid to look after people</i>	radio <table border="1"><tr><td>1</td><td>Spouse/partner</td></tr><tr><td>2</td><td>Son/daughter/child-in-law</td></tr><tr><td>3</td><td>Sibling</td></tr><tr><td>4</td><td>Other relative*</td></tr><tr><td>5</td><td>Friend/associate</td></tr><tr><td>6</td><td>Professional carer**</td></tr></table>	1	Spouse/partner	2	Son/daughter/child-in-law	3	Sibling	4	Other relative*	5	Friend/associate	6	Professional carer**
1	Spouse/partner														
2	Son/daughter/child-in-law														
3	Sibling														
4	Other relative*														
5	Friend/associate														
6	Professional carer**														
43	[sociodemographic_information_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete														
1	Unverified														
2	Complete														

Instrument: Quality Indicators (quality_indicators)

44	[measures_poci_header]	Section Header: <i>Quality Indicators</i> These data can be completed in any order, at any time during admission.	descriptive									
45	[ax]	Section Header: <i>Assessment</i> Quality Indicator 1: Was a screener and/or assessment completed to determine if communication impairment (including aphasia) is present?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr><tr><td>99</td><td>Screening offered and declined</td></tr></table>	1	Yes	2	No	9	Unknown	99	Screening offered and declined	
1	Yes											
2	No											
9	Unknown											
99	Screening offered and declined											
46	[ax_history]	Quality Indicator 1 completion status: Inpatient Acute: [inpatient_acute_arm_1][ax] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][ax]	descriptive									
47	[ax_date]	Date completed DD-MM-YYYY Show the field ONLY if: [ax]='1'	text (date_dmy) Field Annotation: @HIDEBUTTON									
48	[ax_screen]	What screener/assessment was used? <i>Select all that apply</i>	checkbox <table border="1"><tr><td>1</td><td>ax_screen__1</td><td>The Western Aphasia Battery (WAB) / Western Aphasia Battery Revised (WAB-R)</td></tr><tr><td>2</td><td>ax_screen__2</td><td>ALA Aphasia Language Assessment Test (ALA)</td></tr><tr><td>3</td><td>ax_screen__3</td><td>Boston Diagnostic Aphasia Examination (BDAE)</td></tr></table>	1	ax_screen__1	The Western Aphasia Battery (WAB) / Western Aphasia Battery Revised (WAB-R)	2	ax_screen__2	ALA Aphasia Language Assessment Test (ALA)	3	ax_screen__3	Boston Diagnostic Aphasia Examination (BDAE)
1	ax_screen__1	The Western Aphasia Battery (WAB) / Western Aphasia Battery Revised (WAB-R)										
2	ax_screen__2	ALA Aphasia Language Assessment Test (ALA)										
3	ax_screen__3	Boston Diagnostic Aphasia Examination (BDAE)										

4	ax_screen__4	Brisbane Evidence Based Language Test (EBLT)
5	ax_screen__5	Bilingual Aphasia Test (BAT)
6	ax_screen__6	Communication Activities of Daily Living (CADL)
7	ax_screen__7	Comprehensive Aphasia Test (CAT)
8	ax_screen__8	Cognitive Linguistic Quick Test
9	ax_screen__9	Inpatient Functional Communication interview (IFCI)
10	ax_screen__10	Mount Wilga High Level Language Screening Test
11	ax_screen__11	Mini-mental state examination (MMSE)
12	ax_screen__12	Montreal Cognitive Assessment following Acquired Brain Injury (MoCA)
13	ax_screen__13	Psycholinguistic assessments of language processing in aphasia (PALPA)
14	ax_screen__14	Quick Aphasia Battery (QAB)
15	ax_screen__15	Stroke Aphasic Depression Questionnaire (SADQ)
16	ax_screen__16	Stroke and Aphasia Quality of Life Scale (SAQOL-39)
17	ax_screen__17	The Boston Naming Test (BNT)
18	ax_screen__18	AusMAST
19	ax_screen__19	Bedside Western Aphasia Battery Revised (Bedside WAB-R)
20	ax_screen__20	Frenchay Aphasia Screening Test (FAST)
21	ax_screen__21	Language Screening Test (LAST)
22	ax_screen__22	Sheffield Screening Test for Acquired Language Disorders (SST)
23	ax_screen__23	The Mississippi Aphasia Screening Test (MAST)
24	ax_screen__24	Informal / bespoke screening assessment
25	ax_screen__25	Other {ax_screen_oth}

49	[ax_screen_oth] Show the field ONLY if: [ax_screen(25)]=1'	If other, please specify	text																		
50	[ax_health_prof] Show the field ONLY if: [ax]=1'	Who completed the screener/assessment? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ax_health_prof__1</td><td>Speech Pathologist</td></tr> <tr><td>2</td><td>ax_health_prof__2</td><td>Nursing</td></tr> <tr><td>3</td><td>ax_health_prof__3</td><td>Medical</td></tr> <tr><td>4</td><td>ax_health_prof__4</td><td>Occupational Therapist</td></tr> <tr><td>5</td><td>ax_health_prof__5</td><td>Allied Health Assistant</td></tr> <tr><td>8</td><td>ax_health_prof__8</td><td>Other {ax_health_prof2}</td></tr> </table>	1	ax_health_prof__1	Speech Pathologist	2	ax_health_prof__2	Nursing	3	ax_health_prof__3	Medical	4	ax_health_prof__4	Occupational Therapist	5	ax_health_prof__5	Allied Health Assistant	8	ax_health_prof__8	Other {ax_health_prof2}
1	ax_health_prof__1	Speech Pathologist																			
2	ax_health_prof__2	Nursing																			
3	ax_health_prof__3	Medical																			
4	ax_health_prof__4	Occupational Therapist																			
5	ax_health_prof__5	Allied Health Assistant																			
8	ax_health_prof__8	Other {ax_health_prof2}																			
51	[ax_health_prof2] Show the field ONLY if: [ax_health_prof(8)]=1'	If other, please specify	text																		
52	[ax_nc] Show the field ONLY if: [ax]=2'	Reason not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ax_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ax_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ax_nc__3</td><td>Previously completed</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	ax_nc__1	Patient factors	2	ax_nc__2	Service factors	3	ax_nc__3	Previously completed									
1	ax_nc__1	Patient factors																			
2	ax_nc__2	Service factors																			
3	ax_nc__3	Previously completed																			
53	[ax_nc_ptfact] Show the field ONLY if: [ax_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ax_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ax_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ax_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ax_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ax_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> </table>	1	ax_nc_ptfact__1	Patient not alert	2	ax_nc_ptfact__2	Patient offered and declined	3	ax_nc_ptfact__3	Patient unavailable to participate	4	ax_nc_ptfact__4	Interpreter not available	5	ax_nc_ptfact__5	Not feasible due to aphasia severity			
1	ax_nc_ptfact__1	Patient not alert																			
2	ax_nc_ptfact__2	Patient offered and declined																			
3	ax_nc_ptfact__3	Patient unavailable to participate																			
4	ax_nc_ptfact__4	Interpreter not available																			
5	ax_nc_ptfact__5	Not feasible due to aphasia severity																			

				<table border="1"> <tr><td>6</td><td>ax_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>ax_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>ax_nc_ptfact__8</td><td>Other {ax_nc_ptfact2}</td></tr> </table>	6	ax_nc_ptfact__6	Patient discharged before administration	7	ax_nc_ptfact__7	Patient died	8	ax_nc_ptfact__8	Other {ax_nc_ptfact2}																																	
6	ax_nc_ptfact__6	Patient discharged before administration																																												
7	ax_nc_ptfact__7	Patient died																																												
8	ax_nc_ptfact__8	Other {ax_nc_ptfact2}																																												
	54	[ax_nc_ptfact2] Show the field ONLY if: [ax_nc_ptfact(8)]=1'	If other, please specify	text																																										
	55	[ax_nc_svfact] Show the field ONLY if: [ax_nc_svfact(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ax_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>ax_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>ax_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>ax_nc_svfact__8</td><td>Other {ax_nc_svfact2}</td></tr> </table>	1	ax_nc_svfact__1	Competing demands	2	ax_nc_svfact__2	Resource constraints	3	ax_nc_svfact__3	No available trained clinicians	8	ax_nc_svfact__8	Other {ax_nc_svfact2}																														
1	ax_nc_svfact__1	Competing demands																																												
2	ax_nc_svfact__2	Resource constraints																																												
3	ax_nc_svfact__3	No available trained clinicians																																												
8	ax_nc_svfact__8	Other {ax_nc_svfact2}																																												
	56	[ax_nc_svfact2] Show the field ONLY if: [ax_nc_svfact(8)]=1'	If other, please specify	text																																										
	57	[ax_aphasia_sev]	Quality Indicator 2: Was an assessment conducted to determine the severity of aphasia?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>99</td><td>Assessment offered and declined</td></tr> </table>	1	Yes	2	No	9	Unknown	99	Assessment offered and declined																																		
1	Yes																																													
2	No																																													
9	Unknown																																													
99	Assessment offered and declined																																													
	58	[ax_aphasia_sev_history]	Quality Indicator 2 completion status: Inpatient Acute: [inpatient_acute_arm_1][ax_aphasia_sev] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][ax_aphasia_sev]	descriptive																																										
	59	[ax_aphasia_sev_date]	Date completed DD-MM-YYYY Show the field ONLY if: [ax_aphasia_sev]=1'	text (date_dmy) Field Annotation: @HIDEBUTTON																																										
	60	[ax_aphasia_sev_sp]	Show the field ONLY if: [ax_aphasia_sev]=1'	Was the assessment completed by a speech pathologist? radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																																						
1	Yes																																													
2	No																																													
	61	[ax_aphasia_sev_tool]	What assessment was used? <i>Select all that apply</i> Show the field ONLY if: [ax_aphasia_sev]=1'	checkbox <table border="1"> <tr><td>1</td><td>ax_aphasia_sev_tool__1</td><td>The Western Aphasia Battery (WAB) / Western Aphasia Battery Revised (WAB-R)</td></tr> <tr><td>2</td><td>ax_aphasia_sev_tool__2</td><td>ALA Aphasia Language Assessment Test (ALA)</td></tr> <tr><td>3</td><td>ax_aphasia_sev_tool__3</td><td>Boston Diagnostic Aphasia Examination (BDAE)</td></tr> <tr><td>4</td><td>ax_aphasia_sev_tool__4</td><td>Brisbane Evidence Based Language Test (EBLT)</td></tr> <tr><td>5</td><td>ax_aphasia_sev_tool__5</td><td>Bilingual Aphasia Test (BAT)</td></tr> <tr><td>6</td><td>ax_aphasia_sev_tool__6</td><td>Communication Activities of Daily Living (CADL)</td></tr> <tr><td>7</td><td>ax_aphasia_sev_tool__7</td><td>Comprehensive Aphasia Test (CAT)</td></tr> <tr><td>8</td><td>ax_aphasia_sev_tool__8</td><td>Cognitive Linguistic Quick Test</td></tr> <tr><td>9</td><td>ax_aphasia_sev_tool__9</td><td>Inpatient Functional Communication interview (IFCI)</td></tr> <tr><td>10</td><td>ax_aphasia_sev_tool__10</td><td>Mount Wilga High Level Language Screening Test</td></tr> <tr><td>11</td><td>ax_aphasia_sev_tool__11</td><td>Mini-mental state examination (MMSE)</td></tr> <tr><td>12</td><td>ax_aphasia_sev_tool__12</td><td>Montreal Cognitive Assessment following Acquired Brain Injury (MoCA)</td></tr> <tr><td>13</td><td>ax_aphasia_sev_tool__13</td><td>Psycholinguistic assessments of language processing in aphasia (PALPA)</td></tr> <tr><td>14</td><td>ax_aphasia_sev_tool__14</td><td>Quick Aphasia Battery (QAB)</td></tr> </table>	1	ax_aphasia_sev_tool__1	The Western Aphasia Battery (WAB) / Western Aphasia Battery Revised (WAB-R)	2	ax_aphasia_sev_tool__2	ALA Aphasia Language Assessment Test (ALA)	3	ax_aphasia_sev_tool__3	Boston Diagnostic Aphasia Examination (BDAE)	4	ax_aphasia_sev_tool__4	Brisbane Evidence Based Language Test (EBLT)	5	ax_aphasia_sev_tool__5	Bilingual Aphasia Test (BAT)	6	ax_aphasia_sev_tool__6	Communication Activities of Daily Living (CADL)	7	ax_aphasia_sev_tool__7	Comprehensive Aphasia Test (CAT)	8	ax_aphasia_sev_tool__8	Cognitive Linguistic Quick Test	9	ax_aphasia_sev_tool__9	Inpatient Functional Communication interview (IFCI)	10	ax_aphasia_sev_tool__10	Mount Wilga High Level Language Screening Test	11	ax_aphasia_sev_tool__11	Mini-mental state examination (MMSE)	12	ax_aphasia_sev_tool__12	Montreal Cognitive Assessment following Acquired Brain Injury (MoCA)	13	ax_aphasia_sev_tool__13	Psycholinguistic assessments of language processing in aphasia (PALPA)	14	ax_aphasia_sev_tool__14	Quick Aphasia Battery (QAB)
1	ax_aphasia_sev_tool__1	The Western Aphasia Battery (WAB) / Western Aphasia Battery Revised (WAB-R)																																												
2	ax_aphasia_sev_tool__2	ALA Aphasia Language Assessment Test (ALA)																																												
3	ax_aphasia_sev_tool__3	Boston Diagnostic Aphasia Examination (BDAE)																																												
4	ax_aphasia_sev_tool__4	Brisbane Evidence Based Language Test (EBLT)																																												
5	ax_aphasia_sev_tool__5	Bilingual Aphasia Test (BAT)																																												
6	ax_aphasia_sev_tool__6	Communication Activities of Daily Living (CADL)																																												
7	ax_aphasia_sev_tool__7	Comprehensive Aphasia Test (CAT)																																												
8	ax_aphasia_sev_tool__8	Cognitive Linguistic Quick Test																																												
9	ax_aphasia_sev_tool__9	Inpatient Functional Communication interview (IFCI)																																												
10	ax_aphasia_sev_tool__10	Mount Wilga High Level Language Screening Test																																												
11	ax_aphasia_sev_tool__11	Mini-mental state examination (MMSE)																																												
12	ax_aphasia_sev_tool__12	Montreal Cognitive Assessment following Acquired Brain Injury (MoCA)																																												
13	ax_aphasia_sev_tool__13	Psycholinguistic assessments of language processing in aphasia (PALPA)																																												
14	ax_aphasia_sev_tool__14	Quick Aphasia Battery (QAB)																																												

2. TRAINING Patient Data - Measuring and Monitoring Aphasia Services | REDCap

			<table border="1"> <tr><td>15</td><td>ax_aphasia_sev_tool__15</td><td>Stroke Aphasic Depression Questionnaire (SADQ)</td></tr> <tr><td>16</td><td>ax_aphasia_sev_tool__16</td><td>Stroke and Aphasia Quality of Life Scale (SAQOL-39)</td></tr> <tr><td>17</td><td>ax_aphasia_sev_tool__17</td><td>The Boston Naming Test (BNT)</td></tr> <tr><td>18</td><td>ax_aphasia_sev_tool__18</td><td>Other {ax_aphasia_sev_tooloth}</td></tr> </table>	15	ax_aphasia_sev_tool__15	Stroke Aphasic Depression Questionnaire (SADQ)	16	ax_aphasia_sev_tool__16	Stroke and Aphasia Quality of Life Scale (SAQOL-39)	17	ax_aphasia_sev_tool__17	The Boston Naming Test (BNT)	18	ax_aphasia_sev_tool__18	Other {ax_aphasia_sev_tooloth}												
15	ax_aphasia_sev_tool__15	Stroke Aphasic Depression Questionnaire (SADQ)																									
16	ax_aphasia_sev_tool__16	Stroke and Aphasia Quality of Life Scale (SAQOL-39)																									
17	ax_aphasia_sev_tool__17	The Boston Naming Test (BNT)																									
18	ax_aphasia_sev_tool__18	Other {ax_aphasia_sev_tooloth}																									
62	[ax_aphasia_sev_tooloth]	If other, please specify	text																								
	Show the field ONLY if: [ax_aphasia_sev_tool(18)]=1'																										
63	[ax_aphasia_sev_score]	What was the severity of aphasia?	<p>dropdown</p> <table border="1"> <tr><td>Mild</td><td>Mild</td></tr> <tr><td>Mild-moderate</td><td>Mild-moderate</td></tr> <tr><td>Moderate</td><td>Moderate</td></tr> <tr><td>Moderate-severe</td><td>Moderate-severe</td></tr> <tr><td>Severe</td><td>Severe</td></tr> </table>	Mild	Mild	Mild-moderate	Mild-moderate	Moderate	Moderate	Moderate-severe	Moderate-severe	Severe	Severe														
Mild	Mild																										
Mild-moderate	Mild-moderate																										
Moderate	Moderate																										
Moderate-severe	Moderate-severe																										
Severe	Severe																										
	Show the field ONLY if: [ax_aphasia_sev]=1'																										
64	[ax_aphasia_sev_nc]	Reason not completed? <i>Select all that apply</i>	<p>checkbox</p> <table border="1"> <tr><td>1</td><td>ax_aphasia_sev_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ax_aphasia_sev_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ax_aphasia_sev_nc__3</td><td>Previously completed</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE=4'</p>	1	ax_aphasia_sev_nc__1	Patient factors	2	ax_aphasia_sev_nc__2	Service factors	3	ax_aphasia_sev_nc__3	Previously completed															
1	ax_aphasia_sev_nc__1	Patient factors																									
2	ax_aphasia_sev_nc__2	Service factors																									
3	ax_aphasia_sev_nc__3	Previously completed																									
	Show the field ONLY if: [ax_aphasia_sev_nc(1)]=1'																										
65	[ax_aphasia_sev_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i>	<p>checkbox</p> <table border="1"> <tr><td>1</td><td>ax_aphasia_sev_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ax_aphasia_sev_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ax_aphasia_sev_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ax_aphasia_sev_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ax_aphasia_sev_nc_ptfact__5</td><td>Not feasible due to aphasi severity</td></tr> <tr><td>6</td><td>ax_aphasia_sev_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>ax_aphasia_sev_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>ax_aphasia_sev_nc_ptfact__8</td><td>Other {ax_aphasia_sev_nc_ptfact}</td></tr> </table>	1	ax_aphasia_sev_nc_ptfact__1	Patient not alert	2	ax_aphasia_sev_nc_ptfact__2	Patient offered and declined	3	ax_aphasia_sev_nc_ptfact__3	Patient unavailable to participate	4	ax_aphasia_sev_nc_ptfact__4	Interpreter not available	5	ax_aphasia_sev_nc_ptfact__5	Not feasible due to aphasi severity	6	ax_aphasia_sev_nc_ptfact__6	Patient discharged before administration	7	ax_aphasia_sev_nc_ptfact__7	Patient died	8	ax_aphasia_sev_nc_ptfact__8	Other {ax_aphasia_sev_nc_ptfact}
1	ax_aphasia_sev_nc_ptfact__1	Patient not alert																									
2	ax_aphasia_sev_nc_ptfact__2	Patient offered and declined																									
3	ax_aphasia_sev_nc_ptfact__3	Patient unavailable to participate																									
4	ax_aphasia_sev_nc_ptfact__4	Interpreter not available																									
5	ax_aphasia_sev_nc_ptfact__5	Not feasible due to aphasi severity																									
6	ax_aphasia_sev_nc_ptfact__6	Patient discharged before administration																									
7	ax_aphasia_sev_nc_ptfact__7	Patient died																									
8	ax_aphasia_sev_nc_ptfact__8	Other {ax_aphasia_sev_nc_ptfact}																									
	Show the field ONLY if: [ax_aphasia_sev_nc_ptfact(8)]=1'																										
66	[ax_aphasia_sev_nc_ptfact2]	If other, please specify	text																								
	Show the field ONLY if: [ax_aphasia_sev_nc_ptfact(8)]=1'																										
67	[ax_aphasia_sev_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i>	<p>checkbox</p> <table border="1"> <tr><td>1</td><td>ax_aphasia_sev_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>ax_aphasia_sev_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>ax_aphasia_sev_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>ax_aphasia_sev_nc_svfact__8</td><td>Other {ax_aphasia_sev_nc_svfact}</td></tr> </table>	1	ax_aphasia_sev_nc_svfact__1	Competing demands	2	ax_aphasia_sev_nc_svfact__2	Resource constraints	3	ax_aphasia_sev_nc_svfact__3	No available trained clinicians	8	ax_aphasia_sev_nc_svfact__8	Other {ax_aphasia_sev_nc_svfact}												
1	ax_aphasia_sev_nc_svfact__1	Competing demands																									
2	ax_aphasia_sev_nc_svfact__2	Resource constraints																									
3	ax_aphasia_sev_nc_svfact__3	No available trained clinicians																									
8	ax_aphasia_sev_nc_svfact__8	Other {ax_aphasia_sev_nc_svfact}																									
	Show the field ONLY if: [ax_aphasia_sev_nc_svfact(8)]=1'																										
68	[ax_aphasia_sev_nc_svfact2]	If other, please specify	text																								
	Show the field ONLY if: [ax_aphasia_sev_nc_svfact(8)]=1'																										
69	[info_prov]	Section Header: <i>Information and Education</i> Quality Indicator 3: Was information about aphasia provided to the patient?	<p>radio</p> <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>99</td><td>Information offered and declined</td></tr> </table>	1	Yes	2	No	9	Unknown	99	Information offered and declined																
1	Yes																										
2	No																										
9	Unknown																										
99	Information offered and declined																										
70	[info_prov_history]	Quality Indicator 3 completion status: Inpatient Acute: [inpatient_acute_arm_1][info_prov] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][info_prov]	descriptive																								
71	[info_prov_date]	Date completed DD-MM-YYYY	<p>text (date_dmy)</p> <p>Field Annotation: @HIDEBUTTON</p>																								
	Show the field ONLY if: [info_prov]=1'																										
72	[info_prov_format]	Was the information in an "aphasia friendly" format?	radio																								

	Show the field ONLY if: [info_prov]='1'		<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> </table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
73	[info_prov_written] Show the field ONLY if: [info_prov]='1'	Was written information provided?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> </table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
74	[info_prov_audio] Show the field ONLY if: [info_prov]='1'	Was information provided in an audio or spoken format?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> </table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
75	[info_prov_impact] Show the field ONLY if: [info_prov]='1'	Was information provided about the impact of aphasia?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> </table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
76	[info_prov_treat] Show the field ONLY if: [info_prov]='1'	Was information provided about treatment options?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> </table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
77	[info_prov_nc] Show the field ONLY if: [info_prov]='2'	Reason not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>info_prov_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>info_prov_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>info_prov_nc__3</td><td>Previously completed</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	info_prov_nc__1	Patient factors	2	info_prov_nc__2	Service factors	3	info_prov_nc__3	Previously completed															
1	info_prov_nc__1	Patient factors																									
2	info_prov_nc__2	Service factors																									
3	info_prov_nc__3	Previously completed																									
78	[info_prov_nc_ptfact] Show the field ONLY if: [info_prov_nc(1)]='1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>info_prov_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>info_prov_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>info_prov_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>info_prov_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>info_prov_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>info_prov_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>info_prov_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>info_prov_nc_ptfact__8</td><td>Other {info_prov_nc_ptfact2}</td></tr> </table>	1	info_prov_nc_ptfact__1	Patient not alert	2	info_prov_nc_ptfact__2	Patient offered and declined	3	info_prov_nc_ptfact__3	Patient unavailable to participate	4	info_prov_nc_ptfact__4	Interpreter not available	5	info_prov_nc_ptfact__5	Not feasible due to aphasia severity	6	info_prov_nc_ptfact__6	Patient discharged before administration	7	info_prov_nc_ptfact__7	Patient died	8	info_prov_nc_ptfact__8	Other {info_prov_nc_ptfact2}
1	info_prov_nc_ptfact__1	Patient not alert																									
2	info_prov_nc_ptfact__2	Patient offered and declined																									
3	info_prov_nc_ptfact__3	Patient unavailable to participate																									
4	info_prov_nc_ptfact__4	Interpreter not available																									
5	info_prov_nc_ptfact__5	Not feasible due to aphasia severity																									
6	info_prov_nc_ptfact__6	Patient discharged before administration																									
7	info_prov_nc_ptfact__7	Patient died																									
8	info_prov_nc_ptfact__8	Other {info_prov_nc_ptfact2}																									
79	[info_prov_nc_ptfact2]	If other, please specify	text																								
80	[info_prov_nc_svfact] Show the field ONLY if: [info_prov_nc(2)]='1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>info_prov_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>info_prov_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>info_prov_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>info_prov_nc_svfact__8</td><td>Other {info_prov_nc_svfact2}</td></tr> </table>	1	info_prov_nc_svfact__1	Competing demands	2	info_prov_nc_svfact__2	Resource constraints	3	info_prov_nc_svfact__3	No available trained clinicians	8	info_prov_nc_svfact__8	Other {info_prov_nc_svfact2}												
1	info_prov_nc_svfact__1	Competing demands																									
2	info_prov_nc_svfact__2	Resource constraints																									
3	info_prov_nc_svfact__3	No available trained clinicians																									
8	info_prov_nc_svfact__8	Other {info_prov_nc_svfact2}																									
81	[info_prov_nc_svfact2]	If other, please specify	text																								
82	[info_sigoth]	Section Header: <i>Carer Education and Support</i> Quality Indicator 4: Was information about aphasia provided to the significant others of the patient?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>98</td><td>Information offered and declined</td></tr> <tr><td>99</td><td>Not applicable - no significant other</td></tr> </table>	1	Yes	2	No	9	Unknown	98	Information offered and declined	99	Not applicable - no significant other														
1	Yes																										
2	No																										
9	Unknown																										
98	Information offered and declined																										
99	Not applicable - no significant other																										
83	[info_sigoth_history]	Quality Indicator 4 completion status: Inpatient Acute: [inpatient_acute_arm_1][info_sigoth] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][info_sigoth]	descriptive																								

84	<code>[info_sigoth_date]</code> Show the field ONLY if: <code>[info_sigoth]='1'</code>	Date completed <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																								
85	<code>[info_sigoth_written]</code> Show the field ONLY if: <code>[info_sigoth]='1'</code>	Was written information provided?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> </table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
86	<code>[info_sigoth_written2]</code> Show the field ONLY if: <code>[info_sigoth_written]='1'</code>	What information was provided?	text																								
87	<code>[info_sigoth_nc]</code> Show the field ONLY if: <code>[info_sigoth]='2'</code>	Reason not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td><code>info_sigoth_nc__1</code></td><td>Patient factors</td></tr> <tr><td>2</td><td><code>info_sigoth_nc__2</code></td><td>Service factors</td></tr> <tr><td>3</td><td><code>info_sigoth_nc__3</code></td><td>Previously completed</td></tr> </table> Field Annotation: @NONEOFTHEABOVE='3'	1	<code>info_sigoth_nc__1</code>	Patient factors	2	<code>info_sigoth_nc__2</code>	Service factors	3	<code>info_sigoth_nc__3</code>	Previously completed															
1	<code>info_sigoth_nc__1</code>	Patient factors																									
2	<code>info_sigoth_nc__2</code>	Service factors																									
3	<code>info_sigoth_nc__3</code>	Previously completed																									
88	<code>[info_sigoth_nc_ptfact]</code> Show the field ONLY if: <code>[info_sigoth_nc(1)]='1'</code>	Which patient/significant other factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td><code>info_sigoth_nc_ptfact__1</code></td><td>Significant other not alert</td></tr> <tr><td>2</td><td><code>info_sigoth_nc_ptfact__2</code></td><td>Significant other offered and declined</td></tr> <tr><td>3</td><td><code>info_sigoth_nc_ptfact__3</code></td><td>Significant other unavailable to participate</td></tr> <tr><td>4</td><td><code>info_sigoth_nc_ptfact__4</code></td><td>Interpreter not available</td></tr> <tr><td>5</td><td><code>info_sigoth_nc_ptfact__5</code></td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td><code>info_sigoth_nc_ptfact__6</code></td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td><code>info_sigoth_nc_ptfact__7</code></td><td>Patient died</td></tr> <tr><td>8</td><td><code>info_sigoth_nc_ptfact__8</code></td><td>Other {<code>info_sigoth_nc_ptfact2</code>}</td></tr> </table>	1	<code>info_sigoth_nc_ptfact__1</code>	Significant other not alert	2	<code>info_sigoth_nc_ptfact__2</code>	Significant other offered and declined	3	<code>info_sigoth_nc_ptfact__3</code>	Significant other unavailable to participate	4	<code>info_sigoth_nc_ptfact__4</code>	Interpreter not available	5	<code>info_sigoth_nc_ptfact__5</code>	Not feasible due to aphasia severity	6	<code>info_sigoth_nc_ptfact__6</code>	Patient discharged before administration	7	<code>info_sigoth_nc_ptfact__7</code>	Patient died	8	<code>info_sigoth_nc_ptfact__8</code>	Other { <code>info_sigoth_nc_ptfact2</code> }
1	<code>info_sigoth_nc_ptfact__1</code>	Significant other not alert																									
2	<code>info_sigoth_nc_ptfact__2</code>	Significant other offered and declined																									
3	<code>info_sigoth_nc_ptfact__3</code>	Significant other unavailable to participate																									
4	<code>info_sigoth_nc_ptfact__4</code>	Interpreter not available																									
5	<code>info_sigoth_nc_ptfact__5</code>	Not feasible due to aphasia severity																									
6	<code>info_sigoth_nc_ptfact__6</code>	Patient discharged before administration																									
7	<code>info_sigoth_nc_ptfact__7</code>	Patient died																									
8	<code>info_sigoth_nc_ptfact__8</code>	Other { <code>info_sigoth_nc_ptfact2</code> }																									
89	<code>[info_sigoth_nc_ptfact2]</code> Show the field ONLY if: <code>[info_sigoth_nc_ptfact(8)]='1'</code>	If other, please specify	text																								
90	<code>[info_sigoth_nc_svfact]</code> Show the field ONLY if: <code>[info_sigoth_nc(2)]='1'</code>	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td><code>info_sigoth_nc_svfact__1</code></td><td>Competing demands</td></tr> <tr><td>2</td><td><code>info_sigoth_nc_svfact__2</code></td><td>Resource constraints</td></tr> <tr><td>3</td><td><code>info_sigoth_nc_svfact__3</code></td><td>No available trained clinicians</td></tr> <tr><td>8</td><td><code>info_sigoth_nc_svfact__8</code></td><td>Other {<code>info_sigoth_nc_svfact2</code>}</td></tr> </table>	1	<code>info_sigoth_nc_svfact__1</code>	Competing demands	2	<code>info_sigoth_nc_svfact__2</code>	Resource constraints	3	<code>info_sigoth_nc_svfact__3</code>	No available trained clinicians	8	<code>info_sigoth_nc_svfact__8</code>	Other { <code>info_sigoth_nc_svfact2</code> }												
1	<code>info_sigoth_nc_svfact__1</code>	Competing demands																									
2	<code>info_sigoth_nc_svfact__2</code>	Resource constraints																									
3	<code>info_sigoth_nc_svfact__3</code>	No available trained clinicians																									
8	<code>info_sigoth_nc_svfact__8</code>	Other { <code>info_sigoth_nc_svfact2</code> }																									
91	<code>[info_sigoth_nc_svfact2]</code> Show the field ONLY if: <code>[info_sigoth_nc_svfact(8)]='1'</code>	If other, please specify	text																								
92	<code>[supp_sigoth]</code>	Quality Indicator 5: Was information about accessing support provided to the significant others of the patient?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>98</td><td>Information offered and declined</td></tr> <tr><td>99</td><td>Not applicable - no significant other</td></tr> </table>	1	Yes	2	No	9	Unknown	98	Information offered and declined	99	Not applicable - no significant other														
1	Yes																										
2	No																										
9	Unknown																										
98	Information offered and declined																										
99	Not applicable - no significant other																										
93	<code>[supp_sigoth_history]</code>	Quality Indicator 5 completion status: Inpatient Acute: <code>[inpatient_acute_arm_1][supp_sigoth]</code> Inpatient Rehab/Subacute: <code>[inpatient_rehabsub_arm_1][supp_sigoth]</code>	descriptive																								
94	<code>[supp_sigoth_date]</code> Show the field ONLY if: <code>[supp_sigoth]='1'</code>	Date completed <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																								
95	<code>[supp_sigoth_nc]</code> Show the field ONLY if: <code>[supp_sigoth]='2'</code>	Reason not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td><code>supp_sigoth_nc__1</code></td><td>Patient factors</td></tr> <tr><td>2</td><td><code>supp_sigoth_nc__2</code></td><td>Service factors</td></tr> <tr><td>3</td><td><code>supp_sigoth_nc__3</code></td><td>Previously completed</td></tr> </table> Field Annotation: @NONEOFTHEABOVE='3'	1	<code>supp_sigoth_nc__1</code>	Patient factors	2	<code>supp_sigoth_nc__2</code>	Service factors	3	<code>supp_sigoth_nc__3</code>	Previously completed															
1	<code>supp_sigoth_nc__1</code>	Patient factors																									
2	<code>supp_sigoth_nc__2</code>	Service factors																									
3	<code>supp_sigoth_nc__3</code>	Previously completed																									
96	<code>[supp_sigoth_nc_ptfact]</code> Show the field ONLY if: <code>[supp_sigoth_nc(1)]='1'</code>	Which patient/significant other factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td><code>supp_sigoth_nc_ptfact__1</code></td><td>Significant other not alert</td></tr> </table>	1	<code>supp_sigoth_nc_ptfact__1</code>	Significant other not alert																					
1	<code>supp_sigoth_nc_ptfact__1</code>	Significant other not alert																									

2	supp_sigoth_nc_ptfact__2	Significant other offered and declined
3	supp_sigoth_nc_ptfact__3	Significant other unavailable to participate
4	supp_sigoth_nc_ptfact__4	Interpreter not available
5	supp_sigoth_nc_ptfact__5	Not feasible due to aphasia severity
6	supp_sigoth_nc_ptfact__6	Patient discharged before administration
7	supp_sigoth_nc_ptfact__7	Patient died
8	supp_sigoth_nc_ptfact__8	Other {supp_sigoth_nc_ptfact2}

97	[supp_sigoth_nc_ptfact2] Show the field ONLY if: [supp_sigoth_nc_ptfact(8)]=1'	If other, please specify	text																								
98	[supp_sigoth_nc_svfact] Show the field ONLY if: [supp_sigoth_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <div style="display: flex; justify-content: space-between;"> <table border="1"> <tr><td>1</td><td>supp_sigoth_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>supp_sigoth_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>supp_sigoth_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>supp_sigoth_nc_svfact__8</td><td>Other {supp_sigoth_nc_svfact2}</td></tr> </table> </div>	1	supp_sigoth_nc_svfact__1	Competing demands	2	supp_sigoth_nc_svfact__2	Resource constraints	3	supp_sigoth_nc_svfact__3	No available trained clinicians	8	supp_sigoth_nc_svfact__8	Other {supp_sigoth_nc_svfact2}												
1	supp_sigoth_nc_svfact__1	Competing demands																									
2	supp_sigoth_nc_svfact__2	Resource constraints																									
3	supp_sigoth_nc_svfact__3	No available trained clinicians																									
8	supp_sigoth_nc_svfact__8	Other {supp_sigoth_nc_svfact2}																									
99	[supp_sigoth_nc_svfact2] Show the field ONLY if: [supp_sigoth_nc_svfact(8)]=1'	If other, please specify	text																								
100	[train_commpart]	Section Header: <i>Carer Training</i> Quality Indicator 6: Was communication partner training provided to the primary communication partner of the patient?	radio <div style="display: flex; justify-content: space-between;"> <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>98</td><td>Communication partner training offered and declined</td></tr> <tr><td>99</td><td>Not applicable - no primary communication partner</td></tr> </table> </div>	1	Yes	2	No	9	Unknown	98	Communication partner training offered and declined	99	Not applicable - no primary communication partner														
1	Yes																										
2	No																										
9	Unknown																										
98	Communication partner training offered and declined																										
99	Not applicable - no primary communication partner																										
101	[train_commpart_history]	Quality Indicator 6 completion status: Inpatient Acute: [inpatient_acute_arm_1][train_commpart] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][train_commpart]	descriptive																								
102	[train_commpart_date]	Date completed DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON																								
103	[train_commpart_nc] Show the field ONLY if: [train_commpart]=2'	Reason not completed? <i>Select all that apply</i>	checkbox <div style="display: flex; justify-content: space-between;"> <table border="1"> <tr><td>1</td><td>train_commpart_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>train_commpart_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>train_commpart_nc__3</td><td>Previously completed</td></tr> </table> </div> <p>Field Annotation: @NONEOTHEABOVE=3'</p>	1	train_commpart_nc__1	Patient factors	2	train_commpart_nc__2	Service factors	3	train_commpart_nc__3	Previously completed															
1	train_commpart_nc__1	Patient factors																									
2	train_commpart_nc__2	Service factors																									
3	train_commpart_nc__3	Previously completed																									
104	[train_commpart_nc_ptfact] Show the field ONLY if: [train_commpart_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <div style="display: flex; justify-content: space-between;"> <table border="1"> <tr><td>1</td><td>train_commpart_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>train_commpart_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>train_commpart_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>train_commpart_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>train_commpart_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>train_commpart_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>train_commpart_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>train_commpart_nc_ptfact__8</td><td>Other {train_commpart_nc_ptfact2}</td></tr> </table> </div>	1	train_commpart_nc_ptfact__1	Patient not alert	2	train_commpart_nc_ptfact__2	Patient offered and declined	3	train_commpart_nc_ptfact__3	Patient unavailable to participate	4	train_commpart_nc_ptfact__4	Interpreter not available	5	train_commpart_nc_ptfact__5	Not feasible due to aphasia severity	6	train_commpart_nc_ptfact__6	Patient discharged before administration	7	train_commpart_nc_ptfact__7	Patient died	8	train_commpart_nc_ptfact__8	Other {train_commpart_nc_ptfact2}
1	train_commpart_nc_ptfact__1	Patient not alert																									
2	train_commpart_nc_ptfact__2	Patient offered and declined																									
3	train_commpart_nc_ptfact__3	Patient unavailable to participate																									
4	train_commpart_nc_ptfact__4	Interpreter not available																									
5	train_commpart_nc_ptfact__5	Not feasible due to aphasia severity																									
6	train_commpart_nc_ptfact__6	Patient discharged before administration																									
7	train_commpart_nc_ptfact__7	Patient died																									
8	train_commpart_nc_ptfact__8	Other {train_commpart_nc_ptfact2}																									
105	[train_commpart_nc_ptfact2] Show the field ONLY if: [train_commpart_nc_ptfact(8)]=1'	If other, please specify	text																								
106	[train_commpart_nc_svfact] Show the field ONLY if: [train_commpart_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <div style="display: flex; justify-content: space-between;"> <table border="1"> <tr><td>1</td><td>train_commpart_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>train_commpart_nc_svfact__2</td><td>Resource constraints</td></tr> </table> </div>	1	train_commpart_nc_svfact__1	Competing demands	2	train_commpart_nc_svfact__2	Resource constraints																		
1	train_commpart_nc_svfact__1	Competing demands																									
2	train_commpart_nc_svfact__2	Resource constraints																									

				<table border="1"> <tr><td>3</td><td>train_commpart_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>train_commpart_nc_svfact__8</td><td>Other {train_commpart_nc_svfa}</td></tr> </table>	3	train_commpart_nc_svfact__3	No available trained clinicians	8	train_commpart_nc_svfact__8	Other {train_commpart_nc_svfa}																		
3	train_commpart_nc_svfact__3	No available trained clinicians																										
8	train_commpart_nc_svfact__8	Other {train_commpart_nc_svfa}																										
107	[train_commpart_nc_svfact2] Show the field ONLY if: [train_commpart_nc_svfact(8)]='1'	If other, please specify		text																								
108	[staff_train]	<p>Section Header: <i>Staff Training</i></p> <p>Quality Indicator 7: Were individualised recommendations for communicating with the patient provided to the treating team? <i>Treating team includes nursing, medical and allied health staff involved in care and treatment of the patient</i></p>	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>98</td><td>Communication recommendations offered and declined</td></tr> <tr><td>99</td><td>Not applicable - communication recommendations not required</td></tr> </table>	1	Yes	2	No	9	Unknown	98	Communication recommendations offered and declined	99	Not applicable - communication recommendations not required	Field Annotation: @NONEOFTHEABOVE='99'														
1	Yes																											
2	No																											
9	Unknown																											
98	Communication recommendations offered and declined																											
99	Not applicable - communication recommendations not required																											
109	[staff_train_history]	Quality Indicator 7 completion status: Inpatient Acute: [inpatient_acute_arm_1][staff_train] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][staff_train]		descriptive																								
110	[staff_train_date] Show the field ONLY if: [staff_train]=1'	Date completed DD-MM-YYYY		text (date_dmy) Field Annotation: @HIDEBUTTON																								
111	[staff_train_nc] Show the field ONLY if: [staff_train]=2'	Reason not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>staff_train_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>staff_train_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>staff_train_nc__3</td><td>Previously completed</td></tr> </table>	1	staff_train_nc__1	Patient factors	2	staff_train_nc__2	Service factors	3	staff_train_nc__3	Previously completed	Field Annotation: @NONEOFTHEABOVE='3'															
1	staff_train_nc__1	Patient factors																										
2	staff_train_nc__2	Service factors																										
3	staff_train_nc__3	Previously completed																										
112	[staff_train_nc_ptfact] Show the field ONLY if: [staff_train_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>staff_train_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>staff_train_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>staff_train_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>staff_train_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>staff_train_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>staff_train_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>staff_train_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>staff_train_nc_ptfact__8</td><td>Other {staff_train_nc_ptfact2}</td></tr> </table>	1	staff_train_nc_ptfact__1	Patient not alert	2	staff_train_nc_ptfact__2	Patient offered and declined	3	staff_train_nc_ptfact__3	Patient unavailable to participate	4	staff_train_nc_ptfact__4	Interpreter not available	5	staff_train_nc_ptfact__5	Not feasible due to aphasia severity	6	staff_train_nc_ptfact__6	Patient discharged before administration	7	staff_train_nc_ptfact__7	Patient died	8	staff_train_nc_ptfact__8	Other {staff_train_nc_ptfact2}	
1	staff_train_nc_ptfact__1	Patient not alert																										
2	staff_train_nc_ptfact__2	Patient offered and declined																										
3	staff_train_nc_ptfact__3	Patient unavailable to participate																										
4	staff_train_nc_ptfact__4	Interpreter not available																										
5	staff_train_nc_ptfact__5	Not feasible due to aphasia severity																										
6	staff_train_nc_ptfact__6	Patient discharged before administration																										
7	staff_train_nc_ptfact__7	Patient died																										
8	staff_train_nc_ptfact__8	Other {staff_train_nc_ptfact2}																										
113	[staff_train_nc_ptfact2] Show the field ONLY if: [staff_train_nc_ptfact(8)]=1'	If other, please specify		text																								
114	[staff_train_nc_svfact] Show the field ONLY if: [staff_train_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>staff_train_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>staff_train_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>staff_train_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>staff_train_nc_svfact__8</td><td>Other {staff_train_nc_svfact2}</td></tr> </table>	1	staff_train_nc_svfact__1	Competing demands	2	staff_train_nc_svfact__2	Resource constraints	3	staff_train_nc_svfact__3	No available trained clinicians	8	staff_train_nc_svfact__8	Other {staff_train_nc_svfact2}													
1	staff_train_nc_svfact__1	Competing demands																										
2	staff_train_nc_svfact__2	Resource constraints																										
3	staff_train_nc_svfact__3	No available trained clinicians																										
8	staff_train_nc_svfact__8	Other {staff_train_nc_svfact2}																										
115	[staff_train_nc_svfact2] Show the field ONLY if: [staff_train_nc_svfact(8)]=1'	If other, please specify		text																								
116	[goal_set]	<p>Section Header: <i>Goal Setting</i></p> <p>Quality Indicator 8: Was goal setting undertaken?</p>	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>9</td><td>Unknown</td></tr> <tr><td>99</td><td>Goal setting offered and declined</td></tr> </table>	1	Yes	2	No	9	Unknown	99	Goal setting offered and declined																	
1	Yes																											
2	No																											
9	Unknown																											
99	Goal setting offered and declined																											
117	[goal_set_history]	Quality Indicator 8 completion status: Inpatient Acute: [inpatient_acute_arm_1][goal_set] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][goal_set]		descriptive																								

	118 [goal_set_date] Show the field ONLY if: [goal_set]=1'	Date completed DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON																								
	119 [goal_set_pt] Show the field ONLY if: [goal_set]=1'	Was the patient involved in goal setting?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
	120 [goal_set_pt_ex] Show the field ONLY if: [goal_set_pt]=2'	Why was the patient not involved? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>goal_set_pt_ex__1</td><td>Patient is offered and declines goal setting</td></tr><tr><td>8</td><td>goal_set_pt_ex__8</td><td>Other {goal_set_pt_ex2}</td></tr></table>	1	goal_set_pt_ex__1	Patient is offered and declines goal setting	8	goal_set_pt_ex__8	Other {goal_set_pt_ex2}																		
1	goal_set_pt_ex__1	Patient is offered and declines goal setting																									
8	goal_set_pt_ex__8	Other {goal_set_pt_ex2}																									
	121 [goal_set_pt_ex2] Show the field ONLY if: [goal_set_pt_ex(8)]=1'	If other, please specify	text																								
	122 [goal_set_sigoth] Show the field ONLY if: [goal_set]=1'	Were significant others involved in goal setting?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
	123 [goal_set_so_ex] Show the field ONLY if: [goal_set_sigoth]=2'	Why was the significant other not involved? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>goal_set_so_ex__1</td><td>Patient is offered and declines goal setting</td></tr><tr><td>2</td><td>goal_set_so_ex__2</td><td>No significant other</td></tr><tr><td>3</td><td>goal_set_so_ex__3</td><td>Significant other is offered and declines goal setting</td></tr><tr><td>4</td><td>goal_set_so_ex__4</td><td>Patient does not want significant other involved in goal setting</td></tr><tr><td>8</td><td>goal_set_so_ex__8</td><td>Other {goal_set_so_ex2}</td></tr></table>	1	goal_set_so_ex__1	Patient is offered and declines goal setting	2	goal_set_so_ex__2	No significant other	3	goal_set_so_ex__3	Significant other is offered and declines goal setting	4	goal_set_so_ex__4	Patient does not want significant other involved in goal setting	8	goal_set_so_ex__8	Other {goal_set_so_ex2}									
1	goal_set_so_ex__1	Patient is offered and declines goal setting																									
2	goal_set_so_ex__2	No significant other																									
3	goal_set_so_ex__3	Significant other is offered and declines goal setting																									
4	goal_set_so_ex__4	Patient does not want significant other involved in goal setting																									
8	goal_set_so_ex__8	Other {goal_set_so_ex2}																									
	124 [goal_set_so_ex2] Show the field ONLY if: [goal_set_so_ex(8)]=1'	If other, please specify	text																								
	125 [goal_set_comp] Show the field ONLY if: [goal_set]=1'	Were goals set?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr></table>	1	Yes	2	No	9	Unknown																		
1	Yes																										
2	No																										
9	Unknown																										
	126 [goal_set_nc] Show the field ONLY if: [goal_set]=2'	Reason not completed? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>goal_set_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>goal_set_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>goal_set_nc__3</td><td>Previously completed</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3'	1	goal_set_nc__1	Patient factors	2	goal_set_nc__2	Service factors	3	goal_set_nc__3	Previously completed															
1	goal_set_nc__1	Patient factors																									
2	goal_set_nc__2	Service factors																									
3	goal_set_nc__3	Previously completed																									
	127 [goal_set_nc_ptfact] Show the field ONLY if: [goal_set_nc(1)]=1'	Which patient factors influenced non-completion? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>goal_set_nc_ptfact__1</td><td>Patient not alert</td></tr><tr><td>2</td><td>goal_set_nc_ptfact__2</td><td>Patient offered and declined</td></tr><tr><td>3</td><td>goal_set_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr><tr><td>4</td><td>goal_set_nc_ptfact__4</td><td>Interpreter not available</td></tr><tr><td>5</td><td>goal_set_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr><tr><td>6</td><td>goal_set_nc_ptfact__6</td><td>Patient discharged before administration</td></tr><tr><td>7</td><td>goal_set_nc_ptfact__7</td><td>Patient died</td></tr><tr><td>8</td><td>goal_set_nc_ptfact__8</td><td>Other {goal_set_nc_ptfact2}</td></tr></table>	1	goal_set_nc_ptfact__1	Patient not alert	2	goal_set_nc_ptfact__2	Patient offered and declined	3	goal_set_nc_ptfact__3	Patient unavailable to participate	4	goal_set_nc_ptfact__4	Interpreter not available	5	goal_set_nc_ptfact__5	Not feasible due to aphasia severity	6	goal_set_nc_ptfact__6	Patient discharged before administration	7	goal_set_nc_ptfact__7	Patient died	8	goal_set_nc_ptfact__8	Other {goal_set_nc_ptfact2}
1	goal_set_nc_ptfact__1	Patient not alert																									
2	goal_set_nc_ptfact__2	Patient offered and declined																									
3	goal_set_nc_ptfact__3	Patient unavailable to participate																									
4	goal_set_nc_ptfact__4	Interpreter not available																									
5	goal_set_nc_ptfact__5	Not feasible due to aphasia severity																									
6	goal_set_nc_ptfact__6	Patient discharged before administration																									
7	goal_set_nc_ptfact__7	Patient died																									
8	goal_set_nc_ptfact__8	Other {goal_set_nc_ptfact2}																									
	128 [goal_set_nc_ptfact2] Show the field ONLY if: [goal_set_nc_ptfact(8)]=1'	If other, please specify	text																								
	129 [goal_set_nc_svfact] Show the field ONLY if: [goal_set_nc(2)]=1'	Which service factors influenced non-completion? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>goal_set_nc_svfact__1</td><td>Competing demands</td></tr><tr><td>2</td><td>goal_set_nc_svfact__2</td><td>Resource constraints</td></tr><tr><td>3</td><td>goal_set_nc_svfact__3</td><td>No available trained clinicians</td></tr><tr><td>8</td><td>goal_set_nc_svfact__8</td><td>Other {goal_set_nc_svfact2}</td></tr></table>	1	goal_set_nc_svfact__1	Competing demands	2	goal_set_nc_svfact__2	Resource constraints	3	goal_set_nc_svfact__3	No available trained clinicians	8	goal_set_nc_svfact__8	Other {goal_set_nc_svfact2}												
1	goal_set_nc_svfact__1	Competing demands																									
2	goal_set_nc_svfact__2	Resource constraints																									
3	goal_set_nc_svfact__3	No available trained clinicians																									
8	goal_set_nc_svfact__8	Other {goal_set_nc_svfact2}																									
	130 [goal_set_nc_svfact2]	If other, please specify	text																								

	Show the field ONLY if: [goal_set_nc_svfact(8)]=1'																										
131	[access_therapy]	Section Header: Access to Aphasia Therapy Quality Indicator 9: Did the patient receive aphasia therapy?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr><tr><td>9</td><td>Unknown</td></tr><tr><td>98</td><td>Therapy offered and declined</td></tr><tr><td>99</td><td>Not applicable - no goals relating to aphasia</td></tr></table>	1	Yes	2	No	9	Unknown	98	Therapy offered and declined	99	Not applicable - no goals relating to aphasia														
1	Yes																										
2	No																										
9	Unknown																										
98	Therapy offered and declined																										
99	Not applicable - no goals relating to aphasia																										
132	[access_therapy_history]	Quality Indicator 9 completion status: Inpatient Acute: [inpatient_acute_arm_1][access_therapy] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][access_therapy]	descriptive																								
133	[access_therapy_date]	Date therapy commenced DD-MM-YYYY Show the field ONLY if: [access_therapy]=1'	text (date_dmy) Field Annotation: @HIDEBUTTON																								
134	[access_therapy_nc]	Reason not completed? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>access_therapy_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>access_therapy_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>access_therapy_nc__3</td><td>Previously completed</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3'	1	access_therapy_nc__1	Patient factors	2	access_therapy_nc__2	Service factors	3	access_therapy_nc__3	Previously completed															
1	access_therapy_nc__1	Patient factors																									
2	access_therapy_nc__2	Service factors																									
3	access_therapy_nc__3	Previously completed																									
135	[access_therapy_nc_ptfact]	Which patient factors influenced non-completion? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>access_therapy_nc_ptfact__1</td><td>Patient not alert</td></tr><tr><td>2</td><td>access_therapy_nc_ptfact__2</td><td>Patient offered and declined</td></tr><tr><td>3</td><td>access_therapy_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr><tr><td>4</td><td>access_therapy_nc_ptfact__4</td><td>Interpreter not available</td></tr><tr><td>5</td><td>access_therapy_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr><tr><td>6</td><td>access_therapy_nc_ptfact__6</td><td>Patient discharged before administration</td></tr><tr><td>7</td><td>access_therapy_nc_ptfact__7</td><td>Patient died</td></tr><tr><td>8</td><td>access_therapy_nc_ptfact__8</td><td>Other {access_therapy_nc_ptfact}</td></tr></table>	1	access_therapy_nc_ptfact__1	Patient not alert	2	access_therapy_nc_ptfact__2	Patient offered and declined	3	access_therapy_nc_ptfact__3	Patient unavailable to participate	4	access_therapy_nc_ptfact__4	Interpreter not available	5	access_therapy_nc_ptfact__5	Not feasible due to aphasia severity	6	access_therapy_nc_ptfact__6	Patient discharged before administration	7	access_therapy_nc_ptfact__7	Patient died	8	access_therapy_nc_ptfact__8	Other {access_therapy_nc_ptfact}
1	access_therapy_nc_ptfact__1	Patient not alert																									
2	access_therapy_nc_ptfact__2	Patient offered and declined																									
3	access_therapy_nc_ptfact__3	Patient unavailable to participate																									
4	access_therapy_nc_ptfact__4	Interpreter not available																									
5	access_therapy_nc_ptfact__5	Not feasible due to aphasia severity																									
6	access_therapy_nc_ptfact__6	Patient discharged before administration																									
7	access_therapy_nc_ptfact__7	Patient died																									
8	access_therapy_nc_ptfact__8	Other {access_therapy_nc_ptfact}																									
136	[access_therapy_nc_ptfact2]	If other, please specify Show the field ONLY if: [access_therapy_nc_ptfact(8)]=1'	text																								
137	[access_therapy_nc_svfact]	Which service factors influenced non-completion? Select all that apply	checkbox <table border="1"><tr><td>1</td><td>access_therapy_nc_svfact__1</td><td>Competing demands</td></tr><tr><td>2</td><td>access_therapy_nc_svfact__2</td><td>Resource constraints</td></tr><tr><td>3</td><td>access_therapy_nc_svfact__3</td><td>No available trained clinicians</td></tr><tr><td>8</td><td>access_therapy_nc_svfact__8</td><td>Other {access_therapy_nc_svfact}</td></tr></table>	1	access_therapy_nc_svfact__1	Competing demands	2	access_therapy_nc_svfact__2	Resource constraints	3	access_therapy_nc_svfact__3	No available trained clinicians	8	access_therapy_nc_svfact__8	Other {access_therapy_nc_svfact}												
1	access_therapy_nc_svfact__1	Competing demands																									
2	access_therapy_nc_svfact__2	Resource constraints																									
3	access_therapy_nc_svfact__3	No available trained clinicians																									
8	access_therapy_nc_svfact__8	Other {access_therapy_nc_svfact}																									
138	[access_therapy_nc_svfact2]	If other, please specify Show the field ONLY if: [access_therapy_nc_svfact(8)]=1'	text																								
139	[quality_indicators_complete]	Section Header: Form Status Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																										
1	Unverified																										
2	Complete																										

Instrument: Baseline WABR (baseline_wabr)

140	[wabr_base_header]	Section Header: Baseline: Western Aphasia Battery-Revised (WAB-R) Please do not leave any data fields blank	descriptive				
141	[wabr_base_comp]	Baseline WAB-R completed in [event-label] setting?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No
1	Yes						
2	No						
142	[wabr_base_history]	Baseline WAB-R completion status: Inpatient Acute: [inpatient_acute_arm_1][wabr_base_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][wabr_base_comp]	descriptive				
143	[wabr_base_file]	Upload a copy of the completed baseline WAB-R (optional) Show the field ONLY if: [wabr_base_comp]=1'	file				
144	[wabr_base_proxy]	Baseline WAB-R was completed by	radio				

	Show the field ONLY if: [wabr_base_comp]='1'		<table border="1"> <tr><td>1</td><td>Patient</td></tr> <tr><td>2</td><td>Patient with support from a communication partner</td></tr> <tr><td>3</td><td>Significant other</td></tr> </table>	1	Patient	2	Patient with support from a communication partner	3	Significant other																		
1	Patient																										
2	Patient with support from a communication partner																										
3	Significant other																										
145	[wabr_base_nc] Show the field ONLY if: [wabr_base_comp]='2'	Why was the baseline WAB-R not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>wabr_base_nc_1</td><td>Patient factors</td></tr> <tr><td>2</td><td>wabr_base_nc_2</td><td>Service factors</td></tr> <tr><td>3</td><td>wabr_base_nc_3</td><td>Previously completed</td></tr> <tr><td>4</td><td>wabr_base_nc_4</td><td>Other assessment used to assess language function; please specify {wabr_base_otherax}</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	wabr_base_nc_1	Patient factors	2	wabr_base_nc_2	Service factors	3	wabr_base_nc_3	Previously completed	4	wabr_base_nc_4	Other assessment used to assess language function; please specify {wabr_base_otherax}												
1	wabr_base_nc_1	Patient factors																									
2	wabr_base_nc_2	Service factors																									
3	wabr_base_nc_3	Previously completed																									
4	wabr_base_nc_4	Other assessment used to assess language function; please specify {wabr_base_otherax}																									
146	[wabr_base_otherax]	Please specify	text																								
147	[wabr_base_nc_ptfact] Show the field ONLY if: [wabr_base_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>wabr_base_nc_ptfact_1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>wabr_base_nc_ptfact_2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>wabr_base_nc_ptfact_3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>wabr_base_nc_ptfact_4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>wabr_base_nc_ptfact_5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>wabr_base_nc_ptfact_6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>wabr_base_nc_ptfact_7</td><td>Patient died</td></tr> <tr><td>8</td><td>wabr_base_nc_ptfact_8</td><td>Other {wabr_base_nc_ptfact2}</td></tr> </table>	1	wabr_base_nc_ptfact_1	Patient not alert	2	wabr_base_nc_ptfact_2	Patient offered and declined	3	wabr_base_nc_ptfact_3	Patient unavailable to participate	4	wabr_base_nc_ptfact_4	Interpreter not available	5	wabr_base_nc_ptfact_5	Not feasible due to aphasia severity	6	wabr_base_nc_ptfact_6	Patient discharged before administration	7	wabr_base_nc_ptfact_7	Patient died	8	wabr_base_nc_ptfact_8	Other {wabr_base_nc_ptfact2}
1	wabr_base_nc_ptfact_1	Patient not alert																									
2	wabr_base_nc_ptfact_2	Patient offered and declined																									
3	wabr_base_nc_ptfact_3	Patient unavailable to participate																									
4	wabr_base_nc_ptfact_4	Interpreter not available																									
5	wabr_base_nc_ptfact_5	Not feasible due to aphasia severity																									
6	wabr_base_nc_ptfact_6	Patient discharged before administration																									
7	wabr_base_nc_ptfact_7	Patient died																									
8	wabr_base_nc_ptfact_8	Other {wabr_base_nc_ptfact2}																									
148	[wabr_base_nc_ptfact2]	If other, please specify	text																								
149	[wabr_base_nc_svfact] Show the field ONLY if: [wabr_base_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>wabr_base_nc_svfact_1</td><td>Competing demands</td></tr> <tr><td>2</td><td>wabr_base_nc_svfact_2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>wabr_base_nc_svfact_3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>wabr_base_nc_svfact_8</td><td>Other {wabr_base_nc_svfact2}</td></tr> </table>	1	wabr_base_nc_svfact_1	Competing demands	2	wabr_base_nc_svfact_2	Resource constraints	3	wabr_base_nc_svfact_3	No available trained clinicians	8	wabr_base_nc_svfact_8	Other {wabr_base_nc_svfact2}												
1	wabr_base_nc_svfact_1	Competing demands																									
2	wabr_base_nc_svfact_2	Resource constraints																									
3	wabr_base_nc_svfact_3	No available trained clinicians																									
8	wabr_base_nc_svfact_8	Other {wabr_base_nc_svfact2}																									
150	[wabr_base_nc_svfact2]	If other, please specify	text																								
151	[wabr_base_date]	Date baseline WAB-R administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																								
152	[wabr_base_admin] Show the field ONLY if: [wabr_base_comp]='1'	Administered by	dropdown <table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member																		
1	Treating clinician																										
2	Independent assessor																										
3	Research team member																										
153	[wabr_base_name]	Name of Administrator	text																								
154	[wabr_base_info]	Section Header: <i>Spontaneous Speech</i> Information content score <i>0-10</i>	text (integer, Min: 0, Max: 10)																								
155	[wabr_base_fluency]	Fluency, Grammatical Competence and Paraphasias score <i>0-10</i>	text (integer, Min: 0, Max: 10)																								
156	[wabr_base_sponttotal]	Spontaneous Speech TOTAL	calc Calculation: sum([wabr_base_info],[wabr_base_fluency])																								
157	[wabr_base_spontscore]	Spontaneous Speech SCORE to calculate AQ	calc Calculation: sum([wabr_base_info],[wabr_base_fluency])																								

	158	[wabr_base_qs] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Auditory Verbal Comprehension</i> Yes/No Questions 0-60	text (integer, Min: 0, Max: 60)
	159	[wabr_base_auditory] Show the field ONLY if: [wabr_base_comp]='1'	Auditory Word Recognition 0-60	text (integer, Min: 0, Max: 60)
	160	[wabr_base_seq] Show the field ONLY if: [wabr_base_comp]='1'	Sequential Commands 0-80	text (integer, Min: 0, Max: 80)
	161	[wabr_base_avtotal] Show the field ONLY if: [wabr_base_comp]='1'	Auditory Verbal Comprehension TOTAL	calc Calculation: sum([wabr_base_qs],[wabr_base_auditory],[wabr_base_seq])
	162	[wabr_base_avscore1] Show the field ONLY if: [wabr_base_comp]='1'	Auditory Verbal Comprehension SCORE 1 to calculate AQ	calc Calculation: round([wabr_base_avtotal]/20,2)
	163	[wabr_base_avscore2] Show the field ONLY if: [wabr_base_comp]='1'	Auditory Verbal Comprehension SCORE 2 to calculate LQ and CQ	calc Calculation: [wabr_base_avtotal]/10
	164	[wabr_base_repetition] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Repetition</i> Repetition total 0-100	text (integer, Min: 0, Max: 100)
	165	[wabr_base_reptotal] Show the field ONLY if: [wabr_base_comp]='1'	Repetition TOTAL	calc Calculation: [wabr_base_repetition]
	166	[wabr_base_repscore] Show the field ONLY if: [wabr_base_comp]='1'	Repetition SCORE to calculate AQ, LQ and CQ	calc Calculation: [wabr_base_repetition]/10
	167	[wabr_base_object] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Name and Word Finding</i> Object Naming 0-60	text (integer, Min: 0, Max: 60)
	168	[wabr_base_wordf1] Show the field ONLY if: [wabr_base_comp]='1'	Word Fluency 0-20	text (integer, Min: 0, Max: 20)
	169	[wabr_base_sentence] Show the field ONLY if: [wabr_base_comp]='1'	Sentence Completion 0-10	text (integer, Min: 0, Max: 10)
	170	[wabr_base_respon] Show the field ONLY if: [wabr_base_comp]='1'	Responsive Speech 0-10	text (integer, Min: 0, Max: 10)
	171	[wabr_base_nwtotal] Show the field ONLY if: [wabr_base_comp]='1'	Naming and Word Finding TOTAL	calc Calculation: sum([wabr_base_object],[wabr_base_wordf1],[wabr_base_sentence],[wabr_base_respon])
	172	[wabr_base_nwscore] Show the field ONLY if: [wabr_base_comp]='1'	Naming and Word Finding SCORE to calculate AQ, LQ and CQ	calc Calculation: [wabr_base_nwtotal]/10
	173	[wabr_base_aq] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Aphasia Quotient - AQ</i> APHASIA QUOTIENT- AQ	calc Calculation: sum([wabr_base_spontscore],[wabr_base_avscore1],[wabr_base_repscore],[wabr_base_nwscore])*2
	174	[wabr_base_compreh] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Reading</i> Comprehension of Sentences 0-40	text (integer, Min: 0, Max: 40)
	175	[wabr_base_reading] Show the field ONLY if: [wabr_base_comp]='1'	Reading Commands 0-20	text (integer, Min: 0, Max: 20)
	176	[wabr_base_writobjmatch] Show the field ONLY if: [wabr_base_comp]='1'	Written Word-Object Choice Matching 0-6	text (integer, Min: 0, Max: 6)
	177	[wabr_base_writpicmatch] Show the field ONLY if: [wabr_base_comp]='1'	Written Word-Picture Choice Matching 0-6	text (integer, Min: 0, Max: 6)
	178	[wabr_base_picmatch] Show the field ONLY if: [wabr_base_comp]='1'	Picture-Written Word Choice Matching 0-6	text (integer, Min: 0, Max: 6)
	179	[wabr_base_spokenmatch]	Spoken Word-Written Word Choice Matching	text (integer, Min: 0, Max: 4)

	Show the field ONLY if: [wabr_base_comp]='1'	0-4	
180	[wabr_base_discrim] Show the field ONLY if: [wabr_base_comp]='1'	Letter Discrimination 0-6	text (integer, Min: 0, Max: 6)
181	[wabr_base_spellwordrecog] Show the field ONLY if: [wabr_base_comp]='1'	Spelled Word Recognition 0-6	text (integer, Min: 0, Max: 6)
182	[wabr_base_spelling] Show the field ONLY if: [wabr_base_comp]='1'	Spelling 0-6	text (integer, Min: 0, Max: 6)
183	[wabr_base_readingtotal] Show the field ONLY if: [wabr_base_comp]='1'	Reading TOTAL	calc Calculation: sum([wabr_base_compreh],[wabr_base_reading],[wabr_base_writobjmatch],[wabr_base_writpicmatch],[wabr_base_picmatch],[wabr_base_spokenmatch],[wabr_base_discrim],[wabr_base_spellwordrecog],[wabr_base_spelling])
184	[wabr_base_readingscore1] Show the field ONLY if: [wabr_base_comp]='1'	Reading SCORE 1 to calculate LQ	calc Calculation: round([wabr_base_readingtotal]/5,2)
185	[wabr_base_readingscore2] Show the field ONLY if: [wabr_base_comp]='1'	Reading SCORE 2 to calculate CQ	calc Calculation: [wabr_base_readingtotal]/10
186	[wabr_base_writreq] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Writing</i> Writing Upon Request 0-6	text (integer, Min: 0, Max: 6)
187	[wabr_base_writoutput] Show the field ONLY if: [wabr_base_comp]='1'	Writing Output 0-34	text (integer, Min: 0, Max: 34)
188	[wabr_base_writdictation] Show the field ONLY if: [wabr_base_comp]='1'	Writing to Dictation 0-10	text (integer, Min: 0, Max: 10)
189	[wabr_base_writdictated] Show the field ONLY if: [wabr_base_comp]='1'	Writing Dictated Words 0-10	text (integer, Min: 0, Max: 10)
190	[wabr_base_alpha] Show the field ONLY if: [wabr_base_comp]='1'	Alphabet and Numbers 0-22.5	text (number, Min: 0, Max: 22.5)
191	[wabr_base_dictletters] Show the field ONLY if: [wabr_base_comp]='1'	Dictated Letters and Numbers 0-7.5	text (number, Min: 0, Max: 7.5)
192	[wabr_base_copying] Show the field ONLY if: [wabr_base_comp]='1'	Copying a Sentence 0-10	text (integer, Min: 0, Max: 10)
193	[wabr_base_writingtotal] Show the field ONLY if: [wabr_base_comp]='1'	Writing TOTAL	calc Calculation: sum([wabr_base_writreq],[wabr_base_writoutput],[wabr_base_writdictation],[wabr_base_writdictated],[wabr_base_alpha],[wabr_base_dictletters],[wabr_base_copying])
194	[wabr_base_writingscore1] Show the field ONLY if: [wabr_base_comp]='1'	Writing SCORE 1 to calculate LQ	calc Calculation: round([wabr_base_writingtotal]/5,2)
195	[wabr_base_writingscore2] Show the field ONLY if: [wabr_base_comp]='1'	Writing SCORE 2 to calculate CQ	calc Calculation: [wabr_base_writingtotal]/10
196	[wabr_base_lq] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Language Quotient - LQ</i> Language Quotient - LQ	calc Calculation: round(sum([wabr_base_spontscore],[wabr_base_avscore2],[wabr_base_repscore],[wabr_base_nwscore],[wabr_base_readingscore1],[wabr_base_writingscore1]),2)
197	[wabr_base_apraxia] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Apraxia</i> Apraxia 0-60	text (integer, Min: 0, Max: 60)
198	[wabr_base_apraxiatotal] Show the field ONLY if: [wabr_base_comp]='1'	Apraxia TOTAL	calc Calculation: [wabr_base_apraxia]
199	[wabr_base_apraxiascore] Show the field ONLY if: [wabr_base_comp]='1'	Apraxia SCORE to calculate CQ	calc Calculation: round([wabr_base_apraxiatotal]/6,2)

	Show the field ONLY if: [wabr_base_comp]='1'																		
200	[wabr_base_drawing] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Constructional, Visuospatial and Calculation Drawing 0-30</i>	text (integer, Min: 0, Max: 30)																
201	[wabr_base_block] Show the field ONLY if: [wabr_base_comp]='1'	Block Design 0-9	text (integer, Min: 0, Max: 9)																
202	[wabr_base_calc] Show the field ONLY if: [wabr_base_comp]='1'	Calculation 0-24	text (integer, Min: 0, Max: 24)																
203	[wabr_base_raven] Show the field ONLY if: [wabr_base_comp]='1'	Raven's Coloured Progressive Matrices 0-37	text (integer, Min: 0, Max: 37)																
204	[wabr_base_constructtotal] Show the field ONLY if: [wabr_base_comp]='1'	Constructional, Visuospatial and Calculation TOTAL	calc Calculation: sum([wabr_base_drawing],[wabr_base_block],[wabr_base_calc],[wabr_base_raven])																
205	[wabr_base_constructscore] Show the field ONLY if: [wabr_base_comp]='1'	Constructional, Visuospatial and Calculation SCORE to calculate CQ	calc Calculation: [wabr_base_constructtotal]/10																
206	[wabr_base_cq] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Cortical Quotient - CQ</i> CORTICAL QUOTIENT-CQ	calc Calculation: sum([wabr_base_spontscore], [wabr_base_avscore2],[wabr_base_repscore], [wabr_base_nwscore],[wabr_base_readingscore2], [wabr_base_writingscore2],[wabr_base_apraxiascore], [wabr_base_constructscore]))																
207	[wabr_base_irrdiction] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Supplemental Writing and Reading</i> Writing Irregular Words to Dictation 0-10	text (integer, Min: 0, Max: 10)																
208	[wabr_base_supp_a] Show the field ONLY if: [wabr_base_comp]='1'	Supplemental Writing and Reading A	calc Calculation: [wabr_base_irrdiction]																
209	[wabr_base_nwdiction] Show the field ONLY if: [wabr_base_comp]='1'	Writing Non-Words to Dictation 0-10	text (integer, Min: 0, Max: 10)																
210	[wabr_base_supp_b] Show the field ONLY if: [wabr_base_comp]='1'	Supplemental Writing and Reading B	calc Calculation: [wabr_base_nwdiction]																
211	[wabr_base_irregular] Show the field ONLY if: [wabr_base_comp]='1'	Writing Irregular Words 0-10	text (integer, Min: 0, Max: 10)																
212	[wabr_base_supp_c] Show the field ONLY if: [wabr_base_comp]='1'	Supplemental Writing and Reading C	calc Calculation: [wabr_base_irregular]																
213	[wabr_base_nonword] Show the field ONLY if: [wabr_base_comp]='1'	Reading Non-Words 0-10	text (integer, Min: 0, Max: 10)																
214	[wabr_base_supp_d] Show the field ONLY if: [wabr_base_comp]='1'	Supplemental Writing and Reading D	calc Calculation: [wabr_base_nonword]																
215	[wabr_base_class] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Aphasia Classification</i> Aphasia Classification	dropdown <table border="1"><tr><td>1</td><td>Global</td></tr><tr><td>2</td><td>Broca's</td></tr><tr><td>3</td><td>Isolation</td></tr><tr><td>4</td><td>Transcortical Motor</td></tr><tr><td>5</td><td>Wernicke's</td></tr><tr><td>6</td><td>Transcortical Sensory</td></tr><tr><td>7</td><td>Conduction</td></tr><tr><td>8</td><td>Anomic</td></tr></table>	1	Global	2	Broca's	3	Isolation	4	Transcortical Motor	5	Wernicke's	6	Transcortical Sensory	7	Conduction	8	Anomic
1	Global																		
2	Broca's																		
3	Isolation																		
4	Transcortical Motor																		
5	Wernicke's																		
6	Transcortical Sensory																		
7	Conduction																		
8	Anomic																		
216	[wabr_base_severity] Show the field ONLY if: [wabr_base_comp]='1'	Section Header: <i>Aphasia Severity</i> Aphasia Severity	calc Calculation: if([wabr_base_aq]>=93.7,"0",if([wabr_base_aq]>=62.6,"1",if([wabr_base_aq]<62.6,"2","3")))																
217	[wabr_base_severitykey] Show the field ONLY if: [wabr_base_comp]='1'	Score Severity 0 No aphasia 1 Mild aphasia 2 Moderate aphasia 3 Severe aphasia	descriptive																

218	[wabr_base_incomp]	Section Header: <i>Incomplete items</i> Show the field ONLY if: [wabr_base_comp]='1'	Were any items in this test NOT asked by the clinician or NOT attempted by the patient?	radio <table border="1"> <tr> <td>1</td><td>Yes - some items incomplete</td></tr> <tr> <td>2</td><td>No - all items complete</td></tr> </table>	1	Yes - some items incomplete	2	No - all items complete		
1	Yes - some items incomplete									
2	No - all items complete									
219	[wabr_base_incomplist]	Show the field ONLY if: [wabr_base_incomp]='1'	Please describe reasons for incomplete items	notes						
220	[baseline_wabr_complete]	Section Header: <i>Form Status</i> Complete?		dropdown <table border="1"> <tr> <td>0</td> <td>Incomplete</td> </tr> <tr> <td>1</td> <td>Unverified</td> </tr> <tr> <td>2</td> <td>Complete</td> </tr> </table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

Instrument: Baseline Scenario Test (baseline_scenario_test)

221	[scenario_base_header]	Section Header: <i>Baseline Scenario Test</i> Please do not leave any data fields blank	descriptive																								
222	[scenario_base_comp]	Baseline Scenario Test completed in [event-label] setting?	radio <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>2</td> <td>No</td> </tr> </table>	1	Yes	2	No																				
1	Yes																										
2	No																										
223	[scenario_base_history]	Baseline Scenario Test completion status: Inpatient Acute: [inpatient_acute_arm_1][scenario_base_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1] [scenario_base_comp]	descriptive																								
224	[scenario_base_file]	Upload a copy of the completed baseline Scenario Test (optional)	file																								
225	[scenario_base_proxy]	Baseline Scenario Test was completed by Show the field ONLY if: [scenario_base_comp]='1'	radio <table border="1"> <tr> <td>1</td> <td>Patient</td> </tr> <tr> <td>2</td> <td>Patient with support from a communication partner</td> </tr> <tr> <td>3</td> <td>Significant other</td> </tr> </table>	1	Patient	2	Patient with support from a communication partner	3	Significant other																		
1	Patient																										
2	Patient with support from a communication partner																										
3	Significant other																										
226	[scenario_base_nc]	Why was the baseline Scenario Test not completed? <i>Select all that apply</i> Show the field ONLY if: [scenario_base_comp]='2'	checkbox <table border="1"> <tr> <td>1</td> <td>scenario_base_nc__1</td> <td>Patient factors</td> </tr> <tr> <td>2</td> <td>scenario_base_nc__2</td> <td>Service factors</td> </tr> <tr> <td>3</td> <td>scenario_base_nc__3</td> <td>Previously completed</td> </tr> <tr> <td>4</td> <td>scenario_base_nc__4</td> <td>Other assessment used to assess communication function; please specify {scenario_base_otherax}</td> </tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3' @NONEOFTHEABOVE='4'</p>	1	scenario_base_nc__1	Patient factors	2	scenario_base_nc__2	Service factors	3	scenario_base_nc__3	Previously completed	4	scenario_base_nc__4	Other assessment used to assess communication function; please specify {scenario_base_otherax}												
1	scenario_base_nc__1	Patient factors																									
2	scenario_base_nc__2	Service factors																									
3	scenario_base_nc__3	Previously completed																									
4	scenario_base_nc__4	Other assessment used to assess communication function; please specify {scenario_base_otherax}																									
227	[scenario_base_otherax]	Please specify Show the field ONLY if: [scenario_base_nc(4)]=1	text																								
228	[scenario_base_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if: [scenario_base_nc(1)]='1'	checkbox <table border="1"> <tr> <td>1</td> <td>scenario_base_nc_ptfact__1</td> <td>Patient not alert</td> </tr> <tr> <td>2</td> <td>scenario_base_nc_ptfact__2</td> <td>Patient offered and declined</td> </tr> <tr> <td>3</td> <td>scenario_base_nc_ptfact__3</td> <td>Patient unavailable to participate</td> </tr> <tr> <td>4</td> <td>scenario_base_nc_ptfact__4</td> <td>Interpreter not available</td> </tr> <tr> <td>5</td> <td>scenario_base_nc_ptfact__5</td> <td>Not feasible due to aphasia severity</td> </tr> <tr> <td>6</td> <td>scenario_base_nc_ptfact__6</td> <td>Patient discharged before administration</td> </tr> <tr> <td>7</td> <td>scenario_base_nc_ptfact__7</td> <td>Patient died</td> </tr> <tr> <td>8</td> <td>scenario_base_nc_ptfact__8</td> <td>Other {scenario_base_nc_ptfact2}</td> </tr> </table>	1	scenario_base_nc_ptfact__1	Patient not alert	2	scenario_base_nc_ptfact__2	Patient offered and declined	3	scenario_base_nc_ptfact__3	Patient unavailable to participate	4	scenario_base_nc_ptfact__4	Interpreter not available	5	scenario_base_nc_ptfact__5	Not feasible due to aphasia severity	6	scenario_base_nc_ptfact__6	Patient discharged before administration	7	scenario_base_nc_ptfact__7	Patient died	8	scenario_base_nc_ptfact__8	Other {scenario_base_nc_ptfact2}
1	scenario_base_nc_ptfact__1	Patient not alert																									
2	scenario_base_nc_ptfact__2	Patient offered and declined																									
3	scenario_base_nc_ptfact__3	Patient unavailable to participate																									
4	scenario_base_nc_ptfact__4	Interpreter not available																									
5	scenario_base_nc_ptfact__5	Not feasible due to aphasia severity																									
6	scenario_base_nc_ptfact__6	Patient discharged before administration																									
7	scenario_base_nc_ptfact__7	Patient died																									
8	scenario_base_nc_ptfact__8	Other {scenario_base_nc_ptfact2}																									
229	[scenario_base_nc_ptfact2]	If other, please specify Show the field ONLY if: [scenario_base_nc_ptfact(8)]='1'	text																								
230	[scenario_base_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if: [scenario_base_nc(2)]='1'	checkbox <table border="1"> <tr> <td>1</td> <td>scenario_base_nc_svfact__1</td> <td>Competing demands</td> </tr> <tr> <td>2</td> <td>scenario_base_nc_svfact__2</td> <td>Resource constraints</td> </tr> <tr> <td>3</td> <td>scenario_base_nc_svfact__3</td> <td>No available trained clinicians</td> </tr> </table>	1	scenario_base_nc_svfact__1	Competing demands	2	scenario_base_nc_svfact__2	Resource constraints	3	scenario_base_nc_svfact__3	No available trained clinicians															
1	scenario_base_nc_svfact__1	Competing demands																									
2	scenario_base_nc_svfact__2	Resource constraints																									
3	scenario_base_nc_svfact__3	No available trained clinicians																									

				<input type="checkbox"/> 8 scenario_base_nc_svfact__8 Other {scenario_base_nc_svfact2}								
231	[scenario_base_nc_svfact2] Show the field ONLY if: [scenario_base_nc_svfact(8)]=1'	If other, please specify		text								
232	[scenario_base_date] Show the field ONLY if: [scenario_base_comp]=1'	Date baseline Scenario Test administered DD-MM-YYYY		text (date_dmy) Field Annotation: @HIDEBUTTON								
233	[scenario_base_admin] Show the field ONLY if: [scenario_base_comp]=1'	Administered by	<input type="checkbox"/> dropdown	<table border="1"><tr><td>1</td><td>Treating clinician</td></tr><tr><td>2</td><td>Independent assessor</td></tr><tr><td>3</td><td>Research team member</td></tr></table>	1	Treating clinician	2	Independent assessor	3	Research team member		
1	Treating clinician											
2	Independent assessor											
3	Research team member											
234	[scenario_base_name] Show the field ONLY if: [scenario_base_comp]=1'	Name of Administrator		text								
235	[scenario_base_sweater] Show the field ONLY if: [scenario_base_comp]=1'	Section Header: 1 - Shop Sweater	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
236	[scenario_base_toobig] Show the field ONLY if: [scenario_base_comp]=1'	Too big (sweater)	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
237	[scenario_base_price] Show the field ONLY if: [scenario_base_comp]=1'	Price	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
238	[scenario_base_calltaxi] Show the field ONLY if: [scenario_base_comp]=1'	Section Header: 2 - Taxi 1)Call, 2) Taxi	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
239	[scenario_base_frontseat] Show the field ONLY if: [scenario_base_comp]=1'	Front (seat)	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
240	[scenario_base_receipt] Show the field ONLY if: [scenario_base_comp]=1'	Receipt	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
241	[scenario_base_coughing] Show the field ONLY if: [scenario_base_comp]=1'	Section Header: 3 - Doctor/GP Coughing	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
242	[scenario_base_appt] Show the field ONLY if: [scenario_base_comp]=1'	1) Appointment, 2) Next week	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0											
1	1											
2	2											
3	3											
243	[scenario_base_coughsyrup] Show the field ONLY if: [scenario_base_comp]=1'	1) Not this 2) Cough syrup	<input type="checkbox"/> radio	<table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr></table>	0	0	1	1	2	2		
0	0											
1	1											
2	2											

			3 3
244	[scenario_base_drink] Show the field ONLY if: [scenario_base_comp]='1'	Section Header: 4 - Visit Some kind of drink	radio 0 0 1 1 2 2 3 3
245	[scenario_base_children] Show the field ONLY if: [scenario_base_comp]='1'	1) How are they? 2) Children	radio 0 0 1 1 2 2 3 3
246	[scenario_base_coffeeemyp1] Show the field ONLY if: [scenario_base_comp]='1'	1) Coffee/next time 2) My place	radio 0 0 1 1 2 2 3 3
247	[scenario_base_ironing] Show the field ONLY if: [scenario_base_comp]='1'	Section Header: 5 - Housekeeper Ironing	radio 0 0 1 1 2 2 3 3
248	[scenario_base_clean] Show the field ONLY if: [scenario_base_comp]='1'	Clean/make beds	radio 0 0 1 1 2 2 3 3
249	[scenario_base_coffee] Show the field ONLY if: [scenario_base_comp]='1'	1) Coffee, 2) Together	radio 0 0 1 1 2 2 3 3
250	[scenario_base_toilet] Show the field ONLY if: [scenario_base_comp]='1'	Section Header: 6 - Restaurant Toilet	radio 0 0 1 1 2 2 3 3
251	[scenario_base_menu] Show the field ONLY if: [scenario_base_comp]='1'	Menu	radio 0 0 1 1 2 2 3 3
252	[scenario_base_spoon] Show the field ONLY if: [scenario_base_comp]='1'	Spoon	radio 0 0 1 1 2 2 3 3
253	[scenario_base_rawscore] Show the field ONLY if: [scenario_base_comp]='1'	Total Score	calc Calculation: sum([scenario_base_sweater], [scenario_base_toobig],[scenario_base_price], [scenario_base_calltaxi],[scenario_base_frontseat], [scenario_base_receipt],[scenario_base_coughing], [scenario_base_appt],[scenario_base_coughsyrup], [scenario_base_drink],[scenario_base_children], [scenario_base_coffeeemyp1],[scenario_base_ironing], [scenario_base_clean],[scenario_base_coffee], [scenario_base_toilet],[scenario_base_menu], [scenario_base_spoon])
254	[scenario_base_percentile] Show the field ONLY if: [scenario_base_comp]='1'	Percentile	calc Calculation: if([scenario_base_rawscore]= 54,100,if([scenario_base_rawscore]= 53,95,if([scenario_base_rawscore]= 52,80,if([scenario_base_rawscore]= 51,70,if([scenario_base_ra

			50,60,if([scenario_base_rawscore]=49,55,if([scenario_base_rawscore]>=47,50,if([scenario_base_rawscore]=46,40,if([scenario_base_rawscore]>=43,35,if([scenario_base_rawscore]=42,27,if([scenario_base_rawscore]=41,26,if([scenario_base_rawscore]=40,25,if([scenario_base_rawscore]=39,24,if([scenario_base_rawscore]=38,23,if([scenario_base_rawscore]=37,21,if([scenario_base_rawscore]=36,19,if([scenario_base_rawscore]=35,18,if([scenario_base_rawscore]=34,15,if([scenario_base_rawscore]=33,13,if([scenario_base_rawscore]=32,12,if([scenario_base_rawscore]>=30,11,if([scenario_base_rawscore]=28,10,if([scenario_base_rawscore]=27,9,if([scenario_base_rawscore]=26,8,if([scenario_base_rawscore]>=23,7,if([scenario_base_rawscore]>=20,6,if([scenario_base_rawscore]>=16,5,if([scenario_base_rawscore]>=13,4,if([scenario_base_rawscore]=12,3,if([scenario_base_rawscore]=11,2,if([scenario_base_rawscore]<=9,1,")))))))))))))))))))))))												
255	[scenario_base_incomp] Show the field ONLY if: [scenario_base_comp]='1'	Section Header: <i>Incomplete items</i> Were any items in this test NOT asked by the clinician or NOT attempted by the patient?	radio <table border="1"><tr><td>1</td><td>Yes - some items incomplete</td></tr><tr><td>2</td><td>No - all items complete</td></tr></table>	1	Yes - some items incomplete	2	No - all items complete								
1	Yes - some items incomplete														
2	No - all items complete														
256	[scenario_base_incomplist] Show the field ONLY if: [scenario_base_incomp]='1'	Please describe reasons for incomplete items	notes												
257	[baseline_scenario_test_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete														
1	Unverified														
2	Complete														
Instrument: Baseline GHQ12 (baseline_ghq12)															
258	[ghq12_base_header]	Section Header: <i>Baseline: General Health Questionnaire-12 (GHQ-12)</i> Please do not leave any data fields blank	descriptive												
259	[ghq12_base_comp]	Baseline GHQ-12 completed in [event-label] setting?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No								
1	Yes														
2	No														
260	[ghq12_base_history]	Baseline GHQ-12 completion status: Inpatient Acute: [inpatient_acute_arm_1][ghq12_base_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1] [ghq12_base_comp]	descriptive												
261	[ghq12_base_file] Show the field ONLY if: [ghq12_base_comp]='1'	Upload a copy of the completed baseline GHQ-12 (optional)	file Custom alignment: RH												
262	[ghq12_base_proxy] Show the field ONLY if: [ghq12_base_comp]='1'	Baseline GHQ-12 was completed by	radio <table border="1"><tr><td>1</td><td>Patient</td></tr><tr><td>2</td><td>Patient with support from a communication partner</td></tr><tr><td>3</td><td>Significant other</td></tr></table>	1	Patient	2	Patient with support from a communication partner	3	Significant other						
1	Patient														
2	Patient with support from a communication partner														
3	Significant other														
263	[ghq12_base_nc] Show the field ONLY if: [ghq12_base_comp]='2'	Why was the baseline GHQ-12 not completed? <i>Select all that apply</i>	checkbox <table border="1"><tr><td>1</td><td>ghq12_base_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>ghq12_base_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>ghq12_base_nc__3</td><td>Previously completed</td></tr><tr><td>4</td><td>ghq12_base_nc__4</td><td>Other assessment used to assess emotional wellbeing; please specify {ghq12_base_otherax}</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3' @NONEOFTHEABOVE='4'	1	ghq12_base_nc__1	Patient factors	2	ghq12_base_nc__2	Service factors	3	ghq12_base_nc__3	Previously completed	4	ghq12_base_nc__4	Other assessment used to assess emotional wellbeing; please specify {ghq12_base_otherax}
1	ghq12_base_nc__1	Patient factors													
2	ghq12_base_nc__2	Service factors													
3	ghq12_base_nc__3	Previously completed													
4	ghq12_base_nc__4	Other assessment used to assess emotional wellbeing; please specify {ghq12_base_otherax}													
264	[ghq12_base_otherax] Show the field ONLY if: [ghq12_base_nc(4)]=1	Please specify	text												
265	[ghq12_base_nc_ptfact] Show the field ONLY if: [ghq12_base_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"><tr><td>1</td><td>ghq12_base_nc_ptfact__1</td><td>Patient not alert</td></tr></table>	1	ghq12_base_nc_ptfact__1	Patient not alert									
1	ghq12_base_nc_ptfact__1	Patient not alert													

			<table border="1"> <tr><td>2</td><td>ghq12_base_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ghq12_base_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ghq12_base_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ghq12_base_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>ghq12_base_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>ghq12_base_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>ghq12_base_nc_ptfact__8</td><td>Other {ghq12_base_nc_ptfact2}</td></tr> </table>	2	ghq12_base_nc_ptfact__2	Patient offered and declined	3	ghq12_base_nc_ptfact__3	Patient unavailable to participate	4	ghq12_base_nc_ptfact__4	Interpreter not available	5	ghq12_base_nc_ptfact__5	Not feasible due to aphasia severity	6	ghq12_base_nc_ptfact__6	Patient discharged before administration	7	ghq12_base_nc_ptfact__7	Patient died	8	ghq12_base_nc_ptfact__8	Other {ghq12_base_nc_ptfact2}
2	ghq12_base_nc_ptfact__2	Patient offered and declined																						
3	ghq12_base_nc_ptfact__3	Patient unavailable to participate																						
4	ghq12_base_nc_ptfact__4	Interpreter not available																						
5	ghq12_base_nc_ptfact__5	Not feasible due to aphasia severity																						
6	ghq12_base_nc_ptfact__6	Patient discharged before administration																						
7	ghq12_base_nc_ptfact__7	Patient died																						
8	ghq12_base_nc_ptfact__8	Other {ghq12_base_nc_ptfact2}																						
266	[ghq12_base_nc_ptfact2] Show the field ONLY if: [ghq12_base_nc_ptfact(8)]=1'	If other, please specify	text																					
267	[ghq12_base_nc_svfact] Show the field ONLY if: [ghq12_base_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ghq12_base_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>ghq12_base_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>ghq12_base_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>ghq12_base_nc_svfact__8</td><td>Other {ghq12_base_nc_svfact2}</td></tr> </table>	1	ghq12_base_nc_svfact__1	Competing demands	2	ghq12_base_nc_svfact__2	Resource constraints	3	ghq12_base_nc_svfact__3	No available trained clinicians	8	ghq12_base_nc_svfact__8	Other {ghq12_base_nc_svfact2}									
1	ghq12_base_nc_svfact__1	Competing demands																						
2	ghq12_base_nc_svfact__2	Resource constraints																						
3	ghq12_base_nc_svfact__3	No available trained clinicians																						
8	ghq12_base_nc_svfact__8	Other {ghq12_base_nc_svfact2}																						
268	[ghq12_base_nc_svfact2] Show the field ONLY if: [ghq12_base_nc_svfact(8)]=1'	If other, please specify	text																					
269	[ghq12_base_date] Show the field ONLY if: [ghq12_base_comp]=1'	Date baseline GHQ-12 administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																					
270	[ghq12_base_admin] Show the field ONLY if: [ghq12_base_comp]=1'	Administered by	dropdown <table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member															
1	Treating clinician																							
2	Independent assessor																							
3	Research team member																							
271	[ghq12_base_name] Show the field ONLY if: [ghq12_base_comp]=1'	Name of Administrator	text																					
272	[ghq12_base_q01] Show the field ONLY if: [ghq12_base_comp]=1'	Section Header: <i>GHQ-12 Responses</i> Have you recently been able to concentrate on what you are doing?	radio <table border="1"> <tr><td>0</td><td>Better than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less than usual</td></tr> <tr><td>3</td><td>Much less than usual</td></tr> </table>	0	Better than usual	1	Same as usual	2	Less than usual	3	Much less than usual													
0	Better than usual																							
1	Same as usual																							
2	Less than usual																							
3	Much less than usual																							
273	[ghq12_base_q07] Show the field ONLY if: [ghq12_base_comp]=1'	Have you recently lost much sleep over worry?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual													
0	Not at all																							
1	No more than usual																							
2	Rather more than usual																							
3	Much more than usual																							
274	[ghq12_base_q02] Show the field ONLY if: [ghq12_base_comp]=1'	Have you recently felt you are playing a useful part in things?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less useful than usual</td></tr> <tr><td>3</td><td>Much less useful</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less useful than usual	3	Much less useful													
0	More so than usual																							
1	Same as usual																							
2	Less useful than usual																							
3	Much less useful																							
275	[ghq12_base_q03] Show the field ONLY if: [ghq12_base_comp]=1'	Have you recently felt capable of making decisions about things?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less so than usual</td></tr> <tr><td>3</td><td>Much less capable</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less so than usual	3	Much less capable													
0	More so than usual																							
1	Same as usual																							
2	Less so than usual																							
3	Much less capable																							
276	[ghq12_base_q08] Show the field ONLY if: [ghq12_base_comp]=1'	Have you recently felt constantly under strain?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual													
0	Not at all																							
1	No more than usual																							
2	Rather more than usual																							
3	Much more than usual																							

277	[ghq12_base_q09] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently felt like you couldn't overcome your difficulties	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
278	[ghq12_base_q04] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently been able to enjoy your normal day-to-day activities?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less so than usual</td></tr> <tr><td>3</td><td>Much less than usual</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less so than usual	3	Much less than usual
0	More so than usual										
1	Same as usual										
2	Less so than usual										
3	Much less than usual										
279	[ghq12_base_q05] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently been able to face up to your problems?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less able than usual</td></tr> <tr><td>3</td><td>Much less able</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less able than usual	3	Much less able
0	More so than usual										
1	Same as usual										
2	Less able than usual										
3	Much less able										
280	[ghq12_base_q10] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently been feeling unhappy or depressed?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
281	[ghq12_base_q11] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently been losing confidence in yourself?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
282	[ghq12_base_q12] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently been thinking of yourself as a worthless person?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
283	[ghq12_base_q06] Show the field ONLY if: [ghq12_base_comp]='1'	Have you recently been feeling reasonably happy, all things considered?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>About the same as usual</td></tr> <tr><td>2</td><td>Less so than usual</td></tr> <tr><td>3</td><td>Much less than usual</td></tr> </table>	0	More so than usual	1	About the same as usual	2	Less so than usual	3	Much less than usual
0	More so than usual										
1	About the same as usual										
2	Less so than usual										
3	Much less than usual										
284	[ghq12_base_totalscore] Show the field ONLY if: [ghq12_base_comp]='1'	Section Header: <i>Total Score</i> Total	calc Calculation: sum([ghq12_base_q01],[ghq12_base_q02], [ghq12_base_q03],[ghq12_base_q04],[ghq12_base_q05], [ghq12_base_q06],[ghq12_base_q07],[ghq12_base_q08], [ghq12_base_q09],[ghq12_base_q10],[ghq12_base_q11], [ghq12_base_q12])								
285	[ghq12_base_incomp] Show the field ONLY if: [ghq12_base_comp]='1'	Section Header: <i>Incomplete items</i> Were any items in this test NOT asked by the clinician or NOT attempted by the patient?	radio <table border="1"> <tr><td>1</td><td>Yes - some items incomplete</td></tr> <tr><td>2</td><td>No - all items complete</td></tr> </table>	1	Yes - some items incomplete	2	No - all items complete				
1	Yes - some items incomplete										
2	No - all items complete										
286	[ghq12_base_incomplist] Show the field ONLY if: [ghq12_base_incomp]='1'	Please describe reasons for incomplete items	notes								
287	[baseline_ghq12_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete		
0	Incomplete										
1	Unverified										
2	Complete										

Instrument: Baseline SAQOL39 (baseline_saqol39)

288	[saqol_base_header]	Section Header: <i>Baseline: Stroke and Aphasia Quality of Life Scale-39 (SAQOL-39)</i> Please do not leave any data fields blank	descriptive				
289	[saqol_base_comp]	Baseline SAQOL-39 completed in [event-label] setting?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No
1	Yes						
2	No						
290	[saqol_base_history]	Baseline SAQOL-39 completion status: Inpatient Acute: [inpatient_acute_arm_1][saqol_base_comp] Inpatient	descriptive				

		Rehab/Subacute: [inpatient_rehabsub_arm_1] [saqol_base_comp]	
291	[saqol_base_file] Show the field ONLY if: [saqol_base_comp]='1'	Upload a copy of the completed baseline SAQOL-39 (optional)	file
292	[saqol_base_proxy] Show the field ONLY if: [saqol_base_comp]='1'	Baseline SAQOL-39 was completed by	radio 1 Patient 2 Patient with support from a communication partner 3 Significant other
293	[saqol_base_nc] Show the field ONLY if: [saqol_base_comp]='2'	Why was the baseline SAQOL-39 not completed? <i>Select all that apply</i>	checkbox 1 saqol_base_nc__1 Patient factors 2 saqol_base_nc__2 Service factors 3 saqol_base_nc__3 Previously completed 4 saqol_base_nc__4 Other assessment used to assess quality of life; please specify {saqol_base_otherax} Field Annotation: @NONEOFTHEABOVE='3' @NONEOFTHEABOVE='4'
294	[saqol_base_otherax] Show the field ONLY if: [saqol_base_nc(4)]=1	Please specify	text
295	[saqol_base_nc_ptfact] Show the field ONLY if: [saqol_base_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox 1 saqol_base_nc_ptfact__1 Patient not alert 2 saqol_base_nc_ptfact__2 Patient offered and declined 3 saqol_base_nc_ptfact__3 Patient unavailable to participate 4 saqol_base_nc_ptfact__4 Interpreter not available 5 saqol_base_nc_ptfact__5 Not feasible due to aphasia severity 6 saqol_base_nc_ptfact__6 Patient discharged before administration 7 saqol_base_nc_ptfact__7 Patient died 8 saqol_base_nc_ptfact__8 Other {saqol_base_nc_ptfact2}
296	[saqol_base_nc_ptfact2] Show the field ONLY if: [saqol_base_nc_ptfact(8)]=1'	If other, please specify	text
297	[saqol_base_nc_svfact] Show the field ONLY if: [saqol_base_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox 1 saqol_base_nc_svfact__1 Competing demands 2 saqol_base_nc_svfact__2 Resource constraints 3 saqol_base_nc_svfact__3 No available trained clinicians 8 saqol_base_nc_svfact__8 Other {saqol_base_nc_svfact2}
298	[saqol_base_nc_svfact2] Show the field ONLY if: [saqol_base_nc_svfact(8)]=1'	If other, please specify	text
299	[saqol_base_date] Show the field ONLY if: [saqol_base_comp]='1'	Date baseline SAQOL-39 administered DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON
300	[saqol_base_admin] Show the field ONLY if: [saqol_base_comp]='1'	Administered by	dropdown 1 Treating clinician 2 Independent assessor 3 Research team member
301	[saqol_base_name] Show the field ONLY if: [saqol_base_comp]='1'	Name of Administrator	text
302	[saqol_base_qheader1] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Physical</i> During the past week, how much trouble did you have	descriptive

303	[saqol_base_sc1] Show the field ONLY if: [saqol_base_comp]='1'	SC1 Preparing food?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
304	[saqol_base_sc4] Show the field ONLY if: [saqol_base_comp]='1'	SC4 Getting dressed?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
305	[saqol_base_sc5] Show the field ONLY if: [saqol_base_comp]='1'	SC5 Taking a bath or shower?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
306	[saqol_base_m1] Show the field ONLY if: [saqol_base_comp]='1'	M1 Walking? If patient can't walk, tick 1 and go to question M7	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
307	[saqol_base_m4] Show the field ONLY if: [saqol_base_comp]='1'	M4 Keeping your balance when bending or reaching over?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
308	[saqol_base_m6] Show the field ONLY if: [saqol_base_comp]='1'	M6 Climbing stairs?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
309	[saqol_base_m7] Show the field ONLY if: [saqol_base_comp]='1'	M7 Walking without stopping to rest or using a wheelchair without stopping to rest?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
310	[saqol_base_m8] Show the field ONLY if: [saqol_base_comp]='1'	M8 Standing?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
311	[saqol_base_m9] Show the field ONLY if: [saqol_base_comp]='1'	M9 Getting out of a chair?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
312	[saqol_base_w1] Show the field ONLY if: [saqol_base_comp]='1'	W1 Doing daily work around the house?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble				
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												

				<table border="1"> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	4	4 A little trouble	5	5 No trouble at all						
4	4 A little trouble													
5	5 No trouble at all													
313	[saqol_base_w2] Show the field ONLY if: [saqol_base_comp]='1'	W2 Finishing jobs that you started?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
314	[saqol_base_ue1] Show the field ONLY if: [saqol_base_comp]='1'	UE1 Writing or typing?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
315	[saqol_base_ue2] Show the field ONLY if: [saqol_base_comp]='1'	UE2 Putting on socks?	radio	<table border="1"> <tr><td>1</td><td>1</td></tr> <tr><td>2</td><td>2</td></tr> <tr><td>3</td><td>3</td></tr> <tr><td>4</td><td>4</td></tr> <tr><td>5</td><td>5</td></tr> </table>	1	1	2	2	3	3	4	4	5	5
1	1													
2	2													
3	3													
4	4													
5	5													
316	[saqol_base_ue4] Show the field ONLY if: [saqol_base_comp]='1'	UE4 Doing buttons?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
317	[saqol_base_ue5] Show the field ONLY if: [saqol_base_comp]='1'	UE5 Doing a zip?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
318	[saqol_base_ue6] Show the field ONLY if: [saqol_base_comp]='1'	UE6 Opening a jar?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
319	[saqol_base_qheader2] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Communication</i> During the past week, how much trouble did you have	descriptive											
320	[saqol_base_12] Show the field ONLY if: [saqol_base_comp]='1'	L2 Speaking?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
321	[saqol_base_13] Show the field ONLY if: [saqol_base_comp]='1'	L3 Speaking clearly enough to use the phone?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
322	[saqol_base_15] Show the field ONLY if: [saqol_base_comp]='1'	L5 Getting other people to understand you?	radio	<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble		
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													

			<table border="1"> <tr> <td>5</td><td>5 No trouble at all</td></tr> </table>	5	5 No trouble at all									
5	5 No trouble at all													
323	[saqol_base_16] Show the field ONLY if: [saqol_base_comp]='1'	L6 Finding the word you wanted to say?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Couldn't do it at all</td></tr> <tr> <td>2</td><td>2 A lot of trouble</td></tr> <tr> <td>3</td><td>3 Some trouble</td></tr> <tr> <td>4</td><td>4 A little trouble</td></tr> <tr> <td>5</td><td>5 No trouble at all</td></tr> </table>	radio	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
radio														
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
324	[saqol_base_17] Show the field ONLY if: [saqol_base_comp]='1'	L7 Getting other people to understand you even when you repeated yourself?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Couldn't do it at all</td></tr> <tr> <td>2</td><td>2 A lot of trouble</td></tr> <tr> <td>3</td><td>3 Some trouble</td></tr> <tr> <td>4</td><td>4 A little trouble</td></tr> <tr> <td>5</td><td>5 No trouble at all</td></tr> </table>	radio	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
radio														
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
325	[saqol_base_qheader3] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Psychosocial</i> During the past week, did you	descriptive											
326	[saqol_base_t4] Show the field ONLY if: [saqol_base_comp]='1'	T4 Have to write things down to remember them (or ask somebody else to write things down for you to remember)?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
327	[saqol_base_t5] Show the field ONLY if: [saqol_base_comp]='1'	T5 Find it hard to make decisions?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
328	[saqol_base_p1] Show the field ONLY if: [saqol_base_comp]='1'	P1 Feel irritable?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
329	[saqol_base_p3] Show the field ONLY if: [saqol_base_comp]='1'	P3 Feel that your personality has changed?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
330	[saqol_base_md2] Show the field ONLY if: [saqol_base_comp]='1'	MD2 Feel discouraged about your future?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
331	[saqol_base_md3] Show the field ONLY if: [saqol_base_comp]='1'	MD3 Have no interest in other people or activities?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
332	[saqol_base_md6] Show the field ONLY if: [saqol_base_comp]='1'	MD6 Feel withdrawn from other people?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td><td>1 Definitely yes</td></tr> <tr> <td>2</td><td>2 Mostly yes</td></tr> <tr> <td>3</td><td>3 Not sure</td></tr> <tr> <td>4</td><td>4 Mostly no</td></tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no		
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													

			<table border="1"> <tr> <td>5</td><td>5 Definitely no</td></tr> </table>	5	5 Definitely no									
5	5 Definitely no													
333	[saqol_base_md7] Show the field ONLY if: [saqol_base_comp]='1'	MD7 Have little confidence in yourself?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
334	[saqol_base_e1] Show the field ONLY if: [saqol_base_comp]='1'	E1 Feel tired most of the time?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
335	[saqol_base_e3] Show the field ONLY if: [saqol_base_comp]='1'	E3 Have to stop and rest often during the day?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
336	[saqol_base_e4] Show the field ONLY if: [saqol_base_comp]='1'	E4 Feel too tired to do what you wanted to do?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
337	[saqol_base_fr7] Show the field ONLY if: [saqol_base_comp]='1'	FR7 Feel that you were a burden to your family?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
338	[saqol_base_qheader4] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Communication</i> During the past week, did you	descriptive											
339	[saqol_base_fr9] Show the field ONLY if: [saqol_base_comp]='1'	FR9 Feel that your language problems interfered with your family life?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
340	[saqol_base_qheader5] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Psychosocial</i> During the past week, did you	descriptive											
341	[saqol_base_sr1] Show the field ONLY if: [saqol_base_comp]='1'	SR1 Go out less often than you would like?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
342	[saqol_base_sr4] Show the field ONLY if: [saqol_base_comp]='1'	SR4 Do your hobbies and recreation less often than you would like?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> <tr> <td>3</td> <td>3 Not sure</td> </tr> <tr> <td>4</td> <td>4 Mostly no</td> </tr> <tr> <td>5</td> <td>5 Definitely no</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
radio														
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
343	[saqol_base_sr5] Show the field ONLY if: [saqol_base_comp]='1'	SR5 See your friends less often than you would like?	<table border="1"> <tr> <td>radio</td> </tr> <tr> <td>1</td> <td>1 Definitely yes</td> </tr> <tr> <td>2</td> <td>2 Mostly yes</td> </tr> </table>	radio	1	1 Definitely yes	2	2 Mostly yes						
radio														
1	1 Definitely yes													
2	2 Mostly yes													

				<table border="1"> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	3	3 Not sure	4	4 Mostly no	5	5 Definitely no				
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
344	[saqol_base_sr7] Show the field ONLY if: [saqol_base_comp]='1'	SR7 Feel that your physical condition interfered with your social life?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
345	[saqol_base_qheader6] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Communication</i> During the past week, did you	descriptive											
346	[saqol_base_sr8] Show the field ONLY if: [saqol_base_comp]='1'	SR8 Feel that your language problems interfered with your social life?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
347	[saqol_base_mean] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Score Calculations</i> SAQOL-39 Mean Score	calc Calculation: round((sum([saqol_base_sc1], [saqol_base_sc4],[saqol_base_sc5],[saqol_base_m1], [saqol_base_m4],[saqol_base_m6],[saqol_base_m7], [saqol_base_m8],[saqol_base_m9],[saqol_base_w1], [saqol_base_w2],[saqol_base_ue1],[saqol_base_ue2], [saqol_base_ue4],[saqol_base_ue5],[saqol_base_ue6], [saqol_base_l2],[saqol_base_l3],[saqol_base_l5], [saqol_base_l6],[saqol_base_l7],[saqol_base_fr9], [saqol_base_sr8],[saqol_base_t4],[saqol_base_t5], [saqol_base_p1],[saqol_base_p3],[saqol_base_md2], [saqol_base_md3],[saqol_base_md6],[saqol_base_md7], [saqol_base_e1],[saqol_base_e3],[saqol_base_e4], [saqol_base_fr7],[saqol_base_sr1],[saqol_base_sr4], [saqol_base_sr5],[saqol_base_sr7])/39))											
348	[saqol_base_physical] Show the field ONLY if: [saqol_base_comp]='1'	Physical Score	calc Calculation: round((sum([saqol_base_sc1], [saqol_base_sc4],[saqol_base_sc5],[saqol_base_m1], [saqol_base_m4],[saqol_base_m6],[saqol_base_m7], [saqol_base_m8],[saqol_base_m9],[saqol_base_w1], [saqol_base_w2],[saqol_base_ue1],[saqol_base_ue2], [saqol_base_ue4],[saqol_base_ue5],[saqol_base_ue6])/16))											
349	[saqol_base_communication] Show the field ONLY if: [saqol_base_comp]='1'	Communication Score	calc Calculation: round((sum([saqol_base_l2],[saqol_base_l3], [saqol_base_l5],[saqol_base_l6],[saqol_base_l7], [saqol_base_fr9],[saqol_base_sr8])/7))											
350	[saqol_base_psychosocial] Show the field ONLY if: [saqol_base_comp]='1'	Psychosocial Score	calc Calculation: round((sum([saqol_base_t4],[saqol_base_t5], [saqol_base_p1],[saqol_base_p3],[saqol_base_md2], [saqol_base_md3],[saqol_base_md6],[saqol_base_md7], [saqol_base_e1],[saqol_base_e3],[saqol_base_e4], [saqol_base_fr7],[saqol_base_sr1],[saqol_base_sr4], [saqol_base_sr5],[saqol_base_sr7])/16))											
351	[saqol_base_incomp] Show the field ONLY if: [saqol_base_comp]='1'	Section Header: <i>Incomplete items</i> Were any items in this test NOT asked by the clinician or NOT attempted by the patient?	radio <table border="1"> <tr><td>1</td><td>Yes - some items incomplete</td></tr> <tr><td>2</td><td>No - all items complete</td></tr> </table>	1	Yes - some items incomplete	2	No - all items complete							
1	Yes - some items incomplete													
2	No - all items complete													
352	[saqol_base_incomlist] Show the field ONLY if: [saqol_base_incomp]='1'	Please describe reasons for incomplete items	notes											
353	[baseline_saqol39_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete					
0	Incomplete													
1	Unverified													
2	Complete													
Instrument: Therapy (therapy)														
354	[ipraise_header]	Section Header: <i>Treatment descriptors</i> Please do not leave any data fields blank. Please complete Section 1 for all patients. Please complete Section 2 for all patients who receive therapy. Please complete Section 2 (Treatment descriptors) each time therapy is provided. Commencement of therapy is defined as: the point at which routine aphasia therapy/intervention commences. Completion of therapy is defined as: either the point at which routine	descriptive											

		aphasia therapy/intervention is completed in the inpatient setting, or the point at which the patient is discharged from the inpatient setting, whichever occurs first.																									
355	[therapy_prov]	Section Header: <i>Section 1</i> Was therapy provided?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> <tr><td>3</td><td>Unknown</td></tr> </table>	1	Yes	2	No	3	Unknown																		
1	Yes																										
2	No																										
3	Unknown																										
356	[therapy_provinst]	Please complete treatment descriptors on the next page for each session Show the field ONLY if: [therapy_prov]='1'	descriptive																								
357	[therapy_notprov]	Why was therapy not provided? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>therapy_notprov__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>therapy_notprov__2</td><td>Service factors</td></tr> </table>	1	therapy_notprov__1	Patient factors	2	therapy_notprov__2	Service factors																		
1	therapy_notprov__1	Patient factors																									
2	therapy_notprov__2	Service factors																									
358	[therapy_notprov_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if: [therapy_notprov(1)]=1'	checkbox <table border="1"> <tr><td>1</td><td>therapy_notprov_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>therapy_notprov_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>therapy_notprov_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>therapy_notprov_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>therapy_notprov_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>therapy_notprov_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>therapy_notprov_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>therapy_notprov_ptfact__8</td><td>Other {therapy_notprov_ptfact2}</td></tr> </table>	1	therapy_notprov_ptfact__1	Patient not alert	2	therapy_notprov_ptfact__2	Patient offered and declined	3	therapy_notprov_ptfact__3	Patient unavailable to participate	4	therapy_notprov_ptfact__4	Interpreter not available	5	therapy_notprov_ptfact__5	Not feasible due to aphasia severity	6	therapy_notprov_ptfact__6	Patient discharged before administration	7	therapy_notprov_ptfact__7	Patient died	8	therapy_notprov_ptfact__8	Other {therapy_notprov_ptfact2}
1	therapy_notprov_ptfact__1	Patient not alert																									
2	therapy_notprov_ptfact__2	Patient offered and declined																									
3	therapy_notprov_ptfact__3	Patient unavailable to participate																									
4	therapy_notprov_ptfact__4	Interpreter not available																									
5	therapy_notprov_ptfact__5	Not feasible due to aphasia severity																									
6	therapy_notprov_ptfact__6	Patient discharged before administration																									
7	therapy_notprov_ptfact__7	Patient died																									
8	therapy_notprov_ptfact__8	Other {therapy_notprov_ptfact2}																									
359	[therapy_notprov_ptfact2]	If other, please specify Show the field ONLY if: [therapy_notprov_ptfact(8)]=1'	text																								
360	[therapy_notprov_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if: [therapy_notprov(2)]=1'	checkbox <table border="1"> <tr><td>1</td><td>therapy_notprov_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>therapy_notprov_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>therapy_notprov_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>therapy_notprov_svfact__8</td><td>Other {therapy_notprov_svfact2}</td></tr> </table>	1	therapy_notprov_svfact__1	Competing demands	2	therapy_notprov_svfact__2	Resource constraints	3	therapy_notprov_svfact__3	No available trained clinicians	8	therapy_notprov_svfact__8	Other {therapy_notprov_svfact2}												
1	therapy_notprov_svfact__1	Competing demands																									
2	therapy_notprov_svfact__2	Resource constraints																									
3	therapy_notprov_svfact__3	No available trained clinicians																									
8	therapy_notprov_svfact__8	Other {therapy_notprov_svfact2}																									
361	[therapy_notprov_svfact2]	If other, please specify Show the field ONLY if: [therapy_notprov_svfact(8)]=1'	text																								
362	[therapy_startdate]	Date therapy commenced <i>DD-MM-YYYY</i> Show the field ONLY if: [therapy_prov]='1'	text (date_dmy) Field Annotation: @HIDEBUTTON																								
363	[therapy_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																										
1	Unverified																										
2	Complete																										
Instrument: Therapy Sessions (therapy_sessions)																											
364	[ipraise_header2]	Section Header: <i>Treatment Sessions</i> Please enter one form per therapy session provided Show the field ONLY if: [therapy_prov]='1'	descriptive																								
365	[therapy_date]	Section Header: <i>Section 2</i> Date therapy provided <i>DD-MM-YYYY</i> Show the field ONLY if: [therapy_prov]='1'	text (date_dmy) Field Annotation: @HIDEBUTTON																								
366	[therapy_duration]	Duration of therapy provided <i>Enter time in minutes If unknown write 999</i> Show the field ONLY if: [therapy_prov]='1'	text (integer)																								
367	[therapy_provider]	Who provided therapy? <i>Select all that apply</i> Show the field ONLY if: [therapy_prov]='1'	checkbox <table border="1"> <tr><td>1</td><td>therapy_provider__1</td><td>Speech pathologist</td></tr> <tr><td>2</td><td>therapy_provider__2</td><td>Speech pathology student</td></tr> <tr><td>3</td><td>therapy_provider__3</td><td>Allied health assistant</td></tr> <tr><td>8</td><td>therapy_provider__8</td><td>Other {therapy_provideroth}</td></tr> </table>	1	therapy_provider__1	Speech pathologist	2	therapy_provider__2	Speech pathology student	3	therapy_provider__3	Allied health assistant	8	therapy_provider__8	Other {therapy_provideroth}												
1	therapy_provider__1	Speech pathologist																									
2	therapy_provider__2	Speech pathology student																									
3	therapy_provider__3	Allied health assistant																									
8	therapy_provider__8	Other {therapy_provideroth}																									
368	[therapy_provideroth]	If other, please specify	text																								

	Show the field ONLY if: [therapy_provider(8)]=1'																													
369	[therapy_setting] Show the field ONLY if: [therapy_prov]=1'	Where was therapy provided? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>therapy_setting__1</td><td>Inpatient acute</td></tr> <tr><td>2</td><td>therapy_setting__2</td><td>Inpatient rehabilitation</td></tr> <tr><td>8</td><td>therapy_setting__8</td><td>Other {therapy_settingoth}</td></tr> </table>	1	therapy_setting__1	Inpatient acute	2	therapy_setting__2	Inpatient rehabilitation	8	therapy_setting__8	Other {therapy_settingoth}																		
1	therapy_setting__1	Inpatient acute																												
2	therapy_setting__2	Inpatient rehabilitation																												
8	therapy_setting__8	Other {therapy_settingoth}																												
370	[therapy_settingoth] Show the field ONLY if: [therapy_setting(8)]=1'	If other, please specify	text																											
371	[therapy_type] Show the field ONLY if: [therapy_prov]=1'	What was the type of therapy provided? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>therapy_type__1</td><td>Body structures and functions (e.g. language/linguistic processes)</td></tr> <tr><td>2</td><td>therapy_type__2</td><td>Activities and participation (e.g. functional communication, communication activities of daily living)</td></tr> <tr><td>3</td><td>therapy_type__3</td><td>Environmental factors (e.g. communication partner training, AAC)</td></tr> <tr><td>4</td><td>therapy_type__4</td><td>Personal factors (e.g. counselling)</td></tr> </table>	1	therapy_type__1	Body structures and functions (e.g. language/linguistic processes)	2	therapy_type__2	Activities and participation (e.g. functional communication, communication activities of daily living)	3	therapy_type__3	Environmental factors (e.g. communication partner training, AAC)	4	therapy_type__4	Personal factors (e.g. counselling)															
1	therapy_type__1	Body structures and functions (e.g. language/linguistic processes)																												
2	therapy_type__2	Activities and participation (e.g. functional communication, communication activities of daily living)																												
3	therapy_type__3	Environmental factors (e.g. communication partner training, AAC)																												
4	therapy_type__4	Personal factors (e.g. counselling)																												
372	[therapy_approach] Show the field ONLY if: [therapy_prov]=1'	What was the therapeutic approach? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>therapy_approach__1</td><td>Semantic</td></tr> <tr><td>2</td><td>therapy_approach__2</td><td>Phonological</td></tr> <tr><td>3</td><td>therapy_approach__3</td><td>Functional and pragmatic</td></tr> <tr><td>4</td><td>therapy_approach__4</td><td>Constraint Induced aphasia therapy</td></tr> <tr><td>5</td><td>therapy_approach__5</td><td>Melodic intonation therapy</td></tr> <tr><td>6</td><td>therapy_approach__6</td><td>Conversational partner training</td></tr> <tr><td>7</td><td>therapy_approach__7</td><td>Verbal therapy</td></tr> <tr><td>8</td><td>therapy_approach__8</td><td>Multimodal therapy</td></tr> <tr><td>9</td><td>therapy_approach__9</td><td>Other {therapy_approachoth}</td></tr> </table>	1	therapy_approach__1	Semantic	2	therapy_approach__2	Phonological	3	therapy_approach__3	Functional and pragmatic	4	therapy_approach__4	Constraint Induced aphasia therapy	5	therapy_approach__5	Melodic intonation therapy	6	therapy_approach__6	Conversational partner training	7	therapy_approach__7	Verbal therapy	8	therapy_approach__8	Multimodal therapy	9	therapy_approach__9	Other {therapy_approachoth}
1	therapy_approach__1	Semantic																												
2	therapy_approach__2	Phonological																												
3	therapy_approach__3	Functional and pragmatic																												
4	therapy_approach__4	Constraint Induced aphasia therapy																												
5	therapy_approach__5	Melodic intonation therapy																												
6	therapy_approach__6	Conversational partner training																												
7	therapy_approach__7	Verbal therapy																												
8	therapy_approach__8	Multimodal therapy																												
9	therapy_approach__9	Other {therapy_approachoth}																												
373	[therapy_approachoth] Show the field ONLY if: [therapy_approach(9)]=1'	If other, please specify	text																											
374	[therapy_target] Show the field ONLY if: [therapy_prov]=1'	What was the therapy target? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>therapy_target__1</td><td>Spoken language (naming or word-finding)</td></tr> <tr><td>2</td><td>therapy_target__2</td><td>Spoken language (other)</td></tr> <tr><td>3</td><td>therapy_target__3</td><td>Auditory comprehension</td></tr> <tr><td>4</td><td>therapy_target__4</td><td>Reading</td></tr> <tr><td>5</td><td>therapy_target__5</td><td>Writing</td></tr> <tr><td>8</td><td>therapy_target__8</td><td>Other {therapy_targetoth}</td></tr> </table>	1	therapy_target__1	Spoken language (naming or word-finding)	2	therapy_target__2	Spoken language (other)	3	therapy_target__3	Auditory comprehension	4	therapy_target__4	Reading	5	therapy_target__5	Writing	8	therapy_target__8	Other {therapy_targetoth}									
1	therapy_target__1	Spoken language (naming or word-finding)																												
2	therapy_target__2	Spoken language (other)																												
3	therapy_target__3	Auditory comprehension																												
4	therapy_target__4	Reading																												
5	therapy_target__5	Writing																												
8	therapy_target__8	Other {therapy_targetoth}																												
375	[therapy_targetoth] Show the field ONLY if: [therapy_target(8)]=1'	If other, please specify	text																											
376	[therapy_mode] Show the field ONLY if: [therapy_prov]=1'	How was therapy provided? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>therapy_mode__1</td><td>Face-to-face</td></tr> <tr><td>2</td><td>therapy_mode__2</td><td>Computer</td></tr> <tr><td>3</td><td>therapy_mode__3</td><td>Telephone</td></tr> <tr><td>4</td><td>therapy_mode__4</td><td>Self-managed</td></tr> <tr><td>5</td><td>therapy_mode__5</td><td>One-to-one</td></tr> <tr><td>6</td><td>therapy_mode__6</td><td>Group</td></tr> <tr><td>7</td><td>therapy_mode__7</td><td>Mixed</td></tr> <tr><td>8</td><td>therapy_mode__8</td><td>Other {therapy_modeoth}</td></tr> </table>	1	therapy_mode__1	Face-to-face	2	therapy_mode__2	Computer	3	therapy_mode__3	Telephone	4	therapy_mode__4	Self-managed	5	therapy_mode__5	One-to-one	6	therapy_mode__6	Group	7	therapy_mode__7	Mixed	8	therapy_mode__8	Other {therapy_modeoth}			
1	therapy_mode__1	Face-to-face																												
2	therapy_mode__2	Computer																												
3	therapy_mode__3	Telephone																												
4	therapy_mode__4	Self-managed																												
5	therapy_mode__5	One-to-one																												
6	therapy_mode__6	Group																												
7	therapy_mode__7	Mixed																												
8	therapy_mode__8	Other {therapy_modeoth}																												
377	[therapy_modeoth] Show the field ONLY if: [therapy_mode(8)]=1'	If other, please specify	text																											
378	[therapy_comp] Show the field ONLY if: [therapy_prov]=1'	Section Header: <i>Ongoing Therapy</i> Is therapy continuing?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																							
1	Yes																													
2	No																													

	379	[therapy_comptime]	Date therapy completed DD-MM-YYYY	text (date_dmy)						
	380	[therapy_incomp]	Show the field ONLY if: [therapy_prov]='1' and [therapy_comp]='2' Please click 'Save & Go to New Instance' to complete a separate form for each treatment session.	descriptive						
	381	[therapy_sessions_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

Instrument: Clinician Anchor Language (clinician_anchor_language)

	382	[clinanchor_lang_warn]	Section Header: <i>Clinician-Rated Anchor: Language</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive																								
	383	[clinanchor_lang_header]	Please do not leave any data fields blank. To be completed by the patient's treating clinician where possible. Please complete the anchor even if the patient has not received aphasia treatments.	descriptive																								
	384	[clinanchor_lang_comp]	Clinician-rated anchor completed	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No																				
1	Yes																											
2	No																											
	385	[clinanchor_lang_nc]	Why was the clinician-rated anchor not completed? <i>Select all that apply</i>	checkbox <table border="1"><tr><td>1</td><td>clinanchor_lang_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>clinanchor_lang_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>clinanchor_lang_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3'	1	clinanchor_lang_nc__1	Patient factors	2	clinanchor_lang_nc__2	Service factors	3	clinanchor_lang_nc__3	Patient discharged prior to two week test/re-test period															
1	clinanchor_lang_nc__1	Patient factors																										
2	clinanchor_lang_nc__2	Service factors																										
3	clinanchor_lang_nc__3	Patient discharged prior to two week test/re-test period																										
	386	[clinanchor_lang_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"><tr><td>1</td><td>clinanchor_lang_nc_ptfact__1</td><td>Patient not alert</td></tr><tr><td>2</td><td>clinanchor_lang_nc_ptfact__2</td><td>Patient offered and declined</td></tr><tr><td>3</td><td>clinanchor_lang_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr><tr><td>4</td><td>clinanchor_lang_nc_ptfact__4</td><td>Interpreter not available</td></tr><tr><td>5</td><td>clinanchor_lang_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr><tr><td>6</td><td>clinanchor_lang_nc_ptfact__6</td><td>Patient discharged before administration</td></tr><tr><td>7</td><td>clinanchor_lang_nc_ptfact__7</td><td>Patient died</td></tr><tr><td>8</td><td>clinanchor_lang_nc_ptfact__8</td><td>Other {clinanchor_lang_nc_ptfac}</td></tr></table>	1	clinanchor_lang_nc_ptfact__1	Patient not alert	2	clinanchor_lang_nc_ptfact__2	Patient offered and declined	3	clinanchor_lang_nc_ptfact__3	Patient unavailable to participate	4	clinanchor_lang_nc_ptfact__4	Interpreter not available	5	clinanchor_lang_nc_ptfact__5	Not feasible due to aphasia severity	6	clinanchor_lang_nc_ptfact__6	Patient discharged before administration	7	clinanchor_lang_nc_ptfact__7	Patient died	8	clinanchor_lang_nc_ptfact__8	Other {clinanchor_lang_nc_ptfac}
1	clinanchor_lang_nc_ptfact__1	Patient not alert																										
2	clinanchor_lang_nc_ptfact__2	Patient offered and declined																										
3	clinanchor_lang_nc_ptfact__3	Patient unavailable to participate																										
4	clinanchor_lang_nc_ptfact__4	Interpreter not available																										
5	clinanchor_lang_nc_ptfact__5	Not feasible due to aphasia severity																										
6	clinanchor_lang_nc_ptfact__6	Patient discharged before administration																										
7	clinanchor_lang_nc_ptfact__7	Patient died																										
8	clinanchor_lang_nc_ptfact__8	Other {clinanchor_lang_nc_ptfac}																										
	387	[clinanchor_lang_nc_ptfact2]	If other, please specify	text																								
	388	[clinanchor_lang_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"><tr><td>1</td><td>clinanchor_lang_nc_svfact__1</td><td>Competing demands</td></tr><tr><td>2</td><td>clinanchor_lang_nc_svfact__2</td><td>Resource constraints</td></tr><tr><td>3</td><td>clinanchor_lang_nc_svfact__3</td><td>No available trained clinicians</td></tr><tr><td>8</td><td>clinanchor_lang_nc_svfact__8</td><td>Other {clinanchor_lang_nc_svfac}</td></tr></table>	1	clinanchor_lang_nc_svfact__1	Competing demands	2	clinanchor_lang_nc_svfact__2	Resource constraints	3	clinanchor_lang_nc_svfact__3	No available trained clinicians	8	clinanchor_lang_nc_svfact__8	Other {clinanchor_lang_nc_svfac}												
1	clinanchor_lang_nc_svfact__1	Competing demands																										
2	clinanchor_lang_nc_svfact__2	Resource constraints																										
3	clinanchor_lang_nc_svfact__3	No available trained clinicians																										
8	clinanchor_lang_nc_svfact__8	Other {clinanchor_lang_nc_svfac}																										
	389	[clinanchor_lang_nc_svfact2]	If other, please specify	text																								
	390	[clinanchor_lang_date]	Date clinician-rated anchor completed DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON																								
	391	[clinanchor_lang_admin]	Completed by	dropdown <table border="1"><tr><td>1</td><td>Treating clinician</td></tr><tr><td>2</td><td>Independent assessor</td></tr></table>	1	Treating clinician	2	Independent assessor																				
1	Treating clinician																											
2	Independent assessor																											

			<table border="1"> <tr> <td>3</td><td>Research team member</td></tr> </table>	3	Research team member										
3	Research team member														
392	[clinanchor_lang_name] Show the field ONLY if: [clinanchor_lang_comp]='1'	Name of person completing anchor	text												
393	[clinanchor_lang_q1] Show the field ONLY if: [clinanchor_lang_comp]='1'	How much has the patient's language changed since their baseline assessment?	<p>dropdown</p> <table border="1"> <tr><td>-2</td><td>Much worse</td></tr> <tr><td>-1</td><td>Slightly worse</td></tr> <tr><td>0</td><td>No change</td></tr> <tr><td>1</td><td>Slightly improved</td></tr> <tr><td>2</td><td>Much improved</td></tr> <tr><td>3</td><td>Completely recovered</td></tr> </table>	-2	Much worse	-1	Slightly worse	0	No change	1	Slightly improved	2	Much improved	3	Completely recovered
-2	Much worse														
-1	Slightly worse														
0	No change														
1	Slightly improved														
2	Much improved														
3	Completely recovered														
394	[clinanchor_lang_q2] Show the field ONLY if: [clinanchor_lang_comp]='1'	Do you think this amount of change was an important change to the patient?	<p>radio</p> <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No								
1	Yes														
2	No														
395	[clinanchor_lang_total]	Clinician threshold of important change - Language	<p>calc Calculation: [clinanchor_lang_q1]</p>												
396	[clinician_anchor_language_complete]	Section Header: <i>Form Status</i> Complete?	<p>dropdown</p> <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete														
1	Unverified														
2	Complete														

Instrument: Patient Anchor Language (patient_anchor_language)

397	[ptanchor_lang_warn]	Section Header: <i>Patient-Rated Anchor: Language</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive																								
398	[ptanchor_lang_header]	Please do not leave any data fields blank. The anchor is to be completed only with post-treatment outcome measures. The anchor is to be completed prior to administration of the WAB-R.	descriptive																								
399	[ptanchor_lang_comp]	Patient-rated anchor completed	<p>radio</p> <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																				
1	Yes																										
2	No																										
400	[ptanchor_lang_nc] Show the field ONLY if: [ptanchor_lang_comp]='2'	Why was the patient-rated anchor not completed? <i>Select all that apply</i>	<p>checkbox</p> <table border="1"> <tr><td>1</td><td>ptanchor_lang_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ptanchor_lang_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ptanchor_lang_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	ptanchor_lang_nc__1	Patient factors	2	ptanchor_lang_nc__2	Service factors	3	ptanchor_lang_nc__3	Patient discharged prior to two week test/re-test period															
1	ptanchor_lang_nc__1	Patient factors																									
2	ptanchor_lang_nc__2	Service factors																									
3	ptanchor_lang_nc__3	Patient discharged prior to two week test/re-test period																									
401	[ptanchor_lang_nc_ptfact] Show the field ONLY if: [ptanchor_lang_nc(1)]='1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	<p>checkbox</p> <table border="1"> <tr><td>1</td><td>ptanchor_lang_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ptanchor_lang_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ptanchor_lang_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ptanchor_lang_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ptanchor_lang_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>ptanchor_lang_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>ptanchor_lang_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>ptanchor_lang_nc_ptfact__8</td><td>Other {ptanchor_lang_nc_ptfact2}</td></tr> </table>	1	ptanchor_lang_nc_ptfact__1	Patient not alert	2	ptanchor_lang_nc_ptfact__2	Patient offered and declined	3	ptanchor_lang_nc_ptfact__3	Patient unavailable to participate	4	ptanchor_lang_nc_ptfact__4	Interpreter not available	5	ptanchor_lang_nc_ptfact__5	Not feasible due to aphasia severity	6	ptanchor_lang_nc_ptfact__6	Patient discharged before administration	7	ptanchor_lang_nc_ptfact__7	Patient died	8	ptanchor_lang_nc_ptfact__8	Other {ptanchor_lang_nc_ptfact2}
1	ptanchor_lang_nc_ptfact__1	Patient not alert																									
2	ptanchor_lang_nc_ptfact__2	Patient offered and declined																									
3	ptanchor_lang_nc_ptfact__3	Patient unavailable to participate																									
4	ptanchor_lang_nc_ptfact__4	Interpreter not available																									
5	ptanchor_lang_nc_ptfact__5	Not feasible due to aphasia severity																									
6	ptanchor_lang_nc_ptfact__6	Patient discharged before administration																									
7	ptanchor_lang_nc_ptfact__7	Patient died																									
8	ptanchor_lang_nc_ptfact__8	Other {ptanchor_lang_nc_ptfact2}																									
402	[ptanchor_lang_nc_ptfact2] Show the field ONLY if: [ptanchor_lang_nc_ptfact(8)]='1'	If other, please specify	text																								
403	[ptanchor_lang_nc_svfact] Show the field ONLY if: [ptanchor_lang_nc(2)]='1'	Which service factors influenced non-completion? <i>Select all that apply</i>	<p>checkbox</p> <table border="1"> <tr><td>1</td><td>ptanchor_lang_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>ptanchor_lang_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>ptanchor_lang_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>ptanchor_lang_nc_svfact__8</td><td>Other {ptanchor_lang_nc_svfact2}</td></tr> </table>	1	ptanchor_lang_nc_svfact__1	Competing demands	2	ptanchor_lang_nc_svfact__2	Resource constraints	3	ptanchor_lang_nc_svfact__3	No available trained clinicians	8	ptanchor_lang_nc_svfact__8	Other {ptanchor_lang_nc_svfact2}												
1	ptanchor_lang_nc_svfact__1	Competing demands																									
2	ptanchor_lang_nc_svfact__2	Resource constraints																									
3	ptanchor_lang_nc_svfact__3	No available trained clinicians																									
8	ptanchor_lang_nc_svfact__8	Other {ptanchor_lang_nc_svfact2}																									

	404	[ptanchor_lang_nc_svfact2] Show the field ONLY if: [ptanchor_lang_nc_svfact(8)]=1'	If other, please specify	text						
	405	[ptanchor_lang_proxy] Show the field ONLY if: [ptanchor_lang_comp]=1'	Patient-reported anchor was completed by	radio <table border="1"><tr><td>1</td><td>Patient</td></tr><tr><td>2</td><td>Patient with support from a communication partner</td></tr><tr><td>3</td><td>Significant other</td></tr></table>	1	Patient	2	Patient with support from a communication partner	3	Significant other
1	Patient									
2	Patient with support from a communication partner									
3	Significant other									
	406	[ptanchor_lang_date] Show the field ONLY if: [ptanchor_lang_comp]=1'	Date patient-rated anchor administered DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON						
	407	[ptanchor_lang_admin] Show the field ONLY if: [ptanchor_lang_comp]=1'	Administered by	dropdown <table border="1"><tr><td>1</td><td>Treating clinician</td></tr><tr><td>2</td><td>Independent assessor</td></tr><tr><td>3</td><td>Research team member</td></tr></table>	1	Treating clinician	2	Independent assessor	3	Research team member
1	Treating clinician									
2	Independent assessor									
3	Research team member									
	408	[ptanchor_lang_name] Show the field ONLY if: [ptanchor_lang_comp]=1'	Name of administrator	text						
	409	[ptanchor_lang_desc1] Show the field ONLY if: [ptanchor_lang_comp]=1'	Section Header: <i>Patient Anchor</i> Please complete directly prior to administration of the post WAB-R. 1) Explain: We want to know much your language has changed since you last did this test. 2) Show the patient the WAB-R materials. 3) Show the patient the "Language is" visual. Explain This question is asking you about your language. Language is understanding, talking, reading and writing. 4) Read the anchor question to the patient How much has your language changed since you last did this test? 5) Show the patient the language anchor scale. 6) Read the response options, pointing to each option as you go. 7) Repeat the anchor question How much has your language changed since you last did this test? Ask the patient for their response. 8) Enter the patient response directly into REDCap.	descriptive						
	410	[ptanchor_lang_q1] Show the field ONLY if: [ptanchor_lang_comp]=1'	How much has your language changed since you last did this test?	radio <table border="1"><tr><td>-2</td></tr><tr><td>-1</td></tr><tr><td>0</td></tr><tr><td>1</td></tr><tr><td>2</td></tr><tr><td>3</td></tr></table>	-2	-1	0	1	2	3
-2										
-1										
0										
1										
2										
3										
	411	[ptanchor_lang_q2] Show the field ONLY if: [ptanchor_lang_comp]=1'	Do you think this amount of change was an important change?	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No		
1	Yes									
2	No									
	412	[ptanchor_lang_total] Show the field ONLY if: [ptanchor_lang_comp]=1'	Section Header: <i>Score</i> Patient threshold of important change - Language	calc Calculation: [ptanchor_lang_q1]						
	413	[ptanchor_lang_instr] Show the field ONLY if: [ptanchor_lang_q1] <> ""	Please administer the post WAB-R now	descriptive						
	414	[muchworse] 		descriptive (Attachment: Much worse.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	415	[slightlyworse] 		descriptive (Attachment: Slightly worse.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	416	[nochange] 		descriptive (Attachment: No change.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	417	[slightlyimproved] 		descriptive (Attachment: Slightly improved.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	418	[muchimproved] 		descriptive (Attachment: Much improved.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	419	[completelyrecovered] 		descriptive (Attachment: Completely recovered.jpg, Display format:						

			Inline image/PDF Field Annotation: @HIDDEN																								
420	[patient_anchor_language_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																										
1	Unverified																										
2	Complete																										
Instrument: Post WABR (post_wabr)																											
421	[wabr_post_header]	Section Header: <i>Post: Western Aphasia Battery-Revised (WAB-R)</i> Please do not leave any data fields blank	descriptive																								
422	[wabr_post_comp]	Post WAB-R completed in [event-label] setting?	radio <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																				
1	Yes																										
2	No																										
423	[wabr_post_history]	Post WAB-R completion status: Inpatient Acute: [inpatient_acute_arm_1][wabr_post_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][wabr_post_comp] Community: [community_arm_1][wabr_post_comp]	descriptive																								
424	[wabr_post_file]	Upload a copy of the completed post WAB-R (optional) Show the field ONLY if: [wabr_post_comp]='1'	file																								
425	[wabr_post_nc]	Why was the post WAB-R not completed? <i>Select all that apply</i>	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>wabr_post_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>wabr_post_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>wabr_post_nc__3</td><td>Previously completed</td></tr> <tr><td>4</td><td>wabr_post_nc__4</td><td>Other assessment used to assess language function; please specify {wabr_post_otherax}</td></tr> <tr><td>5</td><td>wabr_post_nc__5</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3' @NONEOFTHEABOVE='4' @NONEOFTHEABOVE='5'</p>	1	wabr_post_nc__1	Patient factors	2	wabr_post_nc__2	Service factors	3	wabr_post_nc__3	Previously completed	4	wabr_post_nc__4	Other assessment used to assess language function; please specify {wabr_post_otherax}	5	wabr_post_nc__5	Patient discharged prior to two week test/re-test period									
1	wabr_post_nc__1	Patient factors																									
2	wabr_post_nc__2	Service factors																									
3	wabr_post_nc__3	Previously completed																									
4	wabr_post_nc__4	Other assessment used to assess language function; please specify {wabr_post_otherax}																									
5	wabr_post_nc__5	Patient discharged prior to two week test/re-test period																									
426	[wabr_post_otherax]	Please specify Show the field ONLY if: [wabr_post_nc(4)]=1	text																								
427	[wabr_post_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>wabr_post_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>wabr_post_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>wabr_post_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>wabr_post_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>wabr_post_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>wabr_post_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>wabr_post_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>wabr_post_nc_ptfact__8</td><td>Other {wabr_post_nc_ptfact2}</td></tr> </table>	1	wabr_post_nc_ptfact__1	Patient not alert	2	wabr_post_nc_ptfact__2	Patient offered and declined	3	wabr_post_nc_ptfact__3	Patient unavailable to participate	4	wabr_post_nc_ptfact__4	Interpreter not available	5	wabr_post_nc_ptfact__5	Not feasible due to aphasia severity	6	wabr_post_nc_ptfact__6	Patient discharged before administration	7	wabr_post_nc_ptfact__7	Patient died	8	wabr_post_nc_ptfact__8	Other {wabr_post_nc_ptfact2}
1	wabr_post_nc_ptfact__1	Patient not alert																									
2	wabr_post_nc_ptfact__2	Patient offered and declined																									
3	wabr_post_nc_ptfact__3	Patient unavailable to participate																									
4	wabr_post_nc_ptfact__4	Interpreter not available																									
5	wabr_post_nc_ptfact__5	Not feasible due to aphasia severity																									
6	wabr_post_nc_ptfact__6	Patient discharged before administration																									
7	wabr_post_nc_ptfact__7	Patient died																									
8	wabr_post_nc_ptfact__8	Other {wabr_post_nc_ptfact2}																									
428	[wabr_post_nc_ptfact2]	If other, please specify Show the field ONLY if: [wabr_post_nc_ptfact(8)]=1'	text																								
429	[wabr_post_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>wabr_post_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>wabr_post_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>wabr_post_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>wabr_post_nc_svfact__8</td><td>Other {wabr_post_nc_svfact2}</td></tr> </table>	1	wabr_post_nc_svfact__1	Competing demands	2	wabr_post_nc_svfact__2	Resource constraints	3	wabr_post_nc_svfact__3	No available trained clinicians	8	wabr_post_nc_svfact__8	Other {wabr_post_nc_svfact2}												
1	wabr_post_nc_svfact__1	Competing demands																									
2	wabr_post_nc_svfact__2	Resource constraints																									
3	wabr_post_nc_svfact__3	No available trained clinicians																									
8	wabr_post_nc_svfact__8	Other {wabr_post_nc_svfact2}																									
430	[wabr_post_nc_svfact2]	If other, please specify Show the field ONLY if: [wabr_post_nc_svfact(8)]=1'	text																								
431	[wabr_post_date]	Date post WAB-R administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																								
432	[wabr_post_admin]	Administered by	dropdown																								

1	Treating clinician
2	Independent assessor
3	Research team member

	Show the field ONLY if: [wabr_post_comp]='1'		
433	[wabr_post_name] Show the field ONLY if: [wabr_post_comp]='1'	Name of Administrator	text
434	[wabr_post_info] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Spontaneous Speech</i> Information content score 0-10	text (integer, Min: 0, Max: 10)
435	[wabr_post_fluency] Show the field ONLY if: [wabr_post_comp]='1'	Fluency, Grammatical Competence and Paraphasias score 0-10	text (integer, Min: 0, Max: 10)
436	[wabr_post_sponttotal] Show the field ONLY if: [wabr_post_comp]='1'	Spontaneous Speech TOTAL	calc Calculation: sum([wabr_post_info],[wabr_post_fluency])
437	[wabr_post_spontscore] Show the field ONLY if: [wabr_post_comp]='1'	Spontaneous Speech SCORE to calculate AQ	calc Calculation: sum([wabr_post_info],[wabr_post_fluency])
438	[wabr_post_qs] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Auditory Verbal Comprehension</i> Yes/No Questions 0-60	text (integer, Min: 0, Max: 60)
439	[wabr_post_auditory] Show the field ONLY if: [wabr_post_comp]='1'	Auditory Word Recognition 0-60	text (integer, Min: 0, Max: 60)
440	[wabr_post_seq] Show the field ONLY if: [wabr_post_comp]='1'	Sequential Commands 0-80	text (integer, Min: 0, Max: 80)
441	[wabr_post_avtotal] Show the field ONLY if: [wabr_post_comp]='1'	Auditory Verbal Comprehension TOTAL	calc Calculation: sum([wabr_post_qs],[wabr_post_auditory], [wabr_post_seq])
442	[wabr_post_avscore1] Show the field ONLY if: [wabr_post_comp]='1'	Auditory Verbal Comprehension SCORE 1 to calculate AQ	calc Calculation: round([wabr_post_avtotal]/20,2)
443	[wabr_post_avscore2] Show the field ONLY if: [wabr_post_comp]='1'	Auditory Verbal Comprehension SCORE 2 to calculate LQ and CQ	calc Calculation: [wabr_post_avscore1]/10
444	[wabr_post_repetition] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Repetition</i> Repetition total 0-100	text (integer, Min: 0, Max: 100)
445	[wabr_post_reptotal] Show the field ONLY if: [wabr_post_comp]='1'	Repetition TOTAL	calc Calculation: [wabr_post_repetition]
446	[wabr_post_repscore] Show the field ONLY if: [wabr_post_comp]='1'	Repetition SCORE to calculate AQ, LQ and CQ	calc Calculation: [wabr_post_repetition]/10
447	[wabr_post_object] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Name and Word Finding</i> Object Naming 0-60	text (integer, Min: 0, Max: 60)
448	[wabr_post_wordf1] Show the field ONLY if: [wabr_post_comp]='1'	Word Fluency 0-20	text (integer, Min: 0, Max: 20)
449	[wabr_post_sentence] Show the field ONLY if: [wabr_post_comp]='1'	Sentence Completion 0-10	text (integer, Min: 0, Max: 10)
450	[wabr_post_respon] Show the field ONLY if: [wabr_post_comp]='1'	Responsive Speech 0-10	text (integer, Min: 0, Max: 10)
451	[wabr_post_nwtotal] Show the field ONLY if: [wabr_post_comp]='1'	Naming and Word Finding TOTAL	calc Calculation: sum([wabr_post_object],[wabr_post_wordf1], [wabr_post_sentence],[wabr_post_respon])
452	[wabr_post_nwscore] Show the field ONLY if: [wabr_post_comp]='1'	Naming and Word Finding SCORE to calculate AQ, LQ and CQ	calc Calculation: [wabr_post_nwtotal]/10

	453 [wabr_post_aq]	Section Header: <i>Aphasia Quotient - AQ</i> APHASIA QUOTIENT- AQ Show the field ONLY if: [wabr_post_comp]='1'	calc Calculation: sum([wabr_post_spontscore], [wabr_post_avscore1],[wabr_post_repscore], [wabr_post_nwscore])*2
	454 [wabr_post_compreh]	Section Header: <i>Reading</i> Comprehension of Sentences 0-40 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 40)
	455 [wabr_post_reading]	Reading Commands 0-20 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 20)
	456 [wabr_post_writobjmatch]	Written Word-Object Choice Matching 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	457 [wabr_post_writpicmatch]	Written Word-Picture Choice Matching 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	458 [wabr_post_picmatch]	Picture-Written Word Choice Matching 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	459 [wabr_post_spokenmatch]	Spoken Word-Written Word Choice Matching 0-4 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 4)
	460 [wabr_post_discrim]	Letter Discrimination 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	461 [wabr_post_spellwordrecog]	Spelled Word Recognition 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	462 [wabr_post_spelling]	Spelling 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	463 [wabr_post_readingtotal]	Reading TOTAL Show the field ONLY if: [wabr_post_comp]='1'	calc Calculation: sum([wabr_post_compreh], [wabr_post_reading],[wabr_post_writobjmatch], [wabr_post_writpicmatch],[wabr_post_picmatch], [wabr_post_spokenmatch],[wabr_post_discrim], [wabr_post_spellwordrecog],[wabr_post_spelling])
	464 [wabr_post_readingscore1]	Reading SCORE 1 to calculate LQ Show the field ONLY if: [wabr_post_comp]='1'	calc Calculation: round([wabr_post_readingtotal]/5,2)
	465 [wabr_post_readingscore2]	Reading SCORE 2 to calculate CQ Show the field ONLY if: [wabr_post_comp]='1'	calc Calculation: [wabr_post_readingscore1]/10
	466 [wabr_post_writreq]	Section Header: <i>Writing</i> Writing Upon Request 0-6 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 6)
	467 [wabr_post_writoutput]	Writing Output 0-34 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 34)
	468 [wabr_post_writdictation]	Writing to Dictation 0-10 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 10)
	469 [wabr_post_writdictated]	Writing Dictated Words 0-10 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 10)
	470 [wabr_post_alpha]	Alphabet and Numbers 0-22.5 Show the field ONLY if: [wabr_post_comp]='1'	text (number, Min: 0, Max: 22.5)
	471 [wabr_post_dictletters]	Dictated Letters and Numbers 0-7.5 Show the field ONLY if: [wabr_post_comp]='1'	text (number, Min: 0, Max: 7.5)
	472 [wabr_post_copying]	Copying a Sentence 0-10 Show the field ONLY if: [wabr_post_comp]='1'	text (integer, Min: 0, Max: 10)
	473 [wabr_post_writingtotal]	Writing TOTAL Show the field ONLY if:	calc Calculation: sum([wabr_post_writreq], [wabr_post_writoutput],[wabr_post_writdictation],

	[wabr_post_comp]='1'		[wabr_post_writdictated],[wabr_post_alpha],[wabr_post_dictletters],[wabr_post_copying])
474	[wabr_post_writingscore1] Show the field ONLY if: [wabr_post_comp]='1'	Writing SCORE 1 to calculate LQ	calc Calculation: round([wabr_post_writingtotal]/5,2)
475	[wabr_post_writingscore2] Show the field ONLY if: [wabr_post_comp]='1'	Writing SCORE 2 to calculate CQ	calc Calculation: [wabr_base_writingscore1]/10
476	[wabr_post_lq] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Language Quotient - LQ</i> Language Quotient - LQ	calc Calculation: sum([wabr_post_spontscore],[wabr_post_avscore2],[wabr_post_repscore],[wabr_post_nwscore],[wabr_post_readingscore1],[wabr_post_writingscore1])
477	[wabr_post_apraxia] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Apraxia</i> Apraxia 0-60	text (integer, Min: 0, Max: 60)
478	[wabr_post_apraxiatotal] Show the field ONLY if: [wabr_post_comp]='1'	Apraxia TOTAL	calc Calculation: [wabr_post_apraxia]
479	[wabr_post_apraxiascore] Show the field ONLY if: [wabr_post_comp]='1'	Apraxia SCORE to calculate CQ	calc Calculation: round([wabr_post_apraxiatotal]/6,2)
480	[wabr_post_drawing] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Constructional, Visuospatial and Calculation</i> Drawing 0-30	text (integer, Min: 0, Max: 30)
481	[wabr_post_block] Show the field ONLY if: [wabr_post_comp]='1'	Block Design 0-9	text (integer, Min: 0, Max: 9)
482	[wabr_post_calc] Show the field ONLY if: [wabr_post_comp]='1'	Calculation 0-24	text (integer, Min: 0, Max: 24)
483	[wabr_post_raven] Show the field ONLY if: [wabr_post_comp]='1'	Raven's Coloured Progressive Matrices 0-37	text (integer, Min: 0, Max: 37)
484	[wabr_post_constructtotal] Show the field ONLY if: [wabr_post_comp]='1'	Constructional, Visuospatial and Calculation TOTAL	calc Calculation: sum([wabr_post_drawing],[wabr_post_block],[wabr_post_calc],[wabr_post_raven])
485	[wabr_post_constructscore] Show the field ONLY if: [wabr_post_comp]='1'	Constructional, Visuospatial and Calculation SCORE to calculate CQ	calc Calculation: [wabr_post_constructtotal]/10
486	[wabr_post_cq] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Cortical Quotient - CQ</i> CORTICAL QUOTIENT-CQ	calc Calculation: sum([wabr_post_spontscore],[wabr_post_avscore2],[wabr_post_repscore],[wabr_post_nwscore],[wabr_post_readingscore2],[wabr_post_writingscore2],[wabr_post_apraxiascore],[wabr_post_constructscore])
487	[wabr_post_irrdiction] Show the field ONLY if: [wabr_post_comp]='1'	Section Header: <i>Supplemental Writing and Reading</i> Writing Irregular Words to Dictation 0-10	text (integer, Min: 0, Max: 10)
488	[wabr_post_supp_a] Show the field ONLY if: [wabr_post_comp]='1'	Supplemental Writing and Reading A	calc Calculation: [wabr_post_irrdiction]
489	[wabr_post_nwdiction] Show the field ONLY if: [wabr_post_comp]='1'	Writing Non-Words to Dictation 0-10	text (integer, Min: 0, Max: 10)
490	[wabr_post_supp_b] Show the field ONLY if: [wabr_post_comp]='1'	Supplemental Writing and Reading B	calc Calculation: [wabr_post_nwdiction]
491	[wabr_post_irregular] Show the field ONLY if: [wabr_post_comp]='1'	Writing Irregular Words 0-10	text (integer, Min: 0, Max: 10)
492	[wabr_post_supp_c] Show the field ONLY if: [wabr_post_comp]='1'	Supplemental Writing and Reading C	calc Calculation: [wabr_post_irregular]
493	[wabr_post_nonword] Show the field ONLY if: [wabr_post_comp]='1'	Reading Non-Words 0-10	text (integer, Min: 0, Max: 10)

	494 [wabr_post_supp_d]	Supplemental Writing and Reading D Show the field ONLY if: [wabr_post_comp]='1'	calc Calculation: [wabr_post_nonword]																
	495 [wabr_post_class]	Section Header: <i>Aphasia Classification</i> Aphasia Classification Show the field ONLY if: [wabr_post_comp]='1'	dropdown <table border="1"><tr><td>1</td><td>Global</td></tr><tr><td>2</td><td>Broca's</td></tr><tr><td>3</td><td>Isolation</td></tr><tr><td>4</td><td>Transcortical Motor</td></tr><tr><td>5</td><td>Wernicke's</td></tr><tr><td>6</td><td>Transcortical Sensory</td></tr><tr><td>7</td><td>Conduction</td></tr><tr><td>8</td><td>Anomic</td></tr></table>	1	Global	2	Broca's	3	Isolation	4	Transcortical Motor	5	Wernicke's	6	Transcortical Sensory	7	Conduction	8	Anomic
1	Global																		
2	Broca's																		
3	Isolation																		
4	Transcortical Motor																		
5	Wernicke's																		
6	Transcortical Sensory																		
7	Conduction																		
8	Anomic																		
	496 [wabr_post_severity]	Section Header: <i>Aphasia Severity</i> Aphasia Severity Show the field ONLY if: [wabr_post_comp]='1'	calc Calculation: if([wabr_post_aq]>=93.7,"0",if([wabr_post_aq]>=62.6,"1",if([wabr_post_aq]<62.6,"2","3")))																
	497 [wabr_post_severitykey]	Score Severity 0 No aphasia 1 Mild aphasia 2 Moderate aphasia 3 Severe aphasia Show the field ONLY if: [wabr_post_comp]='1'	descriptive																
	498 [wabr_post_incomp]	Section Header: <i>Incomplete items</i> Were any items in this test NOT asked by the clinician or NOT attempted by the patient? Show the field ONLY if: [wabr_post_comp]='1'	radio <table border="1"><tr><td>1</td><td>Yes - some items incomplete</td></tr><tr><td>2</td><td>No - all items complete</td></tr></table>	1	Yes - some items incomplete	2	No - all items complete												
1	Yes - some items incomplete																		
2	No - all items complete																		
	499 [wabr_post_incomplist]	Please describe reasons for incomplete items Show the field ONLY if: [wabr_post_incomp]='1'	notes																
	500 [post_wabr_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete										
0	Incomplete																		
1	Unverified																		
2	Complete																		

Instrument: Clinician Anchor Communication (clinician_anchor_communication)

	501 [clinanchor_comm_warn]	Section Header: <i>Clinician-Rated Anchor: Communication</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive																								
	502 [clinanchor_comm_header]	Please do not leave any data fields blank. To be completed by the patient's treating clinician where possible. Please complete the anchor even if the patient has not received aphasia treatments.	descriptive																								
	503 [clinanchor_comm_comp]	Clinician-rated anchor completed	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No																				
1	Yes																										
2	No																										
	504 [clinanchor_comm_nc]	Why was the clinician-rated anchor not completed? <i>Select all that apply</i> Show the field ONLY if: [clinanchor_comm_comp]='2'	checkbox <table border="1"><tr><td>1</td><td>clinanchor_comm_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>clinanchor_comm_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>clinanchor_comm_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3'	1	clinanchor_comm_nc__1	Patient factors	2	clinanchor_comm_nc__2	Service factors	3	clinanchor_comm_nc__3	Patient discharged prior to two week test/re-test period															
1	clinanchor_comm_nc__1	Patient factors																									
2	clinanchor_comm_nc__2	Service factors																									
3	clinanchor_comm_nc__3	Patient discharged prior to two week test/re-test period																									
	505 [clinanchor_comm_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if: [clinanchor_comm_nc(1)]='1'	checkbox <table border="1"><tr><td>1</td><td>clinanchor_comm_nc_ptfact__1</td><td>Patient not alert</td></tr><tr><td>2</td><td>clinanchor_comm_nc_ptfact__2</td><td>Patient offered and declined</td></tr><tr><td>3</td><td>clinanchor_comm_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr><tr><td>4</td><td>clinanchor_comm_nc_ptfact__4</td><td>Interpreter not available</td></tr><tr><td>5</td><td>clinanchor_comm_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr><tr><td>6</td><td>clinanchor_comm_nc_ptfact__6</td><td>Patient discharged before administration</td></tr><tr><td>7</td><td>clinanchor_comm_nc_ptfact__7</td><td>Patient died</td></tr><tr><td>8</td><td>clinanchor_comm_nc_ptfact__8</td><td>Other {clinanchor_comm_nc_ptfact__8}</td></tr></table>	1	clinanchor_comm_nc_ptfact__1	Patient not alert	2	clinanchor_comm_nc_ptfact__2	Patient offered and declined	3	clinanchor_comm_nc_ptfact__3	Patient unavailable to participate	4	clinanchor_comm_nc_ptfact__4	Interpreter not available	5	clinanchor_comm_nc_ptfact__5	Not feasible due to aphasia severity	6	clinanchor_comm_nc_ptfact__6	Patient discharged before administration	7	clinanchor_comm_nc_ptfact__7	Patient died	8	clinanchor_comm_nc_ptfact__8	Other {clinanchor_comm_nc_ptfact__8}
1	clinanchor_comm_nc_ptfact__1	Patient not alert																									
2	clinanchor_comm_nc_ptfact__2	Patient offered and declined																									
3	clinanchor_comm_nc_ptfact__3	Patient unavailable to participate																									
4	clinanchor_comm_nc_ptfact__4	Interpreter not available																									
5	clinanchor_comm_nc_ptfact__5	Not feasible due to aphasia severity																									
6	clinanchor_comm_nc_ptfact__6	Patient discharged before administration																									
7	clinanchor_comm_nc_ptfact__7	Patient died																									
8	clinanchor_comm_nc_ptfact__8	Other {clinanchor_comm_nc_ptfact__8}																									
	506 [clinanchor_comm_nc_ptfact2]	If other, please specify Show the field ONLY if: [clinanchor_comm_nc(1)]='1'	text																								

	[clinanchor_comm_nc_ptfact(8)] ='1'														
507	[clinanchor_comm_nc_svfact] Show the field ONLY if: [clinanchor_comm_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>clinanchor_comm_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>clinanchor_comm_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>clinanchor_comm_nc_svfact__3</td><td>No available trained clin</td></tr> <tr><td>8</td><td>clinanchor_comm_nc_svfact__8</td><td>Other {clinanchor_comm_nc_svfact__8}</td></tr> </table>	1	clinanchor_comm_nc_svfact__1	Competing demands	2	clinanchor_comm_nc_svfact__2	Resource constraints	3	clinanchor_comm_nc_svfact__3	No available trained clin	8	clinanchor_comm_nc_svfact__8	Other {clinanchor_comm_nc_svfact__8}
1	clinanchor_comm_nc_svfact__1	Competing demands													
2	clinanchor_comm_nc_svfact__2	Resource constraints													
3	clinanchor_comm_nc_svfact__3	No available trained clin													
8	clinanchor_comm_nc_svfact__8	Other {clinanchor_comm_nc_svfact__8}													
508	[clinanchor_comm_nc_svfact2] Show the field ONLY if: [clinanchor_comm_nc_svfact(8)] ='1'	If other, please specify	text												
509	[clinanchor_comm_date] Show the field ONLY if: [clinanchor_comm_comp]=1'	Date clinician-rated anchor completed DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON												
510	[clinanchor_comm_admin] Show the field ONLY if: [clinanchor_comm_comp]=1'	Completed by	dropdown <table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member						
1	Treating clinician														
2	Independent assessor														
3	Research team member														
511	[clinanchor_comm_name] Show the field ONLY if: [clinanchor_comm_comp]=1'	Name of person completing anchor	text												
512	[clinanchor_comm_q1] Show the field ONLY if: [clinanchor_comm_comp]=1'	How much has the patient's communication changed since their baseline assessment?	dropdown <table border="1"> <tr><td>-2</td><td>Much worse</td></tr> <tr><td>-1</td><td>Slightly worse</td></tr> <tr><td>0</td><td>No change</td></tr> <tr><td>1</td><td>Slightly improved</td></tr> <tr><td>2</td><td>Much improved</td></tr> <tr><td>3</td><td>Completely recovered</td></tr> </table>	-2	Much worse	-1	Slightly worse	0	No change	1	Slightly improved	2	Much improved	3	Completely recovered
-2	Much worse														
-1	Slightly worse														
0	No change														
1	Slightly improved														
2	Much improved														
3	Completely recovered														
513	[clinanchor_comm_q2] Show the field ONLY if: [clinanchor_comm_comp]=1'	Do you think this amount of change was an important change to the patient?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No								
1	Yes														
2	No														
514	[clinanchor_comm_total] Show the field ONLY if: [clinanchor_comm_comp]=1'	Clinician threshold of important change - Communication	calc Calculation: [clinanchor_comm_q1]												
515	[clinician_anchor_communication_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete														
1	Unverified														
2	Complete														

Instrument: Patient Anchor Communication (patient_anchor_communication)

516	[ptanchor_comm_warn]	Section Header: <i>Patient-Rated Anchor: Communication</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive									
517	[ptanchor_comm_header]	Please do not leave any data fields blank. The anchor is to be completed only with post-treatment outcome measures. The anchor is to be completed prior to administration of the Scenario Test.	descriptive									
518	[ptanchor_comm_comp]	Patient-rated anchor completed	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No					
1	Yes											
2	No											
519	[ptanchor_comm_nc] Show the field ONLY if: [ptanchor_comm_comp]=2'	Why was the patient-rated anchor not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ptanchor_comm_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ptanchor_comm_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ptanchor_comm_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	ptanchor_comm_nc__1	Patient factors	2	ptanchor_comm_nc__2	Service factors	3	ptanchor_comm_nc__3	Patient discharged prior to two week test/re-test period
1	ptanchor_comm_nc__1	Patient factors										
2	ptanchor_comm_nc__2	Service factors										
3	ptanchor_comm_nc__3	Patient discharged prior to two week test/re-test period										
520	[ptanchor_comm_nc_ptfact] Show the field ONLY if: [ptanchor_comm_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ptanchor_comm_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ptanchor_comm_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ptanchor_comm_nc_ptfact__3</td><td>Patient unavailable to</td></tr> </table>	1	ptanchor_comm_nc_ptfact__1	Patient not alert	2	ptanchor_comm_nc_ptfact__2	Patient offered and declined	3	ptanchor_comm_nc_ptfact__3	Patient unavailable to
1	ptanchor_comm_nc_ptfact__1	Patient not alert										
2	ptanchor_comm_nc_ptfact__2	Patient offered and declined										
3	ptanchor_comm_nc_ptfact__3	Patient unavailable to										

				participate												
4	[ptanchor_comm_nc_ptfact_4]	Interpreter not available														
5	[ptanchor_comm_nc_ptfact_5]	Not feasible due to aphasia severity														
6	[ptanchor_comm_nc_ptfact_6]	Patient discharged before administration														
7	[ptanchor_comm_nc_ptfact_7]	Patient died														
8	[ptanchor_comm_nc_ptfact_8]	Other {ptanchor_comm_nc_ptfact_8}														
521	[ptanchor_comm_nc_ptfact2] Show the field ONLY if: [ptanchor_comm_nc_ptfact(8)]='1'	If other, please specify	text													
522	[ptanchor_comm_nc_svfact] Show the field ONLY if: [ptanchor_comm_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox	<table border="1"> <tr> <td>1</td><td>[ptanchor_comm_nc_svfact_1]</td><td>Competing demands</td></tr> <tr> <td>2</td><td>[ptanchor_comm_nc_svfact_2]</td><td>Resource constraints</td></tr> <tr> <td>3</td><td>[ptanchor_comm_nc_svfact_3]</td><td>No available trained clinicians</td></tr> <tr> <td>8</td><td>[ptanchor_comm_nc_svfact_8]</td><td>Other {ptanchor_comm_nc_svfact_8}</td></tr> </table>	1	[ptanchor_comm_nc_svfact_1]	Competing demands	2	[ptanchor_comm_nc_svfact_2]	Resource constraints	3	[ptanchor_comm_nc_svfact_3]	No available trained clinicians	8	[ptanchor_comm_nc_svfact_8]	Other {ptanchor_comm_nc_svfact_8}
1	[ptanchor_comm_nc_svfact_1]	Competing demands														
2	[ptanchor_comm_nc_svfact_2]	Resource constraints														
3	[ptanchor_comm_nc_svfact_3]	No available trained clinicians														
8	[ptanchor_comm_nc_svfact_8]	Other {ptanchor_comm_nc_svfact_8}														
523	[ptanchor_comm_nc_svfact2] Show the field ONLY if: [ptanchor_comm_nc_svfact(8)]='1'	If other, please specify	text													
524	[ptanchor_comm_proxy] Show the field ONLY if: [ptanchor_comm_comp]=1'	Patient-reported anchor was completed by	radio	<table border="1"> <tr> <td>1</td><td>Patient</td></tr> <tr> <td>2</td><td>Patient with support from a communication partner</td></tr> <tr> <td>3</td><td>Significant other</td></tr> </table>	1	Patient	2	Patient with support from a communication partner	3	Significant other						
1	Patient															
2	Patient with support from a communication partner															
3	Significant other															
525	[ptanchor_comm_date] Show the field ONLY if: [ptanchor_comm_comp]=1'	Date patient-rated anchor administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON													
526	[ptanchor_comm_admin] Show the field ONLY if: [ptanchor_comm_comp]=1'	Administered by	dropdown	<table border="1"> <tr> <td>1</td><td>Treating clinician</td></tr> <tr> <td>2</td><td>Independent assessor</td></tr> <tr> <td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member						
1	Treating clinician															
2	Independent assessor															
3	Research team member															
527	[ptanchor_comm_name] Show the field ONLY if: [ptanchor_comm_comp]=1'	Name of administrator	text													
528	[ptanchor_comm_desc1] Show the field ONLY if: [ptanchor_comm_comp]=1'	Section Header: <i>Patient Anchor</i> Please complete directly prior to administration of the post Scenario Test. 1) Explain: We want to know much your communication has changed since you last did this test. 2) Show the patient the Scenario Test materials. 3) Show the patient the "Communication is" visual. Explain This question is asking you about your communication. Communication is using language in everyday life. 4) Read the anchor question to the patient How much has your communication changed since you last did this test? 5) Show the patient the communication anchor scale. 6) Read the response options, pointing to each option as you go. 7) Repeat the anchor question How much has your communication changed since you last did this test? Ask the patient for their response. 8) Enter the patient response directly into REDCap	descriptive													
529	[ptanchor_comm_q1] Show the field ONLY if: [ptanchor_comm_comp]=1'	How much has your communication changed since you last did this test?	radio	<table border="1"> <tr><td>-2</td></tr> <tr><td>-1</td></tr> <tr><td>0</td></tr> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> </table>	-2	-1	0	1	2	3						
-2																
-1																
0																
1																
2																
3																
530	[ptanchor_comm_q2] Show the field ONLY if: [ptanchor_comm_comp]=1'	Do you think this amount of change was an important change?	radio	<table border="1"> <tr> <td>1</td><td>Yes</td></tr> <tr> <td>2</td><td>No</td></tr> </table>	1	Yes	2	No								
1	Yes															
2	No															
531	[ptanchor_comm_total] Show the field ONLY if: [ptanchor_comm_comp]=1'	Section Header: <i>Score</i> Patient threshold of important change - Communication	calc Calculation: [ptanchor_comm_q1]													

	532	[ptanchor_comm_instr] Show the field ONLY if: [ptanchor_comm_q1] <> ""	Please administer the post Scenario Test now	descriptive						
	533	[patient_anchor_communication_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete									
1	Unverified									
2	Complete									

Instrument: Post Scenario Test (post_scenario_test)

	534	[scenario_post_header]	Section Header: <i>Post Scenario Test</i> Please do not leave any data fields blank	descriptive																								
	535	[scenario_post_comp]	Post Scenario Test completed in [event-label] setting?	radio <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																				
1	Yes																											
2	No																											
	536	[scenario_post_history]	Post Scenario Test completion status: Inpatient Acute: [inpatient_acute_arm_1][scenario_post_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1] [scenario_post_comp] Community: [community_arm_1] [scenario_post_comp]	descriptive																								
	537	[scenario_post_file]	Upload a copy of the completed post Scenario Test (optional)	file																								
	538	[scenario_post_nc] Show the field ONLY if: [scenario_post_comp]='2'	Why was the Scenario Test not completed? <i>Select all that apply</i>	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>scenario_post_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>scenario_post_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>scenario_post_nc__3</td><td>Previously completed</td></tr> <tr><td>4</td><td>scenario_post_nc__4</td><td>Other assessment used to assess communication function; please specify {scenario_post_otherax}</td></tr> <tr><td>5</td><td>scenario_post_nc__5</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3' @NONEOFTHEABOVE='4' @NONEOFTHEABOVE='5'</p>	1	scenario_post_nc__1	Patient factors	2	scenario_post_nc__2	Service factors	3	scenario_post_nc__3	Previously completed	4	scenario_post_nc__4	Other assessment used to assess communication function; please specify {scenario_post_otherax}	5	scenario_post_nc__5	Patient discharged prior to two week test/re-test period									
1	scenario_post_nc__1	Patient factors																										
2	scenario_post_nc__2	Service factors																										
3	scenario_post_nc__3	Previously completed																										
4	scenario_post_nc__4	Other assessment used to assess communication function; please specify {scenario_post_otherax}																										
5	scenario_post_nc__5	Patient discharged prior to two week test/re-test period																										
	539	[scenario_post_otherax]	Please specify	text																								
	540	[scenario_post_nc_ptfact] Show the field ONLY if: [scenario_post_nc(1)]='1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>scenario_post_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>scenario_post_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>scenario_post_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>scenario_post_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>scenario_post_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>scenario_post_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>scenario_post_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>scenario_post_nc_ptfact__8</td><td>Other {scenario_post_nc_ptfact2}</td></tr> </table>	1	scenario_post_nc_ptfact__1	Patient not alert	2	scenario_post_nc_ptfact__2	Patient offered and declined	3	scenario_post_nc_ptfact__3	Patient unavailable to participate	4	scenario_post_nc_ptfact__4	Interpreter not available	5	scenario_post_nc_ptfact__5	Not feasible due to aphasia severity	6	scenario_post_nc_ptfact__6	Patient discharged before administration	7	scenario_post_nc_ptfact__7	Patient died	8	scenario_post_nc_ptfact__8	Other {scenario_post_nc_ptfact2}
1	scenario_post_nc_ptfact__1	Patient not alert																										
2	scenario_post_nc_ptfact__2	Patient offered and declined																										
3	scenario_post_nc_ptfact__3	Patient unavailable to participate																										
4	scenario_post_nc_ptfact__4	Interpreter not available																										
5	scenario_post_nc_ptfact__5	Not feasible due to aphasia severity																										
6	scenario_post_nc_ptfact__6	Patient discharged before administration																										
7	scenario_post_nc_ptfact__7	Patient died																										
8	scenario_post_nc_ptfact__8	Other {scenario_post_nc_ptfact2}																										
	541	[scenario_post_nc_ptfact2] Show the field ONLY if: [scenario_post_nc_ptfact(8)]='1'	If other, please specify	text																								
	542	[scenario_post_nc_svfact] Show the field ONLY if: [scenario_post_nc(2)]='1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>scenario_post_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>scenario_post_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>scenario_post_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>scenario_post_nc_svfact__8</td><td>Other {scenario_post_nc_svfact2}</td></tr> </table>	1	scenario_post_nc_svfact__1	Competing demands	2	scenario_post_nc_svfact__2	Resource constraints	3	scenario_post_nc_svfact__3	No available trained clinicians	8	scenario_post_nc_svfact__8	Other {scenario_post_nc_svfact2}												
1	scenario_post_nc_svfact__1	Competing demands																										
2	scenario_post_nc_svfact__2	Resource constraints																										
3	scenario_post_nc_svfact__3	No available trained clinicians																										
8	scenario_post_nc_svfact__8	Other {scenario_post_nc_svfact2}																										
	543	[scenario_post_nc_svfact2] Show the field ONLY if: [scenario_post_nc_svfact(8)]='1'	If other, please specify	text																								

	544 [scenario_post_date] Show the field ONLY if: [scenario_post_comp]='1'	Date post Scenario Test administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON								
	545 [scenario_post_admin] Show the field ONLY if: [scenario_post_comp]='1'	Administered by	dropdown <table border="1"><tr><td>1</td><td>Treating clinician</td></tr><tr><td>2</td><td>Independent assessor</td></tr><tr><td>3</td><td>Research team member</td></tr></table>	1	Treating clinician	2	Independent assessor	3	Research team member		
1	Treating clinician										
2	Independent assessor										
3	Research team member										
	546 [scenario_post_name] Show the field ONLY if: [scenario_post_comp]='1'	Name of Administrator	text								
	547 [scenario_post_sweater] Show the field ONLY if: [scenario_post_comp]='1'	Section Header: 1 - Shop Sweater	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	548 [scenario_post_toobig] Show the field ONLY if: [scenario_post_comp]='1'	Too big (sweater)	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	549 [scenario_post_price] Show the field ONLY if: [scenario_post_comp]='1'	Price	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	550 [scenario_post_calltaxi] Show the field ONLY if: [scenario_post_comp]='1'	Section Header: 2 - Taxi 1)Call, 2) Taxi	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	551 [scenario_post_frontseat] Show the field ONLY if: [scenario_post_comp]='1'	Front (seat)	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	552 [scenario_post_receipt] Show the field ONLY if: [scenario_post_comp]='1'	Receipt	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	553 [scenario_post_coughing] Show the field ONLY if: [scenario_post_comp]='1'	Section Header: 3 - Doctor/GP Coughing	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	554 [scenario_post_appt] Show the field ONLY if: [scenario_post_comp]='1'	1) Appointment, 2) Next week	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	555 [scenario_post_coughsyrup] Show the field ONLY if: [scenario_post_comp]='1'	1) Not this 2) Cough syrup	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3
0	0										
1	1										
2	2										
3	3										
	556 [scenario_post_drink] Show the field ONLY if: [scenario_post_comp]='1'	Section Header: 4 - Visit Some kind of drink	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr></table>	0	0	1	1				
0	0										
1	1										

				<table border="1"><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	2	2	3	3				
2	2											
3	3											
557	[scenario_post_children] Show the field ONLY if: [scenario_post_comp]='1'	1) How are they? 2) Children	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
558	[scenario_post_coffeemyl] Show the field ONLY if: [scenario_post_comp]='1'	1) Coffee/next time 2) My place	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
559	[scenario_post_ironing] Show the field ONLY if: [scenario_post_comp]='1'	Section Header: 5 - Housekeeper Ironing	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
560	[scenario_post_clean] Show the field ONLY if: [scenario_post_comp]='1'	Clean/make beds	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
561	[scenario_post_coffee] Show the field ONLY if: [scenario_post_comp]='1'	1) Coffee, 2) Together	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
562	[scenario_post_toilet] Show the field ONLY if: [scenario_post_comp]='1'	Section Header: 6 - Restaurant Toilet	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
563	[scenario_post_menu] Show the field ONLY if: [scenario_post_comp]='1'	Menu	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
564	[scenario_post_spoon] Show the field ONLY if: [scenario_post_comp]='1'	Spoon	radio <table border="1"><tr><td>0</td><td>0</td></tr><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>2</td></tr><tr><td>3</td><td>3</td></tr></table>	0	0	1	1	2	2	3	3	
0	0											
1	1											
2	2											
3	3											
565	[scenario_post_rawscore] Show the field ONLY if: [scenario_post_comp]='1'	Total Score	calc Calculation: sum([scenario_post_sweater], [scenario_post_toobig],[scenario_post_price], [scenario_post_calltaxi],[scenario_post_frontseat], [scenario_post_receipt],[scenario_post_coughing], [scenario_post_appt],[scenario_post_coughsyrup], [scenario_post_drink],[scenario_post_children], [scenario_post_coffeemyl],[scenario_post_ironing], [scenario_post_clean],[scenario_post_coffee], [scenario_post_toilet],[scenario_post_menu], [scenario_post_spoon])									
566	[scenario_post_percentile] Show the field ONLY if: [scenario_post_comp]='1'	Percentile	calc Calculation: if([scenario_post_rawscore]= 54,100,if([scenario_post_rawscore]= 53,95,if([scenario_post_rawscore]= 52,80,if([scenario_post_rawscore]= 51,70,if([scenario_post_rawscore]= 50,60,if([scenario_post_rawscore]= 49,55,if([scenario_post_rawscore]>= 47,50,if([scenario_post_rawscore]= 46,40,if([scenario_post_rawscore]>= 43,35,if([scenario_post_rawscore]=									

			42,27,if([scenario_post_rawscore]=41,26,if([scenario_post_rawscore]=40,25,if([scenario_post_rawscore]=39,24,if([scenario_post_rawscore]=38,23,if([scenario_post_rawscore]=37,21,if([scenario_post_rawscore]=36,19,if([scenario_post_rawscore]=35,18,if([scenario_post_rawscore]=34,15,if([scenario_post_rawscore]=33,13,if([scenario_post_rawscore]=32,12,if([scenario_post_rawscore]>=30,11,if([scenario_post_rawscore]>=28,10,if([scenario_post_rawscore]=27,9,if([scenario_post_rawscore]=26,8,if([scenario_post_rawscore]>=23,7,if([scenario_post_rawscore]=20,6,if([scenario_post_rawscore]>=16,5,if([scenario_post_rawscore]>=13,4,if([scenario_post_rawscore]=12,3,if([scenario_base_rawscore]=11,2,if([scenario_post_rawscore]<=9,1,")))))))))))))))))))))))))))																								
567	[scenario_post_incomp]	Section Header: <i>Incomplete items</i> Show the field ONLY if: [scenario_post_comp]='1'	radio <table border="1"><tr><td>1</td><td>Yes - some items incomplete</td></tr><tr><td>2</td><td>No - all items complete</td></tr></table>	1	Yes - some items incomplete	2	No - all items complete																				
1	Yes - some items incomplete																										
2	No - all items complete																										
568	[scenario_post_incomplist]	Please describe reasons for incomplete items Show the field ONLY if: [scenario_post_incomp]='1'	notes																								
569	[post_scenario_test_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																										
1	Unverified																										
2	Complete																										
Instrument: Clinician Anchor Emotional Wellbeing (clinician_anchor_emotional_wellbeing)																											
570	[clinanchor_ewb_warn]	Section Header: <i>Clinician-Rated Anchor: Emotional Well-being</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive																								
571	[clinanchor_ewb_header]	Please do not leave any data fields blank. To be completed by the patient's treating clinician where possible. Please complete the anchor even if the patient has not received aphasia treatments.	descriptive																								
572	[clinanchor_ewb_comp]	Clinician-rated anchor completed	radio <table border="1"><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	1	Yes	2	No																				
1	Yes																										
2	No																										
573	[clinanchor_ewb_nc]	Why was the clinician-rated anchor not completed? <i>Select all that apply</i> Show the field ONLY if: [clinanchor_ewb_comp]='2'	checkbox <table border="1"><tr><td>1</td><td>clinanchor_ewb_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>clinanchor_ewb_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>clinanchor_ewb_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3'	1	clinanchor_ewb_nc__1	Patient factors	2	clinanchor_ewb_nc__2	Service factors	3	clinanchor_ewb_nc__3	Patient discharged prior to two week test/re-test period															
1	clinanchor_ewb_nc__1	Patient factors																									
2	clinanchor_ewb_nc__2	Service factors																									
3	clinanchor_ewb_nc__3	Patient discharged prior to two week test/re-test period																									
574	[clinanchor_ewb_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if: [clinanchor_ewb_nc(1)]='1'	checkbox <table border="1"><tr><td>1</td><td>clinanchor_ewb_nc_ptfact__1</td><td>Patient not alert</td></tr><tr><td>2</td><td>clinanchor_ewb_nc_ptfact__2</td><td>Patient offered and declined</td></tr><tr><td>3</td><td>clinanchor_ewb_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr><tr><td>4</td><td>clinanchor_ewb_nc_ptfact__4</td><td>Interpreter not available</td></tr><tr><td>5</td><td>clinanchor_ewb_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr><tr><td>6</td><td>clinanchor_ewb_nc_ptfact__6</td><td>Patient discharged before administration</td></tr><tr><td>7</td><td>clinanchor_ewb_nc_ptfact__7</td><td>Patient died</td></tr><tr><td>8</td><td>clinanchor_ewb_nc_ptfact__8</td><td>Other {clinanchor_ewb_nc_ptfact__8}</td></tr></table>	1	clinanchor_ewb_nc_ptfact__1	Patient not alert	2	clinanchor_ewb_nc_ptfact__2	Patient offered and declined	3	clinanchor_ewb_nc_ptfact__3	Patient unavailable to participate	4	clinanchor_ewb_nc_ptfact__4	Interpreter not available	5	clinanchor_ewb_nc_ptfact__5	Not feasible due to aphasia severity	6	clinanchor_ewb_nc_ptfact__6	Patient discharged before administration	7	clinanchor_ewb_nc_ptfact__7	Patient died	8	clinanchor_ewb_nc_ptfact__8	Other {clinanchor_ewb_nc_ptfact__8}
1	clinanchor_ewb_nc_ptfact__1	Patient not alert																									
2	clinanchor_ewb_nc_ptfact__2	Patient offered and declined																									
3	clinanchor_ewb_nc_ptfact__3	Patient unavailable to participate																									
4	clinanchor_ewb_nc_ptfact__4	Interpreter not available																									
5	clinanchor_ewb_nc_ptfact__5	Not feasible due to aphasia severity																									
6	clinanchor_ewb_nc_ptfact__6	Patient discharged before administration																									
7	clinanchor_ewb_nc_ptfact__7	Patient died																									
8	clinanchor_ewb_nc_ptfact__8	Other {clinanchor_ewb_nc_ptfact__8}																									
575	[clinanchor_ewb_nc_ptfact2]	If other, please specify Show the field ONLY if: [clinanchor_ewb_nc_ptfact(8)]='1'	text																								
576	[clinanchor_ewb_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i> Show the field ONLY if:	checkbox <table border="1"><tr><td>1</td><td>clinanchor_ewb_nc_svfact__1</td><td>Competing demands</td></tr></table>	1	clinanchor_ewb_nc_svfact__1	Competing demands																					
1	clinanchor_ewb_nc_svfact__1	Competing demands																									

	[clinanchor_ewb_nc(2)]=1'		<table border="1"> <tr><td>2</td><td>clinanchor_ewb_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>clinanchor_ewb_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>clinanchor_ewb_nc_svfact__8</td><td>Other {clinanchor_ewb_nc_svfact__8}</td></tr> </table>	2	clinanchor_ewb_nc_svfact__2	Resource constraints	3	clinanchor_ewb_nc_svfact__3	No available trained clinicians	8	clinanchor_ewb_nc_svfact__8	Other {clinanchor_ewb_nc_svfact__8}						
2	clinanchor_ewb_nc_svfact__2	Resource constraints																
3	clinanchor_ewb_nc_svfact__3	No available trained clinicians																
8	clinanchor_ewb_nc_svfact__8	Other {clinanchor_ewb_nc_svfact__8}																
577	[clinanchor_ewb_nc_svfact2] Show the field ONLY if: [clinanchor_ewb_nc_svfact(8)]='1'	If other, please specify	text															
578	[clinanchor_ewb_date] Show the field ONLY if: [clinanchor_ewb_comp]=1'	Date clinician-rated anchor completed DD-MM-YYYY	text (date_dmy) Field Annotation: @HIDEBUTTON															
579	[clinanchor_ewb_admin] Show the field ONLY if: [clinanchor_ewb_comp]=1'	Completed by	dropdown <table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member									
1	Treating clinician																	
2	Independent assessor																	
3	Research team member																	
580	[clinanchor_ewb_name] Show the field ONLY if: [clinanchor_ewb_comp]=1'	Name of person completing anchor	text															
581	[clinanchor_ewb_q1] Show the field ONLY if: [clinanchor_ewb_comp]=1'	How much has the patient's emotional well-being changed since their baseline assessment?	dropdown <table border="1"> <tr><td>-2</td><td>Much worse</td></tr> <tr><td>-1</td><td>Slightly worse</td></tr> <tr><td>0</td><td>No change</td></tr> <tr><td>1</td><td>Slightly improved</td></tr> <tr><td>2</td><td>Much improved</td></tr> <tr><td>3</td><td>Completely recovered</td></tr> </table>	-2	Much worse	-1	Slightly worse	0	No change	1	Slightly improved	2	Much improved	3	Completely recovered			
-2	Much worse																	
-1	Slightly worse																	
0	No change																	
1	Slightly improved																	
2	Much improved																	
3	Completely recovered																	
582	[clinanchor_ewb_q2] Show the field ONLY if: [clinanchor_ewb_comp]=1'	Do you think this amount of change was an important change to the patient?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No											
1	Yes																	
2	No																	
583	[clinanchor_ewb_total] Show the field ONLY if: [clinanchor_ewb_comp]=1'	Clinician threshold of important change - Communication	calc Calculation: [clinanchor_ewb_q1]															
584	[clinician_anchor_emotional_wellbeing_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete									
0	Incomplete																	
1	Unverified																	
2	Complete																	
Instrument: Patient Anchor Emotional Wellbeing (patient_anchor_emotional_wellbeing)																		
585	[ptanchor_ewb_warn]	Section Header: <i>Patient-Rated Anchor: Emotional Well-being</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive															
586	[ptanchor_ewb_header]	Please do not leave any data fields blank. The anchor is to be completed only with post-treatment outcome measures. The anchor is to be completed prior to administration of the GHQ-12.	descriptive															
587	[ptanchor_ewb_comp]	Patient-rated anchor completed	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No											
1	Yes																	
2	No																	
588	[ptanchor_ewb_nc] Show the field ONLY if: [ptanchor_ewb_comp]=2'	Why was the patient-rated anchor not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ptanchor_ewb_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ptanchor_ewb_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ptanchor_ewb_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	ptanchor_ewb_nc__1	Patient factors	2	ptanchor_ewb_nc__2	Service factors	3	ptanchor_ewb_nc__3	Patient discharged prior to two week test/re-test period						
1	ptanchor_ewb_nc__1	Patient factors																
2	ptanchor_ewb_nc__2	Service factors																
3	ptanchor_ewb_nc__3	Patient discharged prior to two week test/re-test period																
589	[ptanchor_ewb_nc_ptfact] Show the field ONLY if: [ptanchor_ewb_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ptanchor_ewb_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ptanchor_ewb_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ptanchor_ewb_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ptanchor_ewb_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ptanchor_ewb_nc_ptfact__5</td><td>Not feasible due to</td></tr> </table>	1	ptanchor_ewb_nc_ptfact__1	Patient not alert	2	ptanchor_ewb_nc_ptfact__2	Patient offered and declined	3	ptanchor_ewb_nc_ptfact__3	Patient unavailable to participate	4	ptanchor_ewb_nc_ptfact__4	Interpreter not available	5	ptanchor_ewb_nc_ptfact__5	Not feasible due to
1	ptanchor_ewb_nc_ptfact__1	Patient not alert																
2	ptanchor_ewb_nc_ptfact__2	Patient offered and declined																
3	ptanchor_ewb_nc_ptfact__3	Patient unavailable to participate																
4	ptanchor_ewb_nc_ptfact__4	Interpreter not available																
5	ptanchor_ewb_nc_ptfact__5	Not feasible due to																

		aphasia severity
6	ptanchor_ewb_nc_ptfact__6	Patient discharged before administration
7	ptanchor_ewb_nc_ptfact__7	Patient died
8	ptanchor_ewb_nc_ptfact__8	Other {ptanchor_ewb_nc_ptfact[2]}

590	[ptanchor_ewb_nc_ptfact2] Show the field ONLY if: [ptanchor_ewb_nc_ptfact[8]]='1'	If other, please specify	text												
591	[ptanchor_ewb_nc_svfact] Show the field ONLY if: [ptanchor_ewb_nc[2]]='1'	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr> <td>1</td> <td>ptanchor_ewb_nc_svfact__1</td> <td>Competing demands</td> </tr> <tr> <td>2</td> <td>ptanchor_ewb_nc_svfact__2</td> <td>Resource constraints</td> </tr> <tr> <td>3</td> <td>ptanchor_ewb_nc_svfact__3</td> <td>No available trained clinicians</td> </tr> <tr> <td>8</td> <td>ptanchor_ewb_nc_svfact__8</td> <td>Other {ptanchor_ewb_nc_svfact[2]}</td> </tr> </table>	1	ptanchor_ewb_nc_svfact__1	Competing demands	2	ptanchor_ewb_nc_svfact__2	Resource constraints	3	ptanchor_ewb_nc_svfact__3	No available trained clinicians	8	ptanchor_ewb_nc_svfact__8	Other {ptanchor_ewb_nc_svfact[2]}
1	ptanchor_ewb_nc_svfact__1	Competing demands													
2	ptanchor_ewb_nc_svfact__2	Resource constraints													
3	ptanchor_ewb_nc_svfact__3	No available trained clinicians													
8	ptanchor_ewb_nc_svfact__8	Other {ptanchor_ewb_nc_svfact[2]}													
592	[ptanchor_ewb_nc_svfact2] Show the field ONLY if: [ptanchor_ewb_nc_svfact[8]]='1'	If other, please specify	text												
593	[ptanchor_ewb_proxy] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Patient-rated anchor was completed by	radio <table border="1"> <tr> <td>1</td> <td>Patient</td> </tr> <tr> <td>2</td> <td>Patient with support from a communication partner</td> </tr> <tr> <td>3</td> <td>Significant other</td> </tr> </table>	1	Patient	2	Patient with support from a communication partner	3	Significant other						
1	Patient														
2	Patient with support from a communication partner														
3	Significant other														
594	[ptanchor_ewb_date] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Date patient-rated anchor administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON												
595	[ptanchor_ewb_admin] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Administered by	dropdown <table border="1"> <tr> <td>1</td> <td>Treating clinician</td> </tr> <tr> <td>2</td> <td>Independent assessor</td> </tr> <tr> <td>3</td> <td>Research team member</td> </tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member						
1	Treating clinician														
2	Independent assessor														
3	Research team member														
596	[ptanchor_ewb_name] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Name of administrator	text												
597	[ptanchor_ewb_desc1] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Section Header: <i>Patient Anchor</i> Please complete directly prior to administration of the post GHQ-12. 1) Explain: We want to know much your emotional well-being has changed since you last did this test. 2) Show the patient the GHQ-12 materials. 3) Show the patient the "Emotional well-being is" visual. Explain This question is asking you about your emotional well-being. Emotional well-being is your mental health. 4) Read the anchor question to the patient How much has your emotional well-being changed since you last did this test? 5) Show the patient the emotional well-being anchor scale. 6) Read the response options, pointing to each option as you go. 7) Repeat the anchor question How much has your emotional well-being changed since you last did this test? Ask the patient for their response. 8) Enter the patient response directly into REDCap.	descriptive												
598	[ptanchor_ewb_q1] Show the field ONLY if: [ptanchor_ewb_comp]='1'	How much has your emotional well-being changed since you last did this test?	radio <table border="1"> <tr> <td>-2</td> <td></td> </tr> <tr> <td>-1</td> <td></td> </tr> <tr> <td>0</td> <td></td> </tr> <tr> <td>1</td> <td></td> </tr> <tr> <td>2</td> <td></td> </tr> <tr> <td>3</td> <td></td> </tr> </table>	-2		-1		0		1		2		3	
-2															
-1															
0															
1															
2															
3															
599	[ptanchor_ewb_q2] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Do you think this amount of change was an important change?	radio <table border="1"> <tr> <td>1</td> <td>Yes</td> </tr> <tr> <td>2</td> <td>No</td> </tr> </table>	1	Yes	2	No								
1	Yes														
2	No														
600	[ptanchor_ewb_total] Show the field ONLY if: [ptanchor_ewb_comp]='1'	Section Header: <i>Score</i> Patient threshold of important change - Emotional Well-being	calc Calculation: [ptanchor_ewb_q1]												
601	[ptanchor_ewb_instr] Show the field ONLY if: [ptanchor_ewb_q1] <> ""	Please administer the post GHQ-12 now	descriptive												

	602	[patient_anchor_emotional_wellbeing_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete																		
0	Incomplete																											
1	Unverified																											
2	Complete																											
Instrument: Post GHQ12 (post_ghq12)																												
	603	[ghq12_post_header]	Section Header: <i>Post: General Health Questionnaire-12 (GHQ-12)</i> Please do not leave any data fields blank	descriptive																								
	604	[ghq12_post_comp]	Post GHQ-12 completed in [event-label] setting?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																				
1	Yes																											
2	No																											
	605	[ghq12_post_history]	Post GHQ-12 completion status: Inpatient Acute: [inpatient_acute_arm_1][ghq12_post_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1] [ghq12_post_comp] Community: [community_arm_1] [ghq12_post_comp]	descriptive																								
	606	[ghq12_post_file]	Upload a copy of the completed post GHQ-12 (optional)	file																								
	607	[ghq12_post_nc]	Why was the post GHQ-12 not completed? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ghq12_post_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ghq12_post_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ghq12_post_nc__3</td><td>Previously completed</td></tr> <tr><td>4</td><td>ghq12_post_nc__4</td><td>Other assessment used to assess emotional wellbeing; please specify {ghq12_post_otherax}</td></tr> <tr><td>5</td><td>ghq12_post_nc__5</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOTHEABOVE='3' @NONEOTHEABOVE='4' @NONEOTHEABOVE='5'</p>	1	ghq12_post_nc__1	Patient factors	2	ghq12_post_nc__2	Service factors	3	ghq12_post_nc__3	Previously completed	4	ghq12_post_nc__4	Other assessment used to assess emotional wellbeing; please specify {ghq12_post_otherax}	5	ghq12_post_nc__5	Patient discharged prior to two week test/re-test period									
1	ghq12_post_nc__1	Patient factors																										
2	ghq12_post_nc__2	Service factors																										
3	ghq12_post_nc__3	Previously completed																										
4	ghq12_post_nc__4	Other assessment used to assess emotional wellbeing; please specify {ghq12_post_otherax}																										
5	ghq12_post_nc__5	Patient discharged prior to two week test/re-test period																										
	608	[ghq12_post_otherax]	Please specify	text																								
	609	[ghq12_post_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ghq12_post_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ghq12_post_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ghq12_post_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ghq12_post_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ghq12_post_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>ghq12_post_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>ghq12_post_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>ghq12_post_nc_ptfact__8</td><td>Other {ghq12_post_nc_ptfact2}</td></tr> </table>	1	ghq12_post_nc_ptfact__1	Patient not alert	2	ghq12_post_nc_ptfact__2	Patient offered and declined	3	ghq12_post_nc_ptfact__3	Patient unavailable to participate	4	ghq12_post_nc_ptfact__4	Interpreter not available	5	ghq12_post_nc_ptfact__5	Not feasible due to aphasia severity	6	ghq12_post_nc_ptfact__6	Patient discharged before administration	7	ghq12_post_nc_ptfact__7	Patient died	8	ghq12_post_nc_ptfact__8	Other {ghq12_post_nc_ptfact2}
1	ghq12_post_nc_ptfact__1	Patient not alert																										
2	ghq12_post_nc_ptfact__2	Patient offered and declined																										
3	ghq12_post_nc_ptfact__3	Patient unavailable to participate																										
4	ghq12_post_nc_ptfact__4	Interpreter not available																										
5	ghq12_post_nc_ptfact__5	Not feasible due to aphasia severity																										
6	ghq12_post_nc_ptfact__6	Patient discharged before administration																										
7	ghq12_post_nc_ptfact__7	Patient died																										
8	ghq12_post_nc_ptfact__8	Other {ghq12_post_nc_ptfact2}																										
	610	[ghq12_post_nc_ptfact2]	If other, please specify	text																								
	611	[ghq12_post_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ghq12_post_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>ghq12_post_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>ghq12_post_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>ghq12_post_nc_svfact__8</td><td>Other {ghq12_post_nc_svfact2}</td></tr> </table>	1	ghq12_post_nc_svfact__1	Competing demands	2	ghq12_post_nc_svfact__2	Resource constraints	3	ghq12_post_nc_svfact__3	No available trained clinicians	8	ghq12_post_nc_svfact__8	Other {ghq12_post_nc_svfact2}												
1	ghq12_post_nc_svfact__1	Competing demands																										
2	ghq12_post_nc_svfact__2	Resource constraints																										
3	ghq12_post_nc_svfact__3	No available trained clinicians																										
8	ghq12_post_nc_svfact__8	Other {ghq12_post_nc_svfact2}																										
	612	[ghq12_post_nc_svfact2]	If other, please specify	text																								
	613	[ghq12_post_date]	Date post GHQ-12 administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																								
	614	[ghq12_post_admin]	Administered by	dropdown																								

	Show the field ONLY if: [ghq12_post_comp]='1'		<table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member		
1	Treating clinician										
2	Independent assessor										
3	Research team member										
615	[ghq12_post_name] Show the field ONLY if: [ghq12_post_comp]='1'	Name of Administrator	text								
616	[ghq12_post_q01] Show the field ONLY if: [ghq12_post_comp]='1'	Section Header: GHQ-12 Responses Have you recently been able to concentrate on what you are doing?	radio <table border="1"> <tr><td>0</td><td>Better than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less than usual</td></tr> <tr><td>3</td><td>Much less than usual</td></tr> </table>	0	Better than usual	1	Same as usual	2	Less than usual	3	Much less than usual
0	Better than usual										
1	Same as usual										
2	Less than usual										
3	Much less than usual										
617	[ghq12_post_q07] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently lost much sleep over worry?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
618	[ghq12_post_q02] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently felt you are playing a useful part in things?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less useful than usual</td></tr> <tr><td>3</td><td>Much less useful</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less useful than usual	3	Much less useful
0	More so than usual										
1	Same as usual										
2	Less useful than usual										
3	Much less useful										
619	[ghq12_post_q03] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently felt capable of making decisions about things?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less so than usual</td></tr> <tr><td>3</td><td>Much less capable</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less so than usual	3	Much less capable
0	More so than usual										
1	Same as usual										
2	Less so than usual										
3	Much less capable										
620	[ghq12_post_q08] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently felt constantly under strain?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
621	[ghq12_post_q09] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently felt like you couldn't overcome your difficulties	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
622	[ghq12_post_q04] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently been able to enjoy your normal day-to-day activities?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less so than usual</td></tr> <tr><td>3</td><td>Much less than usual</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less so than usual	3	Much less than usual
0	More so than usual										
1	Same as usual										
2	Less so than usual										
3	Much less than usual										
623	[ghq12_post_q05] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently been able to face up to your problems?	radio <table border="1"> <tr><td>0</td><td>More so than usual</td></tr> <tr><td>1</td><td>Same as usual</td></tr> <tr><td>2</td><td>Less able than usual</td></tr> <tr><td>3</td><td>Much less able</td></tr> </table>	0	More so than usual	1	Same as usual	2	Less able than usual	3	Much less able
0	More so than usual										
1	Same as usual										
2	Less able than usual										
3	Much less able										
624	[ghq12_post_q10] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently been feeling unhappy or depressed?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
625	[ghq12_post_q11] Show the field ONLY if: [ghq12_post_comp]='1'	Have you recently been losing confidence in yourself?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> <tr><td>1</td><td>No more than usual</td></tr> <tr><td>2</td><td>Rather more than usual</td></tr> <tr><td>3</td><td>Much more than usual</td></tr> </table>	0	Not at all	1	No more than usual	2	Rather more than usual	3	Much more than usual
0	Not at all										
1	No more than usual										
2	Rather more than usual										
3	Much more than usual										
626	[ghq12_post_q12] Show the field ONLY if:	Have you recently been thinking of yourself as a worthless person?	radio <table border="1"> <tr><td>0</td><td>Not at all</td></tr> </table>	0	Not at all						
0	Not at all										

	[ghq12_post_comp]=1'		<table border="1"><tr><td>1</td><td>No more than usual</td></tr><tr><td>2</td><td>Rather more than usual</td></tr><tr><td>3</td><td>Much more than usual</td></tr></table>	1	No more than usual	2	Rather more than usual	3	Much more than usual			
1	No more than usual											
2	Rather more than usual											
3	Much more than usual											
627	[ghq12_post_q06] Show the field ONLY if: [ghq12_post_comp]=1'	Have you recently been feeling reasonably happy, all things considered?	<table border="1"><tr><td>radio</td></tr><tr><td>0</td><td>More so than usual</td></tr><tr><td>1</td><td>About same as usual</td></tr><tr><td>2</td><td>Less so than usual</td></tr><tr><td>3</td><td>Much less than usual</td></tr></table>	radio	0	More so than usual	1	About same as usual	2	Less so than usual	3	Much less than usual
radio												
0	More so than usual											
1	About same as usual											
2	Less so than usual											
3	Much less than usual											
628	[ghq12_post_totalscore] Show the field ONLY if: [ghq12_post_comp]=1'	Section Header: <i>Total Score</i> Total	calc Calculation: sum([ghq12_post_q01],[ghq12_post_q02],[ghq12_post_q03],[ghq12_post_q04],[ghq12_post_q05],[ghq12_post_q06],[ghq12_post_q07],[ghq12_post_q08],[ghq12_post_q09],[ghq12_post_q10],[ghq12_post_q11],[ghq12_post_q12])									
629	[ghq12_post_incomp] Show the field ONLY if: [ghq12_post_comp]=1'	Section Header: <i>Incomplete items</i> Were any items in this test NOT asked by the clinician or NOT attempted by the patient?	<table border="1"><tr><td>radio</td></tr><tr><td>1</td><td>Yes - some items incomplete</td></tr><tr><td>2</td><td>No - all items complete</td></tr></table>	radio	1	Yes - some items incomplete	2	No - all items complete				
radio												
1	Yes - some items incomplete											
2	No - all items complete											
630	[ghq12_post_incomplist] Show the field ONLY if: [ghq12_post_incomp]=1'	Please describe reasons for incomplete items	notes									
631	[post_ghq12_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete			
0	Incomplete											
1	Unverified											
2	Complete											

Instrument: Clinician Anchor Quality Of Life (clinician_anchor_quality_of_life)

632	[clinanchor_qol_warn]	Section Header: <i>Clinician-Rated Anchor: Quality of Life</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.	descriptive																									
633	[clinanchor_qol_header]	Please do not leave any data fields blank. To be completed by the patient's treating clinician where possible. Please complete the anchor even if the patient has not received aphasia treatments.	descriptive																									
634	[clinanchor_qol_comp]	Clinician-rated anchor completed	<table border="1"><tr><td>radio</td></tr><tr><td>1</td><td>Yes</td></tr><tr><td>2</td><td>No</td></tr></table>	radio	1	Yes	2	No																				
radio																												
1	Yes																											
2	No																											
635	[clinanchor_qol_nc] Show the field ONLY if: [clinanchor_qol_comp]=2'	Why was the clinician-rated anchor not completed? <i>Select all that apply</i>	<table border="1"><tr><td>checkbox</td></tr><tr><td>1</td><td>clinanchor_qol_nc__1</td><td>Patient factors</td></tr><tr><td>2</td><td>clinanchor_qol_nc__2</td><td>Service factors</td></tr><tr><td>3</td><td>clinanchor_qol_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr></table> Field Annotation: @NONEOFTHEABOVE='3'	checkbox	1	clinanchor_qol_nc__1	Patient factors	2	clinanchor_qol_nc__2	Service factors	3	clinanchor_qol_nc__3	Patient discharged prior to two week test/re-test period															
checkbox																												
1	clinanchor_qol_nc__1	Patient factors																										
2	clinanchor_qol_nc__2	Service factors																										
3	clinanchor_qol_nc__3	Patient discharged prior to two week test/re-test period																										
636	[clinanchor_qol_nc_ptfact] Show the field ONLY if: [clinanchor_qol_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>	<table border="1"><tr><td>checkbox</td></tr><tr><td>1</td><td>clinanchor_qol_nc_ptfact__1</td><td>Patient not alert</td></tr><tr><td>2</td><td>clinanchor_qol_nc_ptfact__2</td><td>Patient offered and declined</td></tr><tr><td>3</td><td>clinanchor_qol_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr><tr><td>4</td><td>clinanchor_qol_nc_ptfact__4</td><td>Interpreter not available</td></tr><tr><td>5</td><td>clinanchor_qol_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr><tr><td>6</td><td>clinanchor_qol_nc_ptfact__6</td><td>Patient discharged before administration</td></tr><tr><td>7</td><td>clinanchor_qol_nc_ptfact__7</td><td>Patient died</td></tr><tr><td>8</td><td>clinanchor_qol_nc_ptfact__8</td><td>Other {clinanchor_qol_nc_ptfact__2}</td></tr></table>	checkbox	1	clinanchor_qol_nc_ptfact__1	Patient not alert	2	clinanchor_qol_nc_ptfact__2	Patient offered and declined	3	clinanchor_qol_nc_ptfact__3	Patient unavailable to participate	4	clinanchor_qol_nc_ptfact__4	Interpreter not available	5	clinanchor_qol_nc_ptfact__5	Not feasible due to aphasia severity	6	clinanchor_qol_nc_ptfact__6	Patient discharged before administration	7	clinanchor_qol_nc_ptfact__7	Patient died	8	clinanchor_qol_nc_ptfact__8	Other {clinanchor_qol_nc_ptfact__2}
checkbox																												
1	clinanchor_qol_nc_ptfact__1	Patient not alert																										
2	clinanchor_qol_nc_ptfact__2	Patient offered and declined																										
3	clinanchor_qol_nc_ptfact__3	Patient unavailable to participate																										
4	clinanchor_qol_nc_ptfact__4	Interpreter not available																										
5	clinanchor_qol_nc_ptfact__5	Not feasible due to aphasia severity																										
6	clinanchor_qol_nc_ptfact__6	Patient discharged before administration																										
7	clinanchor_qol_nc_ptfact__7	Patient died																										
8	clinanchor_qol_nc_ptfact__8	Other {clinanchor_qol_nc_ptfact__2}																										
637	[clinanchor_qol_nc_ptfact2] Show the field ONLY if: [clinanchor_qol_nc_ptfact(8)]=1'	If other, please specify	text																									
638	[clinanchor_qol_nc_svfact] Show the field ONLY if: [clinanchor_qol_nc(2)]=1'	Which service factors influenced non-completion? <i>Select all that apply</i>	<table border="1"><tr><td>checkbox</td></tr><tr><td>1</td><td>clinanchor_qol_nc_svfact__1</td><td>Competing demands</td></tr><tr><td>2</td><td>clinanchor_qol_nc_svfact__2</td><td>Resource constraints</td></tr><tr><td>3</td><td>clinanchor_qol_nc_svfact__3</td><td>No available trained</td></tr></table>	checkbox	1	clinanchor_qol_nc_svfact__1	Competing demands	2	clinanchor_qol_nc_svfact__2	Resource constraints	3	clinanchor_qol_nc_svfact__3	No available trained															
checkbox																												
1	clinanchor_qol_nc_svfact__1	Competing demands																										
2	clinanchor_qol_nc_svfact__2	Resource constraints																										
3	clinanchor_qol_nc_svfact__3	No available trained																										

					clinicians												
				8	clinanchor_qol_nc_svfact__8 Other {clinanchor_qol_nc_svfact__2}												
639	[clinanchor_qol_nc_svfact2] Show the field ONLY if: [clinanchor_qol_nc_svfact(8)]=1'	If other, please specify			text												
640	[clinanchor_qol_date] Show the field ONLY if: [clinanchor_qol_comp]=1'	Date clinician-rated anchor completed DD-MM-YYYY			text (date_dmy) Field Annotation: @HIDEBUTTON												
641	[clinanchor_qol_admin] Show the field ONLY if: [clinanchor_qol_comp]=1'	Completed by		dropdown	<table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member						
1	Treating clinician																
2	Independent assessor																
3	Research team member																
642	[clinanchor_qol_name] Show the field ONLY if: [clinanchor_qol_comp]=1'	Name of person completing anchor			text												
643	[clinanchor_qol_q1] Show the field ONLY if: [clinanchor_qol_comp]=1'	How much has the patient's quality of life changed since their baseline assessment?		dropdown	<table border="1"> <tr><td>-2</td><td>Much worse</td></tr> <tr><td>-1</td><td>Slightly worse</td></tr> <tr><td>0</td><td>No change</td></tr> <tr><td>1</td><td>Slightly improved</td></tr> <tr><td>2</td><td>Much improved</td></tr> <tr><td>3</td><td>Completely recovered</td></tr> </table>	-2	Much worse	-1	Slightly worse	0	No change	1	Slightly improved	2	Much improved	3	Completely recovered
-2	Much worse																
-1	Slightly worse																
0	No change																
1	Slightly improved																
2	Much improved																
3	Completely recovered																
644	[clinanchor_qol_q2] Show the field ONLY if: [clinanchor_qol_comp]=1'	Do you think this amount of change was an important change to the patient?		radio	<table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No								
1	Yes																
2	No																
645	[clinanchor_qol_total] Show the field ONLY if: [clinanchor_qol_comp]=1'	Clinician threshold of important change - Communication		calc	Calculation: [clinanchor_qol_q1]												
646	[clinician_anchor_quality_of_life_complete]	Section Header: <i>Form Status</i> Complete?		dropdown	<table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete						
0	Incomplete																
1	Unverified																
2	Complete																

Instrument: Patient Anchor Quality Of Life (patient_anchor_quality_of_life)

647	[ptanchor_qol_warn]	Section Header: <i>Patient-Rated Anchor: Quality of Life</i> Please complete this anchor after the patient has completed aphasia treatment, but prior to administering the post-treatment assessment, where possible.		descriptive																		
648	[ptanchor_qol_header]	Please do not leave any data fields blank. The anchor is to be completed only with post-treatment outcome measures. The anchor is to be completed directly after completion of the SAQOL-39.		descriptive																		
649	[ptanchor_qol_comp]	Patient-rated anchor completed		radio																		
650	[ptanchor_qol_nc] Show the field ONLY if: [ptanchor_qol_comp]=1'	Why was the patient-rated anchor not completed? <i>Select all that apply</i>		checkbox <table border="1"> <tr><td>1</td><td>ptanchor_qol_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>ptanchor_qol_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>ptanchor_qol_nc__3</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table> <p>Field Annotation: @NONEOFTHEABOVE='3'</p>	1	ptanchor_qol_nc__1	Patient factors	2	ptanchor_qol_nc__2	Service factors	3	ptanchor_qol_nc__3	Patient discharged prior to two week test/re-test period									
1	ptanchor_qol_nc__1	Patient factors																				
2	ptanchor_qol_nc__2	Service factors																				
3	ptanchor_qol_nc__3	Patient discharged prior to two week test/re-test period																				
651	[ptanchor_qol_nc_ptfact] Show the field ONLY if: [ptanchor_qol_nc(1)]=1'	Which patient factors influenced non-completion? <i>Select all that apply</i>		checkbox <table border="1"> <tr><td>1</td><td>ptanchor_qol_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>ptanchor_qol_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>ptanchor_qol_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>ptanchor_qol_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>ptanchor_qol_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>ptanchor_qol_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> </table>	1	ptanchor_qol_nc_ptfact__1	Patient not alert	2	ptanchor_qol_nc_ptfact__2	Patient offered and declined	3	ptanchor_qol_nc_ptfact__3	Patient unavailable to participate	4	ptanchor_qol_nc_ptfact__4	Interpreter not available	5	ptanchor_qol_nc_ptfact__5	Not feasible due to aphasia severity	6	ptanchor_qol_nc_ptfact__6	Patient discharged before administration
1	ptanchor_qol_nc_ptfact__1	Patient not alert																				
2	ptanchor_qol_nc_ptfact__2	Patient offered and declined																				
3	ptanchor_qol_nc_ptfact__3	Patient unavailable to participate																				
4	ptanchor_qol_nc_ptfact__4	Interpreter not available																				
5	ptanchor_qol_nc_ptfact__5	Not feasible due to aphasia severity																				
6	ptanchor_qol_nc_ptfact__6	Patient discharged before administration																				

				<table border="1"> <tr><td>7</td><td>ptanchor_qol_nc_ptfact_7</td><td>Patient died</td></tr> <tr><td>8</td><td>ptanchor_qol_nc_ptfact_8</td><td>Other {ptanchor_qol_nc_ptfact2}</td></tr> </table>	7	ptanchor_qol_nc_ptfact_7	Patient died	8	ptanchor_qol_nc_ptfact_8	Other {ptanchor_qol_nc_ptfact2}						
7	ptanchor_qol_nc_ptfact_7	Patient died														
8	ptanchor_qol_nc_ptfact_8	Other {ptanchor_qol_nc_ptfact2}														
652	[ptanchor_qol_nc_ptfact2] Show the field ONLY if: [ptanchor_qol_nc_ptfact(8)]=‘1’	If other, please specify		text												
653	[ptanchor_qol_nc_svfact] Show the field ONLY if: [ptanchor_qol_nc(2)]=‘1’	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>ptanchor_qol_nc_svfact_1</td><td>Competing demands</td></tr> <tr><td>2</td><td>ptanchor_qol_nc_svfact_2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>ptanchor_qol_nc_svfact_3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>ptanchor_qol_nc_svfact_8</td><td>Other {ptanchor_qol_nc_svfact2}</td></tr> </table>	1	ptanchor_qol_nc_svfact_1	Competing demands	2	ptanchor_qol_nc_svfact_2	Resource constraints	3	ptanchor_qol_nc_svfact_3	No available trained clinicians	8	ptanchor_qol_nc_svfact_8	Other {ptanchor_qol_nc_svfact2}	
1	ptanchor_qol_nc_svfact_1	Competing demands														
2	ptanchor_qol_nc_svfact_2	Resource constraints														
3	ptanchor_qol_nc_svfact_3	No available trained clinicians														
8	ptanchor_qol_nc_svfact_8	Other {ptanchor_qol_nc_svfact2}														
654	[ptanchor_qol_nc_svfact2] Show the field ONLY if: [ptanchor_qol_nc_svfact(8)]=‘1’	If other, please specify		text												
655	[ptanchor_qol_proxy] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Patient-rated anchor was completed by	radio <table border="1"> <tr><td>1</td><td>Patient</td></tr> <tr><td>2</td><td>Patient with support from a communication partner</td></tr> <tr><td>3</td><td>Significant other</td></tr> </table>	1	Patient	2	Patient with support from a communication partner	3	Significant other							
1	Patient															
2	Patient with support from a communication partner															
3	Significant other															
656	[ptanchor_qol_date] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Date patient-rated anchor administered <i>DD-MM-YYYY</i>		text (date_dmy) Field Annotation: @HIDEBUTTON												
657	[ptanchor_qol_admin] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Administered by	dropdown <table border="1"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>	1	Treating clinician	2	Independent assessor	3	Research team member							
1	Treating clinician															
2	Independent assessor															
3	Research team member															
658	[ptanchor_qol_name] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Name of administrator		text												
659	[ptanchor_qol_desc1] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Section Header: <i>Patient Anchor</i> Please complete directly prior to administration of the post SAQOL-39. 1) Explain: We want to know much your quality of life has changed since you last did this test. 2) Show the patient the SAQOL-39 materials. 3) Show the patient the "Quality of life is" visual. Explain This question is asking you about your quality of life. Quality of life is how you feel about living with aphasia. 4) Read the anchor question to the patient How much has your quality of life changed since you last did this test? 5) Show the patient the quality of life anchor scale. 6) Read the response options, pointing to each option as you go. 7) Repeat the anchor question How much has your quality of life changed since you last did this test? Ask the patient for their response. 8) Enter the patient response directly into REDCap.		descriptive												
660	[ptanchor_qol_q1] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	How much has your quality of life changed since you last did this test?	radio <table border="1"> <tr><td>-2</td></tr> <tr><td>-1</td></tr> <tr><td>0</td></tr> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> </table>	-2	-1	0	1	2	3							
-2																
-1																
0																
1																
2																
3																
661	[ptanchor_qol_q2] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Do you think this amount of change was an important change?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No									
1	Yes															
2	No															
662	[ptanchor_qol_total] Show the field ONLY if: [ptanchor_qol_comp]=‘1’	Section Header: <i>Score</i> Patient threshold of important change - Quality of Life	calc Calculation: [ptanchor_qol_q1]													
663	[ptanchor_qol_instr] Show the field ONLY if: [ptanchor_qol_q1] <> “”	Please administer the post SAQOL-39 now		descriptive												
664	[patient_anchor_quality_of_life_complete] Show the field ONLY if: [ptanchor_qol_q1] <> “”	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete							
0	Incomplete															
1	Unverified															
2	Complete															

Instrument: Post SAQOL39 (post_saqol39)																												
665	[saqol_post_header]	Section Header: Post: Stroke and Aphasia Quality of Life Scale-39 (SAQOL-39) Please do not leave any data fields blank	descriptive																									
666	[saqol_post_comp]	Post SAQOL-39 completed in [event-label] setting?	radio	<table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																				
1	Yes																											
2	No																											
667	[saqol_post_history]	Post SAQOL-39 completion status: Inpatient Acute: [inpatient_acute_arm_1][saqol_post_comp] Inpatient Rehab/Subacute: [inpatient_rehabsub_arm_1][saqol_post_comp] Community: [community_arm_1][saqol_post_comp]	descriptive																									
668	[saqol_post_file]	Upload a copy of the completed post SAQOL-39 (optional)	file																									
669	[saqol_post_nc]	Why was the post SAQOL-39 not completed? <i>Select all that apply</i>	checkbox <table border="1" style="display: inline-table; width: 100%;"> <tr><td>1</td><td>saqol_post_nc__1</td><td>Patient factors</td></tr> <tr><td>2</td><td>saqol_post_nc__2</td><td>Service factors</td></tr> <tr><td>3</td><td>saqol_post_nc__3</td><td>Previously completed</td></tr> <tr><td>4</td><td>saqol_post_nc__4</td><td>Other assessment used to assess quality of life; please specify {saqol_post_otherax}</td></tr> <tr><td>5</td><td>saqol_post_nc__5</td><td>Patient discharged prior to two week test/re-test period</td></tr> </table>		1	saqol_post_nc__1	Patient factors	2	saqol_post_nc__2	Service factors	3	saqol_post_nc__3	Previously completed	4	saqol_post_nc__4	Other assessment used to assess quality of life; please specify {saqol_post_otherax}	5	saqol_post_nc__5	Patient discharged prior to two week test/re-test period									
1	saqol_post_nc__1	Patient factors																										
2	saqol_post_nc__2	Service factors																										
3	saqol_post_nc__3	Previously completed																										
4	saqol_post_nc__4	Other assessment used to assess quality of life; please specify {saqol_post_otherax}																										
5	saqol_post_nc__5	Patient discharged prior to two week test/re-test period																										
			Field Annotation: @NONEOTHEABOVE='3' @NONEOTHEABOVE='4' @NONEOTHEABOVE='5'																									
670	[saqol_post_otherax]	Please specify	text																									
671	[saqol_post_nc_ptfact]	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1" style="display: inline-table; width: 100%;"> <tr><td>1</td><td>saqol_post_nc_ptfact__1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>saqol_post_nc_ptfact__2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>saqol_post_nc_ptfact__3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>saqol_post_nc_ptfact__4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>saqol_post_nc_ptfact__5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>saqol_post_nc_ptfact__6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>saqol_post_nc_ptfact__7</td><td>Patient died</td></tr> <tr><td>8</td><td>saqol_post_nc_ptfact__8</td><td>Other {saqol_post_nc_ptfact2}</td></tr> </table>		1	saqol_post_nc_ptfact__1	Patient not alert	2	saqol_post_nc_ptfact__2	Patient offered and declined	3	saqol_post_nc_ptfact__3	Patient unavailable to participate	4	saqol_post_nc_ptfact__4	Interpreter not available	5	saqol_post_nc_ptfact__5	Not feasible due to aphasia severity	6	saqol_post_nc_ptfact__6	Patient discharged before administration	7	saqol_post_nc_ptfact__7	Patient died	8	saqol_post_nc_ptfact__8	Other {saqol_post_nc_ptfact2}
1	saqol_post_nc_ptfact__1	Patient not alert																										
2	saqol_post_nc_ptfact__2	Patient offered and declined																										
3	saqol_post_nc_ptfact__3	Patient unavailable to participate																										
4	saqol_post_nc_ptfact__4	Interpreter not available																										
5	saqol_post_nc_ptfact__5	Not feasible due to aphasia severity																										
6	saqol_post_nc_ptfact__6	Patient discharged before administration																										
7	saqol_post_nc_ptfact__7	Patient died																										
8	saqol_post_nc_ptfact__8	Other {saqol_post_nc_ptfact2}																										
672	[saqol_post_nc_ptfact2]	If other, please specify	text																									
673	[saqol_post_nc_svfact]	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1" style="display: inline-table; width: 100%;"> <tr><td>1</td><td>saqol_post_nc_svfact__1</td><td>Competing demands</td></tr> <tr><td>2</td><td>saqol_post_nc_svfact__2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>saqol_post_nc_svfact__3</td><td>No available trained clinicians</td></tr> <tr><td>8</td><td>saqol_post_nc_svfact__8</td><td>Other {saqol_post_nc_svfact2}</td></tr> </table>		1	saqol_post_nc_svfact__1	Competing demands	2	saqol_post_nc_svfact__2	Resource constraints	3	saqol_post_nc_svfact__3	No available trained clinicians	8	saqol_post_nc_svfact__8	Other {saqol_post_nc_svfact2}												
1	saqol_post_nc_svfact__1	Competing demands																										
2	saqol_post_nc_svfact__2	Resource constraints																										
3	saqol_post_nc_svfact__3	No available trained clinicians																										
8	saqol_post_nc_svfact__8	Other {saqol_post_nc_svfact2}																										
674	[saqol_post_nc_svfact2]	If other, please specify	text																									
675	[saqol_post_date]	Date post SAQOL-39 administered <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																									
676	[saqol_post_admin]	Administered by	dropdown <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>1</td><td>Treating clinician</td></tr> <tr><td>2</td><td>Independent assessor</td></tr> <tr><td>3</td><td>Research team member</td></tr> </table>		1	Treating clinician	2	Independent assessor	3	Research team member																		
1	Treating clinician																											
2	Independent assessor																											
3	Research team member																											
677	[saqol_post_name]	Name of Administrator	text																									

	678	[saqol_post_qheader] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Physical</i> During the past week, how much trouble did you have	descriptive										
	679	[saqol_post_sc1] Show the field ONLY if: [saqol_post_comp]='1'	SC1 Preparing food?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	680	[saqol_post_sc4] Show the field ONLY if: [saqol_post_comp]='1'	SC4 Getting dressed?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	681	[saqol_post_sc5] Show the field ONLY if: [saqol_post_comp]='1'	SC5 Taking a bath or shower?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	682	[saqol_post_m1] Show the field ONLY if: [saqol_post_comp]='1'	M1 Walking? If patient can't walk, tick 1 and go to question M7	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	683	[saqol_post_m4] Show the field ONLY if: [saqol_post_comp]='1'	M4 Keeping your balance when bending or reaching over?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	684	[saqol_post_m6] Show the field ONLY if: [saqol_post_comp]='1'	M6 Climbing stairs?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	685	[saqol_post_m7] Show the field ONLY if: [saqol_post_comp]='1'	M7 Walking without stopping to rest or using a wheelchair without stopping to rest?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	686	[saqol_post_m8] Show the field ONLY if: [saqol_post_comp]='1'	M8 Standing?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	687	[saqol_post_m9] Show the field ONLY if: [saqol_post_comp]='1'	M9 Getting out of a chair?	radio <table border="1"><tr><td>1</td><td>1 Couldn't do it at all</td></tr><tr><td>2</td><td>2 A lot of trouble</td></tr><tr><td>3</td><td>3 Some trouble</td></tr><tr><td>4</td><td>4 A little trouble</td></tr><tr><td>5</td><td>5 No trouble at all</td></tr></table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
	688	[saqol_post_w1]	W1 Doing daily work around the house?	radio										

	Show the field ONLY if: [saqol_post_comp]='1'		<table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
689	[saqol_post_w2] Show the field ONLY if: [saqol_post_comp]='1'	W2 Finishing jobs that you started?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
690	[saqol_post_ue1] Show the field ONLY if: [saqol_post_comp]='1'	UE1 Writing or typing?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
691	[saqol_post_ue2] Show the field ONLY if: [saqol_post_comp]='1'	UE2 Putting on socks?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
692	[saqol_post_ue4] Show the field ONLY if: [saqol_post_comp]='1'	UE4 Doing buttons?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
693	[saqol_post_ue5] Show the field ONLY if: [saqol_post_comp]='1'	UE5 Doing a zip?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
694	[saqol_post_ue6] Show the field ONLY if: [saqol_post_comp]='1'	UE6 Opening a jar?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
695	[saqol_post_qheader_2] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Communication</i> During the past week, how much trouble did you have	descriptive										
696	[saqol_post_l2] Show the field ONLY if: [saqol_post_comp]='1'	L2 Speaking?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
697	[saqol_post_l3] Show the field ONLY if: [saqol_post_comp]='1'	L3 Speaking clearly enough to use the phone?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all
1	1 Couldn't do it at all												
2	2 A lot of trouble												
3	3 Some trouble												
4	4 A little trouble												
5	5 No trouble at all												
698	[saqol_post_l5] Show the field ONLY if:	L5 Getting other people to understand you?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> </table>	1	1 Couldn't do it at all								
1	1 Couldn't do it at all												

	[saqol_post_comp]=1'		<table border="1"> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all			
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
699	[saqol_post_16] Show the field ONLY if: [saqol_post_comp]='1'	L6 Finding the word you wanted to say?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all	
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
700	[saqol_post_17] Show the field ONLY if: [saqol_post_comp]='1'	L7 Getting other people to understand you even when you repeated yourself?	radio <table border="1"> <tr><td>1</td><td>1 Couldn't do it at all</td></tr> <tr><td>2</td><td>2 A lot of trouble</td></tr> <tr><td>3</td><td>3 Some trouble</td></tr> <tr><td>4</td><td>4 A little trouble</td></tr> <tr><td>5</td><td>5 No trouble at all</td></tr> </table>	1	1 Couldn't do it at all	2	2 A lot of trouble	3	3 Some trouble	4	4 A little trouble	5	5 No trouble at all	
1	1 Couldn't do it at all													
2	2 A lot of trouble													
3	3 Some trouble													
4	4 A little trouble													
5	5 No trouble at all													
701	[saqol_post_qheader_3] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Psychosocial</i> During the past week, did you	descriptive											
702	[saqol_post_t4] Show the field ONLY if: [saqol_post_comp]='1'	T4 Have to write things down to remember them (or ask somebody else to write things down for you to remember)?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
703	[saqol_post_t5] Show the field ONLY if: [saqol_post_comp]='1'	T5 Find it hard to make decisions?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
704	[saqol_post_p1] Show the field ONLY if: [saqol_post_comp]='1'	P1 Feel irritable?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
705	[saqol_post_p3] Show the field ONLY if: [saqol_post_comp]='1'	P3 Feel that your personality has changed?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
706	[saqol_post_md2] Show the field ONLY if: [saqol_post_comp]='1'	MD2 Feel discouraged about your future?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
707	[saqol_post_md3] Show the field ONLY if: [saqol_post_comp]='1'	MD3 Have no interest in other people or activities?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
708	[saqol_post_md6] Show the field ONLY if: [saqol_post_comp]='1'	MD6 Feel withdrawn from other people?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes							
1	1 Definitely yes													
2	2 Mostly yes													

				<table border="1"> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	3	3 Not sure	4	4 Mostly no	5	5 Definitely no				
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
709	[saqol_post_md7] Show the field ONLY if: [saqol_post_comp]='1'	MD7 Have little confidence in yourself?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
710	[saqol_post_e1] Show the field ONLY if: [saqol_post_comp]='1'	E1 Feel tired most of the time?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
711	[saqol_post_e3] Show the field ONLY if: [saqol_post_comp]='1'	E3 Have to stop and rest often during the day?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
712	[saqol_post_e4] Show the field ONLY if: [saqol_post_comp]='1'	E4 Feel too tired to do what you wanted to do?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
713	[saqol_post_fr7] Show the field ONLY if: [saqol_post_comp]='1'	FR7 Feel that you were a burden to your family?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
714	[saqol_post_qheader_4] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Communication</i> During the past week, did you	descriptive											
715	[saqol_post_fr9] Show the field ONLY if: [saqol_post_comp]='1'	FR9 Feel that your language problems interfered with your family life?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
716	[saqol_post_qheader_5] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Psychosocial</i> During the past week, did you	descriptive											
717	[saqol_post_sr1] Show the field ONLY if: [saqol_post_comp]='1'	SR1 Go out less often than you would like?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
718	[saqol_post_sr4] Show the field ONLY if: [saqol_post_comp]='1'	SR4 Do your hobbies and recreation less often than you would like?	radio	<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
719	[saqol_post_sr5]	SR5 See your friends less often than you would like?	radio											

	Show the field ONLY if: [saqol_post_comp]='1'		<table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
720	[saqol_post_sr7] Show the field ONLY if: [saqol_post_comp]='1'	SR7 Feel that your physical condition interfered with your social life?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
721	[saqol_post_qheader_6] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Communication</i> During the past week, did you	descriptive											
722	[saqol_post_sr8] Show the field ONLY if: [saqol_post_comp]='1'	SR8 Feel that your language problems interfered with your social life?	radio <table border="1"> <tr><td>1</td><td>1 Definitely yes</td></tr> <tr><td>2</td><td>2 Mostly yes</td></tr> <tr><td>3</td><td>3 Not sure</td></tr> <tr><td>4</td><td>4 Mostly no</td></tr> <tr><td>5</td><td>5 Definitely no</td></tr> </table>	1	1 Definitely yes	2	2 Mostly yes	3	3 Not sure	4	4 Mostly no	5	5 Definitely no	
1	1 Definitely yes													
2	2 Mostly yes													
3	3 Not sure													
4	4 Mostly no													
5	5 Definitely no													
723	[saqol_post_mean] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Score Calculations</i> SAQOL-39 Mean Score	calc Calculation: round((sum([saqol_post_sc1],[saqol_post_sc4], [saqol_post_sc5],[saqol_post_m1],[saqol_post_m4], [saqol_post_m6],[saqol_post_m7],[saqol_post_m8], [saqol_post_m9],[saqol_post_w1],[saqol_post_w2], [saqol_post_ue1],[saqol_post_ue2],[saqol_post_ue4], [saqol_post_ue5],[saqol_post_ue6],[saqol_post_l2], [saqol_post_l3],[saqol_post_l5],[saqol_post_l6], [saqol_post_l7],[saqol_post_fr9],[saqol_post_sr8], [saqol_post_t4],[saqol_post_t5],[saqol_post_p1], [saqol_post_p3],[saqol_post_md2],[saqol_post_md3], [saqol_post_md6],[saqol_post_md7],[saqol_post_e1], [saqol_post_e3],[saqol_post_e4],[saqol_post_fr7], [saqol_post_sr1],[saqol_post_sr4],[saqol_post_sr5], [saqol_post_sr7])/39))											
724	[saqol_post_physical] Show the field ONLY if: [saqol_post_comp]='1'	Physical Score	calc Calculation: round((sum([saqol_post_sc1],[saqol_post_sc4], [saqol_post_sc5],[saqol_post_m1],[saqol_post_m4], [saqol_post_m6],[saqol_post_m7],[saqol_post_m8], [saqol_post_m9],[saqol_post_w1],[saqol_post_w2], [saqol_post_ue1],[saqol_post_ue2],[saqol_post_ue4], [saqol_post_ue5],[saqol_post_ue6])/16))											
725	[saqol_post_communication] Show the field ONLY if: [saqol_post_comp]='1'	Communication Score	calc Calculation: round((sum([saqol_post_l2],[saqol_post_l3], [saqol_post_l5],[saqol_post_l6],[saqol_post_l7], [saqol_post_fr9],[saqol_post_sr8])/7))											
726	[saqol_post_psychosocial] Show the field ONLY if: [saqol_post_comp]='1'	Psychosocial Score	calc Calculation: round((sum([saqol_post_t4],[saqol_post_t5], [saqol_post_p1],[saqol_post_p3],[saqol_post_md2], [saqol_post_md3],[saqol_post_md6],[saqol_post_md7], [saqol_post_e1],[saqol_post_e3],[saqol_post_e4], [saqol_post_fr7],[saqol_post_sr1],[saqol_post_sr4], [saqol_post_sr5],[saqol_post_sr7])/16))											
727	[saqol_post_incomp] Show the field ONLY if: [saqol_post_comp]='1'	Section Header: <i>Incomplete items</i> Were any items in this test NOT asked by the clinician or NOT attempted by the patient?	radio <table border="1"> <tr><td>1</td><td>Yes - some items incomplete</td></tr> <tr><td>2</td><td>No - all items complete</td></tr> </table>	1	Yes - some items incomplete	2	No - all items complete							
1	Yes - some items incomplete													
2	No - all items complete													
728	[saqol_post_incomplist] Show the field ONLY if: [saqol_post_incomp]='1'	Please describe reasons for incomplete items	notes											
729	[post_saqol39_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete					
0	Incomplete													
1	Unverified													
2	Complete													
Instrument: Patient Experience Survey (patient_experience_survey)  Enabled as survey														
730	[pt_q_header]	Section Header: <i>Patient Experience Survey</i> Instructions for clinicians Please provide communication supported as required. Please read to the patient before completing the survey: During your hospital admission, your speech pathologist(s) asked you questions and collected	descriptive Field Annotation: @HIDDEN-SURVEY											

		information about you and your aphasia, as part of a minimum dataset. We are interested in your experience of providing this information and participating in tests about your aphasia. Please open in survey view to complete with the patient In the top right, click Survey options > Open survey If the patient experience survey was not completed, please answer the questions below																									
731	[pt_q_nc]	If the patient experience survey was not completed, why not?	checkbox <table border="1"> <tr><td>1</td><td>pt_q_nc_1</td><td>Patient factors</td></tr> <tr><td>2</td><td>pt_q_nc_2</td><td>Service factors</td></tr> </table> Field Annotation: @HIDDEN-SURVEY	1	pt_q_nc_1	Patient factors	2	pt_q_nc_2	Service factors																		
1	pt_q_nc_1	Patient factors																									
2	pt_q_nc_2	Service factors																									
732	[pt_q_nc_pt] Show the field ONLY if: [pt_q_nc(1)]=1	Which patient factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>pt_q_nc_pt_1</td><td>Patient not alert</td></tr> <tr><td>2</td><td>pt_q_nc_pt_2</td><td>Patient offered and declined</td></tr> <tr><td>3</td><td>pt_q_nc_pt_3</td><td>Patient unavailable to participate</td></tr> <tr><td>4</td><td>pt_q_nc_pt_4</td><td>Interpreter not available</td></tr> <tr><td>5</td><td>pt_q_nc_pt_5</td><td>Not feasible due to aphasia severity</td></tr> <tr><td>6</td><td>pt_q_nc_pt_6</td><td>Patient discharged before administration</td></tr> <tr><td>7</td><td>pt_q_nc_pt_7</td><td>Patient died</td></tr> <tr><td>8</td><td>pt_q_nc_pt_8</td><td>Other {pt_q_nc_ptoth}</td></tr> </table> Field Annotation: @HIDDEN-SURVEY	1	pt_q_nc_pt_1	Patient not alert	2	pt_q_nc_pt_2	Patient offered and declined	3	pt_q_nc_pt_3	Patient unavailable to participate	4	pt_q_nc_pt_4	Interpreter not available	5	pt_q_nc_pt_5	Not feasible due to aphasia severity	6	pt_q_nc_pt_6	Patient discharged before administration	7	pt_q_nc_pt_7	Patient died	8	pt_q_nc_pt_8	Other {pt_q_nc_ptoth}
1	pt_q_nc_pt_1	Patient not alert																									
2	pt_q_nc_pt_2	Patient offered and declined																									
3	pt_q_nc_pt_3	Patient unavailable to participate																									
4	pt_q_nc_pt_4	Interpreter not available																									
5	pt_q_nc_pt_5	Not feasible due to aphasia severity																									
6	pt_q_nc_pt_6	Patient discharged before administration																									
7	pt_q_nc_pt_7	Patient died																									
8	pt_q_nc_pt_8	Other {pt_q_nc_ptoth}																									
733	[pt_q_nc_ptoth] Show the field ONLY if: [pt_q_nc_pt(8)]=1	If other, please specify	text Field Annotation: @HIDDEN-SURVEY																								
734	[pt_q_nc_sv] Show the field ONLY if: [pt_q_nc(2)]=1	Which service factors influenced non-completion? <i>Select all that apply</i>	checkbox <table border="1"> <tr><td>1</td><td>pt_q_nc_sv_1</td><td>Competing demands</td></tr> <tr><td>2</td><td>pt_q_nc_sv_2</td><td>Resource constraints</td></tr> <tr><td>3</td><td>pt_q_nc_sv_3</td><td>No available trained clinicians</td></tr> <tr><td>4</td><td>pt_q_nc_sv_4</td><td>Other {pt_q_nc_svoth}</td></tr> </table> Field Annotation: @HIDDEN-SURVEY	1	pt_q_nc_sv_1	Competing demands	2	pt_q_nc_sv_2	Resource constraints	3	pt_q_nc_sv_3	No available trained clinicians	4	pt_q_nc_sv_4	Other {pt_q_nc_svoth}												
1	pt_q_nc_sv_1	Competing demands																									
2	pt_q_nc_sv_2	Resource constraints																									
3	pt_q_nc_sv_3	No available trained clinicians																									
4	pt_q_nc_sv_4	Other {pt_q_nc_svoth}																									
735	[pt_q_nc_svoth] Show the field ONLY if: [pt_q_nc_sv(8)]=1	If other, please specify	text Field Annotation: @HIDDEN-SURVEY																								
736	[pt_q1] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	Section Header: <i>Patient Experience Survey</i> How easy was it for you to provide information and participate in the speech pathology tests?	radio <table border="1"> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	1	2	3	4	5																			
1																											
2																											
3																											
4																											
5																											
737	[pt_q2] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	How understandable were the questions and tests? (overall, throughout your hospital admission)	radio <table border="1"> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	1	2	3	4	5																			
1																											
2																											
3																											
4																											
5																											
738	[pt_q3] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	How relevant were the questions about you?	radio <table border="1"> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	1	2	3	4	5																			
1																											
2																											
3																											
4																											
5																											
739	[pt_q4] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	How appropriate were the questions and tests in describing your aphasia?	radio <table border="1"> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	1	2	3	4	5																			
1																											
2																											
3																											
4																											
5																											
740	[pt_q5] Show the field ONLY if:	How comfortable were you answering the questions and completing the tests?	radio <table border="1"> <tr><td>1</td></tr> </table>	1																							
1																											

	[pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1		<table border="1"> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	2	3	4	5	
2								
3								
4								
5								
741	[pt_q6] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	Was the amount of time it took to complete the tests acceptable?	radio <table border="1"> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	1	2	3	4	5
1								
2								
3								
4								
5								
742	[pt_q7] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	How would you rate your overall satisfaction with the questions asked and the tests completed?	radio <table border="1"> <tr><td>1</td></tr> <tr><td>2</td></tr> <tr><td>3</td></tr> <tr><td>4</td></tr> <tr><td>5</td></tr> </table>	1	2	3	4	5
1								
2								
3								
4								
5								
743	[pt_q8] Show the field ONLY if: [pt_q_nc(1)]<>1 and [pt_q_nc(2)]<>1	Do you have any other feedback you would like to share about your experience? - Were any of the tests repetitive or not important? - Is there any additional information we should collect? - Did completing the tests impact you emotionally?	notes Custom alignment: LH					
744	[veryeasy]		descriptive (Attachment: Very easy.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
745	[easy]		descriptive (Attachment: Easy.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
746	[difficult]		descriptive (Attachment: Difficult.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
747	[vdifficult]		descriptive (Attachment: Very difficult.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
748	[veasyunderstand]		descriptive (Attachment: Very easy to understand.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
749	[easyunderstand]		descriptive (Attachment: Easy to understand.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
750	[diffunderstand]		descriptive (Attachment: Difficult to understand.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
751	[vdiffunderstand]		descriptive (Attachment: very difficult to understand.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
752	[veryhelpful]		descriptive (Attachment: Very helpful.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
753	[helpful]		descriptive (Attachment: helpful.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
754	[neutralface]		descriptive (Attachment: neutralx.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
755	[unhelpful]		descriptive (Attachment: Unhelpful.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					
756	[vunhelpful]		descriptive (Attachment: Very unhelpful.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN					

	757	[venjoyable]	descriptive (Attachment: Very enjoyable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	758	[enjoyable]	descriptive (Attachment: Enjoyable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	759	[notenjoyable]	descriptive (Attachment: Not enjoyable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	760	[vunenjoyable]	descriptive (Attachment: Very unenjoyable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	761	[vunacceptable]	descriptive (Attachment: very unacceptable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	762	[unacceptable]	descriptive (Attachment: Unacceptable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	763	[acceptable]	descriptive (Attachment: Acceptable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	764	[vacceptable]	descriptive (Attachment: Very acceptable.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	765	[vunsatisfied]	descriptive (Attachment: Very unsatisfied.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	766	[unsatisfied]	descriptive (Attachment: Unsatisfied.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	767	[satisfied]	descriptive (Attachment: Satisfied.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	768	[vsatisfied]	descriptive (Attachment: Very satisfied.jpg, Display format: Inline image/PDF) Field Annotation: @HIDDEN						
	769	[patient_experience_survey_complete]	Section Header: <i>Form Status</i> Complete? dropdown <table border="1"><tr><td>0</td><td>Incomplete</td></tr><tr><td>1</td><td>Unverified</td></tr><tr><td>2</td><td>Complete</td></tr></table>	0	Incomplete	1	Unverified	2	Complete
0	Incomplete								
1	Unverified								
2	Complete								

Instrument: Discharge Information (discharge_information)

	770	[discharge_header]	Section Header: <i>Hospital Discharge Information</i> Please do not leave any data fields blank. Discharge information to be completed at end of [event-label] episode of care	descriptive																		
	771	[dcdate]	What date did the patient discharge from [event-label] admission? <i>DD-MM-YYYY</i>	text (date_dmy) Field Annotation: @HIDEBUTTON																		
	772	[dcdest]	Where did the patient discharge after [event-label] admission?	dropdown <table border="1"><tr><td>1</td><td>Discharge/transfer to another acute hospital</td></tr><tr><td>2</td><td>Discharge to a residential aged care service, unless this is the usual place of residence</td></tr><tr><td>3</td><td>Statistical discharge</td></tr><tr><td>4</td><td>Left against medical advice/discharge at own risk</td></tr><tr><td>5</td><td>Died</td></tr><tr><td>6</td><td>Usual residence with support</td></tr><tr><td>7</td><td>Usual residence without support</td></tr><tr><td>8</td><td>Inpatient rehabilitation</td></tr><tr><td>9</td><td>Transitional care service</td></tr></table>	1	Discharge/transfer to another acute hospital	2	Discharge to a residential aged care service, unless this is the usual place of residence	3	Statistical discharge	4	Left against medical advice/discharge at own risk	5	Died	6	Usual residence with support	7	Usual residence without support	8	Inpatient rehabilitation	9	Transitional care service
1	Discharge/transfer to another acute hospital																					
2	Discharge to a residential aged care service, unless this is the usual place of residence																					
3	Statistical discharge																					
4	Left against medical advice/discharge at own risk																					
5	Died																					
6	Usual residence with support																					
7	Usual residence without support																					
8	Inpatient rehabilitation																					
9	Transitional care service																					

773	[dchospital]	If the patient was discharged to another inpatient facility (acute or rehabilitation), which hospital did they discharge to? Show the field ONLY if: [dcdest]=1 or [dcdest]=8	radio <table border="1"> <tr><td>1</td><td>Royal Brisbane and Women's Hospital</td></tr> <tr><td>2</td><td>Surgical, Treatment and Rehabilitation Service</td></tr> <tr><td>3</td><td>Brighton Rehabilitation Unit</td></tr> <tr><td>4</td><td>Caboolture Hospital</td></tr> <tr><td>5</td><td>Redcliffe Hospital</td></tr> <tr><td>6</td><td>St Vincent's Hospital Melbourne - Acute Fitzroy</td></tr> <tr><td>7</td><td>St Vincent's Hospital Melbourne - Rehab Fitzroy</td></tr> <tr><td>8</td><td>St Vincent's Hospital Melbourne - Rehab SGHS</td></tr> <tr><td>9</td><td>Monash Medical Centre</td></tr> <tr><td>10</td><td>Kingston Centre</td></tr> <tr><td>11</td><td>Sir Charles Gairdner Hospital</td></tr> <tr><td>12</td><td>Osborne Park Hospital</td></tr> <tr><td>13</td><td>Fiona Stanley Hospital</td></tr> <tr><td>14</td><td>Fremantle Hospital</td></tr> <tr><td>99</td><td>Other, please specify {dchospital_other}</td></tr> </table>	1	Royal Brisbane and Women's Hospital	2	Surgical, Treatment and Rehabilitation Service	3	Brighton Rehabilitation Unit	4	Caboolture Hospital	5	Redcliffe Hospital	6	St Vincent's Hospital Melbourne - Acute Fitzroy	7	St Vincent's Hospital Melbourne - Rehab Fitzroy	8	St Vincent's Hospital Melbourne - Rehab SGHS	9	Monash Medical Centre	10	Kingston Centre	11	Sir Charles Gairdner Hospital	12	Osborne Park Hospital	13	Fiona Stanley Hospital	14	Fremantle Hospital	99	Other, please specify {dchospital_other}
1	Royal Brisbane and Women's Hospital																																
2	Surgical, Treatment and Rehabilitation Service																																
3	Brighton Rehabilitation Unit																																
4	Caboolture Hospital																																
5	Redcliffe Hospital																																
6	St Vincent's Hospital Melbourne - Acute Fitzroy																																
7	St Vincent's Hospital Melbourne - Rehab Fitzroy																																
8	St Vincent's Hospital Melbourne - Rehab SGHS																																
9	Monash Medical Centre																																
10	Kingston Centre																																
11	Sir Charles Gairdner Hospital																																
12	Osborne Park Hospital																																
13	Fiona Stanley Hospital																																
14	Fremantle Hospital																																
99	Other, please specify {dchospital_other}																																
774	[dchospital_other]	Please specify Show the field ONLY if: [dcdest]=1 or [dcdest]=8	text																														
775	[dc_speech]	Section Header: <i>Speech Pathology Discharge Information</i> Was the patient discharged from speech pathology during [event-label] admission?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																										
1	Yes																																
2	No																																
776	[dcdate_speech]	What date were they discharged from speech pathology? <i>DD-MM-YYYY</i> Show the field ONLY if: [dc_speech]='1'	text (date_dmy) Field Annotation: @HIDEBUTTON																														
777	[fup_speech]	Was the patient referred for ongoing speech pathology for aphasia?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No																										
1	Yes																																
2	No																																
778	[fup_speech_ref]	Where was the patient referred? Show the field ONLY if: [fup_speech]='1'	dropdown <table border="1"> <tr><td>1</td><td>Inpatient rehabilitation</td></tr> <tr><td>2</td><td>Community rehabilitation</td></tr> <tr><td>3</td><td>Private</td></tr> <tr><td>8</td><td>Other</td></tr> </table>	1	Inpatient rehabilitation	2	Community rehabilitation	3	Private	8	Other																						
1	Inpatient rehabilitation																																
2	Community rehabilitation																																
3	Private																																
8	Other																																
779	[fup_speech_refoth]	If other, please specify Show the field ONLY if: [fup_speech_ref]='8'	text																														
780	[fup_speech_noref]	Reason not referred? <i>Select all that apply</i> Show the field ONLY if: [fup_speech]='2'	checkbox <table border="1"> <tr><td>1</td><td>fup_speech_noref_1</td><td>Not required</td></tr> <tr><td>2</td><td>fup_speech_noref_2</td><td>Patient declined</td></tr> <tr><td>3</td><td>fup_speech_noref_3</td><td>No appropriate services</td></tr> </table>	1	fup_speech_noref_1	Not required	2	fup_speech_noref_2	Patient declined	3	fup_speech_noref_3	No appropriate services																					
1	fup_speech_noref_1	Not required																															
2	fup_speech_noref_2	Patient declined																															
3	fup_speech_noref_3	No appropriate services																															
781	[handover_header]	Section Header: <i>Handover</i> Please ensure information about involvement in the study is handed over to the next site, where relevant	descriptive																														
782	[discharge_information_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete																								
0	Incomplete																																
1	Unverified																																
2	Complete																																

Instrument: End Of Study (end_of_study)

783	[end_header]	Section Header: <i>End of Study Information</i> Please do not leave any data fields blank End of study information to be completed when patient involvement in study has been completed	descriptive				
784	[end_study]	Has the patient involvement in the study finished?	radio <table border="1"> <tr><td>1</td><td>Yes</td></tr> <tr><td>2</td><td>No</td></tr> </table>	1	Yes	2	No
1	Yes						
2	No						
785	[end_header2]	Please answer End of Study questions below Show the field ONLY if: [end_study]='1'	descriptive				
786	[end_header3]	Please continue to enter patient information in the other forms Show the field ONLY if:	descriptive				

	[end_study]='2'												
787	[end_study_date] Show the field ONLY if: [end_study]='1'	What date did patient involvement in the study end? <i>DD-MM-YYYY</i>	text (date_dmy)										
788	[end_study_reason] Show the field ONLY if: [end_study]='1'	What was the reason for involvement in the study ending?	radio <table border="1"> <tr><td>1</td><td>Data collection complete</td></tr> <tr><td>2</td><td>Withdrawal from study</td></tr> <tr><td>3</td><td>Death</td></tr> <tr><td>4</td><td>Lost to follow up</td></tr> <tr><td>99</td><td>Other {end_study_reason_oth}</td></tr> </table>	1	Data collection complete	2	Withdrawal from study	3	Death	4	Lost to follow up	99	Other {end_study_reason_oth}
1	Data collection complete												
2	Withdrawal from study												
3	Death												
4	Lost to follow up												
99	Other {end_study_reason_oth}												
789	[end_study_reason_oth] Show the field ONLY if: [end_study_reason]='99'	Other, please specify	text, Required Field Annotation: @PLACEHOLDER='Please specify'										
790	[end_study_header] Show the field ONLY if: [end_study_reason]='2'	A withdrawal form needs to be completed for any patient who withdraws their consent for the study. This needs to be completed in the Screening and Consent project database. Please refer to Data Collection Manual or contact the project team for instructions.	descriptive										
791	[end_study_wd_date] Show the field ONLY if: [end_study_reason]='2'	Date of withdrawal <i>DD-MM-YYYY</i>	text (date_dmy)										
792	[end_study_wd_reason] Show the field ONLY if: [end_study_reason]='2'	Reason for withdrawal	text										
793	[end_study_death_date] Show the field ONLY if: [end_study_reason]='3'	Date of death <i>DD-MM-YYYY</i>	text (date_dmy)										
794	[end_study_data] Show the field ONLY if: [end_study]='1'	Please ensure all patient information has been entered before marking as complete <i>Select all that apply</i>	descriptive										
795	[end_of_study_complete]	Section Header: <i>Form Status</i> Complete?	dropdown <table border="1"> <tr><td>0</td><td>Incomplete</td></tr> <tr><td>1</td><td>Unverified</td></tr> <tr><td>2</td><td>Complete</td></tr> </table>	0	Incomplete	1	Unverified	2	Complete				
0	Incomplete												
1	Unverified												
2	Complete												