Library Management System — Review III Report

Evaluation coverage

This report follows the supplied **REVIEW III – Integrated System & Final Demonstration** rubric. The five operations in Section 7 are database writes; the cursor and reports are shown separately.

Evaluation component	Evaluation criteria	Marks	Evidence
Integrated Database Operation	Database components work together to support the proposed application	2	Sections 2–4: seven related tables, constraints, API-to-Oracle flow
Real-World Transactions	Demonstration of at least 5 meaningful transactions / operations	3	Section 7: register member, add book, issue book, return overdue book, mark fine paid
SQL/PLSQL Interaction	Appropriate use of queries, procedures, functions, cursors and triggers during transactions	2	Sections 5–7: object call chain, SQL verification and cursor execution
Output & Reports	Correct and meaningful results / reports generated from the database	1	Sections 5, 8 and live verification appendix: dashboard, overdue/fine reports and 15 query outputs
Project Report & Documentation	Completeness, clarity and technical documentation	1	ER diagram, schema, operation evidence, testing, demo order and source files

Student: Suyash Singh
Register number: 24BYB0078
Course: BCSE302L / BCSE302P Database Systems Lab
Slot / **faculty:** G1 / Ramkumar T
Institution: Vellore Institute of Technology
Project type: Individual project

1. Introduction and problem statement

A library must know which books and copies it owns, who has borrowed them, when they are due, and which late fees remain unpaid. Manual registers can duplicate members, issue unavailable books, miss overdue returns, and miscalculate fines. This project keeps those records in a relational Oracle database and connects them to an interactive librarian dashboard.

Review I defined the entities, relationships, and functional requirements. Review II created the tables, constraints, sample data, 15 queries, two procedures, two functions, an explicit cursor demonstration, and two triggers. Review III connects that database to a Flask API and browser interface. The browser interface extends the original Review I scope for the final integrated demonstration.


2. Functional requirements and completed system

Requirement	Implementation
Store books, authors, categories, members and staff	CRUD pages and Oracle tables `BOOK`, `AUTHOR`, `CATEGORY`, `MEMBER`, `STAFF`
Issue only available books	`issue_book` inserts an `ISSUE`; `trg_issue_insert` checks and decrements copies
Record due dates and returns	`ISSUE` dates/status; `return_book` procedure

Restore stock on return	`trg_issue_return` increments available copies on `Issued` to `Returned`
Calculate and track fines	`overdue_days`, `calculate_fine`, `FINE` table, payment-status update
Show activity and reports	Dashboard, issue history, overdue cursor page, 12 SQL-backed reports and CSV export
Demonstrate INSERT, UPDATE and DELETE	Member/book/author/category forms, fine payment, and deletion with FK protection

The application is a local librarian/admin demonstration. It has no member login, online payment, reservation or e-book feature.

3. ER diagram and relational schema



`ISSUE` resolves the many-to-many relationship between books and members over time. `FINE.issue_id` is both a foreign key and unique, so an issue has at most one fine.

Relational schema:

```
AUTHOR(author_id PK, author_name, country)
CATEGORY(category_id PK, category_name UNIQUE)
BOOK(book_id PK, title, author_id FK→AUTHOR, category_id FK→CATEGORY,
     price, total_copies, available_copies)
MEMBER(member_id PK, name, email UNIQUE, phone, join_date, membership_type)
STAFF(staff_id PK, name, role, email UNIQUE)
ISSUE(issue_id PK, book_id FK→BOOK, member_id FK→MEMBER, staff_id FK→STAFF,
      issue_date, due_date, return_date, status)
FINE(fine_id PK, issue_id UNIQUE FK→ISSUE, amount, paid_status)
```

The exact Oracle DDL and constraints are in `sql/schema.sql`. They include primary and foreign keys, `NOT NULL`, `UNIQUE`, `CHECK`, and `DEFAULT`. The sample data in `sql/sample_data.sql` has at least ten rows in every table: 10 authors, 10 categories, 10 books, 10 members, 10 staff, 15 issues, and 10 fines.

Purpose of every table

Table	Purpose and important columns	Relationship and integrity rule
AUTHOR	Writer identity: author_id PK, required author_name, country (default India).	One author can have many BOOK rows.
CATEGORY	Catalog grouping: category_id PK, unique required category_name.	One category can contain many books, including none.
BOOK	Title, price and inventory: book_id PK, author_id, category_id, positive price, total_copies, available_copies.	Author/category FKs; 0 ≤ available_copies ≤ total_copies; one book can have many issues.
MEMBER	Borrower: member_id PK, required name and unique email, phone, join date (default today), membership type.	One member can have many issues; type is Student, Faculty or General.
STAFF	Librarian: staff_id PK, required name/role and unique email.	One staff member can handle many issues; staff activity is reportable.
ISSUE	Borrowing history: issue_id PK, book/member/staff FKs, issue/due/return dates, status.	Connects borrowers and books over time; status is Issued or Returned; triggers maintain stock.
FINE	Late fee: fine_id PK, unique issue_id FK, positive amount and payment status.	Optional child of ISSUE; at most one fine per issue; status is Paid or Unpaid.

ISSUE is the central transaction table. A new issue references an existing book and member; an overdue return can create one fine. Oracle rejects missing foreign-key parents, duplicate member emails, invalid status values and invalid stock counts. The application also validates user input before a write.

4. Database implementation and connectivity

```
Browser (HTML/CSS/JavaScript)
  → fetch /api/* JSON
Flask routes (validation, transactions, serialization)
  → python-oracledb connection pool
Oracle tables + SQL queries + PL/SQL procedures/functions/triggers
  → JSON results and dashboard/report output
```

The connection parameters are read from .env by db.py. Flask routes in app.py use bound SQL parameters. Writes commit after dependent database work succeeds and roll back on Oracle errors. The issue and return routes call the Review II procedures; the application never manually adjusts stock for those operations.

For a fresh database, run sql/schema.sql, then sql/sample_data.sql, then sql/procedures.sql. The sample inserts historical issues directly, so the triggers are installed **after** the sample data to avoid changing its prepared copy counts. Existing Review II databases should be verified instead of recreated. Run python scripts/verify_oracle.py after configuring credentials. A passing /api/status must show connected: true for the final Oracle demonstration. Demo mode uses static data and does not prove database integration.

5. SQL queries and outputs

The 15 Review II SQL queries are in sql/queries.sql. They cover joins, availability filtering, history, grouping, LEFT JOIN, NOT EXISTS, subqueries, HAVING, overdue dates, fine totals, and staff activity. The integrated Reports page offers 12 related live queries through /api/reports/<name>.

The following results were observed from the local Oracle LIBRARY schema on 26 October 2026. Full row-by-row output for all 15 queries is in the live verification appendix, which is also included in the PDF report.

Query / report	Observed result

Dashboard titles / copies / available	10 titles, 43 total copies, 38 available copies
Active and overdue issues	5 active issues, IDs 11–15; all 5 are overdue
Fine summary	Paid: ₹55 from 4 fines; Unpaid: ₹110 from 6 fines
Books by category	Fiction: 3; Classic: 2; Fantasy, Biography, History, Science, Mystery: 1 each; Self-Help, Technology, Education: 0
Staff activity	Staff IDs 1–5 handled 2 issues each; IDs 6–10 handled 1 each
Borrow count per member	Members 2–6 have 2 issues each; members 1 and 7–10 have 1 each
Inactive members	None in the sample

The appendix also records actual INSERT, UPDATE, DELETE, issue, return, fine and cursor results from reversible Oracle transactions. A separate reversible catalog insert confirmed the fifth write operation. Those verification transactions were rolled back, leaving the sample data unchanged. The live result can change with the Oracle server date and later UI transactions. The CSV button exports the rows currently returned by each report endpoint.

Report to show live	What it demonstrates	Expected change during the five operations
Available Books	SQL filter on positive `available_copies`	Added two-copy book appears; issuing it leaves one available.
Issue History	Joins ISSUE, MEMBER, BOOK and STAFF	New issue shows the selected borrower, title and staff member.
Overdue Issues	Joined date/status filter	Returned overdue issue disappears.
Fine Management and summary	Joins and `GROUP BY paid_status`	New fine appears Unpaid, then moves to Paid.
Books by Category	`LEFT JOIN` and `GROUP BY`	Added title increases its category's count; empty categories remain visible.
Staff Activity	`LEFT JOIN` and `COUNT`	The issuing staff member's handled count rises.

6. Procedures, functions, cursor and triggers

All Review II PL/SQL definitions are in sql/procedures.sql.

Object	Role in an integrated operation
`issue_book` procedure	Inserts a new borrowing transaction
`return_book` procedure	Locks the issue, records the return and inserts a positive fine
`overdue_days` function	Calculates nonnegative late calendar days
`calculate_fine` function	Multiplies late days by ₹5
`trg_issue_insert`	Rejects unavailable books and decrements stock after issue insert
`trg_issue_return`	Restores one copy when status changes from `Issued` to `Returned`
`overdue_cursor`	Review II explicit cursor prints each overdue issue in SQL Developer

The Database Logic page runs the same overdue selection through a PL/SQL `SYS_REFCURSOR` and fetches its rows into the UI. This is an actual cursor invocation; the Review II block remains available for a SQL Developer demonstration.

7. Five real-world database operations

These five **write operations** form a coherent librarian workflow: register a borrower, add a catalog title, issue a copy, return an overdue copy, and settle the resulting fine. Record generated IDs during the live run because `MAX(id)+1` can differ from the sample. The evidence below came from reversible Oracle transactions; those test writes were rolled back. Actions in the website commit and remain in the database.

Operation 1 — Register a member (`MEMBER` INSERT)

User action: Members → Register Member. Enter a unique name/email, phone and membership type. Example: `Review III Student`, `review3.student@example.com`, `9876543210`, Student.

Database action: Flask validates the form and inserts `MEMBER`. Oracle applies `join_date DEFAULT SYSDATE`, the unique email rule and the membership-type check.

```
INSERT INTO MEMBER (member_id, name, email, phone, membership_type)
VALUES (:member_id, :name, :email, :phone, :membership_type);
SELECT member_id, name, email, membership_type, join_date
FROM MEMBER WHERE email = :email;
```

UI result: The member appears in Members and becomes selectable in Issue Book. **Observed Oracle evidence:** the reversible test displayed new MEMBER 11 (`Review 3 Test Member`, Student); rollback restored the original 10-member sample.

Operation 2 — Add a catalog book (`BOOK` INSERT with author/category FKs)

User action: Books → Add Book. Choose an existing author and category; enter a unique title, price ₹250 and two copies.

Database action: Flask inserts the title with `available_copies = total_copies`. Oracle verifies the `AUTHOR` and `CATEGORY` foreign keys, positive price and valid copy counts.

```
INSERT INTO BOOK
  (book_id, title, author_id, category_id, price, total_copies, available_copies)
VALUES (:book_id, :title, :author_id, :category_id, :price, :copies, :copies);
SELECT b.book_id, b.title, a.author_name, c.category_name,
       b.total_copies, b.available_copies
FROM BOOK b JOIN AUTHOR a ON a.author_id = b.author_id
JOIN CATEGORY c ON c.category_id = b.category_id
WHERE b.book_id = :book_id;
```

UI result: The book appears in Books and Available Books; its category count rises. **Observed Oracle evidence (26 October 2026):** BOOK count 10 → 11; BOOK 11 `Review III Catalog Verification` had total 2 and available 2. Rollback restored count 10 and removed BOOK 11.

Operation 3 — Issue a copy (`ISSUE` INSERT, procedure and stock trigger)

User action: Issue Book → choose the newly registered member, the added book, a staff member, and a due date today or later. Record the issue ID shown by the site.

Database action: Flask calls `issue_book`, which inserts `ISSUE`; `trg_issue_insert` rejects zero stock or decrements `BOOK.available_copies` once.

```
BEGIN issue_book(:issue_id, :book_id, :member_id, :staff_id, :due_date); END;
SELECT issue_id, book_id, member_id, staff_id, due_date, status
FROM ISSUE WHERE issue_id = :issue_id;
SELECT total_copies, available_copies FROM BOOK WHERE book_id = :book_id;
```

UI result: Issue History shows status Issued; the new book's available copies go 2 → 1. **Observed Oracle evidence:** the reversible test created ISSUE 16; BOOK 1 availability went 4 → 3 and returned to 4 after rollback. The issue row disappeared on rollback.

Operation 4 — Return an overdue issue (ISSUE UPDATE, functions, trigger, FINE INSERT)

User action: Return Book → choose one existing overdue active issue (sample IDs 11–15 were overdue on 26 October 2026) → Return. The new issue from Operation 3 has a future due date, so use an older sample issue to show fine calculation immediately.

Database action: `return_book` locks and checks the issue, calls `calculate_fine` and `overdue_days`, updates status and return date, then inserts a positive Unpaid fine. `trg_issue_return` restores one copy. A repeat return is rejected.

```
BEGIN return_book(:issue_id); END;
SELECT i.issue_id, i.status, i.due_date, i.return_date,
       b.title, b.available_copies, f.amount, f.paid_status
FROM ISSUE i JOIN BOOK b ON b.book_id = i.book_id
LEFT JOIN FINE f ON f.issue_id = i.issue_id
WHERE i.issue_id = :issue_id;
```

UI result: Returned status, return date, one restored copy and an Unpaid fee of ₹5 per late calendar day. **Observed Oracle evidence:** a reversible test returned ISSUE 16 with a due date one day before server date; BOOK 1 copies went 3 → 4 and a ₹5 Unpaid fine appeared. Rollback restored the initial state. A live sample issue's fee depends on the day it is returned.

Operation 5 — Mark the fine paid (FINE UPDATE and summary query)

User action: Fine Management → find the fine created in Operation 4 → Mark Paid. This records settlement status; no bank payment is processed.

Database action: The API updates `FINE.paid_status`. The fine summary groups amounts by Paid and Unpaid.

```
UPDATE FINE SET paid_status = 'Paid' WHERE fine_id = :fine_id;
SELECT fine_id, issue_id, amount, paid_status FROM FINE WHERE fine_id = :fine_id;
SELECT paid_status, COUNT(*) AS fine_count, SUM(amount) AS total_amount
FROM FINE GROUP BY paid_status;
```

UI result: The fine moves from Unpaid to Paid, and both totals change by the same amount. **Observed Oracle evidence:** sample FINE 1 temporarily became Paid in the reversible test; rollback left it Unpaid. During the live demo use the fine ID generated by Operation 4.

Separate cursor and report demonstration: Database Logic → Run Overdue Cursor Demo, then Reports → Overdue Issues → Export CSV. The PL/SQL reference cursor and joined report read `ISSUE`, `MEMBER` and `BOOK` where `status = 'Issued' AND TRUNC(due_date) < TRUNC(SYSDATE)`. The returned sample issue disappears from this result. The cursor and report are read operations, so they are shown in addition to the five writes.

Additional DELETE integrity check: a temporary unreferenced member was inserted and deleted in a reversible Oracle test. Referenced parent rows cannot be deleted because Oracle foreign keys protect their children. Do not delete an `ISSUE` directly during the demo: stock restoration depends on the return trigger.

8. Verification, limits and conclusion

Verification on 26 October 2026: `venv/bin/python -m unittest discover -s tests -v` ran 39 tests with two live tests skipped by default. `RUN_LIVE_ORACLE_TESTS=true venv/bin/python -m unittest tests.test_app.LiveOracleTests -v` passed both live tests. `venv/bin/python scripts/verify_oracle.py` confirmed all seven tables and six required stored objects. `/api/status` returned `connected: true` and `demo_mode: false` when the local site was checked. The live verification appendix records outputs from all 15 queries and reversible transactions using real Oracle procedures, functions, cursor and triggers.

Start-to-end presentation order

1. Start the existing Oracle container and site; on this machine the configured address is `http://127.0.0.1:5001`. Confirm **Oracle connected**. Do not recreate the prepared schema.
2. Explain the ER diagram and all seven tables using Section 3; identify primary keys, foreign keys and constraints.
3. Show the Dashboard baseline and state that its figures are SQL aggregations from Oracle.
4. Perform the five writes in Section 7, in order. Record IDs from the UI and show each changed row/copy count.
5. Run the Database Logic overdue cursor. Open Overdue Issues, Fine Management and Books by Category; export one CSV.
6. If asked for SQL, run the SELECT statements under each operation and open `sql/queries.sql` for all 15 Review II queries.

The companion `docs/demo-checklist.md` provides a shorter UI rehearsal. The source files are `sql/schema.sql` (tables), `sql/sample_data.sql` (prepared rows), `sql/procedures.sql` (PL/SQL), `sql/queries.sql` (15 queries), `app.py` and `db.py` (integration), and `static/` (interface).

Live website screenshots — see Appendix B

These screenshots were captured from the running website on 27 October 2026 after `/api/status` confirmed `connected: true` and `demo_mode: false`. Screenshot capture only read data; it did not create or edit records. Oracle's server clock was still on 26 October when these local screenshots were taken, so overdue-day calculations follow its `SYSDATE`. The current database already contains prior UI transactions, so the dashboard now shows 12 members, 18 issue rows (8 still Issued), 46 total copies and 38 available copies. These figures differ from the earlier prepared-sample snapshot in Section 5, which was recorded before those UI transactions.

The system integrates the seven-table database with the Review II SQL and PL/SQL logic and presents five meaningful write operations plus live reports through the UI. The main limits are local-only use without authentication or a payment gateway, optional nonpersistent demo-mode writes, and `MAX(id)+1` ID allocation under concurrent requests. For the final viva, keep `DEMO_MODE=false`, open the website with Oracle connected and demonstrate the five operations.

Appendix A — Live Oracle Verification

This is an observed snapshot from the local `LIBRARY` schema in `FREEPDB1`. Queries come from `sql/queries.sql`. Data can change after later UI transactions.

Oracle server time: 2026-10-26 11:30:01

Table row counts

Table	Rows
AUTHOR	10
CATEGORY	10
BOOK	10
MEMBER	10
STAFF	10
ISSUE	15
FINE	10

Review II query outputs

1. Books with author and category

Rows returned: 10

TITLE	AUTHOR_NAME	CATEGORY_NAME
Malgudi Days	R. K. Narayan	Fiction
The Alchemist	Paulo Coelho	Fiction
Five Point Someone	Chetan Bhagat	Fiction
1984	George Orwell	Classic
Pride and Prejudice	Jane Austen	Classic
Harry Potter	J. K. Rowling	Fantasy
A Brief History of Time	Stephen Hawking	Science
Sapiens	Yuval Noah Harari	History
Murder on the Orient Express	Agatha Christie	Mystery
Wings of Fire	A. P. J. Abdul Kalam	Biography

2. Available books

Rows returned: 10

TITLE	AVAILABLE_COPIES
Malgudi Days	4
1984	3
Harry Potter	5
The Alchemist	4
Wings of Fire	3
Pride and Prejudice	3
Sapiens	4
Five Point Someone	5
A Brief History of Time	3
Murder on the Orient Express	4

3. Members who borrowed books

Rows returned: 10

NAME
Aditi Sharma
Rahul Verma
Neha Gupta
Arjun Mehta
Isha Nair
Karan Das

Pooja Rao
Dev Malhotra
Riya Kapoor
Manav Jain

4. Issue history

Rows returned: 15

ISSUE_ID	NAME	TITLE	ISSUE_DATE	DUE_DATE	RETURN_DATE	STATUS
1	Aditi Sharma	Malgudi Days	2026-08-01	2026-08-08	2026-08-11	Returned
11	Rahul Verma	Malgudi Days	2026-09-01	2026-09-15	—	Issued
2	Rahul Verma	1984	2026-08-02	2026-08-09	2026-08-12	Returned
12	Neha Gupta	1984	2026-09-02	2026-09-16	—	Issued
3	Neha Gupta	Harry Potter	2026-08-03	2026-08-10	2026-08-14	Returned
13	Arjun Mehta	Harry Potter	2026-09-03	2026-09-17	—	Issued
4	Arjun Mehta	The Alchemist	2026-08-04	2026-08-11	2026-08-13	Returned
14	Isha Nair	The Alchemist	2026-09-04	2026-09-18	—	Issued
5	Isha Nair	Wings of Fire	2026-08-05	2026-08-12	2026-08-15	Returned
15	Karan Das	Wings of Fire	2026-09-05	2026-09-19	—	Issued
6	Karan Das	Pride and Prejudice	2026-08-06	2026-08-13	2026-08-16	Returned
7	Pooja Rao	Sapiens	2026-08-07	2026-08-14	2026-08-18	Returned
8	Dev Malhotra	Five Point Someone	2026-08-08	2026-08-15	2026-08-18	Returned
9	Riya Kapoor	A Brief History of Time	2026-08-09	2026-08-16	2026-08-20	Returned
10	Manav Jain	Murder on the Orient Express	2026-08-10	2026-08-17	2026-08-21	Returned

5. Book titles per category

Rows returned: 10

CATEGORY_NAME	TOTAL
Fiction	3
Classic	2
Fantasy	1
Biography	1
History	1
Science	1
Mystery	1
Self-Help	0
Education	0
Technology	0

6. Borrow count per member

Rows returned: 10

NAME	BORROWED
Aditi Sharma	1
Rahul Verma	2
Neha Gupta	2
Arjun Mehta	2
Isha Nair	2
Karan Das	2
Pooja Rao	1
Dev Malhotra	1
Riya Kapoor	1
Manav Jain	1

7. Members with no borrowing history

Rows returned: 0

No rows in this snapshot.

8. Books above average price

Rows returned: 4

TITLE	PRICE
1984	399.0
Harry Potter	499.0
Sapiens	599.0
A Brief History of Time	450.0

9. Overdue active issues

Rows returned: 5

ISSUE_ID	NAME	TITLE	DUE_DATE
11	Rahul Verma	Malgudi Days	2026-09-15
12	Neha Gupta	1984	2026-09-16
13	Arjun Mehta	Harry Potter	2026-09-17
14	Isha Nair	The Alchemist	2026-09-18
15	Karan Das	Wings of Fire	2026-09-19

10. Total fines by payment status

Rows returned: 2

PAID_STATUS	TOTAL_FINE
Unpaid	110
Paid	55

11. Unpaid fines

Rows returned: 6

NAME	TITLE	AMOUNT
Aditi Sharma	Malgudi Days	15.0
Neha Gupta	Harry Potter	20.0
Isha Nair	Wings of Fire	15.0
Pooja Rao	Sapiens	20.0
Riya Kapoor	A Brief History of Time	20.0
Manav Jain	Murder on the Orient Express	20.0

12. Authors with multiple books

Rows returned: 0

No rows in this snapshot.

13. Most expensive book

Rows returned: 1

TITLE	PRICE
Sapiens	599.0

14. Issues handled per staff member

Rows returned: 10

NAME	HANDLED
Aarav Sharma	2
Diya Verma	2
Rohan Gupta	2
Meera Nair	2
Kabir Singh	2
Ananya Rao	1
Ishaan Das	1
Sara Khan	1
Vivaan Joshi	1
Priya Iyer	1

15. Books with copies currently issued

Rows returned: 5

TITLE	TOTAL_COPIES	AVAILABLE_COPIES
Malgudi Days	5	4
1984	4	3
Harry Potter	6	5
The Alchemist	5	4

Wings of Fire	4	3

Reversible integrated transaction demonstration

These operations ran against the real Oracle procedures, functions, triggers and tables in one transaction. The transaction was rolled back after verification, so the original sample data remains intact.

Step	Observed result
Register member (INSERT)	MEMBER 11: Review 3 Test Member, Student
Issue book through `issue_book` and `trg_issue_insert`	ISSUE 16 became Issued; BOOK 1 available copies 4 → 3
Overdue PL/SQL cursor	Included ISSUE 16 with due date 2026-10-25
Return through `return_book`, `calculate_fine`, `overdue_days`, `trg_issue_return`	ISSUE 16 became Returned; return date set; available copies 3 → 4; fine ₹5.0 Unpaid
Mark existing fine paid (UPDATE)	FINE 1 became Paid inside the transaction
Roll back test transaction	Test member and issue absent; FINE 1 remained Unpaid; BOOK 1 available copies remained 4

Additional DML check: inserted then deleted an unreferenced test MEMBER 11; DELETE affected 1 row and the row count was 0. The enclosing transaction was rolled back.

Additional catalog insert verification — 26 October 2026

To complete the Review III five-write workflow, a `BOOK` insert was tested against the same real Oracle schema with existing AUTHOR 1 and CATEGORY 1. The transaction was rolled back after its joined row and copy counts were checked.

Observation	Oracle result
BOOK count before insert	10
Inserted row	BOOK 11, `Review III Catalog Verification`, price ₹250, total copies 2, available copies 2
BOOK count inside transaction	11
BOOK count after rollback	10
Rows remaining with BOOK 11 after rollback	0

This test demonstrates the catalog write and its author/category foreign keys without altering the prepared sample data. The website's Books → Add Book form performs the same type of insert and commits a successful live demo action.

Figure 1 - Oracle-connected dashboard




Figure 2 - Book catalog and stock counts




Figure 3 - Register Member form




Figure 4 - Issue history and linked records




Figure 5 - Fine Management and payment status




Figure 6 - Overdue Issues report with CSV export




Figure 7 - PL/SQL overdue cursor output

Overdue Cursor Output

ISSUE ID	MEMBER	BOOK	DUE DATE
11	Rahul Verma	Malgudi Days	15 Sept 2026
12	Neha Gupta	1984	16 Sept 2026
13	Arjun Mehta	Harry Potter	17 Sept 2026
14	Isha Nair	The Alchemist	18 Sept 2026
15	Karan Das	Wings of Fire	19 Sept 2026