COURSE SERVER GUIDE

Server Information

Financial Econometrics — Jupyter Server Access & Rules


GETTING STARTED


STEP 1 / 3

Access the Server

1. You can access the Jupyter server here: https://jupyter.firrm.posch.org/hub/login.
2. Log in using the credentials provided to you.

3. If you haven't received your credentials yet, just send an email to alexanderelias.krause@tu-dortmund.de with the subject line: *"Jupyter Credentials + Your Name"*. (only possible until the 18th of October)






GETTING STARTED

STEP 2 / 3

Create Your Own Folder


1. After logging in, you'll see two folders: `data` and `shared-for-all`.
2. The `data` folder contains datasets that may be useful for future assignments — we won't need it during the lecture, so ignore it for now.
3. Double-click `shared-for-all`. You'll see several subfolders.
4. To add your own folder, click `"Add Folder"` next to the blue `"+"` button.
5. Use the naming convention: `FinEcon27_YourLastname`.



Use Your Own Folder

From now on, you can work inside your own folder. You're free to upload datasets and create new notebooks there.

To create a new notebook, simply right-click inside your folder and select `“New Notebook.”`



SERVER RULES

RULE 1 / 4

Work Only in Your Own Folder

Do not open or modify any other folders. If you accidentally delete or change something in another folder, it causes a lot of extra work to restore the files.

Please note: we can see who deleted files, and there will be consequences if you delete files belonging to others.

→ Just stay in your own folder.

Do Not Parallelize Your Code

Some of you might be familiar with parallelization — if you're not, don't worry about it.

It's not allowed to parallelize code on our server. If we notice that someone is doing so, we will immediately stop the process.

No GPU Access

The server does not provide GPU resources.

If you need a GPU for your project later, you can try using **Google Colab** instead.

Shut Down Your Kernel After Use

Please shut down your kernel once you have finished your session. If you are working with multiple notebooks, make sure to close or shut down all of them, not just one.

Please note: if your code needs to run for more than one day, let us know in advance. If you don't shut down your kernel yourself, we will shut it down automatically after three days.

→ Always shut down your kernel and notebooks when you're done.

