

 chengkk0910

view Repositories 73 Projects Packages Stars 28

Find a repository...

TypeLanguageSortNew

web2025-10-02PrivateHTMLUpdated on Mar 10

Star

laravel_20260114Publiclaravel_20260114BladeUpdated on Feb 5

Star

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *

Repository name *

chengkk0910

/

web2026-04-22

web2026-04-22 is available.

Great repository names are short and memorable. How about [musical-happiness?](#)

Description

web2026-04-22

13 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Start with a template

Templates pre-configure your repository with files.

No template

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore


.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license



<https://github.com/chengkk0910/web2026-04-22.git>

git clone


<https://github.com/chengkk0910/web2026-04-22.git>


git clone

<https://github.com/chengkk0910/web2026-04-22.git> kai55688

git clone

<https://github.com/chengkk0910/web2026-04-22.git> kai12345





```
User@1113-Teacher MINGW64 /d
$ git clone https://github.com/chengkk0910/web2026-04-22.git kai55688
Cloning into 'kai55688'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

User@1113-Teacher MINGW64 /d
$ git clone https://github.com/chengkk0910/web2026-04-22.git kai12345
Cloning into 'kai12345'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

User@1113-Teacher MINGW64 /d
$
```

📁 kai55688	2026/4/22 上午 09:36	檔案資料夾
📁 kai12345	2026/4/22 上午 09:36	檔案資料夾

```
User@1113-Teacher MINGW64 /d
$ ls
'$RECYCLE.BIN'/
115-basic/
172000-11/
```

```
User@1113-Teacher MINGW64 /d
$ cd web2026-04-22/



User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ |
```


```
269 git clone https://github.com/chengkk0910/web2026-04-22.git kai55688
270 git clone https://github.com/chengkk0910/web2026-04-22.git kai12345
271 cls
272 git clone https://github.com/chengkk0910/web2026-04-22.git
273 ls
274 cd web2026-04-22/
275 cd ..
276 ls
277 git clone https://github.com/chengkk0910/web2026-04-22.git
278 cd web2026-04-22/
279 ls
280 history
```

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
● $ git add .


User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
● $ git commit -m"init 0422"
[main c48c813] init 0422
13 files changed, 214 insertions(+)
create mode 100644 s20260414/apple.docx
```

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git push
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 24 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (18/18), 1.98 MiB | 546.00 KiB/s, done.
Total 18 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/chengkk0910/web2026-04-22.git
```





Git大致上可分為四個不同儲存區域：



```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        s20260422/

nothing added to commit but untracked files present (use "git add" to track)

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```


```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        s20260422/

nothing added to commit but untracked files present (use "git add" to track)

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git add .

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```




```
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        s20260422/

nothing added to commit but untracked files present (use "git add" to track)

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git add .

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git commit -m"test"
[main a14a1c5] test
1 file changed, 1 insertion(+)
create mode 100644 s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ |
```



```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git commit -m"test"
[main a14a1c5] test
1 file changed, 1 insertion(+)
create mode 100644 s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
on branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```

git status

git log

git checkout commit節點

git checkout 檔案回復 在vscode內

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
● $ git checkout /d/web2026-04-22/s20260422/test.html
Updated 1 path from the index
```