

 chengkk0910

view Repositories 73 Projects Packages Stars 28

Find a repository...

TypeLanguageSortNew

web2025-10-02PrivateHTMLUpdated on Mar 10

Star

laravel_20260114Publiclaravel_20260114BladeUpdated on Feb 5

Star

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk (*).

1 General

Owner *

Repository name *

chengkk0910

/

web2026-04-22

web2026-04-22 is available.

Great repository names are short and memorable. How about [musical-happiness?](#)

Description

web2026-04-22

13 / 350 characters

2 Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Start with a template

Templates pre-configure your repository with files.

No template

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore


.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore

Add license

Licenses explain how others can use your code. [About licenses](#)

No license



<https://github.com/chengkk0910/web2026-04-22.git>

git clone


<https://github.com/chengkk0910/web2026-04-22.git>


git clone

<https://github.com/chengkk0910/web2026-04-22.git> kai55688

git clone

<https://github.com/chengkk0910/web2026-04-22.git> kai12345





```
User@1113-Teacher MINGW64 /d
$ git clone https://github.com/chengkk0910/web2026-04-22.git kai55688
Cloning into 'kai55688'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

User@1113-Teacher MINGW64 /d
$ git clone https://github.com/chengkk0910/web2026-04-22.git kai12345
Cloning into 'kai12345'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

User@1113-Teacher MINGW64 /d
$
```

📁 kai55688	2026/4/22 上午 09:36	檔案資料夾
📁 kai12345	2026/4/22 上午 09:36	檔案資料夾

```
User@1113-Teacher MINGW64 /d
$ ls
'$RECYCLE.BIN'/
115-basic/
172002-11/
```

```
User@1113-Teacher MINGW64 /d
$ cd web2026-04-22/



User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ |
```


```
269 git clone https://github.com/chengkk0910/web2026-04-22.git kai55688
270 git clone https://github.com/chengkk0910/web2026-04-22.git kai12345
271 cls
272 git clone https://github.com/chengkk0910/web2026-04-22.git
273 ls
274 cd web2026-04-22/
275 cd ..
276 ls
277 git clone https://github.com/chengkk0910/web2026-04-22.git
278 cd web2026-04-22/
279 ls
280 history
```

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
● $ git add .


User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
● $ git commit -m"init 0422"
[main c48c813] init 0422
13 files changed, 214 insertions(+)
create mode 100644 s20260414/apple.docx
```

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git push
Enumerating objects: 19, done.
Counting objects: 100% (19/19), done.
Delta compression using up to 24 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (18/18), 1.98 MiB | 546.00 KiB/s, done.
Total 18 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/chengkk0910/web2026-04-22.git
```





Git大致上可分為四個不同儲存區域：



```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        s20260422/

nothing added to commit but untracked files present (use "git add" to track)

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```


```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        s20260422/

nothing added to commit but untracked files present (use "git add" to track)

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git add .

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```




```
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        s20260422/

nothing added to commit but untracked files present (use "git add" to track)

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git add .

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git commit -m"test"
[main a14a1c5] test
1 file changed, 1 insertion(+)
create mode 100644 s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ |
```



```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git commit -m"test"
[main a14a1c5] test
1 file changed, 1 insertion(+)
create mode 100644 s20260422/test.html

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$ git status
on branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
$
```

git status

git log

git checkout commit節點

git checkout 檔案回復 在vscode內

```
User@1113-Teacher MINGW64 /d/web2026-04-22 (main)
● $ git checkout /d/web2026-04-22/s20260422/test.html
Updated 1 path from the index
```

九宮格

1-9 九宮格 ?

12		3
4	5	69
7	8	

邏輯問題 vs 語法問題


w3schools html table

AI 模式 全部 圖片 影片 短片 購物 網頁 更多 工具

W3Schools
https://www.w3schools.com › html › h... · 翻譯這個網頁

HTML Tables

HTML tables allow web developers to arrange data into rows and columns. Example
Country. Alfreds Futterkiste, Maria Anders, Germany. Centro ...



重點

先有 一般版本

123

456

789

再來用註解 合併 想想word

colspan

rowspan

節數	一	二	三	四	五
早自習 0750~0830					
第一節 0840~0920	國語 劉展華	數學 劉展華			國語 劉展華
第二節 0930~1010		自然 黃新民	音樂 萬巧如	國語 劉展華	彈性 劉展華
第三節 1030~1110	數學 劉展華	健康 潘文欽	國語 劉展華	鄉土 魏士欽	自然 黃新民
第四節 1120~1200	英語 黃定宜	彈性 劉展華	社會 劉展華	英語 黃定宜	
午休時間 1200~1320					
第五節 1330~1410	社會 劉展華	美勞 許文杰		綜合 劉展華	體育 潘文欽
第六節 1420~1500	體育 潘文欽				國語 劉展華
第七節 1520~1600	彈性 劉展華				社會 劉展華