

project : laravel_20260810

- 1- 安裝
- 2- 設定 xampp
- 3- route
- 4- view
- 5- controller
- 6- route - controller - view

1- 安裝

composer create-project "laravel/laravel:^10.0" example-app

composer create-project "laravel/laravel:^12.0"

laravel_20260810

git bash

2- 設定 xampp

DocumentRoot

"C:/xampp/htdocs/laravel202607/laravel_20260810/public"

<Directory

"C:/xampp/htdocs/laravel202607/laravel_20260810/public">

views/welcome.blade.php

hello 2026-08-10

3- route

```
web.php > Closure
1  <?php
2
3  use Illuminate\Support\Facades\Route;
4
5  // localhost/cars
6  Route::get('/cars', function () {
7      // dd('hello route cars');
8      // return view('welcome');
9      return view('car.index');
10 });
11
```

4- view



The screenshot shows a code editor with a file explorer on the left and a code editor on the right. The file explorer shows the following structure:

- laravel_20260806
 - app
 - bootstrap
 - config
 - database
 - public
 - resources
 - css
 - js
 - views
 - car
 - index.blade.php
 - welcome.blade copy.php
 - welcome.blade.php
 - routes

The code editor on the right shows the content of index.blade.php:

```
1 hello view car index
```

5- controller

php artisan make:controller UserController

php artisan make:controller CarController

```
User@1113-Teacher MINGW64 /c/xampp/htdocs/larave1202607
$ cd larave1_20260806/

User@1113-Teacher MINGW64 /c/xampp/htdocs/larave1202607/larave1_20260806
$ php artisan make:controller CarController

INFO Controller [C:\xampp\htdocs\larave1202607\larave1_20260806\app\Http\Cont
rollers\CarController.php] created successfully.
```

```
User@1113-Teacher MINGW64 /c/xampp/htdocs/larave1202607/larave1_20260806
$ php artisan make:controller CarController

INFO Controller [C:\xampp\htdocs\larave1202607\larave1_20260806\app\Http\Cont
rollers\CarController.php] created successfully.

User@1113-Teacher MINGW64 /c/xampp/htdocs/larave1202607/larave1_20260806
$ php artisan make:controller CarController

ERROR Controller already exists.

User@1113-Teacher MINGW64 /c/xampp/htdocs/larave1202607/larave1_20260806
$ php artisan make:controller CarController

INFO Controller [C:\xampp\htdocs\larave1202607\larave1_20260806\app\Http\Cont
rollers\CarController.php] created successfully.


User@1113-Teacher MINGW64 /c/xampp/htdocs/larave1202607/larave1_20260806
$
```

route link controller

```
1 use App\Http\Controllers\UserController;
2
3 Route::get('/user/{id}', [UserController::class, 'show']);
```


```
use App\Http\Controllers\UserController;
Route::get('/user/{id}',
[UserController::class, 'show']);
```

```
use App\Http\Controllers\CarController;
Route::get('/cars', [CarController::class,
'index']);
```




```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6
7 class CarController extends Controller
8 {
9     public function index(){
10         dd('hello CarController index');
11     }
12 }
13
```

6- route - controller - view




```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6
7 class CarController extends Controller
8 {
9     public function index(){
10         // dd('hello CarController index');
11         return view('car.index');
12     }
13 }
14
```



hello view car index

=====




```
php artisan make:controller PhotoController --resource
php artisan make:controller DogController --resource
php artisan make:controller CatController --resource
```

```
use App\Http\Controllers\PhotoController;
Route::resource('photos',
PhotoController::class);

use App\Http\Controllers\DogController;
Route::resource('dogs', DogController::class);

use App\Http\Controllers\CatController;
Route::resource('cats', CatController::class);
```



```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6
7 class CatController extends Controller
8 {
9     /**
10      * Display a listing of the resource.
11      */
12     public function index()
13     {
14         //
15     }
16
17     /**
18      * Show the form for creating a new resource.
19      */
20     public function create()
21     {
22         //
```

php artisan route:list


```

User@1113-Teacher MINGW64 /c:/xampp/htdocs/laravel202607/laravel_20260806
$ php artisan route:list

GET|HEAD      cars ..... cars.index > CarController@index
GET|HEAD      cats ..... cats.index > CatController@index
POST          cats ..... cats.store > CatController@store
GET|HEAD      cats/create ..... cats.create > CatController@create
GET|HEAD      cats/{cat} ..... cats.show > CatController@show
PUT|PATCH    cats/{cat} ..... cats.update > CatController@update
DELETE        cats/{cat} ..... cats.destroy > CatController@destroy
GET|HEAD      cats/{cat}/edit ..... cats.edit > CatController@edit
GET|HEAD      dogs ..... dogs.index > DogController@index
POST          dogs ..... dogs.store > DogController@store
GET|HEAD      dogs/create ..... dogs.create > DogController@create
GET|HEAD      dogs/{dog} ..... dogs.show > DogController@show
PUT|PATCH    dogs/{dog} ..... dogs.update > DogController@update
DELETE        dogs/{dog} ..... dogs.destroy > DogController@destroy
GET|HEAD      dogs/{dog}/edit ..... dogs.edit > DogController@edit
GET|HEAD      storage/{path} storage.local > vendor/laravel/framework/src...
PUT           storage/{path} storage.local.upload > vendor/laravel/framework...
GET|HEAD      up vendor/laravel/framework/src/Illuminate/Foundation/Confi...


```

blade



```
1  <!-- resources/views/layouts/app.blade.php -->
2
3  <html>
4      <head>
5          <title>App Name - @yield('title')</title>
6      </head>
7      <body>
8          @section('sidebar')
9              This is the master sidebar.
10         @show
11
12         <div class="container">
13             @yield('content')
14         </div>
15     </body>
16 </html>
```

```
1  <!-- resources/views/child.blade.php -->
2
3  @extends('layouts.app')
4
5  @section('title', 'Page Title')
6
7  @section('sidebar')
8      @parent
9
10     <p>This is appended to the master sidebar.</p>
11 @endsection
12
13 @section('content')
14     <p>This is my body content.</p>
15 @endsection
```

```
1 <!-- resources/views/layouts/app.blade.php -->
2
3 <html>
4
5 <head>
6   <title>App Name - @yield('title')</title>
7 </head>
8
9 <body>
10   {{-- @section('sidebar')
11     This is the master sidebar.
12   @show --}}
13
14   <div class="container">
15     @yield('content')
16   </div>
17 </body>
18
19 </html>
20
```

```
3 {{-- 繼承母版 --}}
4 @extends('layouts.app')
5
6 {{-- 更改母版title --}}
7 @section('title', 'Page Title')
8
9 {{-- @section('sidebar')
10   @parent
11   <p>This is appended to the master sidebar.</p>
12 @endsection --}}
13
14
15 {{-- 更改母版的內容content --}}
16 @section('content')
17   <p>This is my body content.</p>
18 @endsection
19
```

下次 自己建立layouts

layouts

blue / red

child

blue - b1 - b2

red - r1 -r2

Nav-bar

Student

-route

- /students

-controller

- StudentController

-view

- student/index.blade.php

Teacher

Nav-bar

Student

Teacher

-route

- /students

- /teachers

```
php artisan make:controller PhotoController --resource
```

```
php artisan make:controller StudentController --resource
```

```
php artisan make:controller TeacherController --resource
```

```
php artisan route:list
```

```
use App\Http\Controllers\PhotoController;  
Route::resource('photos',  
PhotoController::class);
```

```
use App\Http\Controllers\StudentController;  
Route::resource('students',  
StudentController::class);
```

```
use App\Http\Controllers\TeacherController;  
Route::resource('teachers',  
TeacherController::class);
```

-controller

- StudentController

- TeacherController

-view

- student/index.blade.php

- teacher/index.blade.php



-model

(ps. modal 是bs5的)

php artisan make:model Flight

php artisan make:model Student

可以手動方式建立db



php artisan migrate

```
User@1113-Teacher MINGW64 /c/xampp/htdocs/laravel202607/laravel_20260810
$ php artisan migrate

INFO Preparing database.


Creating migration table ..... 7.88ms DONE

INFO Running migrations.

0001_01_01_000000_create_users_table ..... 25.04ms DONE
0001_01_01_000001_create_cache_table ..... 20.11ms DONE
0001_01_01_000002_create_jobs_table ..... 26.39ms DONE
```

laravel file

8700檔案 git push ?? 會太大嗎?



git clone


https://github.com/chengkk0910/laravel_20260810.git

laravel_s20260810

git clone

https://github.com/chengkk0910/laravel_20260810.git

laravel_download_20260810



- 1.github create repository 記得add readme 一定要打勾
- 2.git clone
- 3.laravel copy to clone folder
- 4.git add .

5.git commit -m"laravel init"

6.git push

7.git clone changename_laravel.....

看看資料夾是否change 檔案變少了

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk ().*

1

General

Owner *

chengkk0910

Repository name *

laravel_0810_02

✔ laravel_0810_02 is available.

Great repository names are short and memorable. How about [congenial-computing-machine](#)?

Description

laravel_0810_02

15 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public

Start with a template

Templates pre-configure your repository with files.

No template

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

On

Add .gitignore

No .gitignore