

composer create-project "laravel/laravel:^10.0" example-app

composer create-project "laravel/laravel:^12.0" example-app

composer create-project "laravel/laravel:^12.0"
s2026073001

getcomposer.org

管理者登入 - 學員... HTML Tables CSS Tutorial JavaScript Tutorial jQuery Tutorial Bootstrap 5 Tutorial B form cdnjs.cloudflare.co... cdnjs.cloudflare.co... DinBenDon 英文 中文 (繁體) Google Translate



A Dependency Manager for PHP

Latest: **2.10.2** ([changelog](#))

Getting Started	Download
Documentation	Browse Packages
Issues	GitHub

Authors: [Nils Adermann](#), [Jordi Boggiano](#) and many community contributions

Commercial support & consulting available through:

 **PRIVATE PACKAGIST**

[Sponsor Composer & Packagist.org](#)

Logo by: [Max Grigorian](#)

Composer and all content on this site are released under the [MIT license](#).

Download Composer Latest: v2.10.2

 PRIVATE PACKAGIST
Secure & reliable package repository

Windows Installer

The installer - which requires that you have PHP already installed - will download Composer for you and set up your PATH environment variable so you can simply call `composer` from any directory.

Download and run [Composer-Setup.exe](#) - it will install the latest composer version whenever it is executed.

Command-line installation

To quickly install Composer in the current directory, run the following script in your terminal. To automate the installation, use [the guide on installing Composer programmatically](#).

```
php -r "copy('https://getcomposer.org/installer', 'composer-setup.php');"
php -r "if (hash_file('sha384', 'composer-setup.php') === 'c8b085408188070d5f52bcfe4ecfbee5f727afa458b2573b8eae') {
    php composer-setup.php
    php -r "unlink('composer-setup.php');"
}
```

This installer script will simply check some `php.ini` settings, warn you if they are set incorrectly, and then download the latest `composer.phar` in the current directory. The 4 lines above will, in order:

- Download the installer to the current directory
- Verify the installer SHA-384, which you can also [cross-check here](#)
- Run the installer
- Remove the installer

211.211)

本機 > Phantossys (C:) > xampp > htdocs > laravel202607 > s2026073001 >

↑↓ 排序 檢視 ...

名稱	修改日期	類型	大小
app	2026/3/15 上午 12:54	檔案資料夾	
bootstrap	2026/3/15 上午 12:54	檔案資料夾	
config	2026/3/15 上午 12:54	檔案資料夾	
database	2026/7/30 上午 08:56	檔案資料夾	
public	2026/3/15 上午 12:54	檔案資料夾	
resources	2026/3/15 上午 12:54	檔案資料夾	
routes	2026/3/15 上午 12:54	檔案資料夾	
storage	2026/3/15 上午 12:54	檔案資料夾	
tests	2026/3/15 上午 12:54	檔案資料夾	
vendor	2026/7/30 上午 08:56	檔案資料夾	
.editorconfig	2026/3/15 上午 12:54	EDITORCONFIG ...	1 KB
.env	2026/7/30 上午 08:56	ENV 檔案	2 KB
.env.example	2026/3/15 上午 12:54	EXAMPLE 檔案	2 KB
.gitattributes	2026/3/15 上午 12:54	txtfile	1 KB
.gitignore	2026/3/15 上午 12:54	txtfile	1 KB
artisan	2026/3/15 上午 12:54	檔案	1 KB
composer.json	2026/3/15 上午 12:54	Adobe.AfterEffec...	3 KB
composer.lock	2026/7/30 上午 08:54	LOCK 檔案	303 KB
package.json	2026/3/15 上午 12:54	Adobe.AfterEffec...	1 KB
phpunit.xml	2026/3/15 上午 12:54	Microsoft Edge ...	2 KB
README.md	2026/3/15 上午 12:54	Markdown 來源...	4 KB
vite.config.js	2026/3/15 上午 12:54	JavaScript 來源檔...	1 KB

```

User@1113-Teacher MINGW64 /c/xampp/htdocs/laravel202607
$ composer create-project "laravel/laravel:^12.0" s2026073001
Creating a "laravel/laravel:^12.0" project at "./s2026073001"
Installing laravel/laravel (v12.12.2)
- Installing laravel/laravel (v12.12.2): Extracting archive
Created project in C:\xampp\htdocs\laravel202607\s2026073001
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 111 installs, 0 updates, 0 removals
- Locking brick/math (0.14.8)
- Locking carbonphp/carbon-doctrine-types (3.2.0)
- Locking dflydev/dot-access-data (v3.0.3)
- Locking doctrine/inflector (2.1.0)
- Locking doctrine/lexer (3.0.1)
- Locking dragonmantank/cron-expression (v3.6.0)
- Locking egulias/email-validator (4.0.4)

```

```

INFO Preparing database.

```

```

Creating migration table .....

```

```

INFO Running migrations.

```

```

0001_01_01_000000_create_users_table .....
0001_01_01_000001_create_cache_table .....
0001_01_01_000002_create_jobs_table .....

```

```

User@1113-Teacher MINGW64 /c/xampp/htdocs/laravel202607
$ ls
s2026072901-init/  s2026072901-init.7z  s2026073001/

```

```


User@1113-Teacher MINGW64 /c/xampp/htdocs/laravel202607
$ cd s2026073001/

```

```

User@1113-Teacher MINGW64 /c/xampp/htdocs/laravel202607/s2026073001

```





DocumentRoot

"C:/xampp/htdocs/laravel202607/s2026073001/public"

<Directory

"C:/xampp/htdocs/laravel202607/s2026073001/public">



web.php route

```
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4
5 // Route::get('/', function () {
6 //     return view('welcome');
7 // });
8
9 // localhost/num1/1000/num2/200
10 Route::get('/num1/{num1}/num2/{num2}', function ($num1, $num2) {
11     $result = $num1 + $num2;
12     $data = [
13         'num1' => $num1,
14         'num2' => $num2,
15         'result' => $result
16     ];
17     return view('sum')->with(['data' => $data]);
18 });
19
```

views

```
14 <div class="container mt-3">
15     <h2>Sum Table</h2>
16     <p>The .table class adds basic styling (light padding and horizontal lines)</p>
17     <table class="table">
18         <thead>
19             <tr>
20                 <th>Num1</th>
21                 <th>Num2</th>
22                 <th>Result</th>
23             </tr>
24         </thead>
25         <tbody>
26             <tr>
27                 <td><?= $data['num1']; ?></td>
28                 <td><?= $data['num2']; ?></td>
29                 <td><?= $data['result']; ?></td>
30             </tr>
31         <?php
32             // dd($data);
33             ?>
34
35         <!-- <tr>
36             <td>1000</td>
```

Sum Table

The .table class adds basic styling (light padding and horizontal dividers) to a table:

Num1	Num2	Result
10000	200	10200


php artisan make:controller UserController

php artisan make:controller HotelController

route web.php

```
web.php x HotelController.php index.php index.blade.php f1.blade.php f2.blade.php f3.blade.php sum.blade.php
routes > web.php > ...
1 <?php
2
3 use Illuminate\Support\Facades\Route;
4 use App\Http\Controllers\HotelController;
5
6 // Route::get('/', function () {
7 //     return view('welcome');
8 // });
9 Route::redirect('/', '/hotel');
10
11
12 // hotel controller
13 Route::get('/hotel_controller', [HotelController::class, 'index']);
14 Route::get('/hello_controller', [HotelController::class, 'hello']);
15
16 // hotel
17 Route::get('/hotel', function () {
18     // view folder name
19     // views/hotel/index.blade.php
20     // $url = route('hotel.f1');
21     // dd($url);
22     return view('hotel.index');
23 }->name('hotel.index.route');
```

HotelController



```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use Illuminate\Http\Request;
6
7 class HotelController extends Controller
8 {
9     public function index()
10     {
11         dd('Hello HotelController index');
12     }
13
14     public function hello()
15     {
16
17         dd('Hello HotelController hello');
18     }
19 }
```