



WEB-BASED APPLICATION
DEVELOPMENT
(CSE 3023)

Lab 6

Name: Syamil Bin Md Noor

Matric: S76064

Date: 12/5/2026

Group: K1

Program: Computer Science (Software Engineering)

Lab 6 Exercise

PHP MyAdmin:

UserProfile Schema

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
☐ 1	id	int(11)			No	None		AUTO_INCREMENT	Change Drop More
☐ 2	username	varchar(32)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐ 3	password	varchar(16)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐ 4	firstname	varchar(125)	utf8mb4_general_ci		Yes	NULL			Change Drop More
☐ 5	lastname	varchar(125)	utf8mb4_general_ci		Yes	NULL			Change Drop More

UserProfile Table

Showing rows 0 - 1 (2 total, Query took 0.0313 seconds.)								
<code>SELECT * FROM `userprofile`</code>								
☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]								
☐ Show all Number of rows: 25 Filter rows: Search this table Sort by key: None								
Extra options								
← → id username password firstname lastname								
☐ Edit Copy Delete 1 Acceldracyan 123 Syamil Md Noor								
☐ Edit Copy Delete 2 FranzHerman Redbull123 Max Verstappen								
☐ Check all With selected: Edit Copy Delete Export								
☐ Show all Number of rows: 25 Filter rows: Search this table Sort by key: None								
Query results operations								
Print Copy to clipboard Export Display chart Create view								

Source Code (JSP):

doLogin.jsp


```
<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page import="com.LabExcercise.*"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
        <title>Lab Exercise 6</title>
    </head>
    <body>
        <jsp:useBean id="profile" class="com.LabExcercise.Profile"
scope="request"/>
        <jsp:setProperty name="profile" property="*" />

        <%
            ProfileDAO profileDAO = new ProfileDAO();
            Profile newProfile =
profileDAO.getProfileByUsername(profile.getUsername());

            if (newProfile != null &&
newProfile.getPassword().equals(profile.getPassword())) {
                session.setAttribute("profile", newProfile);
                response.sendRedirect("main.jsp");

            }else{
                response.sendRedirect("login.jsp?error=1");
            }
        %>
    </body>
</html>
```

Netbean



login.jsp

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
  <head>
    <link rel="stylesheet" href="style.css">
  </head>
  <body>
    <div class="container">
      <h1>Login</h1>
      <form action="doLogin.jsp" method="post">
        <label>Username</label>
        <input name="username" type="text"
placeholder="@Username" required>

        <label>Password</label>
        <input name="password" type="password"
placeholder="@Password" required>

        <div class="btn-group">
          <button type="submit">Login</button>
        </div>
      </form>
    </div>

    String errorMessage = request.getParameter("error");
    if (errorMessage != null) {
      if ("1".equals(errorMessage)) {
        errorMessage = "Invalid username or

```


```

password";

    } else if ("2".equals(errorMessage)) {
        errorMessage = "Invalid Profile";
    }
    out.println("<div class='error'>" + errorMessage
+ "</div>");
    }
    %>
</div>
</body>
</html>

```

Netbean



main.jsp


```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page import="com.LabExcercise.Profile"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
        <link rel="stylesheet" href="style.css">
        <title>Lab Exercise 6</title>
    </head>
    <body>
        <%
            Profile profile = (Profile)
session.getAttribute("profile");
            if (profile == null) {
                response.sendRedirect("login.jsp?error=2");

            } else {
                profile.getFirstName();
            }
        %>
        <div class="container">
            <h1>Profile</h1>
            <div class="profile-field">
                <div class="profile-label">Username</div>
                <div class="profile-
value"><%=profile.getUsername()%></div>
            </div>
            <div class="profile-field">
                <div class="profile-label">First Name</div>
                <div class="profile-
value"><%=profile.getFirstName()%></div>
            </div>
            <div class="profile-field">
                <div class="profile-label">Last Name</div>
                <div class="profile-
value"><%=profile.getLastName()%></div>
            </div>
            <a href="login.jsp" class="logout">Logout</a>
        </div>
    </body>
</html>

```

Netbean



processUser.jsp

```

<%@page contentType="text/html" pageEncoding="UTF-8"%>
<%@page import="com.LabExcercise.*"%>
<!DOCTYPE html>
<html>
    <head>
        <meta http-equiv="Content-Type" content="text/html;
charset=UTF-8">
        <title>Lab Exercise 6</title>
        <link rel="stylesheet" href="style.css">
    </head>
    <body>
        <jsp:useBean id="profile" class="com.LabExcercise.Profile"
scope="request"/>
        <jsp:setProperty name="profile" property="*" />

        <%
            ProfileDAO profileDAO = new ProfileDAO();
            boolean success = profileDAO.insertProfile(profile);
        %>

        <div class="container">
            <h1><%= success ? "Registration Successful" :
"Registration Failed" %></h1>

            <% if (success) { %>
                <div class="profile-field">
                    <div class="profile-label">Username</div>

```


```

        <div class="profile-value"><%=
profile.getUsername() %></div>
    </div>
    <div class="profile-field">
        <div class="profile-label">First Name</div>
        <div class="profile-value"><%=
profile.getFirstName() %></div>
    </div>
    <div class="profile-field">
        <div class="profile-label">Last Name</div>
        <div class="profile-value"><%=
profile.getLastName() %></div>
    </div>
    <a href="login.jsp" class="logout">Proceed to
Login</a>

    <% } else { %>
        <div class="error">Unable to register user. Please
try again.</div>
        <a href="insertUser.html" class="logout">Go Back</a>
    <% } %>
</div>
</body>
</html>

```

Netbean



Source Code (HTML):

insertUser.html

```
<!DOCTYPE html>
<html>
  <head>
    <title>Lab Exercise 6</title>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">
    <link rel="stylesheet" href="style.css">
  </head>
  <body>
    <div class="container">
      <h1>Register</h1>
      <form action="processUser.jsp" method="post">
        <label>Username</label>
        <input name="username" type="text"
placeholder="@Username" required>


        <label>Password</label>
        <input name="password" type="password"
placeholder="@Password" required>

        <label>First Name</label>
        <input name="firstName" type="text"
placeholder="@John" required>

        <label>Last Name</label>
        <input name="lastName" type="text"
placeholder="@Doe" required>

        <div class="btn-group">
          <button type="submit">Register</button>
          <button type="reset">Clear</button>
        </div>
      </form>
    </div>
  </body>
</html>
```

Netbean



Source Code (CSS):

style.css

```

* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: 'Courier New', Courier, monospace;
  background-color: #f5f5f0;
  color: #1a1a1a;
  min-height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
}

.container {
  background-color: #ffffff;
  border: 1px solid #d0d0c8;
  padding: 40px;
  width: 100%;
  max-width: 420px;
}

h1 {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
  
```

```
    font-size: 1.2rem;
    font-weight: normal;
    letter-spacing: 0.1em;
    text-transform: uppercase;
    border-bottom: 1px solid #1a1a1a;
    padding-bottom: 12px;
    margin-bottom: 28px;
}

h3 {
    font-size: 0.85rem;
    font-weight: normal;
    color: #555;
    letter-spacing: 0.05em;
    margin-bottom: 10px;
}

h3 span {
    color: #1a1a1a;
    font-weight: bold;
}

label {
    display: block;
    font-size: 0.75rem;
    text-transform: uppercase;
    letter-spacing: 0.08em;
    color: #777;
    margin-bottom: 6px;
}

input[type="text"],
input[type="password"] {
    width: 100%;
    padding: 10px 12px;
    border: 1px solid #d0d0c8;
    background-color: #fafaf8;
    font-family: 'Courier New', Courier, monospace;
    font-size: 0.9rem;
    color: #1a1a1a;
    outline: none;
    margin-bottom: 20px;
    transition: border-color 0.2s;
}

input[type="text"]:focus,
input[type="password"]:focus {
    border-color: #1a1a1a;
    background-color: #ffffff;
}
```

```
input::placeholder {
  color: #bbb;
}

.btn-group {
  display: flex;
  gap: 10px;
  margin-top: 8px;
}

button {
  flex: 1;
  padding: 10px;
  font-family: 'Courier New', Courier, monospace;
  font-size: 0.8rem;
  text-transform: uppercase;
  letter-spacing: 0.08em;
  cursor: pointer;
  border: 1px solid #1a1a1a;
  transition: background-color 0.2s, color 0.2s;
}

button[type="submit"] {
  background-color: #1a1a1a;
  color: #f5f5f0;
}

button[type="submit"]:hover {
  background-color: #333;
}

button[type="reset"] {
  background-color: transparent;
  color: #1a1a1a;
}

button[type="reset"]:hover {
  background-color: #f0f0ec;
}

.error {
  font-size: 0.8rem;
  color: #b00020;
  border: 1px solid #b00020;
  padding: 10px 12px;
  margin-top: 16px;
  background-color: #fff5f5;
}
```

```
.link {
  font-size: 0.75rem;
  color: #777;
  margin-top: 20px;
  text-align: center;
}

.link a {
  color: #1a1a1a;
  text-decoration: underline;
}

.profile-field {
  padding: 12px 0;
  border-bottom: 1px solid #ebebea;
}

.profile-field:last-child {
  border-bottom: none;
}


.profile-label {
  font-size: 0.7rem;
  text-transform: uppercase;
  letter-spacing: 0.08em;
  color: #999;
  margin-bottom: 4px;
}

.profile-value {
  font-size: 0.95rem;
  color: #1a1a1a;
}

.logout {
  display: inline-block;
  margin-top: 24px;
  font-size: 0.75rem;
  text-transform: uppercase;
  letter-spacing: 0.08em;
  color: #777;
  text-decoration: none;
  border-bottom: 1px solid #ccc;
  padding-bottom: 2px;
}

.logout:hover {
  color: #1a1a1a;
  border-color: #1a1a1a;
}
```

Netbean



Source Code (Java):

Database.java

```
package com.LabExersice;

import java.sql.*;

public class Database {

    private Connection connection;
    private String url = "jdbc:mysql://localhost:3307/csa3203";

    public Connection getDatabase() throws ClassNotFoundException {
        if (connection != null) {
            return connection;
        } else {
            try {
                Class.forName("com.mysql.jdbc.Driver");
                connection = DriverManager.getConnection(url,
"root", "");
            } catch (SQLException e) {
                e.printStackTrace();
            }
        }


        return connection;
    }
}
```

```

    public void close() throws ClassNotFoundException{
        try{
            connection.close();
        }catch(SQLException e){
            e.printStackTrace();
        }
    }
}

```

Netbean



Profile.java

```
package com.LabExcercise;

public class Profile {
    private String id;
    private String username;
    private String password;
    private String firstName;
    private String lastName;

    public Profile() {}

    public Profile(String id, String username, String password,
String firstName, String lastName) {
        this.id = id;
        this.username = username;
        this.password = password;
        this.firstName = firstName;
        this.lastName = lastName;
    }

    public Profile(String username, String password, String
firstName, String lastName) {
        this.username = username;
        this.password = password;
        this.firstName = firstName;
        this.lastName = lastName;
    }

    public String getId() {
        return id;
    }

    public void setId(String id) {
        this.id = id;
    }

    public String getUsername() {
        return username;
    }

    public void setUsername(String username) {
        this.username = username;
    }

    public String getPassword() {
        return password;
    }

    public void setPassword(String password) {
```



```

        this.password = password;
    }

    public String getFirstName() {
        return firstName;
    }


    public void setFirstName(String firstName) {
        this.firstName = firstName;
    }

    public String getLastName() {
        return lastName;
    }

    public void setLastName(String lastName) {
        this.lastName = lastName;
    }
}

```

Netbean



ProfileDAO.java

```
package com.LabExcercise;

import java.sql.*;

public class ProfileDAO {
    private Connection connection;

    public ProfileDAO() throws ClassNotFoundException{
        connection = new Database().getDatabase();
    }

    public boolean insertProfile(Profile profile) throws
    SQLException{
        String sql = "INSERT INTO userprofile(username, password,
        firstname, lastname) VALUE(?, ?, ?, ?)";

        PreparedStatement pstmt = connection.prepareStatement(sql);
        pstmt.setString(1, profile.getUsername());
        pstmt.setString(2, profile.getPassword());
        pstmt.setString(3, profile.getFirstName());
        pstmt.setString(4, profile.getLastName());

        return pstmt.executeUpdate() > 0;
    }

    public Profile getProfileByUsername(String username) throws
    SQLException{
        String sql = "SELECT * FROM userprofile WHERE BINARY
        username = ?";


        PreparedStatement pstmt = connection.prepareStatement(sql);
        pstmt.setString(1, username);

        ResultSet result = pstmt.executeQuery();

        Profile profile = null;
        if(result.next()){
            profile = new Profile(
                result.getString("id"),
                result.getString("username"),
                result.getString("password"),
                result.getString("firstname"),
                result.getString("lastname")
            );
        }

        return profile;
    }
}
```

Netbean



Output:

Register Page

A screenshot of a web browser displaying a registration form. The browser's address bar shows 'localhost:8080/LabExersice/'. The form is titled 'REGISTER' and contains the following fields: 'USERNAME' with the value 'Pikachul23', 'PASSWORD' with masked characters '*****', 'FIRST NAME' with the value 'Ash', and 'LAST NAME' with the value 'Ketchum'. At the bottom of the form are two buttons: 'REGISTER' and 'CLEAR'.

Registration Result Page

A screenshot of a web browser displaying a confirmation message. The browser's address bar shows 'localhost:8080/LabExersice/processUser.jsp'. The message is titled 'REGISTRATION SUCCESSFUL' and lists the registered details: 'USERNAME: Pikachul23', 'FIRST NAME: Ash', and 'LAST NAME: Ketchum'. At the bottom, there is a link labeled 'PROCEED TO LOGIN'.

Login Page

← → ↻ localhost:8080/LabExersice/login.jsp

Classroom Evolution Guide - Di... 07 UNIT KOKURIKU... 05 DIARI SMKS3BK... Copy of KELAB PER... Mr Bean in Cyberpu... [PDF] sciencedirect... All Bookmarks

LOGIN

USERNAME

Pikachu123

PASSWORD

.....|

LOGIN

Profile Page

← → ↻ localhost:8080/LabExersice/main.jsp

Classroom Evolution Guide - Di... 07 UNIT KOKURIKU... 05 DIARI SMKS3BK... Copy of KELAB PER... Mr Bean in Cyberpu... [PDF] sciencedirect... All Bookmarks

PROFILE

USERNAME

Pikachu123

FIRST NAME


Ash

LAST NAME

Ketchum


LOGOUT

Login Page (Invalid username or password)



A screenshot of a web browser window. The address bar shows the URL `localhost:8080/LabExersice/login.jsp?error=1`. The browser's bookmark bar contains several items: Classroom, Evolution Guide - Di..., 07 UNIT KOKURIKU..., 05 DIARI SMKS3BK..., Copy of KELAB PER..., Mr Bean in Cyberpu..., [PDF] sciencedirect..., and All Bookmarks. The main content area displays a login form titled "LOGIN". The form has two input fields: "USERNAME" with the placeholder text "@Username" and "PASSWORD" with the placeholder text "@Password". Below these fields is a black "LOGIN" button. A red error message box at the bottom of the form reads "Invalid username or password".

Login Page (Invalid profile)



A screenshot of a web browser window. The address bar shows the URL `localhost:8080/LabExersice/login.jsp?error=2`. The browser's bookmark bar contains several items: Classroom, Evolution Guide - Di..., 07 UNIT KOKURIKU..., 05 DIARI SMKS3BK..., Copy of KELAB PER..., Mr Bean in Cyberpu..., [PDF] sciencedirect..., and All Bookmarks. The main content area displays a login form titled "LOGIN". The form has two input fields: "USERNAME" with the placeholder text "@Username" and "PASSWORD" with the placeholder text "@Password". Below these fields is a black "LOGIN" button. A red error message box at the bottom of the form reads "Invalid Profile".

Updated UserProfile

Server: 127.0.0.1:3307 » Database: csa3203 » Table: userprofile

Browser Structure SQL Search Insert Export Import Privileges Operations

✓ Showing rows 0 - 3 (4 total, Query took 0.0126 seconds.)

```
SELECT * FROM `userprofile`
```

☐ Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

				id	username	password	firstname	lastname
☐	Edit	Copy	Delete	1	Acceldracyan	123	Syamil	Md Noor
☐	Edit	Copy	Delete	2	FranzHerman	Redbull123	Max	Verstappen
☐	Edit	Copy	Delete	3	S76064	S123	Markus	Person
☐	Edit	Copy	Delete	4	Pikachu123	pokemon123	Ash	Ketchum

☐ Check all | With selected: Edit Copy Delete Export

☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Console results operations