



UNIVERSITI MALAYSIA TERENGGANU

FACULTY OF COMPUTER SCIENCE AND MATHEMATICS

COMPUTER SCIENCE (SOFTWARE ENGINEERING) WITH HONORS

SEMESTER II 2025/2026

CSA3023

WEB-BASED APPLICATION DEVELOPMENT

LAB 3:

JSP: SCRIPLET, PAGE DIRECTIVE & INCLUDE DIRECTIVE

Prepared by:

NURSYAHEERA BINTI MOHD HISHAM

Prepared for:


SIR. MOHAMAD ARIZAL SHAMSIL MAT RIFFIN

Date:

14 APRIL 2026

Task 1: Passing Data from Main JSP's Page to Other JSP's Page

Objective: To demonstrate the use of request.getParameter ("fieldName") for passing input from one JSP's page to another JSP's page.



```
1  <!--
2      Document    : memberRegister
3      Created on  : 14 Apr 2026, 2:24:29 pm
4      Author     : Nursyaheera binti Mohd Hisham
5  -->
6
7  <%@page contentType="text/html" pageEncoding="UTF-8"%>
8  <!DOCTYPE html>
9  <html>
10     <head>
11         <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12         <title>JSP Page</title>
13     </head>
14     <body>
15         <h1>Passing data from main JSP page to other JSP page</h1>
16
17         <form id="memberFrm" action="memberProcessing.jsp" method="post"
18             onsubmit="return checkICNo()">
19             <fieldset>
20                 <legend>Member Registration</legend>
21
22                 <label for="icno">IC. No</label>
23                 <input type="text" id="icno" name="my_icno" size="15"
24                     placeholder="E.g. 930123034567"><br/>
25
26                 <label for="icno">Name</label>
27                 <input type="text" id="name" name="my_name" size="45"
28                     placeholder="Key-in your name"><br/>
29
30                 <p>
31                     <input type="submit" id="btnSubmit" value="Submit">
32                     <input type="reset" id="btnCancel" value="Cancel">
33                 </p>
34
35             </fieldset>
36         </form>
37         &copy;2026-Syafiq
38     </body>
39 </html>
40
41
```

Output:



The screenshot shows a web browser window titled "JSP Page" with the address bar displaying "localhost:8081/Lab2/memberRegister.jsp". The page has a dark sidebar on the left with various icons. The main content area has a title "Passing data from main JSP page to other JSP page" in bold. Below the title is a "Member Registration" form. The form contains two input fields: "IC. No" with a placeholder "E.g. 930123034567" and "Name" with a placeholder "Key-in your name". Below these fields are "Submit" and "Cancel" buttons. At the bottom left of the form area, there is a copyright notice "©2026-Syafiq".

Figure 1.1: memberRegister.jsp Interface



The screenshot shows a web browser window titled "Lab 3 - Task 1" with the address bar displaying "localhost:8081/Lab2/memberProcessing.jsp". The page has a dark sidebar on the left. The main content area has a title "Passing data from main JSP page to another JSP page" in bold. Below the title is a large white box containing the following text: "Thank you for registering in this event..!", "This is your details:", "IC No : null", and "Name : null".

Figure 1.2: memberProcessing.jsp before input data



The screenshot shows the same web browser window as Figure 1.1, but with input data entered into the "Member Registration" form. The "IC. No" field now contains "051009010038" and the "Name" field contains "Nursyaheera Hisham". The "Submit" and "Cancel" buttons are still present. The copyright notice "©2026-Syafiq" remains at the bottom left.

Figure 1.3: memberRegister.jsp Interface Input Data



Figure 1.4: memberProcessing.jsp Interface After Input Data

Reflection

1. How do you want to submit specific information from one form to next form?

Answer:

By using an HTML form with action and method (GET/POST), then retrieving the data in the next page using `request.getParameter("field_name")`;


2. What happened if the field name you specify in `request.getParameter("field_name")` in second page is different from the field name you defined in first page?

Answer:

The value will not be retrieved (null) because the parameter name does not match.

Task 2: Using Mathematics Operations in JSP

Objective: To demonstrate the use of `request.getParameter("Mathematics operations")` in JSP's page.



```
1  <!--
2      Document    : Calculator
3      Created on   : 14 Apr 2026, 2:38:36 pm
4      Author      : Nursyaheera binti Mohd Hisham
5  -->
6
7  <%@page contentType="text/html" pageEncoding="UTF-8"%>
8  <!DOCTYPE html>
9  <html>
10     <head>
11         <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12         <title>JSP Page</title>
13     </head>
14     <body bgcolor="#87CEEB" text="grey">
15         <center>
16             <h2>Basic calculator program in JSP</h2>
17
18         <%
19             String num1 = "0", num2 = "0";
20             int result = 0;
21             String op = "+";
22
23             char opchar = op.charAt(0);
24             if (request.getParameter("op") != null) {
25                 op = request.getParameter("op");
26                 opchar = op.charAt(0);
27                 num1 = request.getParameter("operand1");
28                 num2 = request.getParameter("operand2");
29
30                 switch(opchar){
31                     case '0': result = Integer.parseInt(num1) +
32                             Integer.parseInt(num2);
33                     break;
```

```

34     case '1': result = Integer.parseInt(num1) -
35     Integer.parseInt(num2);
36     break;
37     case '2': result = Integer.parseInt(num1) *
38     Integer.parseInt(num2);
39     break;
40     case '3': result = Integer.parseInt(num1) /
41     Integer.parseInt(num2);
42     break;
43     case '4': result = Integer.parseInt(num1) %
44     Integer.parseInt(num2);
45     break;
46 }
47 }
48 %>
49 <form method="get" name="f1">
50     <input type="text" size="20" name="operand1" value="<%=num1%>" />
51     <select name="op" size="1">
52         <option value="0">+</option>
53         <option value="1">-</option>
54         <option value="2">*</option>
55         <option value="3">/</option>
56         <option value="4">%</option>
57     </select>
58     <input type="text" size="20" name="operand2" value="<%= num2 %>" />
59     <br><br>
60     <input type="submit" value="Calculate"/>
61 </form>
62 </center>
63 Result = <%=result%>
64 </body>
65
66 </html>

```

Output:




Figure 2.1: calculator.jsp Interface




Figure 2.1: calculator.jsp Result

Reflection

1. How do you want to submit specific information from one form to next form?

Answer:

By using an HTML form with action and method (GET/POST), then retrieving the data in the next page using `request.getParameter("field_name")`;


2. What happened if the field name you specify in `request.getParameter("field_name")` in second page is different from the field name you defined in first page?

Answer:

The system will return null, which may cause errors in calculation.

Task 3: Populate an Array Values into HTML's Table

Objective: Read Java array and populate it into HTML's table.




```
...ml memberRegister.jsp x memberProcessing.jsp x Calculator.jsp x populateArray.jsp x calculateCar
Source History
<!--
2 Document : populateArray
3 Created on : 14 Apr 2026, 2:50:32 pm
4 Author : Nursyaheera binti Mohd Hisham
5 -->
6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8 <!DOCTYPE html>
9 <html>
10 <head>
11 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12 <title>PopulateArray</title>
13 <style>
14 body {
15     font-family: Arial, sans-serif;
16     margin: 40px;
17 }
18 h1 {
19     font-size: 24px;
20 }
21 table {
22     border-collapse: collapse;
23     width: 600px;
24     text-align: center;
25     border: 1px solid #ddd;
26 }
27 th {
28     background-color: #e6cc80; /* Gold/Tan color from image */
29     padding: 12px;
30     border: 1px solid #ccc;
31 }
32 td {
33     padding: 10px;
```

```

34         border: 1px solid #eee;
35     }
36     /* Zebra striping for the background color effect */
37     tr:nth-child(even) {
38         background-color: #f9f6f0;
39     }
40     tr:nth-child(odd) {
41         background-color: #ffffff;
42     }
43     .footer {
44         margin-top: 20px;
45         font-size: 14px;
46     }
47 </style>
48 </head>
49 <body>
50
51     <h1>Read Java array and populate it into HTML table</h1>
52
53     <%
54         //2D array
55         int[][] sales = {
56             {2500, 2100,2200},
57             {2000, 1900, 2400},
58             {1800, 2200, 2450},
59         };
60         String[] salesman = {"Salesman 1", "Salesman 2", "Salesman 3"};
61     %>
62
63     <table border="1" cellpadding="10">
64         <tr>
65             <th>Salesman</th>
66             <th>Jan</th>
67             <th>Feb</th>
68             <th>Mar</th>
69         </tr>
70
71         <%
72             // loop untuk display data
73             for(int i = 0; i < sales.length; i++){
74                 <tr>
75                     <td><%= salesman[i] %></td>
76                     <td><%= sales[i][0] %></td>
77                     <td><%= sales[i][1] %></td>
78                     <td><%= sales[i][2] %></td>
79                 </tr>
80             <%
81                 }
82             %>
83
84     </table>
85
86     </body>
87 </html>
88
89


```

Output:



A screenshot of a web browser window titled 'PopulateArray'. The address bar shows 'localhost:8081/Lab2/populateArray.jsp'. The page displays a table titled 'Salesman Sales Data'. The table has four columns: 'Salesman', 'Jan', 'Feb', and 'Mar'. It contains three rows of data for Salesman 1, Salesman 2, and Salesman 3.

Salesman	Jan	Feb	Mar
Salesman 1	2500	2100	2200
Salesman 2	2000	1900	2400
Salesman 3	1800	2200	2450



A screenshot of a web browser window titled 'PopulateArray'. The address bar shows 'localhost:8081/Lab2/populateArray.jsp'. The page displays a table titled 'Read Java array and populate it into HTML table'. The table has four columns: 'Salesman', 'Jan', 'Feb', and 'Mar'. It contains three rows of data for Salesman 1, Salesman 2, and Salesman 3. The table is styled with a yellow header and alternating row colors.

Salesman	Jan	Feb	Mar
Salesman 1	2500	2100	2200
Salesman 2	2000	1900	2400
Salesman 3	1800	2200	2450

Reflection

1. Write a sample syntax to declare 2D Java array.

Answer:

```
int[][] sales = {  
    {2500, 2100, 2200},  
    {2000, 1900, 2400},  
    {1800, 2200, 2450}  
};
```

2. Define a sequence of steps on how you accomplish Task 7.

Answer:

- a. Create a JSP file
- b. Declare and initialize the array in a scriptlet
- c. Use a loop (`for`) to read the array
- d. Display the data in an HTML table
- e. Run the JSP file

3. What is the difference between HTML's page and JSP's page.

Answer:


HTML	JSP
Static content	Dynamic content
No Java code	Support Java code
Client-side only	Server-side processing



Task 4: Perform Calculation of Car Loan

Objective: Passing input to next page for further processing.

```
...ml index.html x memberRegister.jsp x memberProcessing.jsp x calculateCarLoan.html x Calculator.jsp x populateArra
Source History
1 <!DOCTYPE html>
2 <!--
3 Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt to change this license
4 Click nbfs://nbhost/SystemFileSystem/Templates/JSP\_Servlet/Html.html to edit this template
5 -->
6 <html>
7 <head>
8 <title>Calculate Car Loan</title>
9 <meta charset="UTF-8">
10 <meta name="viewport" content="width=device-width, initial-scale=1.0">
11 </head>
12 <body>
13 <h1>Perform Car Loan Calculation</h1>
14
15 <form action="processCalculateCarLoan.jsp" method="post">
16 <fieldset>
17 <legend>Loan Calculation</legend>
18
19 <label>Loan Amount</label>
20 <input type="text" name="loan_amount" placeholder="Amount" required><br>
21
22 <label for="period">Period</label>
23 <select id="period" name="loan_period">
24 <option value="3">3 years</option>
25 <option value="4">4 years</option>
26 <option value="5">5 years</option>
27 <option value="7">7 years</option>
28 </select>
29
30 <p>
31 <input type="submit" id="btnSubmit" value="Submit">
32 <input type="reset" id="btnCancel" value="Cancel">
33 </p>
34
35 </fieldset>
36 </form>
37 &copy;2026-Syafiq
38 </body>
39 </html>
40
```

Output:





Reflection

1. How you want to retrieve data from previous page?

Answer:

Using `request.getParameter("parameter_name");`


2. Where the construction of logic occur for calculating Total Loan (+ interest)?

Answer:

In the JSP processing page like `processCalculateCarLoan.jsp`, not in the HTML form.


Task 5: Using JSP Page Directive to Call Java API

Objective: Use JSP page directive elements to call certain Java API.



```
1 <!--
2   Document    : ArrayList
3   Created on  : 14 Apr 2026, 3:56:57 pm
4   Author     : User
5 -->
6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8 <!DOCTYPE html>
9 <html>
10 <head>
11   <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12   <%@page import="java.util.ArrayList"%>
13   <title>Use Java ArrayList</title>
14 </head>
15 <body>
16   <h1>Use JSP Page Direction.</h1>
17
18   <%
19     // create ArrayList object
20     ArrayList<String> studentList = new ArrayList<String>();
21
22     // store student name
23     studentList.add(0, "Mohamad Azam");
24     studentList.add(1, "Peter Chong");
25     studentList.add(2, "Rahimah Mansor");
26     studentList.add(3, "Sri Devi");
27     studentList.add(4, "Ng Hue Ween");
28     studentList.add(5, "S. Nagarajan");
29
30     // display the number of records
31     out.println("<p>The number of records in Arraylist is " +
32       studentList.size() + "</p>");
33
34     // display the number of records
35     out.println("<p>The number of records in Arraylist is " +
36       studentList.size() + "</p>");
37
38     // populate list of students
39     for (int i=0; i<studentList.size(); i++)
40       out.println("<p>Record " + (i+1) + " is " +
41         studentList.get(i) + "</p>");
42   %>
43   <br>
44   <footer>&copy;2026-Syaffig</footer>
45 </body>
46 </html>
47
```

Output:



Reflection

1. What you have learnt from this exercise?

Answer:

How to use JSP Page Directive

2. Write a sample syntax how you want to use java Math object in JSP?

Answer:

```
<%  
double result = Math.sqrt(25);  
out.println(result);  
%>
```

3. List and write a sample syntax for THREE (3) of JSP page directive.

Answer:

(1) Import directive

```
<%@ page import="java.util.ArrayList" %>
```

(2) Content type


```
<%@ page contentType="text/html" %>
```

(3) Page encoding

```
<%@ page pageEncoding="UTF-8" %>
```


Task 6: Use JSP Include directive for JSP Page


Objective: Demonstrate the use of JSP Page Include directive



```
1 <!--
2     Document    : mainPage
3     Created on  : 14 Apr 2026, 4:12:19 pm
4     Author      : Nursyaheera binti Mohd Hisham
5 -->
6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8 <!DOCTYPE html>
9 <html>
10 <head>
11     <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12     <title>mainPage</title>
13     <style>
14         p {
15             color: red;
16         }
17     </style>
18 </head>
19 <body>
20     <h1>Using JSP Include directive</h1>
21     <p>Java Server Page(JSP) is a technology for controlling the content<br>
22     or appearance of Web pages through the use of servlets, small<br>
23     programs that are specified in the Web page and run on the Web server <br>
24     to modify the Web page before it is sent to the user who requested it.</p>
25 </body>
26 </html>
27
```

Output:





Reflection

1. What you have learnt from this exercise?

Answer:

How to reuse components like header and footer

2. Write a syntax how you want to include common.html file that located at a directory known as master

Answer:

```
<%@ include file="master/common.html" %>
```

Excercise

Objective: Develop a Student Club Registration System by integrating JSP Scriptlets, Page Directives, Include Directives, form handling, and dynamic data processing techniques learned throughout this lab.

Case Study

Faculty of Computer Science and Mathematics, UMT is organizing a Student Club Recruitment Week to allow students to register for extracurricular clubs and activities. As a web developer, you are required to build a simple JSP-based registration system to assist the organizing committee in managing student registrations and displaying activity information.


Instruction

Develop the system by fulfilling the following requirements:


1. Create a reusable header.jsp and footer.jsp for the system layout.
2. Apply the JSP Include Directive to include the header and footer in all JSP pages.
3. Design a navigation menu in the header that links to the following pages: •
Registration Page • Fee Calculator Page • Club Member Directory

Answer:

Header:




Footer.jsp



4. Create a registration form in registerClub.jsp that collects: • Student Name • Matric Number • Selected Club

Answer:



The screenshot shows a web browser window with the title "Student Club System". The address bar displays "localhost:8081/Lab3_Excercise/registerClub.jsp". The page content includes a header with the title "Student Club System" and three navigation links: "Registration", "Fee Calculator", and "Member Directory". Below the header is a section titled "Club Registration Form". This section contains three input fields: "Student Name:" with a text box, "Matric Number:" with a text box, and "Select Club:" with a dropdown menu showing "Programming Club". A "Register" button is located below these fields. At the bottom of the page, there is a copyright notice: "© 2026 UMT Student Club System".

Student Club System

[Registration](#) [Fee Calculator](#) [Member Directory](#)

Club Registration Form

Student Name:


Matric Number:

Select Club:

© 2026 UMT Student Club System

5. Submit the registration form to processRegistration.jsp and display all submitted information using request.getParameter().

Answer:



Club Registration Form


Student Name:

Matric Number:

Select Club:

- Programming Club
- Robotics Club
- Multimedia Club
- Sports Club


© 2026 UMT Student Club System




6. Create a membership fee calculator in feeCalculator.jsp that:
- Accepts the number of activities joined.

- Calculates the total fee where each activity costs RM10.
- Displays the final amount formatted to 2 decimal places.

Answer:




The screenshot shows a web browser window titled "Student Club System". The address bar displays "localhost:8081/Lab3_Excercise/feeCalculator.jsp". The page has a dark header with the title "Student Club System" and three navigation links: "Registration", "Fee Calculator", and "Member Directory". Below the header, the section "Fee Calculator" is displayed. It contains a label "Number of Activities:" followed by a text input field containing the number "4". Below the input field is a "Calculate" button. At the bottom of the page, there is a copyright notice: "© 2026 UMT Student Club System".



This screenshot shows the same "Student Club System" interface, but with the result of the calculation displayed. The "Number of Activities:" input field is now empty. Below the "Calculate" button, the text "Total Fee: RM 40.00" is displayed in a bold font. The rest of the page, including the header, navigation links, and footer, remains the same as in the previous screenshot.

7. Create a club member directory page in memberDirectory.jsp that:
- Uses JSP Page Directive to import the required Java API.
 - Stores at least five committee member names using an ArrayList.
 - Dynamically displays the names in an HTML table.

Answer:



The screenshot shows a web browser window with the title "Student Club System". The address bar displays "localhost:8081/Lab3_Excercise/memberDirectory.jsp". The page content includes a header with the title "Student Club System" and three navigation links: "Registration", "Fee Calculator", and "Member Directory". Below the header, the main section is titled "Member Directory" and contains a table with five rows of member data. At the bottom of the page, there is a copyright notice: "© 2026 UMT Student Club System".

No	Name
1	Ali Ahmad
2	Siti Nurhaliza
3	John Tan
4	Raj Kumar
5	Aisyah Rahman

© 2026 UMT Student Club System

Code:

```
...jsp  footerPage.jsp X  index.html X  header.jsp X  footer.jsp X  registerClub.jsp X  processRegistration.jsp X  feeCalc

Source  History  [Icons]

1  <!--
2      Document    : header
3      Created on  : 14 Apr 2026, 7:04:23 pm
4      Author     : User
5  -->
6
7  <%@ page contentType="text/html" pageEncoding="UTF-8"%>
8
9  <!DOCTYPE html>
10 <html>
11 <head>
12     <meta charset="UTF-8">
13     <title>Student Club System</title>
14 </head>
15 <body>
16
17     <div style="background-color:#333; padding:15px;">
18         <h2 style="color:white;">Student Club System</h2>
19         <a href="registerClub.jsp" style="color:white; margin-right:15px;">Registration</a>
20         <a href="feeCalculator.jsp" style="color:white; margin-right:15px;">Fee Calculator</a>
21         <a href="memberDirectory.jsp" style="color:white;">Member Directory</a>
22     </div>
23
24     <hr>
25 </body>
26 </html>

...jsp  footerPage.jsp X  index.html X  header.jsp X  footer.jsp X  registerClub.jsp X  processRegistration.jsp X

Source  History  [Icons]

1  <!--
2      Document    : footer
3      Created on  : 14 Apr 2026, 7:08:43 pm
4      Author     : User
5  -->
6
7  <%@page contentType="text/html" pageEncoding="UTF-8"%>
8  <!DOCTYPE html>
9  <html>
10 <head>
11     <meta http-equiv="Content-Type" content="text/html; charset=UTF-8">
12     <title>JSP Page</title>
13 </head>
14 <body>
15     <hr>
16     <div style="text-align:center;">
17         <p>&copy; 2026 UMT Student Club System</p>
18     </div>
19
20 </body>
21 </html>
22
```

...jsp footerPage.jsp x index.html x header.jsp x footer.jsp x registerClub.jsp x processRegistrati

Source History

```
6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8
9 <%@ include file="header.jsp" %>
10
11 <h2>Club Registration Form</h2>
12
13 <form action="processRegistration.jsp" method="post">
14     Student Name: <input type="text" name="studentName"><br><br>
15     Matric Number: <input type="text" name="matricNo"><br><br>
16
17     Select Club:
18     <select name="club">
19         <option>Programming Club</option>
20         <option>Robotics Club</option>
21         <option>Multimedia Club</option>
22         <option>Sports Club</option>
23     </select><br><br>
24
25     <input type="submit" value="Register">
26 </form>
27
28 <%@ include file="footer.jsp" %>
```

...jsp footerPage.jsp x index.html x header.jsp x processRegistration.jsp x footer.jsp x registerClub.js

Source

C:\Users\User\Documents\TAHUN 2 SEM 4\LAB3_S76276\Lab2\web\headerPage.jsp

```
1 <!--
2     Document    : processRegistration.jsp
3     Created on  : 14 Apr 2026, 7:11:50 pm
4     Author     : User
5 -->
6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8
9 <%@ include file="header.jsp" %>
10
11 <%
12     String name = request.getParameter("studentName");
13     String matric = request.getParameter("matricNo");
14     String club = request.getParameter("club");
15 %>
16
17 <h2>Registration Result</h2>
18
19 <p><b>Name:</b> <%= name %></p>
20 <p><b>Matric No:</b> <%= matric %></p>
21 <p><b>Club:</b> <%= club %></p>
22
23 <%@ include file="footer.jsp" %>
24
```

```
...jsp x footerPage.jsp x index.html x header.jsp x registerClub.jsp x processRegistration.jsp x f
C:\Users\User\Documents\TAHUN 2 SEM 4\LAB3_S76276\Lab2\web\headerPage.jsp

6
7 <%@page contentType="text/html" pageEncoding="UTF-8"%>
8
9 <%@ include file="header.jsp" %>
10
11 <h2>Club Registration Form</h2>
12
13 <form action="processRegistration.jsp" method="post">
14     Student Name: <input type="text" name="studentName"><br><br>
15     Matric Number: <input type="text" name="matricNo"><br><br>
16
17     Select Club:
18     <select name="club">
19         <option>Programming Club</option>
20         <option>Robotics Club</option>
21         <option>Multimedia Club</option>
22         <option>Sports Club</option>
23     </select><br><br>
24
25     <input type="submit" value="Register">
26 </form>
27
28 <%@ include file="footer.jsp" %>
```

```
...jsp x footerPage.jsp x index.html x header.jsp x feeCalculator.jsp x registerClub.jsp x processRegi
C:\Users\User\Documents\TAHUN 2 SEM 4\LAB3_S76276\Lab2\web\headerPage.jsp

10
11 <h2>Fee Calculator</h2>
12
13 <form method="post">
14     Number of Activities:
15     <input type="number" name="activity"><br><br>
16     <input type="submit" value="Calculate">
17 </form>
18
19 <%
20 String act = request.getParameter("activity");
21
22 if(act != null){
23     int activity = Integer.parseInt(act);
24     double total = activity * 10.0;
25 }
26 %>
27 <h3>Total Fee: RM <%= String.format("%.2f", total) %></h3>
28
29 <%
30 }
31 %>
32
33 <%@ include file="footer.jsp" %>
34
```

```
...jsp  footerPage.jsp x  index.html x  header.jsp x  memberDirectory.jsp x  feeCalculator.jsp x  registerCl
Source  History  [Icons]
7      <%@page contentType="text/html" pageEncoding="UTF-8"%>
8      <%@page import="java.util.ArrayList"%>
9
10     <%@ include file="header.jsp" %>
11
12     <h2>Member Directory</h2>
13
14     <%
15     ArrayList<String> members = new ArrayList<String>();
16
17     members.add("Ali Ahmad");
18     members.add("Siti Nurhaliza");
19     members.add("John Tan");
20     members.add("Raj Kumar");
21     members.add("Aisyah Rahman");
22     %>
23
24     <table border="1" cellpadding="10">
25     <tr>
26     <th>No</th>
27     <th>Name</th>
28     </tr>
29
30     <%
31     for(int i = 0; i < members.size(); i++){
32     %>
33     <tr>
34     <td><%= i + 1 %></td>
35     <td><%= members.get(i) %></td>
36     </tr>
37     <%
38     }
39     %>
40
41     </table>
42
43     <%@ include file="footer.jsp" %>
44
45
```