

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

lblCSPProduct_2

Type  label

Data

Live	Live.Off
Role	TextRole.Default
Text	"Select CheckBox To Add Item To SQL Server" "Text"

Design

Align	Align.Center Align.Left
--------------	--------------------------------

BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'

FontWeight	FontWeight.Normal
-------------------	-------------------

Height	35 40
---------------	--------------

Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	30 5

PaddingRight	5
---------------------	---

PaddingTop	5
-------------------	---

Size	15 13
-------------	--------------

Strikethrough	false
----------------------	-------

Underline	false
------------------	-------

VerticalAlign	VerticalAlign.Middle
----------------------	----------------------

Width	547 150
--------------	----------------

X	406
Y	260
ZIndex	10
Color Properties	
BorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

lblProjectID_2

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	"Project ID:" "Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	2 0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Bold FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 530
Y 177
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CSPLOBMappingScreen

Rectangle10

Type	 rectangle
Behavior	
OnSelect	Select(Parent)
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	Parent.TemplateHeight - Separator3.Height
TabIndex	-1
Visible	ThisItem.IsSelected
Width	4
X	0
Y	0
ZIndex	5
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	App.Theme.Colors.Darker30
FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galLOB

Rectangle5_2

Type	 rectangle
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	2

DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	546
Width	672
X	347
Y	156
ZIndex	2
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

DisabledFill	Self.Fill
Fill	RGBA(214, 221, 224, 1)

FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

ScreenContainer1_5

Type	 verticalAutoLayoutContainer
Design	
BorderStyle	BorderStyle.Solid
ChildTabPriority	true
DisplayMode	DisplayMode.Edit
DropShadow	DropShadow.Light
Height	109
LayoutAlignItems	LayoutAlignItems.Stretch
LayoutDirection	LayoutDirection.Vertical

LayoutGap	16
LayoutJustifyContent	LayoutJustifyContent.Start
LayoutMode	LayoutMode.Auto
LayoutOverflowX	LayoutOverflow.Hide
LayoutOverflowY	LayoutOverflow.Hide
LayoutWrap	false
PaddingBottom	16
PaddingLeft	16
PaddingRight	16
PaddingTop	16
RadiusBottomLeft	4
RadiusBottomRight	4
RadiusTopLeft	4
RadiusTopRight	4
Width	Parent.Width
X	0
Y	0
ZIndex	1

Color Properties
BorderColor `RGBA(0, 0, 0, 1)`

Fill `RGBA(245, 245, 245, 1)`

Child & Parent Controls

Child Controls HeaderContainer1_6

Parent Control CSPLOBMappingScreen

Separator3

Type  rectangle

Behavior	
OnSelect	Select(Parent)
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	2
TabIndex	-1
Width	Parent.TemplateWidth
X	0
Y	Parent.TemplateHeight - Self.Height
ZIndex	4
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	RGBA(255, 255, 255, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls

Child Controls

Parent Control **galLOB**

TextCanvas1_7

Type [?](#) PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor **RGBA(255, 0, 0, 1)**

Size	20
Text	If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")
Design	
DisplayMode	DisplayMode.Edit
Height	45
Width	202
X	1097
Y	704
ZIndex	13
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

txtProjectID_2

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	varCurrentProjectID "Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	2 0
DisplayMode	DisplayMode.Disabled DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Bold FontWeight.Normal
Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false

Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 680
Y 177
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGB(18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGB(0, 0, 0, 1)

RGB(56, 56, 56, 1)

DisabledColor RGB(0, 0, 0, 1)

RGB(166, 166, 166, 1)

DisabledFill RGB(139, 154, 159, 1)

RGB(0, 0, 0, 0)

Fill RGB(255, 255, 255, 1)

RGB(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CSPLOBMappingScreen

VertSep1

Type  rectangle

Behavior

OnSelect Select(Parent)

Design

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 2

Height 27

Width 3

X 426

Y 0

ZIndex 6

Color Properties

BorderColor App.Theme.Colors.Darker40

DisabledFill Self.Fill

Fill RGBA(0, 0, 0, 1)

FocusedBorderColor Self.BorderColor

HoverFill Self.Fill

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control galLOB

VertSep2

Type  rectangle

Behavior

OnSelect Select(Parent)

Design

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	27
Width	3
X	553
Y	0
ZIndex	7
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	RGBA(0, 0, 0, 1)

FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galLOB

EditProjectScreen

Type	<input type="checkbox"/> screen
Behavior	
OnVisible	Set(varPreviousMileageValue,varCurrentMileage); Set(varRefreshToken,0); Select(btnFormLoad); If(IsBlank(varFormCoverMode),Set(varFormCoverMode,true)); Set(DeleteProject,false); Set(DelReady,false);
Data	
BackgroundImage	BackgroundImage
Design	
Height	Max(App.Height, App.MinScreenHeight)
ImagePosition	ImagePosition.Center ImagePosition.Fit
LoadingSpinner	LoadingSpinner.None
LoadingSpinnerColor	App.Theme.Colors.Primary RGBA(56, 96, 178, 1)
Orientation	If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)

Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls

Child Controls Rectangle2_3
ScreenContainer1_2
Rectangle2_2
Rectangle2_4
StatusIcon
txtSearchBox
btnResetGallery
btnSubmitUpdates
btnGoBack_1
Icon3
btnFormLoad
galMiniMenu
FormCoverBackground
BasicInfoForm
galProjects
Rectangle3_3
Label10_3
Rectangle3_2
Label10_2
Rectangle3_4
Label10_4
Label11_3
Label11_2
Label11_4
btnStatusPopNo
btnPopCancel_1
btnPopCancel_2
btnStatusPopYes
btnPopContinueEEP
btnYesDelete
Label4
Icon2
Label3_5
txtMSID_1
Icon1_7
TextCanvas1_3
Icon1_6
grpWarningPopup
grpStatusChangePop
grpDeletePopup
grpFormCover
grpMSID_1
grpDevLabel_3

Type  typedDataCard

Data

DataField "Analyst"

Default ThisItem.Analyst

DisplayName

DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,Analyst)

MaxLength

DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, Analyst)

Required false

Update txtEEPAnalyst.Text

Design

BorderStyle BorderStyle.Solid

DisplayMode Parent.DisplayMode

Height 50

Width 240

X 0

Y 1

ZIndex 1

Color Properties

BorderColor App.Theme.Colors.Darker40

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible2
 DataCardKey2
 txtEEPAnalyst
 ErrorMessage2

Parent Control BasicInfoForm

BasicInfoForm

Type  form

Data

DataSource CS_EXP_Project_Translation

DefaultMode	varFormMode	FormMode.Edit
Item	varExistingProjectsScreenFormData	
Design		
BorderStyle	BorderStyle.Solid	
Height	520	500
NumberOfColumns	3	
SnapToColumns	false	
Width	721	800
X	606	
Y	210	
ZIndex	10	
Color Properties		
BorderColor	App.Theme.Colors.Darker40	RGBA(0, 18, 107, 1)
Fill	RGBA(214, 221, 224, 1)	
	RGBA(0, 0, 0, 0)	

FocusedBorderColor Self.BorderColor

Child & Parent Controls

Child Controls ProjectID_DataCard1

ProjectDesc_DataCard1

Analyst_DataCard1

PM_DataCard1

GoLiveDate_DataCard1

MaxMileage_DataCard1

Status_DataCard1

BenchmarkFileID_DataCard1

NDB_LOB_DataCard1

LastEditDate_DataCard1

LastEditMSID_DataCard1

DataLoadDate_DataCard1

ProjectType_DataCard1

NewMarket_DataCard1

ProvRef_DataCard1

Status_DataCard2

RefreshInd_DataCard1

Parent Control EditProjectScreen

BenchmarkFileID_DataCard1

Type [?](#) typedDataCard

Data

DataField	"BenchmarkFileID"
------------------	-------------------

Default

	ThisItem.BenchmarkFileID
--	--------------------------

DisplayName

	DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,BenchmarkFileID)
--	--

MaxLength

	DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, BenchmarkFileID)
--	--

Required

	false
--	-------

Update

	txtEEPBenchmarkFileID.Text
--	----------------------------

Design

BorderStyle	BorderStyle.Solid
--------------------	-------------------

DisplayMode

	Parent.DisplayMode
--	--------------------

Height

	50
--	----

Width

	240
--	-----

X

	1
--	---

Y

	2
--	---

ZIndex

	1
--	---

Color Properties

BorderColor	App.Theme.Colors.Darker40
--------------------	---------------------------

Fill

	RGBA(0, 0, 0, 0)
--	------------------

Child & Parent Controls

Child Controls

StarVisible3

DataCardKey3

txtEEPBenchmarkFileID

ErrorMessage3

Parent Control

BasicInfoForm

Body1

Type  label

Behavior

OnSelect	Select(Parent)
-----------------	----------------

Data

```

Live                                Live.Off
Role                                TextRole.Default
Text                                 "Go Live: "&ThisItem.GoLiveDate    "Text"

Design
Align                               Align.Left
BorderStyle                         BorderStyle.Solid
BorderThickness                     0
DisplayMode                         DisplayMode.Edit
FocusedBorderThickness             0
Font                                App.Theme.Font      Font.'Open Sans'
FontWeight                           If(ThisItem.IsSelected, FontWeight.Semibold,
FontWeight.Normal)                  FontWeight.Normal

Height                             Self.Size * 1.8 40

Italic                             false
LineHeight                         1.2
Overflow                           Overflow.Hidden
PaddingBottom                      0      5
PaddingLeft                        0      5
PaddingRight                       0      5
PaddingTop                         0      5
Size                                12     13

Strikethrough                    false
TabIndex                           -1

Underline                          false
VerticalAlign                     VerticalAlign.Top    VerticalAlign.Middle

Width                              Title2.Width 150

X                                  Title2.X
Y                                  Subtitle2.Y + Subtitle2.Height
ZIndex                            3
Color Properties
BorderColor  RGBA(0, 0, 0, 1)
Color  RGBA(0, 18, 107, 1)

Color  RGBA(0, 0, 0, 1)

DisabledBorderColor  RGBA(56, 56, 56, 1)

DisabledColor  RGBA(166, 166, 166, 1)

```

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

Body1_1

Type  label

Behavior

OnSelect Select(Parent)

Data

Live	Live.Off	
Role	TextRole.Default	
Text	"Type: "&ThisItem.ProjectType	"Text"

Design

Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'

FontWeight If(ThisItem.IsSelected, FontWeight.Semibold,
FontWeight.Normal) FontWeight.Normal

Height Self.Size * 1.8 40

Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	0 5

PaddingLeft 0 5

PaddingRight 0 5

PaddingTop 0 5
Size 12 13
Strikethrough false
TabIndex -1
Underline false
VerticalAlign VerticalAlign.Top VerticalAlign.Middle
Width 80 150

X 183
Y 31
ZIndex 8
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galProjects

Body1_2

Type  label

Behavior

OnSelect	Select(Parent)		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	"Status: "&ThisItem.Status	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	App.Theme.Font	Font.'Open Sans'	
FontWeight	If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)		
Height	Self.Size * 1.8 40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	0 5		
PaddingLeft	0 5		
PaddingRight	0 5		
PaddingTop	0 5		
Size	12 13		
Strikethrough	false		
TabIndex	-1		
Underline	false		
VerticalAlign	VerticalAlign.Top VerticalAlign.Middle		
Visible	AdminMode		
Width	140 150		
X	16		
Y	10		
ZIndex	10		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(255, 0, 0, 1)		

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control galProjects

Body1_3

Type  label

Behavior

OnSelect Select(Parent)

Data

Live Live.Off

Role TextRole.Default

Text "RecordID: "&ThisItem.RecordID "Text"

Design

Align Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight If(ThisItem.IsSelected, FontWeight.Semibold,

FontWeight.Normal) FontWeight.Normal

Height Self.Size * 1.8 40

Italic false

LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	12	13
Strikethrough	false	
TabIndex		-1
Underline	false	
VerticalAlign		VerticalAlign.Top
Visible		AdminMode
Width	140	150
X		153
Y		10
ZIndex		11
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
		RGBA(0, 18, 107, 1)
Color	RGBA(255, 0, 0, 1)	
		RGBA(0, 0, 0, 1)
DisabledBorderColor		RGBA(56, 56, 56, 1)
DisabledColor		RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	

PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galProjects

btnFormLoad

Type  button

Behavior

OnSelect

```
Set( galProjectData, If( varExistingProject,
Sort( Search( CS_EXP_Project_Translation, txtSearchBox.Text,
ProjectID ), ProjectID, SortOrder.Ascending ) ) ),
Set( galProjectData, If( varExistingProject,
Sort( Search( Filter( CS_EXP_Project_Translation, Status =
"Active" ), txtSearchBox.Text, ProjectID ), ProjectID,
SortOrder.Ascending ) ) );
```

Data

Text "FormLoad" "Button"

Design

Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible false

Width 160
X 837
Y 142
ZIndex 27
Color Properties
BorderColor App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)
Color RGBA(255, 255, 255, 1)

DisabledBorderColor `RGBA(244, 244, 244, 1)`

`RGBA(166, 166, 166, 1)`

DisabledColor `RGBA(166, 166, 166, 1)`

DisabledFill `RGBA(244, 244, 244, 1)`

Fill **App.Theme.Colors.Primary** `RGBA(56, 96, 178, 1)`

FocusedBorderColor `Self.BorderColor`

HoverBorderColor **App.Theme.Colors.Darker10**
 `ColorFade(Self.BorderColor, 20%)`

HoverColor `RGBA(255, 255, 255, 1)`

HoverFill **App.Theme.Colors.Darker10** `ColorFade(RGBA(56, 96, 178, 1), -20%)`

PressedBorderColor **App.Theme.Colors.Darker40** `Self.Fill`

PressedColor **Self.Color** `Self.Fill`

PressedFill **App.Theme.Colors.Darker40** `Self.Color`

Child & Parent Controls

Child Controls

Parent Control `EditProjectScreen`

btnGoBack_1

Type  button

Behavior

OnSelect `Navigate(HomeScreen); Set(varExistingProject,false);
Set(varEditProject,false); Set(varFormMode,FormMode.View); Set(varFormCoverMode,true);
Set(varMiniMenu,DisplayMode.Disabled);`

Data

Text `"Go Back"` "Button"

Design

Align `Align.Center`

BorderStyle `BorderStyle.Solid`

BorderThickness `2`

DisplayMode `DisplayMode.Edit`

FocusedBorderThickness `4`

Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Semibold	
Height	40	
Italic	false	
RadiusBottomLeft	10	
RadiusBottomRight	10	
RadiusTopLeft	10	
RadiusTopRight	10	
Size	15	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	180	160
X	28	
Y	142	
ZIndex	11	
Color Properties		
BorderColor	App.Theme.Colors.Primary	ColorFade(Self.Fill, -15%)
Color	RGBA(255, 255, 255, 1)	
DisabledBorderColor	RGB(244, 244, 244, 1)	
	RGB(166, 166, 166, 1)	
DisabledColor	RGB(166, 166, 166, 1)	
DisabledFill	RGB(244, 244, 244, 1)	
Fill	App.Theme.Colors.Primary	RGB(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	App.Theme.Colors.Darker10	ColorFade(Self.BorderColor, 20%)
HoverColor	RGB(255, 255, 255, 1)	
HoverFill	App.Theme.Colors.Darker10	ColorFade(RGB(56, 96, 178, 1), -20%)
PressedBorderColor	App.Theme.Colors.Darker40	Self.Fill
PressedColor	Self.Color	Self.Fill
PressedFill	App.Theme.Colors.Darker40	Self.Color
Child & Parent Controls		
Child Controls		

Parent Control

EditProjectScreen

btnMenuButton

Type  button

Behavior

OnSelect

Set(varCurrentProjectID,

```
txtEEPProjectID.Text); Set(varCurrentAnalyst,txtEEPAnalyst.Text);
Set(varCurrentProjectManager,txtEEPProjectManager.Text);
Set(varCurrentGoLiveDate,dpEEPGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddEEMileage.Selected.Value);
Set(varCurrentBenchmarkFileID,txtEPPBenchmarkFileID.Text);
Set(varCurrentNDBLOB,txtEENDBLOB.Text);
Set(varCurrentProjectDesc,txtEEPProjectDesc.Text);
Set(varCurrentProjectType,txtEEPProjectType.Text);
Set(varCurrentProjectStatus,ddEEPStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtEEPLastEditDate.SelectedDate));
Set(varCurrentLastEditMSID,txtMSID.Text); Set(varEditProject,true); Set(varWaitPop,true);
If(ThisItem.TabSelected = "Edit Service Area"&&ThisItem.IsSelected,
Refresh(CS_EXP_zTrxServiceArea_Stage) &&
uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage) &&
Navigate(EditServiceAreaScreen)); If(ThisItem.TabSelected = "Edit Y-
Lines"&&ThisItem.IsSelected,Navigate(YLineScreen)); If(ThisItem.TabSelected = "CSP LOB
Mapping"&&ThisItem.IsSelected,Navigate(CSPLOBMappingScreen)); If(ThisItem.TabSelected =
"Competitor Entry"&&ThisItem.IsSelected,Navigate(CompetitorEntryScreen));
If(ThisItem.TabSelected = "Notes Entry"&&ThisItem.IsSelected,Navigate(NotesEntryScreen));
If(ThisItem.TabSelected = "Contract Eval
Upload"&&ThisItem.IsSelected,Launch("https://amaardi.uhc.com/home.html?appid=27"));
If(ThisItem.TabSelected = "Mailed
Contract"&&ThisItem.IsSelected,Launch("https://amaardi.uhc.com/home.html?appid=27"));
```

Data

Text ThisItem.TabSelected "Button"

Design

Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font App.Theme.Font Font.'Open Sans'

FontSize 35
Height 40

Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10

Size	12 15	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	165 160	
X	7	
Y	15	
ZIndex	5	
Color Properties		
BorderColor	App.Theme.Colors.Primary	ColorFade(Self.Fill, -15%)
Color	RGBA(255, 255, 255, 1)	
DisabledBorderColor	RGBA(244, 244, 244, 1)	
	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(244, 244, 244, 1)	
Fill	App.Theme.Colors.Primary	RGBA(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)	
HoverColor	RGBA(255, 255, 255, 1)	
HoverFill	App.Theme.Colors.Darker10	ColorFade(RGBA(56, 96, 178, 1), -20%)
PressedBorderColor	App.Theme.Colors.Darker40	Self.Fill
PressedColor	Self.Color Self.Fill	
PressedFill	App.Theme.Colors.Darker40	Self.Color
Child & Parent Controls		
Child Controls		
Parent Control	galMiniMenu	

btnPopCancel_1

Type  button

Behavior

OnSelect Set(varMileChange,false);

Data

Text "Cancel" "Button"

Design

Align Align.Center

BorderStyle BorderStyle.Solid

BorderThickness 2

DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold

Height 40

Italic false

RadiusBottomLeft 10

RadiusBottomRight 10

RadiusTopLeft 10

RadiusTopRight 10

Size 15

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Visible varMileChange

Width 160

X 479

Y 420

ZIndex 21

Color Properties

BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)
HoverColor	RGB(255, 255, 255, 1)
HoverFill	App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)
PressedBorderColor	App.Theme.Colors.Darker40 Self.Fill
PressedColor	Self.Color Self.Fill
PressedFill	App.Theme.Colors.Darker40 Self.Color
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

btnPopCancel_2

Type  button

Behavior	
OnSelect	Set>DeleteProject, false;
Data	
Text	"Cancel" "Button"
Design	
Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Semibold
Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	15
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle

Visible	DeleteProject
Width	160
X	479
Y	420
ZIndex	35
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	ColorFade(Self.Fill, -15%)
Color	RGB(255, 255, 255, 1)
DisabledBorderColor	RGB(244, 244, 244, 1)
	RGB(166, 166, 166, 1)
DisabledColor	RGB(166, 166, 166, 1)
DisabledFill	RGB(244, 244, 244, 1)
Fill	RGB(40, 134, 222, 1)
	RGB(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)
HoverColor	RGB(255, 255, 255, 1)
HoverFill	App.Theme.Colors.Darker10 ColorFade(RGB(56, 96, 178, 1), -20%)
PressedBorderColor	App.Theme.Colors.Darker40 Self.Fill
PressedColor	Self.Color Self.Fill
PressedFill	App.Theme.Colors.Darker40 Self.Color
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

btnPopContinueEEP

Type  button

Behavior
OnSelect

```
Set(varCurrentMileage,ddEPMileage.Selected.Value); Refresh(CS_EXP_zTrxServiceArea_Stage);
uspCsExpProjectServiceAreaV2.Run( varCurrentProjectID,varCurrentMileage);
Patch(CS_EXP_Project_Translation,
varExistingProjectsScreenFormFormData,BasicInfoForm.Updates); Navigate(EditServiceAreaScreen);
Set(varEEPChanged,true); Set(varFormMode,FormMode.View); Set(varFormCoverMode,true);
Set(varMiniMenu,DisplayMode.Disabled); Set(varWaitPop,true);
```

Data

Text "Continue" "Button"

Design

```
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font App.Theme.Font Font.'Open Sans'
```

```
FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible varMileChange
```

```
Width 160
X 707
Y 420
ZIndex 22
```

Color Properties

BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor `RGBA(166, 166, 166, 1)`

DisabledFill `RGBA(244, 244, 244, 1)`

Fill **RGB(40, 134, 222, 1)**

RGB(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor	App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)
-------------------------	--

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor App.Theme.Colors.Darker40 Self.Fill

PressedColor **Self.Color** **Self.Fill**

PressedFill App.Theme.Colors.Darker40 Self.Color

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

btnResetGallery

Type button

Behavior

OnSelect

```
Set(varExistingProject,true); Set(varEditProject,false); Set(varFormMode,FormMode.View); Set(varFormCoverMode,true);  
Set(varMiniMenu,DisplayMode.Disabled); Set(varEEPChanged,false); Set(ESAGoBack,false);  
If(AdminMode, Set(galProjectData,  
If(varExistingProject,Sort(Filter(  
CS_EXP_Project_Translation,  
in ProjectID),  
ProjectID,SortOrder.Ascending))),  
Set(galProjectData,If(varExistingProject,Sort(  
Filter(Filter(CS_EXP_Project_Translation,  
Status = "Active"),  
txtSearchBox.Text in  
ProjectID ),ProjectID,SortOrder.Ascending)))); Set(DelReady,false);
```

Data

"Reset Gallery" **"Button"**

Design

Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	App.Theme.Font Font.'Open Sans'
FontSize	14
FontWeight	FontWeight.Semibold
Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	15
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	180 160

X 606
Y 141
ZIndex 26

Color Properties

BorderColor	App.Theme.Colors.Primary	ColorFade(Self.Fill, -15%)
Color	RGBA(255, 255, 255, 1)	

DisabledBorderColor RGBA(244, 244, 244, 1)
 RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill	App.Theme.Colors.Primary	RGBA(56, 96, 178, 1)
-------------	---------------------------------	----------------------

FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill	App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)
------------------	---

PressedBorderColor	App.Theme.Colors.Darker40	Self.Fill
PressedColor	Self.Color	Self.Fill
PressedFill	App.Theme.Colors.Darker40	Self.Color
Child & Parent Controls		
Child Controls		
Parent Control	EditProjectScreen	

btnStatusPopNo

Type  button

Behavior

OnSelect Set(varStatusInActive,false);

Data

Text "No" "Button"

Design

Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold

Height 40

Italic false

RadiusBottomLeft 10

RadiusBottomRight 10

RadiusTopLeft 10

RadiusTopRight 10

Size 15

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Visible **false**

Width 160

X 479

Y 420

ZIndex 5

Color Properties

BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor `RGBA(244, 244, 244, 1)`

`RGBA(166, 166, 166, 1)`

DisabledColor `RGBA(166, 166, 166, 1)`

DisabledFill `RGBA(244, 244, 244, 1)`

Fill `RGBA(40, 134, 222, 1)`

`RGBA(56, 96, 178, 1)`

FocusedBorderColor `Self.BorderColor`

HoverBorderColor `App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)`

HoverColor `RGBA(255, 255, 255, 1)`

HoverFill `App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), - 20%)`

PressedBorderColor `App.Theme.Colors.Darker40 Self.Fill`

PressedColor `Self.Color Self.Fill`

PressedFill `App.Theme.Colors.Darker40 Self.Color`

Child & Parent Controls

Child Controls

Parent Control `EditProjectScreen`

btnStatusPopYes

Type  button

Behavior

OnSelect `Select(btnSubmitUpdates); Set(varStatusInActive, false);`

Data

Text `"Yes" "Button"`

Design

Align `Align.Center`

BorderStyle `BorderStyle.Solid`

BorderThickness `2`

EditMode DisplayMode.Edit
FocusedBorderThickness 4
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible false

Width 160
X 707
Y 420
ZIndex 6
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

btnSubmitUpdates

Type  button

Behavior

OnSelect

```
If(varCurrentProjectType=="F", Set(varRefreshToken,1); Refresh(CS_EXP_zTrxServiceArea_Stage) &&
uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage);
Patch(CS_EXP_Project_Translation, varExistingProjectsScreenFormData,
BasicInfoForm.Updates); Navigate(SuccessScreenEditProject); Set(varEEPChanged,true);
Select(StatusIcon); Select(btnResetGallery);, Set(varRefreshToken,0);
Refresh(CS_EXP_zTrxServiceArea_Stage) &&
uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage);
Patch(CS_EXP_Project_Translation, varExistingProjectsScreenFormData,
BasicInfoForm.Updates); Navigate(SuccessScreenEditProject); Set(varEEPChanged,true);
Select(StatusIcon); Select(btnResetGallery);)
```

Data

Text "Submit Updates" "Button"

Design

Align Align.Center

BorderStyle BorderStyle.Solid

BorderThickness 2

DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold

Height 40

Italic false

RadiusBottomLeft 10

RadiusBottomRight 10

RadiusTopLeft 10

RadiusTopRight 10

Size 15

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width	180	160
X	1147	
Y	141	
ZIndex	12	
Color Properties		
BorderColor		App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)
Color	RGB(255, 255, 255, 1)	
DisabledBorderColor		RGB(244, 244, 244, 1)
		RGB(166, 166, 166, 1)
DisabledColor		RGB(166, 166, 166, 1)
DisabledFill	RGB(244, 244, 244, 1)	
Fill		App.Theme.Colors.Primary RGB(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor	
HoverBorderColor		App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)
HoverColor	RGB(255, 255, 255, 1)	
HoverFill		App.Theme.Colors.Darker10 ColorFade(RGB(56, 96, 178, 1), -20%)
PressedBorderColor		App.Theme.Colors.Darker40
PressedColor	Self.Color	Self.Fill
PressedFill		App.Theme.Colors.Darker40
Child & Parent Controls		
Child Controls		
Parent Control	EditProjectScreen	
btnYesDelete		
Type	 button	
Behavior		
OnSelect		Remove(CS_EXP_Project_Translation,
LookUp(CS_EXP_Project_Translation, ProjectID = varCurrentProjectID));		Collect(colTempDelete, Filter(CS_EXP_zTrxServiceArea, ProjectID = varCurrentProjectID));
Collect(colTempDelete, Filter(CS_EXP_zTrxServiceArea, ProjectID = varCurrentProjectID));		

```
ForAll( colTempDelete, RemoveIf(CS_EXP_zTrxServiceArea, ProjectID = varCurrentProjectID );
Clear(colTempDelete); RemoveIf( CS_EXP_YLine_Translation, ProjectID =
varCurrentProjectID ); RemoveIf( CS_EXP_ProjectNotes, ProjectID = varCurrentProjectID );
RemoveIf( CS_EXP_Competitor_Translation, ProjectID = varCurrentProjectID );
RemoveIf( CS_EXP_Sel_PLProducts, ProjectID = varCurrentProjectID ); // Refresh the gallery
data source Refresh(CS_EXP_Project_Translation); // Notify the user Notify("Project and related
records have been deleted.", NotificationType.Success,2000); Set(DeleteProject,false);
Select(btnResetGallery); Set(DelReady,false);
```

Data

Text "DELETE" "Button"

Design

Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	App.Theme.Font Font.'Open Sans'

FontWeight	FontWeight.Semibold
Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	15
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	DeleteProject

Width	160
X	707
Y	420
ZIndex	36

Color Properties

BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill	RGB(244, 244, 244, 1)
Fill	RGB(255, 0, 0, 1)
	RGB(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)
HoverColor	RGB(255, 255, 255, 1)
HoverFill	App.Theme.Colors.Darker10 ColorFade(RGB(56, 96, 178, 1), - 20%)
PressedBorderColor	App.Theme.Colors.Darker40 Self.Fill
PressedColor	Self.Color Self.Fill
PressedFill	App.Theme.Colors.Darker40 Self.Color
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen
DataCardKey1	
Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	Parent.DisplayName "Text"
Design	
Align	Align.Left
AutoHeight	true
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal
Height	34 40
Italic	false

LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150

Wrap false

X 30
Y 10
ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control ProjectID_DataCard1

DataCardKey10

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "Project Description" "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 34 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width Parent.Width - 60 150

Wrap false

X 30

Y 10

ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Color RGBA(0, 18, 107, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectDesc_DataCard1

DataCardKey11

Type  label

Data

Live	Live.Off
Role	TextRole.Default
Text	Parent.DisplayName "Text"

Design

Align	Align.Left
AutoHeight	true

BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **34** 40

Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	Parent.Width - 60 150

Wrap false

X 30

Y 10

ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGB(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control Status_DataCard1

DataCardKey12

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "NDB LOB" "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'
FontWeight FontWeight.Semibold FontWeight.Normal
Height 34 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150
Wrap false
X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)
RGB(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls**Child Controls****Parent Control**

NDB_LOB_DataCard1

DataCardKey13

Type  label**Data****Live** Live.Off**Role** TextRole.Default**Text** Parent.DisplayName "Text"**Design****Align** Align.Left**AutoHeight** true**BorderStyle** BorderStyle.Solid**BorderThickness** 0**DisplayMode** DisplayMode.Edit**FocusedBorderThickness** 0**Font** App.Theme.Font Font.'Open Sans'**FontWeight** FontWeight.Normal**Height** 34 40**Italic** false**LineHeight** 1.2**Overflow** Overflow.Hidden**PaddingBottom** 5**PaddingLeft** 5**PaddingRight** 5**PaddingTop** 5**Size** 13**Strikethrough** false**Underline** false**VerticalAlign** VerticalAlign.Middle**Width** Parent.Width - 60 150**Wrap** false**X** 30**Y** 10**ZIndex** 1**Color Properties****BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color

App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control ProjectType_DataCard1

DataCardKey14

Type  label

Data

Live Live.Off

Role TextRole.Default

Text Parent.DisplayName "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height 34 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150

Wrap false

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewMarket_DataCard1

DataCardKey15

Type  label

Data
Live Live.Off
Role TextRole.Default
Text Parent.DisplayName "Text"

Design
Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontSize 34

FontWeight FontWeight.Normal

Height 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width Parent.Width - 60 150

Wrap false

X 30

Y 10

ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGB(18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProvRef_DataCard1

DataCardKey16

Type  label

Data
Live Live.Off
Role TextRole.Default
Text Parent.DisplayName "Text"

Design
Align Align.Left
AutoHeight true

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal
Height 34 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150

Wrap false

X 30
Y 10
ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color	App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Status_DataCard2

DataCardKey17

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	Parent.DisplayName "Text"
Design	
Align	Align.Left
AutoHeight	true
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Normal
Height	34 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5

PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150

Wrap false

X 30
Y 10
ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control RefreshInd_DataCard1

DataCardKey2

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "NDAR Analyst" "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 34 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width Parent.Width - 60 150

Wrap false

X 30

Y 10

ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Analyst_DataCard1

DataCardKey3

Type  label

Data

Live	Live.Off
Role	TextRole.Default
Text	Parent.DisplayName "Text"

Design

Align	Align.Left
AutoHeight	true
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal
Height	34 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	Parent.Width - 60 150
Wrap	false
X	30
Y	10
ZIndex	1
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

Color RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

BenchmarkFileID_DataCard1

DataCardKey4

Type  label

Data

Live Live.Off

Role TextRole.Default

Text Parent.DisplayName "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height 34 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150

Wrap false

X 30
Y 10
ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control DataLoadDate_DataCard1

DataCardKey5

Type  label

Data
Live Live.Off
Role TextRole.Default
Text "Go-Live Date""Text"

Design
Align Align.Left
AutoHeight true

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'
FontWeight FontWeight.Semibold FontWeight.Normal

Height 34 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width Parent.Width - 60 150

Wrap false

X 30
Y 10
ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)
RGB(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	GoLiveDate_DataCard1

DataCardKey6

Type	 label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	"Last Edit Date"	"Text"
Design		
Align	Align.Left	
AutoHeight	true	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Lighter	FontWeight.Normal
Height	34	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	11	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	Parent.Width - 60	150

Wrap false
X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)
Color RGBA(0, 0, 0, 1)
DisabledBorderColor RGBA(56, 56, 56, 1)
DisabledColor RGBA(79, 90, 94, 1)
DisabledFill RGBA(0, 0, 0, 0)
Fill RGBA(0, 0, 0, 0)
FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditDate_DataCard1

DataCardKey7
Type  label
Data
Live Live.Off
Role TextRole.Default
Text "Last Edit MSID" "Text"

Design
Align Align.Left
AutoHeight true

BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Lighter	FontWeight.Normal
Height	34	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	11	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	Parent.Width - 60	150
Wrap	false	
X	30	
Y	10	
ZIndex	1	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(79, 90, 94, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditMSID_DataCard1

DataCardKey8

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	"Service Area Mileage" "Text"
Design	
Align	Align.Left
AutoHeight	true
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal
Height	34 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	Parent.Width - 60 150
Wrap	false
X	30
Y	10
ZIndex	1
Color Properties	

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control MaxMileage_DataCard1

DataCardKey9

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "Project Manager" "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 34 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width (Parent.Width - 60) 150

Wrap false

X 30
Y 10
ZIndex 1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control PM_DataCard1

DataCardValue1

Type `Abc` text

Data Default `varRefreshToken` "Text input"

DelayOutput `true` false

Tooltip `Parent.DisplayName`

Design Align `Align.Left`
BorderStyle `BorderStyle.Solid`
BorderThickness `2`
DisplayMode `Parent.DisplayMode` `DisplayMode.Edit`

FocusedBorderThickness `4`
Font `App.Theme.Font` `Font.'Open Sans'`

FontWeight `FontWeight.Normal`
Format `TextFormat.Number` `TextFormat.Text`

Height `40`
Italic `false`
Mode `TextMode.SingleLine`
PaddingBottom `5`

PaddingLeft `5`
PaddingRight `5`
PaddingTop `5`

RadiusBottomLeft `0` `5`
RadiusBottomRight `0` `5`
RadiusTopLeft `0` `5`
RadiusTopRight `0` `5`

Size `13`
Strikethrough `false`
Underline `false`
VirtualKeyboardMode `VirtualKeyboardMode.Auto`
Width `Parent.Width - 60` `320`

X `30`
Y `DataCardKey17.Y + DataCardKey17.Height + 5`
ZIndex `2`

Color Properties
BorderColor `If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)`
`RGBA(0, 18, 107, 1)`

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control RefreshInd_DataCard1

DataLoadDate_DataCard1

Type [?](#) typedDataCard

Data

DataField "DataLoadDate"

Default ThisItem.DataLoadDate

DisplayName

DataSourceInfo(

[@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,DataLoadDate)

Required false

Update txtEEPDataLoadDate.SelectedDate

Design

BorderStyle BorderStyle.Solid

DisplayMode DisplayMode.View

Height 50

Visible false
Width 240
X 0
Y 4
ZIndex 1
Color Properties
BorderColor App.Theme.Colors.Darker40
Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible4

DataCardKey4

txtEEPDataLoadDate

ErrorMessage4

Parent Control BasicInfoForm

ddEEPMileage

Type dropdown

Behavior

OnChange Set(varMileChange,true);

Data

Default Parent.Default

Items

[10,20,30,40,50,60,70,80,90,100,110,120,130,140,150]
DropDownSample

Design

BorderStyle BorderStyle.Solid

BorderThickness 2

ChevronBackground App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFill RGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal

Height 40

Italic false

PaddingBottom 10

PaddingLeft 10

PaddingRight 10

PaddingTop 10

Size 13

Strikethrough false

TabIndex 5

Underline false

Width **Parent.Width - 60** 328

X 30

Y DataCardKey8.Y + DataCardKey8.Height + 5

ZIndex 5

Color Properties

BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor ColorFade(Self.BorderColor, 15%)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor

PressedColor RGBA(255, 255, 255, 1)

PressedFill	App.Theme.Colors.Darker30	RGB(0, 18, 107, 1)
SelectionColor	RGB(255, 255, 255, 1)	
SelectionFill	App.Theme.Colors.Primary	RGB(56, 96, 178, 1)
Child & Parent Controls		
Child Controls		
Parent Control	MaxMileage_DataCard1	
ddEEPStatus		
Type	<input type="button" value="▼"/>	dropdown
Behavior		
OnChange	If(ddEEPStatus.Selected.Value = "InActive", Set(varStatusInActive,true), Set(varStatusInActive,false)); If(ddEEPStatus.Selected.Value = "Active", Set(varStatusActive,true), Set(varStatusActive,false));	
Data		
Default	Parent.Default	
Items	["Active", "InActive"] DropDownSample	
Design		
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
ChevronBackground	App.Theme.Colors.Primary	RGB(56, 96, 178, 1)
ChevronDisabledBackground	RGB(166, 166, 166, 1)	
ChevronDisabledFill	RGB(244, 244, 244, 1)	
ChevronFill	RGB(255, 255, 255, 1)	
ChevronHoverBackground	App.Theme.Colors.Darker10	ColorFade(RGB(56, 96, 178, 1), -20%)
ChevronHoverFill	RGB(255, 255, 255, 1)	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	4	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	40	

Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
TabIndex 6

Underline false
Width Parent.Width - 60 328

X 30
Y DataCardKey11.Y + DataCardKey11.Height + 5
ZIndex 5

Color Properties
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill App.Theme.Colors.Darker30 RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control Status_DataCard1

dpEEPGoLiveDate

Type  datepicker

Data

DateTimeZone DateTimeZone.Local
DefaultDate ThisItem.GoLiveDate Today()

EndYear 2050
Format DateFormat.ShortDate
InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format,
Self.Language))
StartOfWeek StartOfWeek.Sunday
StartYear 1970
Design
BorderStyle BorderStyle.Solid
BorderThickness 2
CalendarHeaderFill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
HoverDateFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

IconBackground App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom 5
PaddingLeft 12
PaddingRight 5
PaddingTop 5 0

SelectedDateFill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

Size 14
TabIndex 4

WeekColor RGBA(255, 255, 255, 1)

Width	Parent.Width - 60	328
X	30	
Y	DataCardKey5.Y + DataCardKey5.Height + 5	
ZIndex	5	
Color Properties		
BorderColor		App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
Color	RGB(0, 0, 0, 1)	
DisabledBorderColor		RGB(166, 166, 166, 1)
DisabledColor		RGB(166, 166, 166, 1)
DisabledFill	RGB(244, 244, 244, 1)	
Fill	RGB(255, 255, 255, 1)	
FocusedBorderColor		Self.BorderColor
HoverBorderColor		Self.BorderColor
HoverFill		Self.Fill
PressedBorderColor		Self.BorderColor
PressedFill		Self.Fill
Child & Parent Controls		
Child Controls		
Parent Control		GoLiveDate_DataCard1
ErrorMessage1		
Type		label
Data		
Live		Live.Assertive Live.Off
Role		TextRole.Default
Text		Parent.Error "Text"
Design		
Align		Align.Left
AutoHeight		true
BorderStyle		BorderStyle.Solid
BorderThickness		0
DisplayMode		DisplayMode.Edit
FocusedBorderThickness		0

Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Semibold	FontWeight.Normal
Height	10	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	txtEEPProjectID.Y + txtEEPProjectID.Height	
ZIndex	3	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
Color	RGBA(168, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	

HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectID_DataCard1

ErrorMessage10

Type  label

Data

Live	Live.Assertive	Live.Off
------	-----------------------	----------

Role

Text	TextRole.Default	
	Parent.Error	"Text"

Design

Align	Align.Left	
AutoHeight	true	

BorderStyle

BorderThickness	BorderStyle.Solid	
0		

DisplayMode

FocusedBorderThickness	DisplayStyle.Edit	
0		

Font

App.Theme.Font	Font.'Open Sans'	
-----------------------	------------------	--

FontSize

FontWeight.Semibold	FontWeight.Normal	
----------------------------	-------------------	--

Height

10	40	
-----------	----	--

Italic

LineHeight	false	
1.2		

Overflow

PaddingBottom	Overflow.Hidden	
0	5	

PaddingLeft

0	5	
----------	---	--

PaddingRight

0	5	
----------	---	--

PaddingTop

0	5	
----------	---	--

Size

14	13	
-----------	----	--

Strikethrough

Underline	false	
false		

VerticalAlign

Visible	VerticalAlign.Middle	
	Parent.DisplayMode=DisplayMode.Edit	

Width

Parent.Width - 60	150	
--------------------------	-----	--

X 30
Y txtEEPProjectDesc.Y + txtEEPProjectDesc.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectDesc_DataCard1

ErrorMessage11

Type  label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight true

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'
FontWeight **FontWeight.Semibold** FontWeight.Normal
Height **10** 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5
PaddingLeft **0** 5
PaddingRight **0** 5
PaddingTop **0** 5
Size **14** 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**
Width **Parent.Width - 60** 150
X 30
Y ddEEPStatus.Y + ddEEPStatus.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)
 RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)
 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill `RGBA(0, 0, 0, 0)`

FocusedBorderColor	<code>Self.BorderColor</code>
HoverBorderColor	<code>Self.BorderColor</code>
HoverColor	<code>Self.Color</code>
HoverFill	<code>Self.Fill</code>
PressedBorderColor	<code>Self.BorderColor</code>
PressedColor	<code>Self.Color</code>
PressedFill	<code>Self.Fill</code>
Child & Parent Controls	
Child Controls	
Parent Control	<code>Status_DataCard1</code>

ErrorMessage12

Type	 <code>label</code>
Data	
Live	<code>Live.Assertive</code> <code>Live.Off</code>
Role	<code>TextRole.Default</code>
Text	<code>Parent.Error</code> <code>"Text"</code>
Design	
Align	<code>Align.Left</code>
AutoHeight	<code>true</code>
BorderStyle	<code>BorderStyle.Solid</code>
BorderThickness	<code>0</code>
DisplayMode	<code>DisplayMode.Edit</code>
FocusedBorderThickness	<code>0</code>
Font	<code>App.Theme.Font</code> <code>Font.'Open Sans'</code>
FontWeight	<code>FontWeight.Semibold</code> <code>FontWeight.Normal</code>
Height	<code>10</code> <code>40</code>
Italic	<code>false</code>
LineHeight	<code>1.2</code>
Overflow	<code>Overflow.Hidden</code>
PaddingBottom	<code>0</code> <code>5</code>
PaddingLeft	<code>0</code> <code>5</code>
PaddingRight	<code>0</code> <code>5</code>
PaddingTop	<code>0</code> <code>5</code>
Size	<code>14</code> <code>13</code>
Strikethrough	<code>false</code>

Underline false
VerticalAlign VerticalAlign.Middle
Visible Parent.DisplayMode=DisplayMode.Edit

Width Parent.Width - 60 150

X 30
Y txtEEPNDLOB.Y + txtEEPNDLOB.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)
 RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)
 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NDB_LOB_DataCard1

ErrorMessage13

Type  label

Data
Live Live.Assertive Live.Off

Role TextRole.Default

Text	Parent.Error	"Text"
Design		
Align	Align.Left	
AutoHeight	true	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Semibold	FontWeight.Normal
Height	10	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible		Parent.DisplayMode=DisplayMode.Edit
Width	Parent.Width - 60	150
X	30	
Y	txtEEPProjectType.Y + txtEEPProjectType.Height	
ZIndex	3	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
		RGBA(0, 18, 107, 1)
Color	RGBA(168, 0, 0, 1)	
		RGBA(0, 0, 0, 1)
DisabledBorderColor		RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control ProjectType_DataCard1

ErrorMessage14

Type  label

Data

Live **Live.Assertive** Live.Off

Role TextRole.Default

Text **Parent.Error** "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderSide.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 10 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 0 5

PaddingLeft 0 5

PaddingRight 0 5

PaddingTop 0 5

Size 14 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Visible Parent.DisplayMode=DisplayMode.Edit

Width Parent.Width - 60 150

X 30

Y txtEEPNewMarket.Y + txtEEPNewMarket.Height

ZIndex 3

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control NewMarket_DataCard1

ErrorMessage15

Type  label

Data	Live		
	Live.Assertive Live.Off		
Role	TextRole.Default		
Text	Parent.Error "Text"		
Design			
Align	Align.Left		
AutoHeight	true		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	App.Theme.Font Font.'Open Sans'		
FontWeight	FontWeight.Semibold FontWeight.Normal		
Height	10	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	0	5	
PaddingLeft	0	5	
PaddingRight	0	5	
PaddingTop	0	5	
Size	14	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	Parent.DisplayMode=DisplayMode.Edit		
Width	Parent.Width - 60 150		
X	30		
Y	txtEEPProvRef.Y + txtEEPProvRef.Height		
ZIndex	3		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		

Color RGBA(168, 0, 0, 1)

RGB(0, 0, 0)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

ProvRef_DataCard1

ErrorMessage16

Type  label

Data

Live **Live.Assertive** Live.Off

Role TextRole.Default

Text **Parent.Error** "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 10 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 0 5

PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	txtEEPProjectStatus.Y + txtEEPProjectStatus.Height	
ZIndex	3	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(168, 0, 0, 1)	
	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	Status_DataCard2	

ErrorMessage17

Type  label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **10** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y DataCardValue1.Y + DataCardValue1.Height
ZIndex 3

Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGB(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

RefreshInd_DataCard1

ErrorMessage2

Type  label

Data

Live **Live.Assertive** Live.Off

Role TextRole.Default

Text **Parent.Error** "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height	10	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	txtEEPAnalyst.Y + txtEEPAnalyst.Height	
ZIndex	3	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
RGB(0, 18, 107, 1)		
Color	RGBA(168, 0, 0, 1)	
RGB(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	

PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	Analyst_DataCard1	
ErrorMessage3		
Type		label
Data		
Live	Live.Assertive Live.Off	
Role	TextRole.Default	
Text	Parent.Error "Text"	
Design		
Align	Align.Left	
AutoHeight	true	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal	
Height	10	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	txtEEPBenchmarkFileDialog.Y + txtEEPBenchmarkFileDialog.Height	
ZIndex	3	

Color Properties**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)**DisabledColor** RGBA(166, 166, 166, 1)**DisabledFill** RGBA(0, 0, 0, 0)**Fill** RGBA(0, 0, 0, 0)**FocusedBorderColor** Self.BorderColor**HoverBorderColor** Self.BorderColor**HoverColor** Self.Color**HoverFill** Self.Fill**PressedBorderColor** Self.BorderColor**PressedColor** Self.Color**PressedFill** Self.Fill**Child & Parent Controls****Child Controls****Parent Control** BenchmarkFileID_DataCard1

ErrorMessage4

Type  label**Data****Live** Live.Assertive Live.Off**Role** TextRole.Default**Text** Parent.Error "Text"**Design****Align** Align.Left**AutoHeight** true**BorderStyle** BorderStyle.Solid**BorderThickness** 0**DisplayMode** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'
FontWeight **FontWeight.Semibold** FontWeight.Normal
Height 10 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 0 5
PaddingLeft 0 5
PaddingRight 0 5
PaddingTop 0 5
Size 14 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible Parent.DisplayMode=DisplayMode.Edit
Width Parent.Width - 60 150
X 30
Y txtEEPDataLoadDate.Y + txtEEPDataLoadDate.Height
ZIndex 6
Color Properties
BorderColor RGBA(0, 0, 0, 1)
 RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)
 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	DataLoadDate_DataCard1

ErrorMessage5

Type	 label
Data	
Live	Live.Assertive Live.Off
Role	TextRole.Default
Text	Parent.Error "Text"
Design	
Align	Align.Left
AutoHeight	true
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal
Height	10 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	0 5
PaddingLeft	0 5
PaddingRight	0 5
PaddingTop	0 5
Size	14 13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	Parent.DisplayMode=DisplayMode.Edit

Width Parent.Width - 60 150
X 30
Y dpEEPGoLiveDate.Y + dpEEPGoLiveDate.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control GoLiveData_DataCard1

ErrorMessage6

Type  label
Data
Live Live.Assertive Live.Off
Role TextRole.Default
Text Parent.Error "Text"
Design
Align Align.Left

AutoHeight	true	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal	
Height	10	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	txtEEPLastEditDate.Y + txtEEPLastEditDate.Height	
ZIndex	6	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(168, 0, 0, 1)	
	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	

Fill `RGBA(0, 0, 0, 0)`

FocusedBorderColor	<code>Self.BorderColor</code>
HoverBorderColor	<code>Self.BorderColor</code>
HoverColor	<code>Self.Color</code>
HoverFill	<code>Self.Fill</code>
PressedBorderColor	<code>Self.BorderColor</code>
PressedColor	<code>Self.Color</code>
PressedFill	<code>Self.Fill</code>
Child & Parent Controls	
Child Controls	
Parent Control	<code>LastEditDate_DataCard1</code>

ErrorMessage7

Type	 <code>label</code>
Data	
Live	<code>Live.Assertive</code> <code>Live.Off</code>
Role	<code>TextRole.Default</code>
Text	<code>Parent.Error</code> <code>"Text"</code>
Design	
Align	<code>Align.Left</code>
AutoHeight	<code>true</code>
BorderStyle	<code>BorderStyle.Solid</code>
BorderThickness	<code>0</code>
DisplayMode	<code>DisplayMode.Edit</code>
FocusedBorderThickness	<code>0</code>
Font	<code>App.Theme.Font</code> <code>Font.'Open Sans'</code>
FontWeight	<code>FontWeight.Semibold</code> <code>FontWeight.Normal</code>
Height	10 <code>40</code>
Italic	<code>false</code>
LineHeight	<code>1.2</code>
Overflow	<code>Overflow.Hidden</code>
PaddingBottom	0 <code>5</code>
PaddingLeft	0 <code>5</code>
PaddingRight	0 <code>5</code>
PaddingTop	0 <code>5</code>
Size	14 <code>13</code>

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible Parent.DisplayMode=DisplayMode.Edit

Width Parent.Width - 60 150

X 30
Y txtEEPLastEditMSID.Y + txtEEPLastEditMSID.Height
ZIndex 3

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control LastEditMSID_DataCard1

ErrorMessage8

Type  label

Data

Live

Live.Assertive Live.Off

Role	TextRole.Default	
Text	Parent.Error "Text"	
Design		
Align	Align.Left	
AutoHeight	true	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal	
Height	10	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	ddEEP.Mileage.Y + ddEEP.Mileage.Height	
ZIndex	3	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(168, 0, 0, 1)	
	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

MaxMileage_DataCard1

ErrorMessage9

Type label

Data

Live Live.Assertive Live.Off

Role TextRole.Default

Text Parent.Error "Text"

Design

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 10 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 0 5

PaddingLeft 0 5

PaddingRight 0 5

PaddingTop	0	5
Size	14	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	Parent.DisplayMode=DisplayMode.Edit	
Width	Parent.Width - 60	150
X	30	
Y	txtEEPProjectManager.Y + txtEEPProjectManager.Height	
ZIndex	3	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(168, 0, 0, 1)	
	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	PM_DataCard1	

FormCoverBackground

Type  rectangle

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **522**

Visible **varFormCoverMode**

Width **916**

X **412**

Y **210**

ZIndex **23**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill **App.Theme.Colors.Primary**

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls

Child Controls

Parent Control **EditProjectScreen**

galleryTemplate2

Type  galleryTemplate

Design

TemplateFill **RGBA(0, 0, 0, 0)**

Child & Parent Controls

Child Controls

Parent Control **galProjects**

galleryTemplate6

Type  galleryTemplate

Design

TemplateFill `RGBA(0, 0, 0, 0)`

Child & Parent Controls

Child Controls

Parent Control `galMiniMenu`

galMiniMenu

Type  gallery

Data

Items `colMiniMenu CustomGallerySample`

WrapCount `1`

Design

#CopilotOverlayLabel `"Filtered"`

#CopilotOverlayVisible `false`

BorderStyle `BorderStyle.Solid`

DelayItemLoading `true`

DisplayMode `varMiniMenu DisplayMode.Edit`

Height `522 575`

Layout `Layout.Vertical`

LoadingSpinner `LoadingSpinner.Data LoadingSpinner.None`

LoadingSpinnerColor `Self.BorderColor`

ShowScrollbar `false`

TemplatePadding `0`

TemplateSize `65.3 Min(160, Self.Height - 60)`

Transition `Transition.Pop Transition.None`

Width `179 640`

X `412`

Y `210`

ZIndex `8`

Color Properties

BorderColor `App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)`

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill

Child & Parent Controls

Child Controls galleryTemplate6
Rectangle9
btnMenuButton
Separator6

Parent Control EditProjectScreen

galProjects

Type  gallery

Data Items **galProjectData** CustomGallerySample

WrapCount 1

Design

#CopilotOverlayLabel "Filtered"

#CopilotOverlayVisible false

BorderStyle BorderStyle.Solid

DelayItemLoading true

DisplayMode DisplayMode.Edit

Height 518 575

Layout Layout.Vertical

LoadingSpinner **LoadingSpinner.Data** LoadingSpinner.None

LoadingSpinnerColor Self.BorderColor

TemplatePadding 0

TemplateSize 134 Min(160, Self.Height - 60)

Transition **Transition.Pop** Transition.None

Width 367 640

X 28

Y 212

ZIndex 7
Color Properties
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate2
Rectangle6
Body1_2
Body1_3
Body1_1
Title2
iconEdit
IconDelete
Subtitle2
Body1
Separator2

Parent Control EditProjectScreen

GoLiveData_DataCard1

Type [?](#) typedDataCard

Data
DataField "GoLiveData"

Default ThisItem.GoLiveData

DisplayName [DataSourceInfo\(\[@CS_EXP_Project_Translation\],DataSourceInfo.DisplayName,GoLiveData\)](#)

MaxLength [DataSourceInfo\(\[@CS_EXP_Project_Translation\], DataSourceInfo.MaxLength, GoLiveData\)](#)

Required false

Update dpEEPGoLiveData.SelectedDate

Design

BorderStyle BorderStyle.Solid

DisplayMode Parent.DisplayMode

Height 50

Width 240

X 2
Y 1
ZIndex 1

Color Properties

BorderColor App.Theme.Colors.Darker40

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible5
DataCardKey5
dpEEPGoLiveDate
ErrorMessage5

Parent Control BasicInfoForm

grpDeletePopup

Type  group

Design

Height 5
Width 5
X 40
Y -109
ZIndex 35

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

grpDevLabel_3

Type  group

Design

Height 5
Width 5
X 80
Y 80
ZIndex 40

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpFormCover

Type  group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 9
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpMSID_1

Type  group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 13
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpStatusChangePop

Type  group

Design
Height 5
Width 5
X 40
Y -109
ZIndex 28
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpWarningPopup

Type  group

Design
Height 5
Width 5
X 40
Y -109
ZIndex 19
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Header1_3

Type  Header
Behavior
OnSelectLogo false
Data
BasePaletteColor
FontColor
Logo Picture1
Title "Axis Program Management: Edit Project"
UserEmail User().Email
UserImage User().Image
UserName User().FullName
Design
DisplayMode DisplayMode.Edit
Height 75
Width Parent.Width
X 0
Y 0
ZIndex 1
Child & Parent Controls
Child Controls
Parent Control HeaderContainer1_3

HeaderContainer1_3

Type  horizontalAutoLayoutContainer
Design
BorderStyle BorderStyle.Solid

ChildTabPriority	true
DisplayMode	DisplayMode.Edit
DropShadow	DropShadow.Light
Height	75
LayoutAlignItems	LayoutAlignItems.Start
LayoutDirection	LayoutDirection.Horizontal
LayoutGap	0
LayoutJustifyContent	LayoutJustifyContent.Start
LayoutMode	LayoutMode.Auto
LayoutOverflowX	LayoutOverflow.Hide
LayoutOverflowY	LayoutOverflow.Hide
LayoutWrap	false
RadiusBottomLeft	4
RadiusBottomRight	4
RadiusTopLeft	4
RadiusTopRight	4
Width	500
X	0
Y	0
ZIndex	2

Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls

Child Controls Header1_3

Parent Control ScreenContainer1_2

Icon1_6

Type [?](#) PowerApps_CoreControls_Icon
Data Icon "GlobeWarning"
IconColor RGBA(255, 0, 0, 1)

IconStyle 'Icon.IconStyle'.Outline

Design
DisplayMode DisplayMode.Edit

Height 45

Width 45

X 1299
Y 704
ZIndex 38

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

Icon1_7

Type [?](#) PowerApps_CoreControls_Icon

Data Icon "GlobeWarning"

IconColor RGBA(255, 0, 0, 1)

IconStyle 'Icon.IconStyle'.Outline

Design
DisplayMode DisplayMode.Edit

Height 45

Width 45

X 1052
Y 704
ZIndex 37

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

Icon2

Type  icon

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **64**

Icon **Icon.ArrowLeft**

Visible **varFormCoverMode**

Width **65**

X **567**

Y **438**

ZIndex **25**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Color **RGB(255, 255, 255, 1)**

DisabledBorderColor **RGB(166, 166, 166, 1)**

DisabledColor **RGB(244, 244, 244, 1)**

DisabledFill **Self.Fill**

Fill **RGB(0, 0, 0, 0)**

FocusedBorderColor **Self.BorderColor**

HoverBorderColor	<code>ColorFade(Self.BorderColor, 20%)</code>
HoverColor	<code>ColorFade(Self.Color, 20%)</code>
HoverFill	<code>Self.Fill</code>
PressedBorderColor	<code>ColorFade(Self.BorderColor, -20%)</code>
PressedColor	<code>ColorFade(Self.Color, -20%)</code>
PressedFill	<code>Self.Fill</code>
Child & Parent Controls	
Child Controls	
Parent Control	<code>EditProjectScreen</code>

Icon3

Type  icon

Design	
BorderStyle	<code>BorderStyle.Solid</code>
BorderThickness	<code>0</code>
DisplayMode	<code>DisplayMode.Edit</code>
FocusedBorderThickness	<code>2</code>
Height	<code>40</code>
Icon	<code>Icon.Search</code>
PaddingBottom	<code>5</code>
PaddingLeft	<code>5</code>
PaddingRight	<code>5</code>
PaddingTop	<code>5</code>
Width	<code>40</code>
X	<code>249</code>
Y	<code>142</code>
ZIndex	<code>14</code>
Color Properties	
BorderColor	<code>App.Theme.Colors.Darker40</code>
Color	<code>App.Theme.Colors.Darker30</code>
DisabledBorderColor	<code>RGBA(166, 166, 166, 1)</code>

DisabledColor `RGBA(244, 244, 244, 1)`

DisabledFill `Self.Fill`

Fill `RGBA(0, 0, 0, 0)`

FocusedBorderColor `Self.BorderColor`

HoverBorderColor `ColorFade(Self.BorderColor, 20%)`

HoverColor `ColorFade(Self.Color, 20%)`

HoverFill `Self.Fill`

PressedBorderColor `ColorFade(Self.BorderColor, -20%)`

PressedColor `ColorFade(Self.Color, -20%)`

PressedFill `Self.Fill`

Child & Parent Controls

Child Controls

Parent Control `EditProjectScreen`

IconDelete

Type  icon

Behavior

OnSelect

`ResetForm(BasicInfoForm)`

```
; Set(varExistingProjectsScreenFormData,ThisItem); Set(varFormMode,FormMode.Edit);
Set(varFormCoverMode,false); Set(varMiniMenu,DisplayMode.Edit);
Set(varCurrentProjectID,txtEEPProjectID.Text); Set(varCurrentAnalyst,txtEEPAналит.Текст);
Set(varCurrentProjectManager,txtEEPProjectManager.Text);
Set(varCurrentGoLiveDate,dpEEPGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddEEMileage.Selected.Value);
Set(varCurrentBenchmarkFileID,txtEEPBenchmarkFileID.Text);
Set(varCurrentNDBLOB,txtEEPNDLOB.Text);
Set(varCurrentProjectDesc,txtEEPProjectDesc.Text);
Set(varCurrentProjectType,txtEEPProjectType.Text);
Set(varCurrentProjectStatus,ddEEPStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtEEPLastEditDate.SelectedDate));
```

```
Set(varCurrentLastEditMSID,txtMSID.Text); Set(varEditProject,true);
Set(galProjectData,Filter(galProjectData,ProjectID = varCurrentProjectID));
If(ddEEPStatus.Selected.Value =
"InActive",Set(varStatusInActive,true),Set(varStatusInActive,false));
If(ddEEPStatus.Selected.Value = "Active",Set(varStatusActive,true),Set(varStatusActive,false));
Set(DeleteProject,true);
```

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **1**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **32**

Icon **Icon.Trash**

Visible **DelReady**

Width **32**

X **320**

Y **51**

ZIndex **9**

Color Properties

BorderColor **RGBA(215, 58, 60, 1)**

Color **RGBA(215, 58, 60, 1)**

DisabledBorderColor **RGBA(166, 166, 166, 1)**

DisabledColor **RGBA(244, 244, 244, 1)**

DisabledFill **Self.Fill**

Fill **RGBA(0, 0, 0, 0)**

FocusedBorderColor	Self.BorderColor
HoverBorderColor	ColorFade(Self.BorderColor, 20%)
HoverColor	ColorFade(Self.Color, 20%)
HoverFill	Self.Fill
PressedBorderColor	ColorFade(Self.BorderColor, -20%)
PressedColor	ColorFade(Self.Color, -20%)
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

iconEdit

Type  icon

Behavior
OnSelect ResetForm(BasicInfoForm)

```
; Set(varExistingProjectsScreenFormData,ThisItem); Set(varFormMode,FormMode.Edit);
Set(varFormCoverMode,false); Set(varMiniMenu,DisplayMode.Edit);
Set(varCurrentProjectID,txtEEPProjectID.Text); Set(varCurrentAnalyst,txtEEPAналитик.Text);
Set(varCurrentProjectManager,txtEEPProjectManager.Text);
Set(varCurrentGoLiveDate,dpEEPGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddEEMileage.Selected.Value);
Set(varCurrentBenchmarkFileDialog,txtEEMBenchmarkFileDialog.Text);
Set(varCurrentNDBLOB,txtEENDBLOB.Text);
Set(varCurrentProjectDesc,txtEEPProjectDesc.Text);
Set(varCurrentProjectType,txtEEPProjectType.Text);
Set(varCurrentProjectStatus,ddEEPStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtEEPLastEditDate.SelectedDate));
Set(varCurrentLastEditMSID,txtMSID.Text); Set(varEditProject,true);
Set(galProjectData,Filter(galProjectData,ProjectID = varCurrentProjectID));
If(ddEEPStatus.Selected.Value =
"InActive",Set(varStatusInActive,true),Set(varStatusInActive,false));
If(ddEEPStatus.Selected.Value = "Active",Set(varStatusActive,true),Set(varStatusActive,false));
If(AdminMode,Set(DelReady,true));
```

Design

BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2

Height	50
Icon	Icon.Edit
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Width	50
X	263
Y	(Parent.TemplateHeight / 2) - (Self.Height / 2)
ZIndex	7
Color Properties	
BorderColor	App.Theme.Colors.Darker40
Color	App.Theme.Colors.Darker30
DisabledBorderColor	RGBA(166, 166, 166, 1)

DisabledColor **RGBA(244, 244, 244, 1)**

DisabledFill **Self.Fill**

Fill **RGBA(0, 0, 0, 0)**

FocusedBorderColor	Self.BorderColor
HoverBorderColor	ColorFade(Self.BorderColor, 20%)
HoverColor	ColorFade(Self.Color, 20%)
HoverFill	Self.Fill
PressedBorderColor	ColorFade(Self.BorderColor, -20%)
PressedColor	ColorFade(Self.Color, -20%)
PressedFill	Self.Fill

Child & Parent Controls
Child Controls

Label10_2

Type  label**Data****Live** Live.Off
Role TextRole.Default
Text "Warning" "Text"**Design****Align** Align.Center Align.Left**BorderStyle** BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'**FontWeight** FontWeight.Bold FontWeight.Normal**Height** 49 40**Italic** false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 18 13**Strikethrough** false
Underline false
VerticalAlign VerticalAlign.Middle
Visible varMileChange**Width** 491 150**X** 429
Y 258
ZIndex 19**Color Properties**
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)**Color** RGBA(0, 0, 0, 1)**DisabledBorderColor** RGBA(56, 56, 56, 1)**DisabledColor** RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label10_3

Type  label

Data
Live Live.Off
Role TextRole.Default
Text "Confirm" "Text"

Design
Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Bold FontWeight.Normal

Height 49 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 18 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible false

Width 491 150

X 429
Y 258
ZIndex 3

Color Properties

BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

Label10_4

Type  label

Data

Live Live.Off
Role TextRole.Default
Text "STOP" "Text"

Design

Align Align.Center Align.Left

BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Bold	FontWeight.Normal
Height	49	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	22	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	DeleteProject	
Width	491	150
X	429	
Y	258	
ZIndex	33	
Color Properties		
BorderColor		App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
Color	RGBA(255, 0, 0, 1)	
		RGBA(0, 0, 0, 1)
DisabledBorderColor		RGBA(56, 56, 56, 1)
DisabledColor		RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(40, 134, 222, 1)	
		RGBA(0, 0, 0, 0)
FocusedBorderColor		Self.BorderColor

HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label11_2

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	"Continuing Will Reset Service Area""Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Semibold FontWeight.Normal
Height	57 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	15 13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	varMileChange
Width	491 150
X	429
Y	336
ZIndex	20
Color Properties	
BorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

EditProjectScreen

Label11_3

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "Set All Primary Project Tables To InActive?" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 57 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	15 13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	false
Width	491 150
X	429
Y	336
ZIndex	4
Color Properties	
BorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label11_4

Type  label

Data	
Live	Live.Off
Role	TextRole.Default
Text	"THIS WILL PERMANENTLY DELETE RECORDS FROM ALL SQL TABLES"
	"Text"

Design		
Align	Align.Center	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Bold	FontWeight.Normal
Height	57	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	15	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	DeleteProject	
Width	491	150
X	429	
Y	336	
ZIndex	34	
Color Properties		
BorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	

PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Label3_5

Type  label

Data
Live Live.Off
Role TextRole.Default
Text "MSID" "Text"

Design
Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 1 0

DisplayMode DisplayMode.View DisplayMode.Edit

FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible false

Width 150
X 724
Y 552
ZIndex 15

Color Properties
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

 RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

 EditProjectScreen

Label4

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "Please Select An Item From The Gallery" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderSide.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Bold FontWeight.Normal

Height 75 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	varFormCoverMode
Width	605 150
X	567
Y	433
ZIndex	24
Color Properties	
BorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
Color	RGBA(255, 255, 255, 1)
RGB	RGB(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGB(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

LastEditDate_DataCard1

Type ⓘ	typedDataCard
Data	

DataField "LastEditDate"

Default ThisItem.LastEditDate

DisplayName DataSourceInfo(
[@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,LastEditDate)

Required false

Update txtEEPLastEditDate.SelectedDate

Design
BorderStyle BorderStyle.Solid

DisplayMode DisplayMode.Disabled

Height 50

Width 240

X 1
Y 3
ZIndex 1

Color Properties
BorderColor App.Theme.Colors.Darker40

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible6
DataCardKey6
txtEEPLastEditDate
ErrorMessage6

Parent Control BasicInfoForm

LastEditMSID_DataCard1

Type (?) typedDataCard

Data
DataField "LastEditMSID"

Default ThisItem.LastEditMSID

DisplayName DataSourceInfo(
[@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,LastEditMSID)

MaxLength DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, LastEditMSID)

Required	false
Update	txtEEPLastEditMSID.Text
Design	
BorderStyle	BorderStyle.Solid
DisplayMode	DisplayMode.Disabled
Height	50
Width	240
X	2
Y	3
ZIndex	1
Color Properties	
BorderColor	App.Theme.Colors.Darker40
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls	StarVisible7
DataCardKey7	
txtEEPLastEditMSID	
ErrorMessage7	
Parent Control	BasicInfoForm

MaxMileage_DataCard1

Type ⓘ	typedDataCard
Data	
DataField	"MaxMileage"
Default	ThisItem.MaxMileage
DisplayName	DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,MaxMileage)
Required	false
Update	ddEEPMileage.Selected.Value
Design	
BorderStyle	BorderStyle.Solid

DisplayMode	Parent.DisplayMode
Height	50
Visible	If(varCurrentProjectType="L",false,true)
Width	240
X	3
Y	1
ZIndex	1
Color Properties	
BorderColor	App.Theme.Colors.Darker40
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible8

DataCardKey8

ddEEP_Mileage

ErrorMessage8

Parent Control BasicInfoForm

NDB_LOB_DataCard1

Type  typedDataCard

Data

DataField "NDB_LOB"

Default ThisItem.NDB_LOB

DisplayName

DataSourceInfo([

@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,NDB_LOB)

MaxLength

DataSourceInfo([@CS_EXP_Project_Translation]

n], DataSourceInfo.MaxLength, NDB_LOB)

Required false

Update txtEEP_NDBLOB.Text

Design

BorderStyle BorderStyle.Solid

DisplayMode Parent.DisplayMode

Height	50
Visible	true
Width	240
X	2
Y	2
ZIndex	1
Color Properties	
BorderColor	App.Theme.Colors.Darker40
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible12

DataCardKey12

txtEEPNDLOB

ErrorMessage12

Parent Control BasicInfoForm

NewMarket_DataCard1

Type [?](#) typedDataCard

Data

DataField "NewMarket"

Default ThisItem.NewMarket

DisplayName

DataSourceInfo([

@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,NewMarket)

MaxLength

DataSourceInfo(@CS_EXP_Project_Translatio

n], DataSourceInfo.MaxLength, NewMarket)

Required false

Update txtEEPNewMarket.Text

Design

BorderStyle BorderStyle.Solid

DisplayMode Parent.DisplayMode

Height 50

Visible	false
Width	240
X	2
Y	4
ZIndex	1
Color Properties	
BorderColor	App.Theme.Colors.Darker40
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls	StarVisible14
DataCardKey14	
txtEEPNewMarket	
ErrorMessage14	
Parent Control	BasicInfoForm

PM_DataCard1

Type	(?) typedDataCard
Data	
DataField	"PM"
Default	ThisItem.PM
DisplayName	DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,PM)
MaxLength	DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, PM)
Required	false
Update	txtEEPProjectManager.Text
Design	
BorderStyle	BorderStyle.Solid
DisplayMode	Parent.DisplayMode
Height	50
Width	(Parent.Width/3)*2

X 1
Y 1
ZIndex 1
Color Properties
BorderColor App.Theme.Colors.Darker40
Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible9
DataCardKey9
txtEEPProjectManager
ErrorMessage9

Parent Control BasicInfoForm

ProjectDesc_DataCard1

Type (?) typedDataCard
Data
DataField "ProjectDesc"
Default ThisItem.ProjectDesc
DisplayName DataSourceInfo(@CS_EXP_Project_Translation),DataSourceInfo.DisplayName,ProjectDesc)
MaxLength DataSourceInfo(@CS_EXP_Project_Translation),DataSourceInfo.MaxLength,ProjectDesc)
Required false
Update txtEEPProjectDesc.Text
Design
BorderStyle BorderStyle.Solid
DisplayMode Parent.DisplayMode
Height 50
Width (Parent.Width/3)*2

X 1
Y 0
ZIndex 1
Color Properties

BorderColor	App.Theme.Colors.Darker40
Fill	RGB(0, 0, 0)
Child & Parent Controls	
Child Controls StarVisible10 DataCardKey10 txtEEPProjectDesc ErrorMessage10	
Parent Control	BasicInfoForm
ProjectID_DataCard1	
Type ⓘ	typedDataCard
Data	
DataField	"ProjectID"
Default	ThisItem.ProjectID
DisplayName	DataSourceInfo([@
CS_EXP_Project_Translation],DataSourceInfo.DisplayName,ProjectID)	
MaxLength	DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, ProjectID)
Required	false
Update	txtEEPProjectID.Text
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Disabled
Height	50
Width	240
X	0
Y	0
ZIndex	1
Color Properties	
BorderColor	App.Theme.Colors.Darker40

Child & Parent Controls

Child Controls StarVisible13
DataCardKey13
txtEEPProjectType
ErrorMessage13

Parent Control BasicInfoForm

ProvRef_DataCard1

Type [?](#) typedDataCard

Data
DataField "ProvRef"

Default ThisItem.ProvRef

DisplayName [DataSourceInfo\(\[@CS_EXP_Project_Translation\].DataSourceInfo.DisplayName,ProvRef\)](#)

MaxLength [DataSourceInfo\(\[@CS_EXP_Project_Translation\],DataSourceInfo.MaxLength, ProvRef\)](#)

Required false

Update txtEEPProvRef.Text

Design
BorderStyle BorderStyle.Solid

DisplayMode Parent.DisplayMode

Height 50

Visible false

Width 240

X 0

Y 5

ZIndex 1

Color Properties

BorderColor App.Theme.Colors.Darker40

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible15

DataCardKey15
txtEEPProvRef
ErrorMessage15

Parent Control BasicInfoForm

Rectangle2_2

Type  rectangle

Design
BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 2

Height App.Height

Visible varMileChange

Width App.Width

X 0

Y 0

ZIndex 17

Color Properties

BorderColor App.Theme.Colors.Darker40

DisabledFill Self.Fill

Fill RGBA(176, 174, 174, 0.69)

FocusedBorderColor Self.BorderColor

HoverFill Self.Fill

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control EditProjectScreen

Rectangle2_3

Type  rectangle

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **App.Height**

Visible **false**

Width **App.Width**

X **0**

Y **0**

ZIndex **1**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill **RGBA(176, 174, 174, 0.69)**

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls

Child Controls

Parent Control **EditProjectScreen**

Rectangle2_4

Type  rectangle

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness	2
Height	App.Height
Visible	DeleteProject
Width	App.Width
X	0
Y	0
ZIndex	31
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	RGB(176, 174, 174, 0.69)

FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Rectangle3_2

Type  rectangle

Design	
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	252
Visible	varMileChange
Width	491
X	429
Y	258
ZIndex	18

Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	App.Theme.Colors.Primary
FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Rectangle3_3

Type  rectangle

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **252**

Visible **false**

Width **491**

X **429**

Y **258**

ZIndex **2**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill **App.Theme.Colors.Primary**

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls

Child Controls**Parent Control**

EditProjectScreen

Rectangle3_4

Type  rectangle**Design****BorderStyle** **BorderStyle.Solid****BorderThickness** **0****DisplayMode** **DisplayMode.Edit****FocusedBorderThickness** **2****Height** **252****Visible** **DeleteProject****Width** **491****X** **429****Y** **258****ZIndex** **32****Color Properties****BorderColor** **App.Theme.Colors.Darker40****DisabledFill** **Self.Fill****Fill** **App.Theme.Colors.Primary****FocusedBorderColor** **Self.BorderColor****HoverFill** **Self.Fill****PressedFill** **Self.Fill****Child & Parent Controls****Child Controls****Parent Control**

EditProjectScreen

Rectangle6

Type  rectangle**Behavior****OnSelect** **Select(Parent)****Design****BorderStyle** **BorderStyle.Solid**

BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	Parent.TemplateHeight - Separator2.Height
TabIndex	-1
Visible	ThisItem.IsSelected
Width	4
X	0
Y	0
ZIndex	6
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	App.Theme.Colors.Darker30
FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

Rectangle9

Type	 rectangle
Behavior	
OnSelect	Select(Parent)
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	Parent.TemplateHeight - Separator6.Height
TabIndex	-1

Visible	ThisItem.IsSelected
Width	4
X	0
Y	0
ZIndex	4
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	App.Theme.Colors.Darker30
FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galMiniMenu

RefreshInd_DataCard1

Type	② typedDataCard
Data	
DataField	"RefreshInd"
Default	ThisItem.RefreshInd
DisplayName	DataSourceInfo([
	@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,RefreshInd)
Required	false
Update	Value(DataCardValue1.Text)
Design	
BorderStyle	BorderStyle.Solid
DisplayMode	Parent.DisplayMode
Height	50
Visible	false
Width	240

X 2
Y 5
ZIndex 1
Color Properties
BorderColor App.Theme.Colors.Darker40
Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible17
DataCardKey17
DataCardValue1
ErrorMessage17

Parent Control BasicInfoForm

ScreenContainer1_2

Type  verticalAutoLayoutContainer

Design
BorderStyle BorderStyle.Solid

ChildTabPriority true

DisplayMode DisplayMode.Edit

DropShadow DropShadow.Light

Height 112

LayoutAlignItems LayoutAlignItems.Stretch

LayoutDirection LayoutDirection.Vertical

LayoutGap 16

LayoutJustifyContent LayoutJustifyContent.Start

LayoutMode LayoutMode.Auto

LayoutOverflowX LayoutOverflow.Hide

LayoutOverflowY LayoutOverflow.Hide

LayoutWrap false

PaddingBottom 16

PaddingLeft 16

PaddingRight	16
PaddingTop	16
RadiusBottomLeft	4
RadiusBottomRight	4
RadiusTopLeft	4
RadiusTopRight	4
Width	Parent.Width
X	0
Y	0
ZIndex	9
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls

Child Controls	HeaderContainer1_3
Parent Control	EditProjectScreen

Separator2

Type  rectangle

Behavior

OnSelect	Select(Parent)
-----------------	-----------------------

Design

BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	8
TabIndex	-1

Width	Parent.TemplateWidth
X	0
Y	Parent.TemplateHeight - Self.Height
ZIndex	5
Color Properties	
BorderColor	App.Theme.Colors.Darker40
DisabledFill	Self.Fill
Fill	RGB(0, 0, 0, 1)

FocusedBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

Separator6

Type	 rectangle
Behavior	
OnSelect	Select(Parent)
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	2
Height	4
TabIndex	-1
Width	Parent.TemplateWidth
X	0
Y	Parent.TemplateHeight - Self.Height
ZIndex	3
Color Properties	
BorderColor	App.Theme.Colors.Darker40

DisabledFill

Self.Fill

Fill `RGBA(0, 0, 0, 1)`

FocusedBorderColor

Self.BorderColor

HoverFill

Self.Fill

PressedFill

Self.Fill

Child & Parent Controls

Child Controls

Parent Control

`galMiniMenu`

StarVisible1

Type  `label`

Data

Live `Live.Off`
Role `TextRole.Default`
Text `"**"` `"Text"`

Design

Align `Align.Center` `Align.Left`

BorderStyle `BorderStyle.Solid`
BorderThickness `0`
DisplayMode `DisplayMode.Edit`
FocusedBorderThickness `0`
Font `App.Theme.Font` `Font.'Open Sans'`

FontWeight `FontWeight.Normal`

Height `DataCardKey1.Height` `40`

Italic `false`
LineHeight `1.2`
Overflow `Overflow.Hidden`
PaddingBottom `5`
PaddingLeft `5`
PaddingRight `5`
PaddingTop `5`
Size `13`
Strikethrough `false`
Underline `false`
VerticalAlign `VerticalAlign.Middle`
Visible `And(Parent.Required,`
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150
Wrap false
X 0
Y DataCardKey1.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)
 RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)
DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectID_DataCard1

StarVisible10

Type  label

Data
Live Live.Off
Role TextRole.Default
Text "*" "Text"

Design
Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal
Height DataCardKey10.Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey10.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color

PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectDesc_DataCard1

StarVisible11

Type  label
Data
Live Live.Off
Role TextRole.Default
Text "*" "Text"
Design
Align Align.Center Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'
FontWeight FontWeight.Normal
Height DataCardKey11.Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)
Width 30 150
Wrap false
X 0
Y DataCardKey11.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)
RGB(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control Status_DataCard1

StarVisible12

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height DataCardKey12.Height 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey12.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control NDB_LOB_DataCard1

StarVisible13

Type  label

Data

Live Live.Off

Role TextRole.Default
Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'
FontSize 13
FontWeight FontWeight.Normal
Height DataCardKey13.Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey13.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)
RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectType_DataCard1

StarVisible14

Type  label

Data

Live	Live.Off
Role	TextRole.Default
Text	"*" "Text"

Design

Align	Align.Center	Align.Left
--------------	---------------------	------------

BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'

FontWeight	FontWeight.Normal
-------------------	-------------------

Height	DataCardKey14.Height	40
---------------	-----------------------------	----

Italic	false
---------------	-------

LineHeight	1.2
-------------------	-----

Overflow	Overflow.Hidden
-----------------	-----------------

PaddingBottom	5
----------------------	---

PaddingLeft	5
--------------------	---

PaddingRight	5
---------------------	---

PaddingTop	5
-------------------	---

Size	13
-------------	----

Strikethrough	false
----------------------	-------

Underline	false
------------------	-------

VerticalAlign	VerticalAlign.Middle
----------------------	----------------------

Visible	And(Parent.Required,
	Parent.DisplayMode=DisplayMode.Edit)

Width	30	150
--------------	-----------	-----

Wrap	false
-------------	--------------

X	0
----------	---

Y DataCardKey14.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)
Color RGBA(0, 18, 107, 1)

DisabledBorderColor App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)
DisabledColor RGBA(56, 56, 56, 1)

DisabledFill RGBA(166, 166, 166, 1)
Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewMarket_DataCard1

StarVisible15

Type  label

Data
Live Live.Off
Role TextRole.Default
Text "*" "Text"

Design
Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height	DataCardKey15.Height	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)	
Width	30	150
Wrap	false	
X	0	
Y	DataCardKey15.Y	
ZIndex	4	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	App.Theme.Colors.Darker30	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	ProvRef_DataCard1	

StarVisible16

Type  label

Data

Live Live.Off
Role TextRole.Default
Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal
Height DataCardKey16.Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey16.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)
RGB(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

 Status_DataCard2

StarVisible17

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height DataCardKey17.Height 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey17.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control RefreshInd_DataCard1

StarVisible2

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "*" "Text"

Design

Align	Align.Center	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	DataCardKey2.Height	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	And(Parent.Required,	
	Parent.DisplayMode=DisplayMode.Edit)	
Width	30	150
Wrap	false	
X	0	
Y	DataCardKey2.Y	
ZIndex	4	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	App.Theme.Colors.Darker30	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	

HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Analyst_DataCard1

StarVisible3

Type  label

Data	
Live	Live.Off
Role	TextRole.Default
Text	"*" "Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Normal
Height	DataCardKey3.Height 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)
Width	30 150
Wrap	false
X	0
Y	DataCardKey3.Y
ZIndex	4
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control BenchmarkFileID_DataCard1

StarVisible4

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height DataCardKey4.Height 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey4.Y
ZIndex 7

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control DataLoadDate_DataCard1

StarVisible5

Type  label

Data

Live Live.Off
Role TextRole.Default
Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'
FontWeight FontWeight.Normal
Height DataCardKey5.Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey5.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)
Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)
DisabledBorderColor RGBA(56, 56, 56, 1)
DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	GoLiveData_DataCard1

StarVisible6

Type  label

Data	
Live	Live.Off
Role	TextRole.Default
Text	"*" "Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Normal
Height	DataCardKey6.Height 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0

Y DataCardKey6.Y

ZIndex 7

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGB(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor

HoverColor Self.Color

HoverFill Self.Fill

PressedBorderColor Self.BorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control LastEditDate_DataCard1

StarVisible7

Type  label

Data

Live Live.Off

Role TextRole.Default

Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

```

FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal
Height DataCardKey7.Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey7.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

                    RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

```

Child & Parent Controls
Child Controls
Parent Control LastEditMSID_DataCard1

StarVisible8

Type  label

Data

Live Live.Off
Role TextRole.Default
Text "*" "Text"

Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal
Height DataCardKey8.Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey8.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)
RGB(0, 18, 107, 1)

Color	App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	MaxMileage_DataCard1

StarVisible9

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	"*" "Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Normal
Height	DataCardKey9.Height 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5

Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible And(Parent.Required,
Parent.DisplayMode=DisplayMode.Edit)

Width 30 150

Wrap false

X 0
Y DataCardKey9.Y
ZIndex 4

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control PM_DataCard1

Status_DataCard1

Type (?) typedDataCard

Data

DataField "Status"

Default	ThisItem.Status
DisplayName	DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,Status)
MaxLength	DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, Status)
Required	false
Update	ddEEPStatus.Selected.Value
Design	
BorderStyle	BorderStyle.Solid
DisplayMode	Parent.DisplayMode
Height	50
Width	240
X	4
Y	1
ZIndex	1
Color Properties	
BorderColor	App.Theme.Colors.Darker40
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls	
Child Controls	StarVisible11
DataCardKey11	
ddEEPStatus	
ErrorMessage11	
Parent Control	BasicInfoForm

Status_DataCard2

Type ⓘ	typedDataCard
Data	
DataField	"Status"

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,Status)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, Status)**

Required **false**

Update **txtEEPProjectStatus.Text**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **false**

Width **240**

X **1**
Y **5**
ZIndex **1**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill **RGBA(0, 0, 0, 0)**

Child & Parent Controls

Child Controls StarVisible16
 DataCardKey16
 txtEEPProjectStatus
 ErrorMessage16

Parent Control BasicInfoForm

StatusIcon

Type  icon

Behavior

OnSelect **// Determine the status to update**

Set(varStatusToUpdate,If(varStatusActive, "Active", If(varStatusInActive, "InActive", Blank()))); //

Only proceed if a status is selected and Dropdown value has changed

If(!IsBlank(varStatusToUpdate)&& Not(varCurrentProjectStatus=varStatusToUpdate),

UpdateIf(CS_EXP_Project_Translation,ProjectID = varCurrentProjectID,{Status:

varStatusToUpdate}); UpdateIf(CS_EXP_YLine_Translation,ProjectID =

```

varCurrentProjectID,{ProjectStatus: varStatusToUpdate});
UpdateIf(CS_EXP_zTrxServiceArea_Stage,ProjectID = varCurrentProjectID,{ProjectStatus:
varStatusToUpdate});  uspCsExpZtrxServiceAreaV4.Run(varCurrentProjectID);
UpdateIf(CS_EXP_ProjectNotes,ProjectID = varCurrentProjectID,{ProjectStatus:
varStatusToUpdate});  UpdateIf(CS_EXP_Competitor_Translation,ProjectID =
varCurrentProjectID,{ProjectStatus: varStatusToUpdate});
UpdateIf(CS_EXP_Sel_PLProducts,ProjectID = varCurrentProjectID,{ProjectStatus:
varStatusToUpdate});  Set(varUpdateResult,"Project status updated successfully to " &
varStatusToUpdate),  Set(varUpdateResult,"No update performed. Please select Active or
Inactive."));

```

Design

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 2

Height 64

Icon Icon.Printing3D

Visible false

Width 64

X 997

Y 130

ZIndex 30

Color Properties

BorderColor App.Theme.Colors.Darker40

Color RGBA(255, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill Self.Fill

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	ColorFade(Self.BorderColor, 20%)
HoverColor	ColorFade(Self.Color, 20%)
HoverFill	Self.Fill
PressedBorderColor	ColorFade(Self.BorderColor, -20%)
PressedColor	ColorFade(Self.Color, -20%)
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Subtitle2

Type	 label
Behavior	
OnSelect	Select(Parent)
Data	
Live	Live.Off
Role	TextRole.Default
Text	"PM: "&ThisItem.PM "Text"
Design	
Align	Align.Left
AutoHeight	true
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	If(ThisItem.IsSelected, FontWeight.Semibold,
FontWeight.Normal)	FontWeight.Normal
Height	Self.Size * 3 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	0 5
PaddingLeft	0 5

PaddingRight 0 5
PaddingTop 0 5
Size 12 13
Strikethrough false
TabIndex -1
Underline false
VerticalAlign VerticalAlign.Top VerticalAlign.Middle
Width Title2.Width 150
X Title2.X
Y Title2.Y + Title2.Height
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galProjects

TextCanvas1_3

Type ⓘ PowerApps_CoreControls_TextCanvas

Data Align	'TextCanvas.Align'.Center
AutoHeight	true
FontColor	RGB(255, 0, 0, 1)
Size	20
Text VERSION	If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")
Design DisplayMode	DisplayMode.Edit
Height	45
Width	202
X	1097
Y	704
ZIndex	39
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Title2

Type	 label
Behavior	
OnSelect	Select(Parent)
Data	
Live	Live.Off
Role	TextRole.Default
Text	ThisItem.ProjectID "Text"
Design	
Align	Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontWeight	If(ThisItem.IsSelected, FontWeight.Semibold,
FontWeight.Normal)	FontWeight.Normal

Height	Self.Size * 1.8 40	
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	0	5
PaddingLeft	0	5
PaddingRight	0	5
PaddingTop	0	5
Size	14	13
Strikethrough	false	
TabIndex	-1	
Underline	false	
VerticalAlign	VerticalAlign.Top	VerticalAlign.Middle
Width	Parent.TemplateWidth - 150 150	
X	16	
Y	(Parent.TemplateHeight - (Self.Size*1.8 + Subtitle2.Size*1.8 + 2 + Body1.Size*1.8)) / 2	
ZIndex	1	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(50, 49, 48, 1)	
	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

txtEEPAnalyst

Type	<code>Abc</code>	text
Data Default	Parent.Default "Text input"	
DelayOutput	true	false
MaxLength	Parent.MaxLength	
Tooltip	Parent.DisplayName	
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
DisplayMode	Parent.DisplayMode DisplayMode.Edit	
FocusedBorderThickness	4	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Format	TextFormat.Text	
Height	40	
Italic	false	
Mode	TextMode.SingleLine	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
RadiusBottomLeft	0	5
RadiusBottomRight	0	5
RadiusTopLeft	0	5
RadiusTopRight	0	5
Size	13	
Strikethrough	false	

TabIndex	2
Underline	false
VirtualKeyboardMode	VirtualKeyboardMode.Auto
Width	Parent.Width - 60 320
X	30
Y	DataCardKey2.Y + DataCardKey2.Height + 5
ZIndex	2
Color Properties	
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red) RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)
Fill	RGBA(255, 255, 255, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
HoverColor	RGBA(0, 0, 0, 1)
HoverFill	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Analyst_DataCard1

txtEEPBenchmarkFileID

Type	 text
Data	
Default	Parent.Default "Text input"
DelayOutput	true false
HintText	"Enter File ID"

MaxLength	Parent.MaxLength		
Tooltip	Parent.DisplayName		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
Clear	true		
DisplayMode	Parent.DisplayMode EditMode		
FocusedBorderThickness	4		
Font	App.Theme.Font	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
RadiusBottomLeft	0	5	
RadiusBottomRight	0	5	
RadiusTopLeft	0	5	
RadiusTopRight	0	5	
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width	Parent.Width - 60	320	
X	30		
Y	DataCardKey3.Y + DataCardKey3.Height + 5		
ZIndex	2		
Color Properties			
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red) RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(166, 166, 166, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control BenchmarkFileID_DataCard1

txtEEPDataLoadDate

Type  datepicker

Data

DateTimeZone DateTimeZone.Local

DefaultDate **Parent.DefaultToday()**

EndYear **Year(Today())+100** 2050

Format DateTimeFormat.ShortDate

InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format,
Self.Language))

StartOfWeek StartOfWeek.Sunday

StartYear **1899** 1970

Tooltip **Parent.DisplayName**

Design

BorderStyle BorderStyle.Solid

BorderThickness 2

CalendarHeaderFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode Parent.DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height 40

HoverDateFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

IconBackground App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

IsEditable true

Italic false

MonthColor RGBA(255, 255, 255, 1)

PaddingBottom 0 5

PaddingLeft 5 12

PaddingRight 5

PaddingTop 0

SelectedDateFill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

Size 14

WeekColor RGBA(255, 255, 255, 1)

Width (Parent.Width - 60) / 2 328

X 30

Y DataCardKey4.Y + DataCardKey4.Height + 5

ZIndex 2

Color Properties

BorderColor If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	DataLoadDate_DataCard1

txtEEPLastEditDate

Type  datepicker

Data

DateTimeZone DateTimeZone.Local
DefaultDate If(varEEPChanged, Now(), Parent.Default) Today()

EndYear Year(Today())+100 2050

Format DateTimeFormat.ShortDate

InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format,
Self.Language))

StartOfWeek StartOfWeek.Sunday

StartYear 1899 1970

Tooltip Parent.DisplayName

Design

BorderStyle BorderStyle.Solid

BorderThickness 2

CalendarHeaderFill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode Parent.DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Lighter FontWeight.Normal

Height 30 40

HoverDateFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

IconBackground App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

IsEditable true

Italic false

MonthColor RGBA(255, 255, 255, 1)

PaddingBottom 0 5

PaddingLeft 5 12

PaddingRight 5

PaddingTop 0

SelectedDateFill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

Size 11 14

WeekColor RGBA(255, 255, 255, 1)

Width (Parent.Width - 60) 328

X 30

Y DataCardKey6.Y + DataCardKey6.Height + 5

ZIndex 2

Color Properties

BorderColor If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)
RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)
RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)
RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditDate_DataCard1

txtEEPLastEditMSID

Type	<code>Abc</code>	text
Data		
Default		<code>If(varEEPChanged,varmsid, Parent.Default) "Text input"</code>
DelayOutput		<code>true</code> <code>false</code>
MaxLength		<code>Parent.MaxLength</code>
Tooltip		<code>Parent.DisplayName</code>
Design		
Align		<code>Align.Left</code>
BorderStyle		<code>BorderStyle.Solid</code>
BorderThickness	2	
DisplayMode		<code>Parent.DisplayMode</code> <code>DisplayMode.Edit</code>
FocusedBorderThickness	4	
Font		<code>App.Theme.Font</code> <code>Font.'Open Sans'</code>
FontWeight		<code>FontWeight.Lighter</code> <code>FontWeight.Normal</code>
Format		<code>TextFormat.Text</code>
Height	30	40
Italic		<code>false</code>
Mode		<code>TextMode.SingleLine</code>
PaddingBottom		5
PaddingLeft		5
PaddingRight		5
PaddingTop		5
RadiusBottomLeft	0	5
RadiusBottomRight	0	5
RadiusTopLeft	0	5
RadiusTopRight	0	5

Size	11	13
Strikethrough	false	
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	
Width	Parent.Width - 60	320
X	30	
Y	DataCardKey7.Y + DataCardKey7.Height + 5	
ZIndex	2	
Color Properties		
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red) RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(0, 0, 0, 1)	
	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(0, 0, 0, 1)	
	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(139, 154, 159, 1)	
	RGBA(244, 244, 244, 1)	
Fill	RGBA(255, 255, 255, 1)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)	
HoverColor	RGBA(0, 0, 0, 1)	
HoverFill	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)	
PressedBorderColor	Self.HoverBorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	LastEditMSID_DataCard1	

txtEEPNDLOB

Type `Abc` text

Behavior
OnChange `false`

Data
Default `Parent.Default`"Text input"

DelayOutput `true` false

HintText "3 Numbers ONLY"

MaxLength `3`

Tooltip `Parent.DisplayName`

Design
Align `Align.Left`
BorderStyle `BorderStyle.Solid`
BorderThickness `2`
Clear `true`

DisplayMode `Parent.DisplayMode` `DisplayMode.Edit`

FocusedBorderThickness `4`
Font `App.Theme.Font` `Font.'Open Sans'`

FontWeight `FontWeight.Normal`
Format `TextFormat.Text`
Height `40`
Italic `false`
Mode `TextMode.SingleLine`
PaddingBottom `5`

PaddingLeft `5`

PaddingRight `5`

PaddingTop `5`

RadiusBottomLeft `0` `5`

RadiusBottomRight `0` `5`

RadiusTopLeft `0` `5`

RadiusTopRight `0` `5`

Size `13`
Strikethrough `false`
Underline `false`
VirtualKeyboardMode `VirtualKeyboardMode.Auto`
Width `Parent.Width - 60` `320`

X 30
Y DataCardKey12.Y + DataCardKey12.Height + 5
ZIndex 2
Color Properties
BorderColor If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)
 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls
Child Controls
Parent Control NDB_LOB_DataCard1

txtEEPNewMarket

Type text

Data
Default Parent.Default"Text input"

DelayOutput true false

MaxLength Parent.MaxLength

Tooltip Parent.DisplayName

Design
Align Align.Left

BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	Parent.DisplayMode DisplayMode.Edit
FocusedBorderThickness	4
Font	App.Theme.Font Font.'Open Sans'
FontWeight	FontWeight.Normal
Format	TextFormat.Text
Height	40
Italic	false
Mode	TextMode.SingleLine
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
RadiusBottomLeft	0 5
RadiusBottomRight	0 5
RadiusTopLeft	0 5
RadiusTopRight	0 5
Size	13
Strikethrough	false
Underline	false
VirtualKeyboardMode	VirtualKeyboardMode.Auto
Width	Parent.Width - 60 320
X	30
Y	DataCardKey14.Y + DataCardKey14.Height + 5
ZIndex	2
Color Properties	
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red) RGBA(0, 18, 107, 1)
Color	RGB(0, 0, 0, 1)
DisabledBorderColor	RGB(166, 166, 166, 1)
DisabledColor	RGB(166, 166, 166, 1)
DisabledFill	RGB(244, 244, 244, 1)
Fill	RGB(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
HoverColor	RGBA(0, 0, 0, 1)
HoverFill	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewMarket_DataCard1

txtEEPProjectDesc

Type	<code>Abc</code>	text
Data		
Default		Parent.Default "Text input"
DelayOutput		true false
HintText		"Enter Project Description"
MaxLength		Parent.MaxLength
Tooltip		Parent.DisplayName
Design		
Align		Align.Left
BorderStyle		BorderStyle.Solid
BorderThickness	2	
Clear		true
DisplayMode		Parent.DisplayMode DisplayMode.Edit
FocusedBorderThickness	4	
Font		App.Theme.Font Font.'Open Sans'
FontWeight		FontWeight.Normal
Format		TextFormat.Text
Height	40	
Italic		false
Mode		TextMode.SingleLine
PaddingBottom	5	
PaddingLeft		5
PaddingRight		5

PaddingTop	5	
RadiusBottomLeft	0	5
RadiusBottomRight	0	5
RadiusTopLeft	0	5
RadiusTopRight	0	5
Size	13	
Strikethrough	false	
TabIndex		1
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	
Width	Parent.Width - 60	320
X	30	
Y	DataCardKey10.Y + DataCardKey10.Height + 5	
ZIndex	2	
Color Properties		
BorderColor		If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red) RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor		RGBA(166, 166, 166, 1)
DisabledColor		RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)	
Fill	RGBA(255, 255, 255, 1)	
FocusedBorderColor		Self.BorderColor
HoverBorderColor		App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
HoverColor	RGBA(0, 0, 0, 1)	
HoverFill		App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
PressedBorderColor		Self.HoverBorderColor
PressedColor		Self.Color
PressedFill		Self.Fill
Child & Parent Controls		
Child Controls		
Parent Control		ProjectDesc_DataCard1

txtEEPProjectID

Type `Abc` text

Data Default `Parent.Default` "Text input"

DelayOutput true false

MaxLength `Parent.MaxLength`

Tooltip `Parent.DisplayName`

Design

Align Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 2

DisplayMode `Parent.DisplayMode` DisplayMode.Edit

FocusedBorderThickness 4

Font `App.Theme.Font` Font.'Open Sans'

FontWeight `FontWeight.Bold` FontWeight.Normal

Format TextFormat.Text

Height 40

Italic false

Mode TextMode.SingleLine

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

RadiusBottomLeft 0 5

RadiusBottomRight 0 5

RadiusTopLeft 0 5

RadiusTopRight 0 5

Size 13

Strikethrough false

Underline false

VirtualKeyboardMode VirtualKeyboardMode.Auto

Width `Parent.Width - 60` 320

X 30

Y DataCardKey1.Y + DataCardKey1.Height + 5

ZIndex 2

Color Properties

BorderColor If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)
RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)
RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)
RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control ProjectID_DataCard1

txtEEPProjectManager

Type Abc text

Data

Default Parent.Default "Text input"

DelayOutput true false

HintText	"Enter Project Manager Name"		
MaxLength	Parent.MaxLength		
Tooltip	Parent.DisplayName		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
Clear	true		
DisplayMode	Parent.DisplayMode EditMode		
FocusedBorderThickness	4		
Font	App.Theme.Font	Font.'Open Sans'	
FontSize	13		
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
RadiusBottomLeft	0	5	
RadiusBottomRight	0	5	
RadiusTopLeft	0	5	
RadiusTopRight	0	5	
Size	13		
Strikethrough	false		
TabIndex	3		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width	(Parent.Width - 60)		320
X	30		
Y	DataCardKey9.Y + DataCardKey9.Height + 5		
ZIndex	2		
Color Properties	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)		
BorderColor	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor

PressedColor Self.Color

PressedFill Self.Fill

Child & Parent Controls

Child Controls

Parent Control

PM_DataCard1

txtEEPPProjectStatus

Type  text

Data

Default Parent.Default"Text input"

DelayOutput true false

MaxLength Parent.MaxLength

Tooltip Parent.DisplayName

Design

Align Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 2

DisplayMode Parent.DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Format TextFormat.Text

Height 40

Italic	false
Mode	TextMode.SingleLine
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
RadiusBottomLeft	0 5
RadiusBottomRight	0 5
RadiusTopLeft	0 5
RadiusTopRight	0 5
Size	13
Strikethrough	false
Underline	false
VirtualKeyboardMode	VirtualKeyboardMode.Auto
Width	Parent.Width - 60 320
X	30
Y	DataCardKey16.Y + DataCardKey16.Height + 5
ZIndex	2
Color Properties	
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red) RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)
Fill	RGBA(255, 255, 255, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
HoverColor	RGBA(0, 0, 0, 1)
HoverFill	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor

PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	Status_DataCard2	
txtEEPProjectType		
Type	<code>Abc</code>	text
Data		
Default	Parent.Default "Text input"	
DelayOutput	true	false
MaxLength	Parent.MaxLength	
Tooltip	Parent.DisplayName	
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
DisplayMode	Parent.DisplayMode DisplayMode.Edit	
FocusedBorderThickness	4	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Format	TextFormat.Text	
Height	40	
Italic	false	
Mode	TextMode.SingleLine	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
RadiusBottomLeft	0	5
RadiusBottomRight	0	5
RadiusTopLeft	0	5
RadiusTopRight	0	5
Size	13	
Strikethrough	false	
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	

Width	Parent.Width - 60	320
X	30	
Y	DataCardKey13.Y + DataCardKey13.Height + 5	
ZIndex	2	
Color Properties		
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(244, 244, 244, 1)	
Fill	RGBA(255, 255, 255, 1)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)	
HoverColor	RGBA(0, 0, 0, 1)	
HoverFill	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)	
PressedBorderColor	Self.HoverBorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	ProjectType_DataCard1	

txtEEPProvRef

Type	Abc	text
Data		
Default	Parent.Default	"Text input"
DelayOutput	true	false
MaxLength	Parent.MaxLength	
Tooltip	Parent.DisplayName	
Design		

Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
DisplayMode	Parent.DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Format	TextFormat.Text	
Height	40	
Italic	false	
Mode	TextMode.SingleLine	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
RadiusBottomLeft	0	5
RadiusBottomRight	0	5
RadiusTopLeft	0	5
RadiusTopRight	0	5
Size	13	
Strikethrough	false	
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	
Width	Parent.Width - 60	320
X	30	
Y	DataCardKey15.Y + DataCardKey15.Height + 5	
ZIndex	2	
Color Properties		
BorderColor	If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(244, 244, 244, 1)	
Fill	RGBA(255, 255, 255, 1)	

FocusedBorderColor	Self.BorderColor
HoverBorderColor	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
HoverColor	RGBA(0, 0, 0, 1)
HoverFill	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProvRef_DataCard1

txtMSID_1

Type	 label
Data	
Live	Live.Off
Role	TextRole.Default
Text	varmsid "Text"
Design	
Align	Align.Center Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	1 0
DisplayMode	DisplayMode.View DisplayMode.Edit
FocusedBorderThickness	0
Font	App.Theme.Font Font.'Open Sans'
FontSize	14
FontWeight	FontWeight.Normal
Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	false
Width	150

X 724
Y 592
ZIndex 16
Color Properties
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

txtSearchBox

Type text

Behavior
OnChange Select(btnFormLoad)

Data
Default "" "Text input"

DelayOutput false
HintText "Search ProjectID"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear true

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
PaddingLeft 35

RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width 320
X 249
Y 141
ZIndex 13
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls

Parent Control

EditProjectScreen

EditServiceAreaScreen**Type** screen**Behavior****OnVisible** Set(varWaitPop,true);**Data****BackgroundImage** BackgroundImage**Design****Height** Max(App.Height, App.MinScreenHeight)
ImagePosition ImagePosition.Fill ImagePosition.Fit**LoadingSpinner** LoadingSpinner.None**LoadingSpinnerColor** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)**Orientation** If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)**Color Properties****Fill** Color.White White**Child & Parent Controls****Child Controls** EditServiceAreaHeader

Rectangle2

Rectangle2_1

popBackground

btnResetDataTable

btnLoadDataTable

Label15

Rectangle1

HeaderContainer

Label3_1

txtNewProjectIDEditServiceArea

galServiceArea

popBox

Label2

Rectangle3

Label10

Rectangle3_1

Label10_1

lblPopText

txtRegionUpdate

Label11

Label11_1

btnGoBack

btnUpdateGrid

btnPopCancel

btnPopContinue

btnPopSubmit
iconRefresh
btnComplete
btnTimerOk
Icon1_9
TextCanvas1_4
Icon1_8
timerLoading
grpNotificationPopup
grpNewProjectIDEditServiceArea
grpRegion
grpConfirmPopup
grpWaitPop
grpDevLabel_4

btnComplete

Type button

Behavior

```
OnSelect           Select(btnUpdateGrid); ForAll(galServiceArea.AllItems,
Patch(CS_EXP_zTrxServiceArea_Stage, ThisRecord,{ ProjectID: ProjectID, Region:
Region, State: State, County: County, ReportInclude: ReportInclude,
MaxMileage: MaxMileage, ProjectStatus: "Active"})); Set(varConfirmPopup,true);
Set(varMileChange,false); Set(varWaitPop,false);
```

Data

Text "Complete" "Button"

Design

Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4

Font **App.Theme.Font** **Font.'Open Sans'**

FontWeight **FontWeight.Bold** **FontWeight.Semibold**

Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	

Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	true

Width	180	160
X	160	
Y	511	
ZIndex	12	
Color Properties		
BorderColor	App.Theme.Colors.Primary	ColorFade(Self.Fill, -15%)
Color	RGB(255, 255, 255, 1)	
DisabledBorderColor	RGB(244, 244, 244, 1)	
	RGB(166, 166, 166, 1)	
DisabledColor	RGB(166, 166, 166, 1)	
DisabledFill	RGB(244, 244, 244, 1)	
Fill	App.Theme.Colors.Primary	RGB(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	App.Theme.Colors.Darker10	ColorFade(Self.BorderColor, 20%)
HoverColor	RGB(255, 255, 255, 1)	
HoverFill	App.Theme.Colors.Darker10	ColorFade(RGB(56, 96, 178, 1), -20%)
PressedBorderColor	App.Theme.Colors.Darker40	Self.Fill
PressedColor	Self.Color	Self.Fill
PressedFill	App.Theme.Colors.Darker40	Self.Color
Child & Parent Controls		
Child Controls		
Parent Control	EditServiceAreaScreen	
btnGoBack		
Type	 button	
Behavior		
OnSelect	Navigate(EditProjectScreen); Set(varNewProject,false); Set(varEEPChanged,false); Set(ESAGoBack,true); Set(varEditProject,true); Set(varWaitPop,true); Set(varFormCoverMode,true);	