

**Data**

<b>Text</b>	"Go Back"	"Button"
-------------	-----------	----------

**Design**

<b>Align</b>	Align.Center	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontSize</b>	16	14
<b>FontWeight</b>	<b>FontWeight.Normal</b>	FontWeight.Semibold
<b>Height</b>	40	
<b>Italic</b>	false	
<b>RadiusBottomLeft</b>	10	
<b>RadiusBottomRight</b>	10	
<b>RadiusTopLeft</b>	10	
<b>RadiusTopRight</b>	10	
<b>Size</b>	15	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	<b>180</b>	160

<b>X</b>	50
<b>Y</b>	428
<b>ZIndex</b>	10

**Color Properties**

<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b>	ColorFade(Self.Fill, -15%)
<b>Color</b>	RGB(255, 255, 255, 1)	

**DisabledColor** RGB(166, 166, 166, 1)

**DisabledFill** RGB(244, 244, 244, 1)

**Fill** **App.Theme.Colors.Primary** RGB(56, 96, 178, 1)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)

**HoverColor** RGB(255, 255, 255, 1)

**HoverFill** **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** **App.Theme.Colors.Darker40** Self.Fill

**PressedColor** **Self.Color** Self.Fill

**PressedFill** **App.Theme.Colors.Darker40** Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

btnLoadDataTable

**Type**  button

**Behavior**

**OnSelect** Set(varConfirmPopup,false);  
If(varEditProject, ClearCollect(colGridData,CS\_EXP\_zTrxServiceArea\_Stage),  
ClearCollect(colGridData,Filter(CS\_EXP\_zTrxServiceArea, ProjectID =  
txtNewProjectIDEditServiceArea.Text)); Reset(txtRegionUpdate);

**Data**

**Text** "Load Data Table" "Button"

**Design**

**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** **App.Theme.Font** Font.'Open Sans'  
**FontSize** 14  
**FontWeight** **FontWeight.Bold** FontWeight.Semibold

**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** true

**Width** 180 160

**X** 268

**Y** 130

**ZIndex** 13

<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b>	ColorFade(Self.Fill, -15%)
<b>Color</b>	RGB(255, 255, 255, 1)	
<b>DisabledBorderColor</b>	RGB(244, 244, 244, 1)	
	RGB(166, 166, 166, 1)	
<b>DisabledColor</b>	RGB(166, 166, 166, 1)	
<b>DisabledFill</b>	RGB(244, 244, 244, 1)	
<b>Fill</b>	<b>App.Theme.Colors.Primary</b>	RGB(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGB(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	EditServiceAreaScreen	
btnPopCancel		
<b>Type</b>	 button	
<b>Behavior</b>		
<b>OnSelect</b>	Set(varConfirmPopup,false);	
<b>Data</b>		
<b>Text</b>	"Cancel"	"Button"
<b>Design</b>		
<b>Align</b>	Align.Center	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Semibold  
**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** varConfirmPopup  
  
**Width** 160  
**X** 487  
**Y** 452  
**ZIndex** 18  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
ColorFade(Self.Fill, -15%)  
  
**Color** RGBA(255, 255, 255, 1)  
  
**DisabledBorderColor** RGBA(244, 244, 244, 1)  
  
RGBA(166, 166, 166, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(244, 244, 244, 1)  
  
**Fill** RGBA(40, 134, 222, 1)  
  
RGBA(56, 96, 178, 1)  
  
**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)  
  
**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** **App.Theme.Colors.Darker40** Self.Fill

**PressedColor** **Self.Color** Self.Fill

**PressedFill** **App.Theme.Colors.Darker40** Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

btnPopContinue

**Type**  button

**Behavior**

**OnSelect** Set(varNotifPop,false); Navigate(EditProjectScreen);  
Notify("Upload to SQL Server Success",NotificationType.Success,3000); Set(varNewProject,false);  
Set(varPDWReady,true); Set(varEditProject,true); Set(varExistingProject,true);  
Set(varEEPChanged,false); Set(ESAGoBack,true);

**Data**

**Text** "Continue" "Button"

**Design**

**Align** Align.Center

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** **App.Theme.Font** Font.'Open Sans'

**FontWeight** FontWeight.Semibold

**Height** 40

**Italic** false

**RadiusBottomLeft** 10

**RadiusBottomRight** 10

**RadiusTopLeft** 10

**RadiusTopRight** 10

**Size** 15

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle

**Visible** varNotifPop

**Width** 160

**X** 602

**Y** 452

**ZIndex** 24

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

**ColorFade**(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor**      RGBA(244, 244, 244, 1)

    RGBA(166, 166, 166, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill**    RGBA(40, 134, 222, 1)

    RGBA(56, 96, 178, 1)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**            **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

**HoverColor**    RGBA(255, 255, 255, 1)

**HoverFill**                  **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor**        **App.Theme.Colors.Darker40** Self.Fill

**PressedColor**              **Self.Color**    Self.Fill

**PressedFill**                **App.Theme.Colors.Darker40** Self.Color

#### **Child & Parent Controls**

**Child Controls**

**Parent Control**            EditServiceAreaScreen

btnPopSubmit

**Type**  button

**Behavior**

**OnSelect**                    Set(varConfirmPopup,false);

Set(varNotifPop,true); Patch(CS\_EXP\_Project\_Translation,LookUp(CS\_EXP\_Project\_Translation, ProjectID=varCurrentProjectID),{     ProjectID: varCurrentProjectID,     BenchmarkFileID:

```
Value(varCurrentBenchmarkFileID),    NDB_LOB: varCurrentNDBLOB,    ProjectType:  
varCurrentProjectType,    ProjectDesc: varCurrentProjectDesc,    Analyst: varCurrentAnalyst,  
PM: varCurrentProjectManager,    GoLiveDate: varCurrentGoLiveDate,    MaxMileage:  
varCurrentMileage,    Status: varCurrentProjectStatus,    NewMarket: Blank(),    ProvRef:  
Blank(),    DataLoadDate: Now(),    LastEditDate: varCurrentLastEditDate,    LastEditMSID:  
varCurrentLastEditMSID,    RefreshInd: 1});  
uspCsExpZtrxServiceAreaV4.Run(varCurrentProjectID);
```

**Data**

Text                          "Submit"        "Button"

**Design**

Align                          Align.Center  
BorderStyle                      BorderStyle.Solid  
BorderThickness                2  
DisplayMode                      DisplayMode.Edit  
FocusedBorderThickness        4  
Font                              App.Theme.Font        Font.'Open Sans'

FontWeight                      FontWeight.Semibold  
Height                           40  
Italic                           false  
RadiusBottomLeft              10  
RadiusBottomRight             10  
RadiusTopLeft                 10  
RadiusTopRight                10  
Size                             15  
Strikethrough                false  
Underline                      false  
VerticalAlign                 VerticalAlign.Middle  
Visible                        varConfirmPopup

Width                           160  
X                                715  
Y                                452  
ZIndex                         19

**Color Properties**

**BorderColor**    RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

**Color**    RGBA(255, 255, 255, 1)

**DisabledBorderColor**    RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor**    RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker10  
ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** App.Theme.Colors.Darker10  
ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40

Self.Fill

**PressedColor** Self.Color

Self.Fill

**PressedFill** App.Theme.Colors.Darker40

Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

btnResetDataTable

**Type**  button

**Behavior**

**OnSelect** Select(btnLoadDataTable); Set(varGridEdit,false);  
Clear(colSelected); Reset(cbAll);

**Data**

**Text** "Reset Data Table" "Button"

**Design**

**Align** Align.Center

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font

Font.'Open Sans'

**FontSize** 14

**Height** 40

**Italic** false

**RadiusBottomLeft** 10

**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 180 160

**X** 53  
**Y** 130  
**ZIndex** 11  
**Color Properties**  
**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)  
**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)  
RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)  
**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill

**PressedColor** Self.Color Self.Fill

**PressedFill** App.Theme.Colors.Darker40 Self.Color

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EditServiceAreaScreen

btnTimerOk

Type  button

**Behavior**

**OnSelect** Set(varWaitPop, false);

**Data**

**Text** "Ok" "Button"

**Design**

**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontSize** 16  
**FontWeight** FontWeight.Semibold  
**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** varWaitPop

**Width** 160  
**X** 616  
**Y** 583  
**ZIndex** 30

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

<b>HoverColor</b>	RGB(255, 255, 255, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>		EditServiceAreaScreen
 btnUpdateGrid		
<b>Type</b>		button
<b>Behavior</b>		
<b>OnSelect</b>		ForAll(Filter(galServiceArea.AllItems,cbS elect.Value), Patch(colGridData, ThisRecord,{ Region: txtRegionUpdate.Text, ReportInclude: ddGalReportInclude.Selected.Value})); Reset(txtRegionUpdate);
<b>Data</b>		
<b>Text</b>		"Update Grid" "Button"
<b>Design</b>		
<b>Align</b>		Align.Center
<b>BorderStyle</b>		BorderStyle.Solid
<b>BorderThickness</b>		2
<b>DisplayMode</b>		DisplayMode.Edit
<b>FocusedBorderThickness</b>		4
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Normal</b>	FontWeight.Semibold
<b>Height</b>		40
<b>Italic</b>		false
<b>RadiusBottomLeft</b>		10
<b>RadiusBottomRight</b>		10
<b>RadiusTopLeft</b>		10
<b>RadiusTopRight</b>		10
<b>Size</b>		15
<b>Strikethrough</b>		false
<b>Underline</b>		false
<b>VerticalAlign</b>		VerticalAlign.Middle
<b>Visible</b>		true
<b>Width</b>	180	160

<b>X</b>	270
<b>Y</b>	428
<b>ZIndex</b>	9
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b> ColorFade(Self.Fill, -15%)
<b>Color</b>	RGB(255, 255, 255, 1)
<b>DisabledBorderColor</b>	RGB(244, 244, 244, 1)
	RGB(166, 166, 166, 1)
<b>DisabledColor</b>	RGB(166, 166, 166, 1)
<b>DisabledFill</b>	RGB(244, 244, 244, 1)
<b>Fill</b>	<b>App.Theme.Colors.Primary</b> RGB(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(RGB(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b> Self.Fill
<b>PressedColor</b>	<b>Self.Color</b> Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b> Self.Color
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen
cbAll	
<b>Type</b>	<input checked="" type="checkbox"/> checkbox
<b>Behavior</b>	
<b>OnCheck</b>	ClearCollect(colSelected, colGridData)
<b>OnUncheck</b>	Clear(colSelected)
<b>Data</b>	

<b>Text</b>	""	"Option"
<b>Design</b>		
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	0	
<b>CheckboxBackgroundFill</b>	RGBA(255, 255, 255, 1)	
<b>CheckboxBorderColor</b>	<b>App.Theme.Colors.Primary</b>	RGBA(0, 18, 107, 1)
<b>CheckboxSize</b>	<b>30</b>	
<b>CheckmarkFill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(0, 0, 0, 1)
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	2	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	<b>40</b>	50
<b>Italic</b>	false	
<b>PaddingBottom</b>	0	
<b>PaddingLeft</b>	0	
<b>PaddingRight</b>	0	
<b>PaddingTop</b>	0	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>true</b>	
<b>Width</b>	<b>30</b>	150
<b>X</b>	cbSelect.X	
<b>Y</b>	0	
<b>ZIndex</b>	6	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>	RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(186, 186, 186, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	ColorFade(Self.BorderColor, 30%)
<b>HoverColor</b>	<b>App.Theme.Colors.Darker30</b> RGBA(0, 18, 107, 1)
<b>HoverFill</b>	ColorFade(Self.Fill, 30%)
<b>PressedBorderColor</b>	ColorFade(Self.BorderColor, -30%)
<b>PressedColor</b>	RGB(70, 68, 64, 1)
<b>PressedFill</b>	ColorFade(Self.Fill, -30%)
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	HeaderContainer

### cbSelect

Type  checkbox

<b>Behavior</b>	
<b>OnCheck</b>	<b>Collect(colSelected, ThisItem);</b>
<b>OnSelect</b>	<b>Select(Parent)</b>
<b>OnUncheck</b>	<b>Remove(colSelected, ThisItem);</b>
<b>Data</b>	
<b>Default</b>	<b>ThisItem in colSelected</b>
<b>Text</b>	"" "Option"
<b>Design</b>	
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>CheckboxBackgroundFill</b>	RGB(255, 255, 255, 1)

<b>CheckboxBorderColor</b>	<b>App.Theme.Colors.Primary</b> RGBA(0, 18, 107, 1)
<b>CheckboxSize</b>	30
<b>CheckmarkFill</b>	<b>App.Theme.Colors.Primary</b> RGBA(0, 0, 0, 1)
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	2
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	30 50
<b>Italic</b>	false
<b>PaddingBottom</b>	0
<b>PaddingLeft</b>	0
<b>PaddingRight</b>	0

**PaddingTop** 0  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** true

**Width** 30 150

**X** 0  
**Y** 0  
**ZIndex** 9

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(186, 186, 186, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** ColorFade(Self.BorderColor, 30%)  
**HoverColor** App.Theme.Colors.Darker30 RGBA(0, 18, 107, 1)

**HoverFill** ColorFade(Self.Fill, 30%)  
**PressedBorderColor** ColorFade(Self.BorderColor, -30%)  
**PressedColor** RGBA(70, 68, 64, 1)

**PressedFill** ColorFade(Self.Fill, -30%)

**Child & Parent Controls**

**Child Controls**

**Parent Control** galServiceArea

## ddGalReportInclude

**Type**  dropdown

**Behavior**

**OnSelect** Select(Parent)

**Data**

**Default** ThisItem.ReportInclude

<b>Items</b>	["Y","N","B"]	DropDownSample
<b>Design</b>		
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>ChevronBackground</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>ChevronDisabledBackground</b>	RGBA(166, 166, 166, 1)	
<b>ChevronDisabledFill</b>	RGBA(244, 244, 244, 1)	
<b>ChevronFill</b>	RGBA(255, 255, 255, 1)	
<b>ChevronHoverBackground</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>ChevronHoverFill</b>	RGBA(255, 255, 255, 1)	
<b>DisplayMode</b>	EditMode	
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'	
<b>FontSize</b>	14	
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	<b>3040</b>	
<b>Italic</b>	false	
<b>PaddingBottom</b>	10	
<b>PaddingLeft</b>	<b>4010</b>	
<b>PaddingRight</b>	10	
<b>PaddingTop</b>	10	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>Width</b>	<b>120</b> 328	
<b>X</b>	headerInclude.X	
<b>Y</b>	0	
<b>ZIndex</b>	10	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>	RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** ColorFade(Self.BorderColor, 15%)  
**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** RGBA(255, 255, 255, 1)

**PressedFill** App.Theme.Colors.Darker30 RGBA(0, 18, 107, 1)

**SelectionColor** RGBA(255, 255, 255, 1)

**SelectionFill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** galServiceArea

## EditServiceAreaHeader

**Type**  verticalAutoLayoutContainer

**Design**  
**BorderStyle** BorderStyle.Solid  
**ChildTabPriority** true  
**DisplayMode** DisplayMode.Edit  
**DropShadow** DropShadow.Light  
**Height** 109  
**LayoutAlignItems** LayoutAlignItems.Stretch  
**LayoutDirection** LayoutDirection.Vertical  
**LayoutGap** 16  
**LayoutJustifyContent** LayoutJustifyContent.Start  
**LayoutMode** LayoutMode.Auto

<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	<b>false</b>
<b>PaddingBottom</b>	<b>16</b>
<b>PaddingLeft</b>	<b>16</b>
<b>PaddingRight</b>	<b>16</b>
<b>PaddingTop</b>	<b>16</b>
<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>Parent.Width</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>3</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>RGBA(0, 0, 0, 1)</b>

**Fill**    `RGBA(245, 245, 245, 1)`

## **Child & Parent Controls**

### **Child Controls** HeaderContainer1\_2

### **Parent Control** EditServiceAreaS

galCounty

Type  label

**Behavior**  
**OnSelect** Select(Parent)

**Data**      **Live**      **Live.Off**

<b>Role</b>	TextRole.Default	
<b>Text</b>	<b>ThisItem.County</b>	"Text"
<b>Design</b>		
<b>Align</b>	<b>Align.Center</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	<b>1</b>	0
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>If(ThisItem.IsSelected, FontWeight.Semibold,</b>	
<b>FontWeight.Normal)</b>	FontWeight.Normal	
<b>Height</b>	<b>30</b>	40
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	<b>0</b>	5
<b>PaddingLeft</b>	<b>0</b>	5
<b>PaddingRight</b>	<b>0</b>	5
<b>PaddingTop</b>	<b>0</b>	5
<b>Size</b>	<b>14</b>	13
<b>Strikethrough</b>	false	
<b>TabIndex</b>	<b>-1</b>	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	150	
<b>X</b>	headerCounty.X	
<b>Y</b>	0	
<b>ZIndex</b>	1	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(50, 49, 48, 1)	
	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	

**DisabledColor**      `RGBA(166, 166, 166, 1)`

**DisabledFill** `RGBA(0, 0, 0, 0)`

**Fill**    `RGBA(0, 0, 0, 0)`

**FocusedBorderColor**      `Self.BorderColor`

**HoverBorderColor**      `Self.BorderColor`

**HoverColor**      `Self.Color`

**HoverFill**      `Self.Fill`

**PressedBorderColor**      `Self.BorderColor`

**PressedColor**      `Self.Color`

**PressedFill**      `Self.Fill`

**Child & Parent Controls**

**Child Controls**

**Parent Control**      `galServiceArea`

galleryTemplate1

**Type**  `galleryTemplate`

**Behavior**

**OnSelect**      `false`

**Design**

**TemplateFill** `RGBA(0, 0, 0, 0)`

**Child & Parent Controls**

**Child Controls**

**Parent Control**      `galServiceArea`

galMileage

**Type**  `label`

**Behavior**

**OnSelect**      `Select(Parent)`

**Data**

**Live**      `Live.Off`

**Role**      `TextRole.Default`

**Text**      `ThisItem.MaxMileage "Text"`

**Design**

**Align**      `Align.Center Align.Left`

<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	1 0	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)</b>	
<b>Height</b>	30	40
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	0	5
<b>PaddingLeft</b>	0	5
<b>PaddingRight</b>	0	5
<b>PaddingTop</b>	0	5
<b>Size</b>	12	13
<b>Strikethrough</b>	false	
<b>TabIndex</b>	<b>-1</b>	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	<b>galCounty.Width</b>	150
<b>X</b>	headerMileage.X	
<b>Y</b>	0	
<b>ZIndex</b>	2	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	

**Fill**    RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	galServiceArea

galServiceArea

**Type**  gallery

**Data**

**Default**

First(Filter(colGridData,

ProjectID=txtNewProjectIDEditServiceArea.Text))

**Items**

Filter(colGridData,ProjectID=txtNewProj  
ectIDEditServiceArea.Text) CustomGallerySample

**WrapCount**        1

**Design**

#CopilotOverlayLabel        "Filtered"

#CopilotOverlayVisible        false

**BorderStyle**        BorderStyle.Solid

**BorderThickness**        1

**DelayItemLoading**        true

**DisplayMode**        DisplayMode.Edit

**Height**        523 575

**Layout**        Layout.Vertical

**LoadingSpinner**        LoadingSpinner.Data        LoadingSpinner.None

**LoadingSpinnerColor**        Color.Blue Self.BorderColor

**TemplatePadding**        0

**TemplateSize**        30 Min(160, Self.Height - 60)

**Transition**        Transition.None

**Width**        796 640

**X**        496

**Y** 232  
**ZIndex** 2  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
  
**DisabledBorderColor** Self.BorderColor  
**DisabledFill** Self.Fill  
**Fill** RGBA(180, 214, 250, 1)  
  
RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls** galleryTemplate1  
Rectangle4  
cbSelect  
ddGalReportInclude  
galtxtRegion  
galCounty  
galState  
galMileage  
Separator4

**Parent Control** EditServiceAreaScreen

galState

**Type**  label

**Behavior**  
**OnSelect** Select(Parent)

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** ThisItem.State "Text"

**Design**  
**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 1 0

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

<b>FontWeight</b>	<b>If(ThisItem.IsSelected, FontWeight.Semibold,</b>	
<b>FontWeight.Normal)</b>	<b>FontWeight.Normal</b>	
<b>Height</b>	<b>30</b>	40
<b>Italic</b>	0	false
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	<b>0</b>	5
<b>PaddingLeft</b>	<b>0</b>	5
<b>PaddingRight</b>	<b>0</b>	5
<b>PaddingTop</b>	<b>0</b>	5
<b>Size</b>	<b>12</b>	13
<b>Strikethrough</b>	0	false
<b>TabIndex</b>	<b>-1</b>	
<b>Underline</b>	0	false
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	<b>galCounty.Width</b>	150
<b>X</b>	headerState.X	
<b>Y</b>	0	
<b>ZIndex</b>	3	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	

<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	galServiceArea
galtxtRegion	
<b>Type</b>	<b>Abc</b> text
<b>Behavior</b>	
<b>OnSelect</b>	<b>Select(Parent)</b>
<b>Data</b>	
<b>Default</b>	<b>ThisItem.Region</b> "Text input"
<b>DelayOutput</b>	false
<b>Design</b>	
<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	<b>30</b> 40
<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	<b>200</b> 320
<b>X</b>	headerRegion.X
<b>Y</b>	0
<b>ZIndex</b>	7
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(244, 244, 244, 1)

**Fill**    RGBA(255, 255, 255, 1)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**            App.Theme.Colors.Darker40    RGBA(0, 18, 107, 1)

**HoverColor**    RGBA(0, 0, 0, 1)

**HoverFill**                 App.Theme.Colors.Lighter70    RGBA(186, 202, 226, 1)

**PressedBorderColor**      Self.HoverBorderColor

**PressedColor**            Self.Color

**PressedFill**            Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**          galServiceArea

## grpConfirmPopup

**Type**     group

**Design**

**Height**            5

**Width**            5

**X**                40

**Y**                40

**ZIndex**          21

**Child & Parent Controls**

**Child Controls**

**Parent Control**    EditServiceAreaScreen

## grpDevLabel\_4

**Type**     group

**Design**

**Height**            5

**Width**            5

**X**                80

**Y**                80

**ZIndex**          35

**Child & Parent Controls**

**Child Controls**

**Parent Control**    EditServiceAreaScreen

grpNewProjectIDEditServiceArea

Type  group

**Design**

**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 4

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

grpNotificationPopup

Type  group

**Design**

**Height** 5  
**Width** 5  
**X** 40  
**Y** -109  
**ZIndex** 27

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

grpRegion

Type  group

**Design**

**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 12

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

grpWaitPop

Type  group

**Design**

**Height** 5

**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 31  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EditServiceAreaScreen

## Header1\_2

**Type**  Header  
**Behavior**  
**OnSelectLogo** false  
**Data**  
**BasePaletteColor**  
**FontColor**  
**Logo** Picture1  
**Title** "Axis Program Management: Edit Service Area"  
**UserEmail** User().Email  
**UserImage** User().Image  
**UserName** User().FullName  
**Design**  
**DisplayMode** DisplayMode.Edit  
**Height** 75  
**Width** Parent.Width  
**X** 0  
**Y** 0  
**ZIndex** 1  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HeaderContainer1\_2

## HeaderContainer

**Type**  manualLayoutContainer  
**Design**  
**BorderStyle** BorderStyle.Solid  
**DisplayMode** DisplayMode.Edit  
**DropShadow** DropShadow.Light

<b>Height</b>	<b>40</b>
<b>LayoutAlignItems</b>	<b>LayoutAlignItems.Start</b>
<b>LayoutDirection</b>	<b>LayoutDirection.Horizontal</b>
<b>LayoutGap</b>	<b>0</b>
<b>LayoutJustifyContent</b>	<b>LayoutJustifyContent.Start</b>
<b>LayoutMode</b>	<b>LayoutMode.Manual</b>
<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	<b>false</b>
<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>796</b>
<b>X</b>	<b>496</b>
<b>Y</b>	<b>192</b>
<b>ZIndex</b>	<b>6</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>RGBA(0, 0, 0, 1)</b>

**Fill**    **RGBA(255, 255, 255, 1)**

#### **Child & Parent Controls**

**Child Controls**    **cbAll**

headerInclude

headerRegion

headerCounty

headerState

headerMileage

**Parent Control**    **EditServiceAreaScreen**

## HeaderContainer1\_2

Type  horizontalAutoLayoutContainer

### Design

BorderStyle **BorderStyle.Solid**

ChildTabPriority **true**

DisplayMode **DisplayMode.Edit**

DropShadow **DropShadow.Light**

Height **75**

LayoutAlignItems **LayoutAlignItems.Start**

LayoutDirection **LayoutDirection.Horizontal**

LayoutGap **0**

LayoutJustifyContent **LayoutJustifyContent.Start**

LayoutMode **LayoutMode.Auto**

LayoutOverflowX **LayoutOverflow.Hide**

LayoutOverflowY **LayoutOverflow.Hide**

LayoutWrap **false**

RadiusBottomLeft **4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **500**

X **0**

Y **0**

ZIndex **2**

### Color Properties

BorderColor **RGBA(0, 0, 0, 1)**

Fill **RGBA(255, 255, 255, 1)**

**Child & Parent Controls****Child Controls** Header1\_2**Parent Control**

EditServiceAreaHeader

headerCounty

**Type**  button**Data****Text** "County" "Button"**Design****Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'**FontWeight** FontWeight.Semibold**Height** 40**Italic** false**RadiusBottomLeft** 0 10**RadiusBottomRight** 0 10**RadiusTopLeft** 0 10**RadiusTopRight** 0 10**Size** 15**Strikethrough** false**Underline** false**VerticalAlign** VerticalAlign.Middle**Width** 153 160**X** headerRegion.X+headerRegion.Width**Y** 0**ZIndex** 3**Color Properties****BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)**Color** RGBA(255, 255, 255, 1)**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(122, 138, 143, 1)  
RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill

**PressedColor** Self.Color Self.Fill

**PressedFill** App.Theme.Colors.Darker40 Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** HeaderContainer

#### headerInclude

**Type**  button

**Data**

**Text** "Include" "Button"

**Design**

**Align** Align.Center

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold

**Height** 40

**Italic** false

**RadiusBottomLeft** 0 10

**RadiusBottomRight** 0 10

**RadiusTopLeft** 0 10

**RadiusTopRight** 0 10

**Size** 15

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle

**Width** 118 160

**X** cbAll.X+cbAll.Width

**Y** 0

**ZIndex** 5

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill

**PressedColor** Self.Color Self.Fill

**PressedFill** App.Theme.Colors.Darker40 Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** HeaderContainer

headerMileage

Type  button

**Data**

Text "Mileage" "Button"

**Design**

Align Align.Center  
BorderStyle BorderStyle.Solid  
BorderThickness 2  
DisplayMode DisplayMode.Edit  
FocusedBorderThickness 4  
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold

Height 40

Italic false

RadiusBottomLeft 0 10

RadiusBottomRight 0 10

RadiusTopLeft 0 10

RadiusTopRight 0 10

Size 15

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width 150 160

X headerState.X+headerState.Width

Y 0

ZIndex 1

**Color Properties**

BorderColor ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGBA(255, 255, 255, 1)
<b>HoverFill</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b> Self.Fill
<b>PressedColor</b>	<b>Self.Color</b> Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b> Self.Color
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	HeaderContainer

headerRegion

Type  button

<b>Data</b>		
<b>Text</b>	"Region"	"Button"
<b>Design</b>		
<b>Align</b>	Align.Center	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontSize</b>	15	
<b>FontWeight</b>	FontWeight.Semibold	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>RadiusBottomLeft</b>	0	10
<b>RadiusBottomRight</b>	0	10
<b>RadiusTopLeft</b>	0	10
<b>RadiusTopRight</b>	0	10
<b>Size</b>	15	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	200	160

**X** headerInclude.X+headerInclude.Width  
**Y** 0  
**ZIndex** 4  
**Color Properties**  
**BorderColor** **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)  
**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)  
RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** **App.Theme.Colors.Darker40** Self.Fill

**PressedColor** **Self.Color** Self.Fill

**PressedFill** **App.Theme.Colors.Darker40** Self.Color

#### Child & Parent Controls

##### Child Controls

**Parent Control** HeaderContainer

headerState

**Type**  button

**Data**  
**Text** "State" "Button"

**Design**

<b>Align</b>	Align.Center
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontSize</b>	15
<b>FontWeight</b>	FontWeight.Semibold
<b>Height</b>	40
<b>Italic</b>	false
<b>RadiusBottomLeft</b>	<b>0</b> 10
<b>RadiusBottomRight</b>	<b>0</b> 10
<b>RadiusTopLeft</b>	<b>0</b> 10
<b>RadiusTopRight</b>	<b>0</b> 10
<b>Size</b>	15
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	<b>147</b> 160
<b>X</b>	headerCounty.X+headerCounty.Width
<b>Y</b>	0
<b>ZIndex</b>	2
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b> ColorFade(Self.Fill, -15%)
<b>Color</b>	RGBA(255, 255, 255, 1)
<b>DisabledBorderColor</b>	RGBA(244, 244, 244, 1)
	RGB(166, 166, 166, 1)
<b>DisabledColor</b>	RGB(166, 166, 166, 1)
<b>DisabledFill</b>	RGB(244, 244, 244, 1)
<b>Fill</b>	RGB(122, 138, 143, 1)
	RGB(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)

**HoverFill** ColorFade(RGBA(56, 96, 178, 1), -20%)  
**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill  
**PressedColor** Self.Color Self.Fill  
**PressedFill** App.Theme.Colors.Darker40 Self.Color  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HeaderContainer

### Icon1\_8

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline  
**Design DisplayMode** DisplayMode.Edit  
**Height** 45  
**Width** 45  
**X** 1299  
**Y** 704  
**ZIndex** 33  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EditServiceAreaScreen

### Icon1\_9

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

<b>IconStyle</b>	'Icon.IconStyle'.Outline
<b>Design</b>	
<b>DisplayMode</b>	DisplayMode.Edit
<b>Height</b>	45
<b>Width</b>	45
X	1052
Y	704
ZIndex	32
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen

iconRefresh

Type	icon
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>75</b>
<b>Icon</b>	<b>Icon.Reload</b>
<b>Rotation</b>	<b>timerLoading.Value/3</b>
<b>Visible</b>	<b>varWaitPop</b>
<b>Width</b>	<b>75</b>
X	659
Y	494
ZIndex	29
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Color</b>	<b>App.Theme.Colors.Darker30</b>
<b>DisabledBorderColor</b>	<b>RGBA(166, 166, 166, 1)</b>

**DisabledColor**      `RGBA(244, 244, 244, 1)`

**DisabledFill**      `Self.Fill`

**Fill**    `RGBA(0, 0, 0, 0)`

**FocusedBorderColor**      `Self.BorderColor`

**HoverBorderColor**      `ColorFade(Self.BorderColor, 20%)`

**HoverColor**      `ColorFade(Self.Color, 20%)`

**HoverFill**      `Self.Fill`

**PressedBorderColor**      `ColorFade(Self.BorderColor, -20%)`

**PressedColor**      `ColorFade(Self.Color, -20%)`

**PressedFill**      `Self.Fill`

#### **Child & Parent Controls**

**Child Controls**

**Parent Control**      `EditServiceAreaScreen`

Label10

**Type**  `label`

**Data**

**Live**      `Live.Off`

**Role**      `TextRole.Default`

**Text**      `"Confirm Submit"`      `"Text"`

**Design**

**Align**      `Align.Center`      `Align.Left`

**BorderStyle**      `BorderStyle.Solid`

**BorderThickness**      `1 0`

**DisplayMode**      `DisplayMode.Edit`

**FocusedBorderThickness**      `0`

**Font**      `App.Theme.Font`      `Font.'Open Sans'`

**FontWeight**      `FontWeight.Bold`      `FontWeight.Normal`

**Height**      `49`      `40`

<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	<b>18</b> 13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>varConfirmPopup</b>
<b>Width</b>	<b>491</b> 150
<b>X</b>	437
<b>Y</b>	290
<b>ZIndex</b>	16
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)
<b>Fill</b>	RGBA(40, 134, 222, 1)
<b> </b>	RGBA(0, 0, 0, 0)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen

Label10\_1

Type  label

Data  
Live Live.Off  
Role TextRole.Default  
Text "ATTENTION" "Text"

Design  
Align Align.Center Align.Left

BorderStyle BorderStyle.Solid  
BorderThickness 1 0

DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font App.Theme.Font Font.'Open Sans'  
FontWeight FontWeight.Bold FontWeight.Normal

Height 49 40

Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 18 13

Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Visible varNotifPop

Width 491 150

X 437  
Y 290  
ZIndex 22

Color Properties  
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

**Fill** RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen

Label11

**Type**  label

<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Submit To SQL Server?" "Text"

<b>Design</b>	
<b>Align</b>	Align.Center Align.Left

<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	App.Theme.Font Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Semibold FontWeight.Normal
-------------------	---------------------------------------

<b>Height</b>	57 40
---------------	-------

<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	15 13

<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	varConfirmPopup

<b>Width</b>	<b>491</b>	150
X	437	
Y	368	
ZIndex	17	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>	RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>		RGBA(56, 56, 56, 1)
<b>DisabledColor</b>		RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>		Self.BorderColor
<b>HoverBorderColor</b>		Self.BorderColor
<b>HoverColor</b>		Self.Color
<b>HoverFill</b>		Self.Fill
<b>PressedBorderColor</b>		Self.BorderColor
<b>PressedColor</b>		Self.Color
<b>PressedFill</b>		Self.Fill
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>		EditServiceAreaScreen

## Label11\_1

<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	<p>"Your Project Has Successfully Loaded Into SQL Server!"</p> <p>"Text"</p>
<b>Design</b>	
<b>Align</b>	<b>Align.Center</b> Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'

<b>FontWeight</b>	<b>FontWeight.Semibold</b>	FontWeight.Normal
<b>Height</b>	<b>57</b>	40
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	<b>15</b>	13
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>varNotifPop</b>	
<b>Width</b>	<b>491</b>	150
<b>X</b>	437	
<b>Y</b>	368	
<b>ZIndex</b>	23	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	
<b>PressedFill</b>	Self.Fill	
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	EditServiceAreaScreen	

Label15

Type  label

**Data**

Live Live.Off

Role TextRole.Default

Text "Row Count: " & CountRows(galServiceArea.AllItems)  
"Text"

**Design**

Align Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 1 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width 200 150

X 1092

Y 130

ZIndex 31

**Color Properties**

BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen

Label2

Type  label

**Data**

<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Region" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 135 150

**X** 90  
**Y** 290  
**ZIndex** 7

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

**Color** RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

Label3\_1

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "New Project ID:" "Text"

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 100  
**Y** 202  
**ZIndex** 4  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(191, 189, 189, 0)

RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EditServiceAreaScreen

## lblPopText

Type	 label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	"Please Wait For 10 Seconds Before Selecting 'Load Data Table' Button, Service Area Stored Procedure Running" "Text"	
Design		
Align	Align.Center	Align.Left
AutoHeight	true	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Bold	FontWeight.Normal
Height	52	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	26	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	varWaitPop	
Width	665	150
X	364	
Y	308	
ZIndex	28	
Color Properties		
BorderColor	App.Theme.Colors.Darker40	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	

**DisabledColor**      `RGBA(166, 166, 166, 1)`

**DisabledFill** `RGBA(0, 0, 0, 0)`

**Fill**    `RGBA(0, 0, 0, 0)`

**FocusedBorderColor**      `Self.BorderColor`

**HoverBorderColor**      `Self.BorderColor`

**HoverColor**      `Self.Color`

**HoverFill**      `Self.Fill`

**PressedBorderColor**      `Self.BorderColor`

**PressedColor**      `Self.Color`

**PressedFill**      `Self.Fill`

**Child & Parent Controls**

**Child Controls**

**Parent Control**

`EditServiceAreaScreen`

popBackground

**Type**  rectangle

**Design**

**BorderStyle**      `BorderStyle.Solid`

**BorderThickness**      `0`

**DisplayMode**      `DisplayMode.Edit`

**FocusedBorderThickness**      `2`

**Height**      `659`

**Visible**      `varWaitPop`

**Width**      `1366`

**X**      `0`

**Y**      `109`

**ZIndex**      `26`

**Color Properties**

**BorderColor**      `App.Theme.Colors.Darker40`

**DisabledFill**      `Self.Fill`

**Fill**    `RGBA(214, 221, 224, 0.73)`

**FocusedBorderColor**      **Self.BorderColor**

**HoverFill**      **Self.Fill**

**PressedFill**      **Self.Fill**

**Child & Parent Controls**

**Child Controls**

**Parent Control**      EditServiceAreaScreen

popBox

**Type**  rectangle

**Design**

**BorderStyle**      **BorderStyle.Solid**

**BorderThickness**      **2**

**DisplayMode**      **DisplayMode.Edit**

**FocusedBorderThickness**      **2**

**Height**      **360**

**Visible**      **varWaitPop**

**Width**      **665**

**X**      **364**

**Y**      **285**

**ZIndex**      **27**

**Color Properties**

**BorderColor** **RGBA(0, 0, 0, 1)**

**DisabledFill**      **Self.Fill**

**Fill** **RGBA(139, 154, 159, 1)**

**FocusedBorderColor**      **Self.BorderColor**

**HoverFill**      **Self.Fill**

**PressedFill**      **Self.Fill**

**Child & Parent Controls**

**Child Controls**

**Parent Control**

EditServiceAreaScreen

Rectangle1

**Type**  rectangle

**Design**

**BorderStyle** **BorderStyle.Solid**

**BorderThickness** **1**

**DisplayMode** **DisplayMode.Edit**

**FocusedBorderThickness** **2**

**Height** **384**

**Width** **449**

**X** **26**

**Y** **192**

**ZIndex** **1**

**Color Properties**

**BorderColor** **App.Theme.Colors.Darker40**

**DisabledFill** **Self.Fill**

**Fill** **RGBA(197, 199, 201, 1)**

**FocusedBorderColor** **Self.BorderColor**

**HoverFill** **Self.Fill**

**PressedFill** **Self.Fill**

**Child & Parent Controls**

**Child Controls**

**Parent Control** **EditServiceAreaScreen**

Rectangle2

**Type**  rectangle

**Design**

**BorderStyle** **BorderStyle.Solid**

**BorderThickness** **0**

**DisplayMode** **DisplayMode.Edit**

**FocusedBorderThickness** 2

**Height** App.Height

**Visible** varConfirmPopup

**Width** App.Width

X 0  
Y 109  
**ZIndex** 14

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40

**DisabledFill** Self.Fill

**Fill** RGBA(176, 174, 174, 0.69)

**FocusedBorderColor** Self.BorderColor

**HoverFill** Self.Fill

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

## Rectangle2\_1

**Type**  rectangle

**Design**

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 2

**Height** App.Height

**Visible** varNotifPop

**Width** App.Width

X 0  
Y 109

**ZIndex** 20  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40  
  
**DisabledFill** Self.Fill  
  
**Fill** RGBA(176, 174, 174, 0.69)

**FocusedBorderColor** Self.BorderColor  
  
**HoverFill** Self.Fill  
  
**PressedFill** Self.Fill  
  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EditServiceAreaScreen

### Rectangle3

Type  rectangle  
  
**Design**  
**BorderStyle** BorderStyle.Solid  
  
**BorderThickness** 1  
  
**DisplayMode** DisplayMode.Edit  
  
**FocusedBorderThickness** 2  
  
**Height** 252  
  
**Visible** varConfirmPopup  
  
**Width** 491  
  
**X** 437  
**Y** 290  
**ZIndex** 15  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40  
  
**DisabledFill** Self.Fill  
  
**Fill** App.Theme.Colors.Primary  
  
**FocusedBorderColor** Self.BorderColor  
  
**HoverFill** Self.Fill

<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen
Rectangle3_1	
<b>Type</b>	rectangle
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	1
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	2
<b>Height</b>	252
<b>Visible</b>	varNotifPop
<b>Width</b>	491
<b>X</b>	437
<b>Y</b>	290
<b>ZIndex</b>	21
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Primary</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen

Rectangle4

<b>Type</b>	rectangle
<b>Behavior</b>	
<b>OnSelect</b>	<b>Select(Parent)</b>

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>Parent.TemplateHeight - Separator4.Height</b>
<b>TabIndex</b>	<b>-1</b>
<b>Visible</b>	<b>ThisItem.IsSelected</b>
<b>Width</b>	<b>4</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>6</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Darker30</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	<b>galServiceArea</b>

### Separator4

<b>Type</b>	 rectangle
<b>Behavior</b>	
<b>OnSelect</b>	<b>Select(Parent)</b>
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>

<b>Height</b>	1
<b>TabIndex</b>	-1
<b>Width</b>	<b>Parent.TemplateWidth</b>
<b>X</b>	0
<b>Y</b>	Parent.TemplateHeight - Self.Height
<b>ZIndex</b>	5
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	RGBA(9, 33, 98, 1)

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	galServiceArea

#### TextCanvas1\_4

<b>Type</b>	(?) PowerApps_CoreControls_TextCanvas
<b>Data</b>	
<b>Align</b>	'TextCanvas.Align'.Center
<b>AutoHeight</b>	true
<b>FontColor</b>	RGBA(255, 0, 0, 1)

<b>Size</b>	20
<b>Text</b>	If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")
<b>Design</b>	
<b>DisplayMode</b>	DisplayMode.Edit
<b>Height</b>	45

**Width** 202

**X** 1097

**Y** 704

**ZIndex** 34

**Child & Parent Controls**

**Child Controls**

**Parent Control** EditServiceAreaScreen

timerLoading

**Type**  timer

**Behavior**

**OnTimerEnd** false

**OnTimerStart** false

**Data**

**AutoPause** true

**AutoStart** true

**Duration** 6500

**Repeat** true

**Text** Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")

**Design**

**Align** Align.Center

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Height** 40

**Size** 13

**VerticalAlign** VerticalAlign.Middle

**Visible** false

**Width** 160

**X** 14

**Y** 715

**ZIndex** 25

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

<b>DisabledBorderColor</b>	RGB(244, 244, 244, 1)	
	ColorFade(Self.BorderColor, 70%)	
<b>DisabledColor</b>	RGB(166, 166, 166, 1)	
	ColorFade(Self.Fill, 90%)	
<b>DisabledFill</b>	RGB(244, 244, 244, 1)	
	ColorFade(Self.Fill, 70%)	
<b>Fill</b>		<b>App.Theme.Colors.Primary</b> RGB(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>		<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)	
<b>HoverFill</b>		<b>App.Theme.Colors.Darker10</b> ColorFade(RGB(56, 96, 178, 1), - 20%)
<b>PressedBorderColor</b>		<b>App.Theme.Colors.Darker40</b> Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>		<b>App.Theme.Colors.Darker40</b> Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>		EditServiceAreaScreen
txtNewProjectIDEditServiceArea		
<b>Type</b>		label
<b>Data</b>		
<b>Live</b>	Live.Off	
<b>Role</b>	TextRole.Default	
<b>Text</b>		<b>varCurrentProjectID</b> "Text"
<b>Design</b>		
<b>Align</b>		<b>Align.Center</b> Align.Left
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	0

**DisplayMode** **DisplayMode.Disabled** **DisplayMode.Edit**

**FocusedBorderThickness** 0

**Font**

**App.Theme.Font**

Font.'Open Sans'

**FontWeight**

**FontWeight.Semibold** **FontWeight.Normal**

**Height** 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5

**PaddingTop** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle

**Width** 150

**X** 250

**Y** 202

**ZIndex** 5

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EditServiceAreaScreen
<b>txtRegionUpdate</b>	
<b>Type</b>	Abc text
<b>Data</b>	
<b>Default</b>	"" "Text input"
<b>DelayOutput</b>	false
<b>HintText</b>	"Insert Region Update"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2
<b>Clear</b>	true
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	App.Theme.Font Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	40
<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	320
<b>X</b>	90
<b>Y</b>	332
<b>ZIndex</b>	8
<b>Color Properties</b>	
<b>BorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(166, 166, 166, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(244, 244, 244, 1)

**Fill**    RGBA(255, 255, 255, 1)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      **App.Theme.Colors.Darker40**    RGBA(0, 18, 107, 1)

**HoverColor**    RGBA(0, 0, 0, 1)

**HoverFill**                **App.Theme.Colors.Lighter70**    RGBA(186, 202, 226, 1)

**PressedBorderColor**      Self.HoverBorderColor

**PressedColor**            Self.Color

**PressedFill**            Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**          EditServiceAreaScreen

## EntryScreen

**Type**  screen

### Data

**BackgroundImage**                **BackgroundImage**

### Design

**Height**                    Max(App.Height, App.MinScreenWidth)

**ImagePosition**            ImagePosition.Fit

**LoadingSpinner**            LoadingSpinner.None

**LoadingSpinnerColor**      **App.Theme.Colors.Primary**    RGBA(56, 96, 178, 1)

**Orientation**              If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)

**Size**                      1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >=

Self.Width)

**Width**                    Max(App.Width, App.MinScreenWidth)

### Color Properties

**Fill**                      **Color.White** White

### Child & Parent Controls

**Child Controls**            Timer2

iconCircle1\_3

iconCheck1\_3

LblLoadingText

Progress1  
LblSuccessMsg1\_3  
btnSuccessContinue\_3  
Icon1  
TextCanvas1  
Icon1\_1  
grpDevLabel

btnSuccessContinue\_3

Type	?	PowerApps_CoreControls_ButtonCanvas
Behavior		
OnSelect		<b>Navigate(HomeScreen); Set(CurrentStep, 0);</b>
Data		
Align		""
BasePaletteColor		
BorderStyle		""
FontColor		
FontSize		<b>20</b>
Icon		""
IconRotation		<b>0</b>
IconStyle		"Outline"
Layout		"Icon before"
Text		"Continue"
VerticalAlign		""
Design		
DisplayMode		<b>DisplayMode.Edit</b>
Height		<b>45</b>
Visible		<b>If(LblSuccessMsg1_3.Text="100%",true,false)</b>
Width		<b>150</b>
X		608
Y		559
ZIndex		4
Color Properties		
BorderColor		
Child & Parent Controls		

**Child Controls**  
**Parent Control** EntryScreen

grpDevLabel

**Type**  group

**Design**  
**Height** 5  
**Width** 5  
**X** 80  
**Y** 80  
**ZIndex** 13

**Child & Parent Controls**

**Child Controls**

**Parent Control** EntryScreen

Icon1

**Type**  PowerApps\_CoreControls\_Icon

**Data**  
**Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design**  
**DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

**X** 1052  
**Y** 704  
**ZIndex** 10

**Child & Parent Controls**

**Child Controls**

**Parent Control** EntryScreen

Icon1\_1

**Type**  PowerApps\_CoreControls\_Icon

**Data**  
**Icon** "GlobeWarning"

**IconColor**    `RGB(255, 0, 0, 1)`

<b>IconStyle</b>	<code>'Icon.IconStyle'.Outline</code>
<b>Design</b>	
<b>DisplayMode</b>	<code>DisplayMode.Edit</code>
<b>Height</b>	<b>45</b>
<b>Width</b>	<b>45</b>
X	1299
Y	704
ZIndex	11
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	<code>EntryScreen</code>

iconCheck1\_3

**Type**  icon

<b>Design</b>	
<b>BorderStyle</b>	<code>BorderStyle.Solid</code>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<code>DisplayMode.Edit</code>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<code>iconCircle1_3.Height</code>
<b>Icon</b>	<code>Icon.Check</code>
<b>PaddingBottom</b>	<code>Self.PaddingTop</code>
<b>PaddingLeft</b>	<code>Self.PaddingTop</code>
<b>PaddingRight</b>	<code>Self.PaddingTop</code>
<b>PaddingTop</b>	<b>24</b>
<b>Visible</b>	<code>If(LblSuccessMsg1_3.Text="100%",true,false)</code>
<b>Width</b>	<code>iconCircle1_3.Width</code>
X	<code>Parent.Width/2 - Self.Width/2</code>

**Y** (Parent.Height/2 - Self.Height/2) \* .7  
**ZIndex** 2  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(244, 244, 244, 1)

**DisabledFill** **Self.Fill**  
**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** **Self.BorderColor**  
**HoverBorderColor** ColorFade(Self.BorderColor, 20%)  
**HoverColor** ColorFade(Self.Color, 20%)  
**HoverFill** **Self.Fill**  
**PressedBorderColor** ColorFade(Self.BorderColor, -20%)  
**PressedColor** ColorFade(Self.Color, -20%)  
**PressedFill** RGBA(255, 255, 255, 0.3)

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EntryScreen

iconCircle1\_3

**Type**  circle

**Design**

<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>100</b>
<b>Visible</b>	<b>If(LblSuccessMsg1_3.Text="100%",true,false)</b>
<b>Width</b>	<b>100</b>
<b>X</b>	<b>Parent.Width/2 - Self.Width/2</b>
<b>Y</b>	<b>(Parent.Height/2 - Self.Height/2) * .7</b>
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Primary</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	<b>EntryScreen</b>

#### LblLoadingText

<b>Type</b>	 <b>label</b>
<b>Data</b>	
<b>Live</b>	<b>Live.Off</b>
<b>Role</b>	<b>TextRole.Default</b>
<b>Text</b>	<b>"Loading/Verifying Permissions"</b> "Text"
<b>Design</b>	
<b>Align</b>	<b>Align.Center</b> Align.Left
<b>AutoHeight</b>	<b>true</b>
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>0</b>
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'

<b>FontWeight</b>	<b>FontWeight.Bold</b>	FontWeight.Normal
<b>Height</b>	<b>iconCircle1_3.Height</b>	40
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	<b>20</b>	13
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>If(LblSuccessMsg1_3.Text=="100%",false,true)</b>	
<b>Width</b>	<b>350</b>	150
<b>X</b>	508	
<b>Y</b>	245	
<b>ZIndex</b>	9	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
<b>Color</b>	RGBA(0, 18, 107, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(40, 134, 222, 1)	
<b>Color</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	

<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EntryScreen

### LblSuccessMsg1\_3

Type  label

**Data**

Live Live.Off  
Role TextRole.Default  
Text **If(**CurrentStep >= TotalSteps, "100%",  
Text((CurrentStep/TotalSteps)\*100,"0")&"%") "Text"

**Design**

Align Align.Center Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid  
BorderThickness 0  
DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font App.Theme.Font Font.'Open Sans'  
FontWeight FontWeight.Bold FontWeight.Normal

Height iconCircle1\_3.Height 40

Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 20 13

Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Width 150  
X Parent.Width/2 - Self.Width/2  
Y iconCheck1\_3.Y + iconCheck1\_3.Height + 100  
ZIndex 3

**Color Properties**

BorderColor RGBA(0, 0, 0, 1)  
RGB(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(40, 134, 222, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      EntryScreen

## Progress1

**Type** [?](#)      PowerApps\_CoreControls\_Progress

**Data**

**BasePaletteColor**

**ProgressColor**      'Progress.ProgressColor'.Success

**Shape**      'Progress.Shape'.Square

**Thickness**      'Progress.Thickness'.Large

**Value**      If(CurrentStep >= TotalSteps, 100,  
(CurrentStep/TotalSteps)\*100)

**Design**

**DisplayMode**      DisplayMode.Edit

**Height**      47

**Width**      1025

**X**      170

**Y**      361

**ZIndex** 7  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EntryScreen

### TextCanvas1

**Type** ⓘ PowerApps\_CoreControls\_TextCanvas

**Data**  
**Align** 'TextCanvas.Align'.Center

**AutoHeight** true

**FontColor** RGBA(255, 0, 0, 1)

**Size** 20

**Text** If/AdminMode,"DEV VERSION AdminMode", "DEV VERSION")

**Design**  
**DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 202

**X** 1097  
**Y** 704  
**ZIndex** 12  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** EntryScreen

### Timer2

**Type** ⏳ timer

**Behavior**  
**OnTimerEnd** If(CurrentStep < TotalSteps,  
Set(CurrentStep,CurrentStep+1), Set(TimerRunning,true), Set(TimerRunning,false));  
Collect(ProgressStatus, {Step:CurrentStep});

**Data**  
**AutoStart** true

**Duration** 700

**Repeat** true

**Start** TimerRunning

**Text** Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")

**Design**

**Align** Align.Center

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Height** 40

**Size** 13

**VerticalAlign** VerticalAlign.Middle

**Visible** false

**Width** 160

**X** 40

**Y** 40

**ZIndex** 8

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

ColorFade(Self.BorderColor, 70%)

**DisabledColor** RGBA(166, 166, 166, 1)

ColorFade(Self.Fill, 90%)

**DisabledFill** RGBA(244, 244, 244, 1)

ColorFade(Self.Fill, 70%)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b> Self.Fill
<b>PressedColor</b>	<b>Self.Color</b> Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b> Self.Color
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	EntryScreen

## HomeScreen

Type  screen

### Data

**BackgroundImage** **BackgroundImage**

### Design

**Height** Max(App.Height, App.MinScreenWidth)

**ImagePosition** **ImagePosition.Center** ImagePosition.Fit

**LoadingSpinner** LoadingSpinner.None

**LoadingSpinnerColor** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**Orientation** If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)

**Size** 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)

**Width** Max(App.Width, App.MinScreenWidth)

### Color Properties

**Fill** **Color.White** White

### Child & Parent Controls

**Child Controls** ScreenContainer1

Timer1

btnNewProject

btnExistingProject

btnExit

Label17

Label17\_1

Label17\_2

Icon1\_3

TextCanvas1\_1

Icon1\_2

tglAdmin

grpHomeButtons

grpDevLabel\_1

btnExistingProject

Type ⓘ PowerApps\_CoreControls\_ButtonCanvas

**Behavior**

**OnSelect** Navigate(EditProjectScreen); Set(varNewProject,false);  
Set(varExistingProject,true); Set(varFormMode,FormMode.Edit); Set(varEEPChanged,false);  
Set(ESAGoBack,false); Set(varEditProject,false);

**Data**

**Align** ""

**Appearance** 'ButtonCanvas.Appearance'.Primary

**BasePaletteColor**

**BorderStyle** ""

**FontColor**

**FontSize** 18

**FontWeight** FontWeight.Semibold

**Icon** ""

**IconRotation** 0

**IconStyle** "Outline"

**Layout** "Icon before"

**Text** "Existing Project"

**VerticalAlign** ""

**Design**

**DisplayMode** DisplayMode.Edit

**Height** 40

**Width** 175

**X** (HomeScreen.Width-btnExistingProject.Width)/2  
**Y** 346  
**ZIndex** 3

**Color Properties**

**BorderColor**

**Child & Parent Controls**

**Child Controls**

**Parent Control** HomeScreen

btnExit

Type ⓘ PowerApps\_CoreControls\_ButtonCanvas

```

Behavior
OnSelect Exit(true);

Data
Align ""

Appearance 'ButtonCanvas.Appearance'.Secondary

BasePaletteColor
BorderStyle ""

FontColor
FontSize 18

FontWeight FontWeight.Semibold

Icon ""

IconRotation 0

IconStyle "Outline"

Layout "Icon before"

Text "Exit"

VerticalAlign ""

Design
DisplayMode DisplayMode.Edit

Height 40

Width 175

X (HomeScreen.Width-btnExit.Width)/2
Y 428
ZIndex 4
Color Properties
BorderColor
Child & Parent Controls
Child Controls
Parent Control HomeScreen

```

### btnNewProject

**Type** ⓘ PowerApps\_CoreControls\_ButtonCanvas

**Behavior**

**OnSelect** Navigate(NewProjectScreen); Set(varEEPChanged,false);  
Set(varNewProject,true); Set(varExistingProject,false); Reset(ddState); Reset(ddProduct);

```

Reset(ddIteration); Reset(txtProjectDescription); Reset(txtProjectManager); Reset(dpGoLiveDate);
Reset(ddMileage); Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Reset(txtNDBLOB);

Data
Align           ""

Appearance      'ButtonCanvas.Appearance'.Primary

BasePaletteColor
BorderStyle      ""

FontColor
FontSize         20

FontWeight        FontWeight.Bold

Icon             ""

IconRotation     0

IconStyle         "Outline"

Layout            "Icon before"

Text              "New Project"

VerticalAlign    ""

Design
DisplayMode      DisplayMode.Edit

Height            40

Width             175

X                (HomeScreen.Width-btnNewProject.Width)/2
Y                265
ZIndex           2
Color Properties
BorderColor
Child & Parent Controls
Child Controls
Parent Control   HomeScreen

```

### grpDevLabel\_1

**Type**  group

<b>Design</b>	
<b>Height</b>	5
<b>Width</b>	5
<b>X</b>	80
<b>Y</b>	80

**ZIndex** 15  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HomeScreen

### grpHomeButtons

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 5  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HomeScreen

### Header1

**Type**  Header  
**Behavior**  
**OnSelectLogo** false  
**Data**  
**BasePaletteColor**  
**FontColor**  
**Logo** Picture1  
**Title** "Axis Program Management"  
**UserEmail** User().Email  
**UserImage** User().Image  
**UserName** User().FullName  
**Design**  
**DisplayMode** DisplayMode.Edit  
**Height** 75  
**Width** Parent.Width  
**X** 0  
**Y** 0  
**ZIndex** 1  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HeaderContainer1

## HeaderContainer1

Type  horizontalAutoLayoutContainer

**Design**  
**BorderStyle** **BorderStyle.Solid**

**ChildTabPriority** **true**

**DisplayMode** **DisplayMode.Edit**

**DropShadow** **DropShadow.Light**

**Height** **75**

**LayoutAlignItems** **LayoutAlignItems.Start**

**LayoutDirection** **LayoutDirection.Horizontal**

**LayoutGap** **0**

**LayoutJustifyContent** **LayoutJustifyContent.Start**

**LayoutMode** **LayoutMode.Auto**

**LayoutOverflowX** **LayoutOverflow.Hide**

**LayoutOverflowY** **LayoutOverflow.Hide**

**LayoutWrap** **false**

**RadiusBottomLeft** **4**

**RadiusBottomRight** **4**

**RadiusTopLeft** **4**

**RadiusTopRight** **4**

**Width** **500**

**X** **0**

**Y** **0**

**ZIndex** **2**

### Color Properties

**BorderColor** **RGBA(0, 0, 0, 1)**

**Fill** **RGBA(255, 255, 255, 1)**

**Child & Parent Controls****Child Controls** Header1**Parent Control**

ScreenContainer1

Icon1\_2

**Type**  PowerApps\_CoreControls\_Icon**Data Icon** "GlobeWarning"**IconColor** RGBA(255, 0, 0, 1)**IconStyle** 'Icon.IconStyle'.Outline**Design DisplayMode** DisplayMode.Edit**Height** 45**Width** 45**X** 1299**Y** 704**ZIndex** 13**Child & Parent Controls****Child Controls****Parent Control** HomeScreen

Icon1\_3

**Type**  PowerApps\_CoreControls\_Icon**Data Icon** "GlobeWarning"**IconColor** RGBA(255, 0, 0, 1)**IconStyle** 'Icon.IconStyle'.Outline**Design DisplayMode** DisplayMode.Edit

**Height** 45  
**Width** 45  
**X** 1052  
**Y** 704  
**ZIndex** 12  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HomeScreen

### Label17

**Type**  label  
**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "Total Project Count: " &  
CountRows(CS\_EXP\_Project\_Translation) "Text"  
**Design**  
**Align** Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontWeight** FontWeight.Bold FontWeight.Normal  
**Height** 41 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** AdminMode  
**Width** 200 150  
**X** 240  
**Y** 572  
**ZIndex** 9  
**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(71, 158, 245, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** HomeScreen

Label17\_1

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "Active Projects: " &

CountRows(Filter(CS\_EXP\_Project\_Translation, Status = "Active")) "Text"

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontSize** 16 FontSize.Medium

**Height** 41 40

<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>AdminMode</b>
<b>Width</b>	<b>200</b> 150
<b>X</b>	240
<b>Y</b>	619
<b>ZIndex</b>	10
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)
<b>Fill</b>	RGBA(71, 158, 245, 1)
	RGBA(0, 0, 0, 0)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	HomeScreen

Label17\_2

Type  label

```

Data
Live Off
Role TextRole.Default
Text "InActive Projects: " &
CountRows(Filter(CS_EXP_Project_Translation, Status = "InActive")) "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'
FontWeight FontWeight.Bold FontWeight.Normal

Height 41 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible AdminMode

Width 200 150

X 240
Y 666
ZIndex 11
Color Properties
BorderColor App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(71, 158, 245, 1)
RGB(0, 0, 0, 0)

```

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	HomeScreen

## ScreenContainer1

Type  verticalAutoLayoutContainer

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>ChildTabPriority</b>	true
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>DropShadow</b>	<b>DropShadow.Light</b>
<b>Height</b>	112
<b>LayoutAlignItems</b>	<b>LayoutAlignItems.Stretch</b>
<b>LayoutDirection</b>	<b>LayoutDirection.Vertical</b>
<b>LayoutGap</b>	16
<b>LayoutJustifyContent</b>	<b>LayoutJustifyContent.Start</b>
<b>LayoutMode</b>	<b>LayoutMode.Auto</b>
<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	false
<b>PaddingBottom</b>	16
<b>PaddingLeft</b>	16
<b>PaddingRight</b>	16
<b>PaddingTop</b>	16

<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>Parent.Width</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	RGBA(0, 0, 0, 1)

**Fill** RGBA(245, 245, 245, 1)

**Child & Parent Controls**

<b>Child Controls</b>	HeaderContainer1
<b>Parent Control</b>	HomeScreen

### TextCanvas1\_1

<b>Type</b> ⓘ	PowerApps_CoreControls_TextCanvas
<b>Data</b>	
<b>Align</b>	'TextCanvas.Align'.Center
<b>AutoHeight</b>	true
<b>FontColor</b>	RGBA(255, 0, 0, 1)

<b>Size</b>	<b>20</b>
<b>Text</b>	If(AdminMode,"DEV VERSION AdminMode", "DEV
<b>VERSION")</b>	
<b>Design</b>	
<b>DisplayMode</b>	DisplayMode.Edit
<b>Height</b>	<b>45</b>

**Width** **202**

**X** 1097

**Y** 704

**ZIndex** 14

**Child & Parent Controls**

**Child Controls**

**Parent Control** HomeScreen

tglAdmin

**Type**  PowerApps\_CoreControls\_Toggle

**Behavior**

**OnCheck** If(varCurrentUser in colAuthorizedUsers,  
Set(AdminMode,true), Notify("You are NOT authorized for Admin  
Mode.",NotificationType.Error,2000));

**OnUncheck** Set(AdminMode,false);

**Data**

**BasePaletteColor**

**FontColor** RGBA(79, 90, 94, 1)

**FontSize** **18**

**FontWeight** **FontWeight.Bold**

**Label** "Admin"

**LabelPosition** 'Toggle.LabelPosition'.After

**Design**

**DisplayMode** **DisplayMode.Edit**

**Height** **35**

**Width** **140**

**X** 0

**Y** 727

**ZIndex** 6

**Child & Parent Controls**

**Child Controls**

**Parent Control** HomeScreen

Timer1

**Type**  timer

```

Behavior
OnTimerEnd Set(varCurrentScreen,A
pp.ActiveScreen.Name); ClearCollect(colVariables,
{colVariableName:"ProjectID",colVariableValue:Text(varCurrentProjectID)},
{colVariableName:"varCurrentScreen",colVariableValue:Text(varCurrentScreen)},
//{colVariableName:"Analyst",colVariableValue:Text(varCurrentAnalyst)},
//{colVariableName:"ProjectManager",colVariableValue:Text(varCurrentProjectManager)},
//{colVariableName:"GoLiveDate",colVariableValue:Text(DateValue(varCurrentGoLiveData))},
//{colVariableName:"Mileage",colVariableValue:Text(varCurrentMileage)},
//{colVariableName:"BenchmarkFileID",colVariableValue:Text(varCurrentBenchmarkFileID)},
//{colVariableName:"NDBLOB",colVariableValue:Text(varCurrentNDBLOB)},
//{colVariableName:"ProjectDesc",colVariableValue:Text(varCurrentProjectDesc)},
//{colVariableName:"LastEditDate",colVariableValue:Text(DateValue(varCurrentLastEditDate))},
//{colVariableName:"LastEditMSID",colVariableValue:Text(varCurrentLastEditMSID)},
{colVariableName:"varGridEdit",colVariableValue:Text(varGridEdit)},
{colVariableName:"varEditProject",colVariableValue:Text(varEditProject)},
{colVariableName:"varEEPChanged",colVariableValue:Text(varEEPChanged)},
{colVariableName:"varNewProject",colVariableValue:Text(varNewProject)},
{colVariableName:"varExistingProject",colVariableValue:Text(varExistingProject)},
{colVariableName:"varFormMode",colVariableValue:Text(varFormMode)},
{colVariableName:"ESAGoBack",colVariableValue:Text(ESAGoBack)},
//{colVariableName:"varLEPMode",colVariableValue:Text(varLEPMode)},
{colVariableName:"varPDWReady",colVariableValue:Text(varPDWReady)},
//{colVariableName:"varFormCoverMode",colVariableValue:Text(varFormCoverMode)},
{colVariableName:"varRefreshToken",colVariableValue:Text(varRefreshToken)},
{colVariableName:"varNotesFormMode",colVariableValue:Text(varNotesFormMode)},
{colVariableName:"varNewNoteMode",colVariableValue:Text(VarNewNoteMode)},
{colVariableName:"varbtnAddNewNoteMode",colVariableValue:Text(varbtnAddNewNoteMode)},
{colVariableName:"varbtnSubmitNoteMode",colVariableValue:Text(varbtnSubmitNoteMode)},
{colVariableName:"varbtnUpdateNoteMode",colVariableValue:Text(varbtnUpdateNoteMode)},
{colVariableName:"varNotesEmpty",colVariableValue:Text(varNotesEmpty)}); //ForAll( //
colVariables, // Patch( //   tblVariableMonitorVal2S, //   LookUp( //
tblVariableMonitorVal2S, //     VariableName = colVariableName //   ), //   {VariableValue:
colVariableValue} // ) //);

```

**Data**

AutoPause	false
AutoStart	true
Duration	20000
Repeat	true
Text	Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")
Design	
Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	App.Theme.Font Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	
<b>Size</b>	13	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>false</b>	
<b>Width</b>	160	
<b>X</b>	883	
<b>Y</b>	36	
<b>ZIndex</b>	5	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b>	ColorFade(Self.Fill, -15%)
 <b>Color</b>	RGBA(255, 255, 255, 1)	
 <b>DisabledBorderColor</b>	RGB(244, 244, 244, 1)	
	ColorFade(Self.Bordercolor, 70%)	
 <b>DisabledColor</b>	RGB(166, 166, 166, 1)	
	ColorFade(Self.Fill, 90%)	
 <b>DisabledFill</b>	RGB(244, 244, 244, 1)	
	ColorFade(Self.Fill, 70%)	
 <b>Fill</b>	<b>App.Theme.Colors.Primary</b>	RGB(56, 96, 178, 1)
 <b>FocusedBorderColor</b>	Self.Bordercolor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b>	
	ColorFade(Self.Bordercolor, 20%)	
 <b>HoverColor</b>	RGB(255, 255, 255, 1)	
 <b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGB(56, 96, 178, 1), -20%)
 <b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
 <b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
 <b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
 <b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	HomeScreen	

## NewProjectScreen

Type  screen

### Behavior

**OnVisible**

```
ClearCollect( colProducts, {ID: "1", Product: "ABDx"}, {ID: "2", Product: "CAID"}, {ID: "3", Product: "CARE"}, {ID: "4", Product: "CHPx"}, {ID: "5", Product: "CRSx"}, {ID: "6", Product: "DSNP"}, {ID: "7", Product: "LTCx"}, {ID: "8", Product: "MMPx"}, {ID: "9", Product: "OTHR"}, {ID: "10", Product: "TEST"}); ClearCollect( colStates, { ID: "1", State: "AK" }, { ID: "2", State: "AL" }, { ID: "3", State: "AR" }, { ID: "4", State: "AZ" }, { ID: "5", State: "CA" }, { ID: "6", State: "CO" }, { ID: "7", State: "CT" }, { ID: "8", State: "DC" }, { ID: "9", State: "DE" }, { ID: "10", State: "FL" }, { ID: "11", State: "GA" }, { ID: "12", State: "HI" }, { ID: "13", State: "IA" }, { ID: "14", State: "ID" }, { ID: "15", State: "IL" }, { ID: "16", State: "IN" }, { ID: "17", State: "KS" }, { ID: "18", State: "KY" }, { ID: "19", State: "LA" }, { ID: "20", State: "MA" }, { ID: "21", State: "MD" }, { ID: "22", State: "ME" }, { ID: "23", State: "MI" }, { ID: "24", State: "MN" }, { ID: "25", State: "MO" }, { ID: "26", State: "MS" }, { ID: "27", State: "MT" }, { ID: "28", State: "NC" }, { ID: "29", State: "ND" }, { ID: "30", State: "NE" }, { ID: "31", State: "NH" }, { ID: "32", State: "NJ" }, { ID: "33", State: "NM" }, { ID: "34", State: "NV" }, { ID: "35", State: "NY" }, { ID: "36", State: "OH" }, { ID: "37", State: "OK" }, { ID: "38", State: "OR" }, { ID: "39", State: "PA" }, { ID: "40", State: "RI" }, { ID: "41", State: "SC" }, { ID: "42", State: "SD" }, { ID: "43", State: "TN" }, { ID: "44", State: "TX" }, { ID: "45", State: "UT" }, { ID: "46", State: "VA" }, { ID: "47", State: "VT" }, { ID: "48", State: "WA" }, { ID: "49", State: "WI" }, { ID: "50", State: "WV" }, { ID: "51", State: "WY" });

Set(varLEPMode, false);
```

### Data

**BackgroundImage** **BackgroundImage**

### Design

**Height** Max(App.Height, App.MinScreenWidth)  
**ImagePosition** **ImagePosition.Fill** ImagePosition.Fit

**LoadingSpinner** LoadingSpinner.None  
**LoadingSpinnerColor** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**Orientation** If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)  
**Size** 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)  
**Width** Max(App.Width, App.MinScreenWidth)

**Color Properties**  
**Fill** **Color.White** White

### Child & Parent Controls

**Child Controls** ScreenContainer1\_1  
Label7  
Label7\_2  
Label7\_1  
Label7\_3

Label7\_4  
Label3  
Label6  
Rectangle7  
Label6\_3  
txtNewProjectID  
txtAnalyst  
txtBenchmarkFileID  
btnCreateProject  
btnCreateLEP  
Label5  
Label6\_1  
Label6\_4  
Label5\_4  
btnMainMenu  
ddState  
txtProjectDescription  
txtNDBLOB  
ddProjectStatus  
Label12  
Icon4  
Label5\_1  
Label6\_2  
Label3\_4  
ddProduct  
txtProjectManager  
txtProjectType  
Label5\_2  
Label8  
Label9  
Label3\_2  
Label3\_3  
ddlIteration  
dpGoLiveDate  
ddMileage  
txtMSID  
txtLastEditDate  
cbLEP  
Icon1\_5  
TextCanvas1\_2  
Icon1\_4  
grpBenchmarkFileID  
grpStatus  
grpMSID  
grpEditDate  
grpProjectType  
grpNDBLOB  
grpNewProjectID  
grpState  
grpProduct  
grpIteration  
grpAnalyst  
grpProjectDescription  
grpProjectManager  
grpGoLiveDate

grpMileage  
grpButtons  
grpDevLabel\_2

btnCreateLEP

Type  button

Behavior  
OnSelect

Set(varCurrentProjectID,

```
txtNewProjectID.Text); Set(varCurrentAnalyst,txtAnalyst.Text);
Set(varCurrentProjectManager,txtProjectManager.Text);
Set(varCurrentGoLiveDate,dpGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddMileage.Selected.Value);
Set(varCurrentBenchmarkFileID,txtBenchmarkFileID.Text);
Set(varCurrentNDBLOB,txtNDBLOB.Text); Set(varCurrentProjectDesc,txtProjectDescription.Text);
Set(varCurrentProjectType,txtProjectType.Text);
Set(varCurrentProjectStatus,ddProjectStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtLastEditDate.Text));
Set(varCurrentLastEditMSID,txtMSID.Text);
Set(varCheckProjectID,Value(uspCsExpCheckProjectId.Run(varCurrentProjectID).exists));
Set(varExistingProject,true); If(varCheckProjectID = 1,Notify("This ProjectID Already Exists!",NotificationType.Error,2000),Patch(CS_EXP_Project_Translation,
Defaults(CS_EXP_Project_Translation),{ ProjectID:txtNewProjectID.Text,
BenchmarkFileID: Blank(), NDB_LOB: Blank(), ProjectType: txtProjectType.Text,
ProjectDesc: txtProjectDescription.Text, Analyst: txtAnalyst.Text, PM:
txtProjectManager.Text, GoLiveDate: dpGoLiveDate.SelectedDate, MaxMileage:
ddMileage.Selected.Value, Status: ddProjectStatus.Selected.Value, NewMarket:
Blank(), ProvRef: Blank(), DataLoadDate: Now(), LastEditDate:
DateTimeValue(txtLastEditDate.Text), LastEditMSID: txtMSID.Text, RefreshInd: 0});
Reset(ddState); Reset(ddProduct); Reset(ddIteration); Reset(txtProjectDescription);
Reset(txtProjectManager); Reset(dpGoLiveDate); Reset(ddMileage);
Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Reset(cbLEP); Set(varPDWReady,false);
Set(varNewProject,true); Navigate(SuccessScreenNewProject)); Set(varFormCoverMode,true);
```

Data

Text "Create LEP" "Button"

Design

Align Align.Center  
BorderStyle BorderStyle.Solid  
BorderThickness 2  
DisplayMode DisplayMode.Edit  
FocusedBorderThickness 4  
Font App.Theme.Font Font.'Open Sans'  
FontWeight FontWeight.Bold FontWeight.Semibold

Height 40  
Italic false

```

RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible varLEPMode

Width 200 160

X 1109
Y 269
ZIndex 32
Color Properties
BorderColor App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)
Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)
DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill App.Theme.Colors.Primary RGBA(56, 96, 178, 1)
FocusedBorderColor Self.BorderColor
HoverBorderColor App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)
HoverColor RGBA(255, 255, 255, 1)

HoverFill App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)
PressedBorderColor App.Theme.Colors.Darker40 Self.Fill
PressedColor Self.Color Self.Fill
PressedFill App.Theme.Colors.Darker40 Self.Color

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

```

btnCreateProject

Type  button

Behavior  
OnSelect

Set(varCurrentProjectID,

```
txtNewProjectID.Text); Set(varCurrentAnalyst,txtAnalyst.Text);
Set(varCurrentProjectManager,txtProjectManager.Text);
Set(varCurrentGoLiveDate,dpGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddMileage.Selected.Value);
Set(varCurrentBenchmarkFileID,txtBenchmarkFileID.Text);
Set(varCurrentNDBLOB,txtNDBLOB.Text); Set(varCurrentProjectDesc,txtProjectDescription.Text);
Set(varCurrentProjectType,txtProjectType.Text);
Set(varCurrentProjectStatus,ddProjectStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtLastEditDate.Text));
Set(varCurrentLastEditMSID,txtMSID.Text); Set(varExistingProject,true);
Set(varCheckProjectID,Value(uspCsExpCheckProjectId.Run(varCurrentProjectID).exists));
If(varCheckProjectID = 1,Notify("This ProjectID Already Exists!",NotificationType.Error,2000),
Patch(CS_EXP_Project_Translation, Defaults(CS_EXP_Project_Translation),{ ProjectID:
txtNewProjectID.Text, BenchmarkFileID: Blank(), NDB_LOB: Blank(), ProjectType:
txtProjectType.Text, ProjectDesc: txtProjectDescription.Text, Analyst: txtAnalyst.Text,
PM: txtProjectManager.Text, GoLiveDate: dpGoLiveDate.SelectedDate, MaxMileage:
ddMileage.Selected.Value, Status: ddProjectStatus.Selected.Value, NewMarket: Blank(),
ProvRef: Blank(), DataLoadDate: Now(), LastEditDate:
DateTimeValue(txtLastEditDate.Text), LastEditMSID: txtMSID.Text, RefreshInd: 1});
Reset(ddState); Reset(ddProduct); Reset(ddIteration); Reset(txtProjectDescription);
Reset(txtProjectManager); Reset(dpGoLiveDate); Reset(ddMileage); Reset(txtBenchmarkFileID);
Reset(ddProjectStatus); Reset(cbLEP); Navigate(SuccessScreenNewProject);
Set(varPDWReady,false); Set(varNewProject,false); Set(varFormCoverMode,true));
```

Data

Text "Create Project" "Button"

Design

```
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font App.Theme.Font Font.'Open Sans'
```

FontWeight If(varNewProject, FontWeight.Bold, FontWeight.Normal)
FontWeight.Semibold

```
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
```

**Strikethrough** false  
**TabIndex** 10

**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** !varLEPMode

**Width** 200 160

**X** 1109  
**Y** 269  
**ZIndex** 21

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)  
RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10  
ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill

**PressedColor** Self.Color Self.Fill

**PressedFill** App.Theme.Colors.Darker40 Self.Color

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

btnMainMenu

Type  button

**Behavior**

**OnSelect** Navigate(HomeScreen); Reset(ddState); Reset(ddProduct);  
Reset(ddIteration); Reset(txtProjectDescription); Reset(txtProjectManager); Reset(dpGoLiveDate);  
Reset(ddMileage); Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Set(varPDWReady,false);  
Set(varNewProject,false);

**Data**

**Text** "Main Menu" "Button"

**Design**

**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal FontWeight.Semibold

**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**TabIndex** 11

**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 200 160

**X** 1109  
**Y** 339  
**ZIndex** 20

**Color Properties**  
**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

<b>Fill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGBA(255, 255, 255, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	NewProjectScreen	

## cbLEP

<b>Type</b>	<input checked="" type="checkbox"/>	checkbox
<b>Behavior</b>		
<b>OnCheck</b>	<b>Set(varLEPMode,true)</b>	
<b>OnUncheck</b>	<b>Set(varLEPMode,false)</b>	
<b>Data</b>		
<b>Text</b>	"Limited Expansion Project (Network Growth)"	"Option"
<b>Design</b>		
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	0	
<b>CheckboxBackgroundFill</b>	RGBA(255, 255, 255, 1)	
<b>CheckboxBorderColor</b>	<b>App.Theme.Colors.Primary</b>	RGBA(0, 18, 107, 1)
<b>CheckmarkFill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(0, 0, 0, 1)
<b>DisplayMode</b>	EditMode.Edit	
<b>FocusedBorderThickness</b>	2	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	50	
<b>Italic</b>	false	
<b>PaddingBottom</b>	0	
<b>PaddingLeft</b>	0	

**PaddingRight** 0  
**PaddingTop** 0  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** If(varNewProject||varLEPMode,true,false)

**Width** 565 150

**X** 95  
**Y** 663  
**ZIndex** 40

**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(186, 186, 186, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** ColorFade(Self.BorderColor, 30%)  
**HoverColor** App.Theme.Colors.Darker30 RGBA(0, 18, 107, 1)

**HoverFill** ColorFade(Self.Fill, 30%)  
**PressedBorderColor** ColorFade(Self.BorderColor, -30%)  
**PressedColor** RGBA(70, 68, 64, 1)

**PressedFill** ColorFade(Self.Fill, -30%)

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

ddIteration

**Type**  dropdown

**Data**

<b>AllowEmptySelection</b>	<b>true</b>
<b>Items</b>	<b>[01,02,03,04,05] DropDownSample</b>
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>2</b>
<b>ChevronBackground</b>	<b>App.Theme.Colors.Primary</b> <b>RGBA(56, 96, 178, 1)</b>
<b>ChevronDisabledBackground</b>	<b>RGBA(166, 166, 166, 1)</b>
<b>ChevronDisabledFill</b>	<b>RGBA(244, 244, 244, 1)</b>
<b>ChevronFill</b>	<b>RGBA(255, 255, 255, 1)</b>
<b>ChevronHoverBackground</b>	<b>App.Theme.Colors.Darker10</b> <b>ColorFade(RGBA(56, 96, 178, 1), -20%)</b>
<b>ChevronHoverFill</b>	<b>RGBA(255, 255, 255, 1)</b>
<b>DisplayMode</b>	<b>If(varNewProject, DisplayMode.Edit, DisplayMode.View)</b> <b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>4</b>
<b>Font</b>	<b>App.Theme.Font</b> <b>Font.'Open Sans'</b>
<b>FontSize</b>	<b>14</b>
<b>FontWeight</b>	<b>FontWeight.Normal</b>
<b>Height</b>	<b>40</b>
<b>Italic</b>	<b>false</b>
<b>PaddingBottom</b>	<b>10</b>
<b>PaddingLeft</b>	<b>10</b>
<b>PaddingRight</b>	<b>10</b>
<b>PaddingTop</b>	<b>10</b>
<b>Size</b>	<b>13</b>
<b>Strikethrough</b>	<b>false</b>
<b>TabIndex</b>	<b>3</b>
<b>Underline</b>	<b>false</b>
<b>Width</b>	<b>150</b> <b>328</b>
<b>X</b>	<b>95</b>
<b>Y</b>	<b>592</b>
<b>ZIndex</b>	<b>9</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> <b>RGBA(0, 18, 107, 1)</b>
<b>Color</b>	<b>RGBA(0, 0, 0, 1)</b>
<b>DisabledBorderColor</b>	<b>RGBA(166, 166, 166, 1)</b>

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(244, 244, 244, 1)

**Fill**    RGBA(255, 255, 255, 1)

**FocusedBorderColor**        Self.BorderColor

**HoverBorderColor**        ColorFade(Self.BorderColor, 15%)

**HoverColor**    RGBA(0, 0, 0, 1)

**HoverFill**                **App.Theme.Colors.Lighter70**    RGBA(186, 202, 226, 1)

**PressedBorderColor**        Self.HoverBorderColor

**PressedColor**        RGBA(255, 255, 255, 1)

**PressedFill**                **App.Theme.Colors.Darker30**    RGBA(0, 18, 107, 1)

**SelectionColor**        RGBA(255, 255, 255, 1)

**SelectionFill**                **App.Theme.Colors.Primary**    RGBA(56, 96, 178, 1)

**Child & Parent Controls**

**Child Controls**

**Parent Control**        NewProjectScreen

ddMileage

**Type**  dropdown

**Data  
Items**

**0,150]**

[10,20,30,40,50,60,70,80,90,100,110,120,130,14  
DropDownSample

**Design**

**BorderStyle**        BorderSide.Solid

**BorderThickness**        2

**ChevronBackground**        **App.Theme.Colors.Primary**    RGBA(56, 96, 178, 1)

**ChevronDisabledBackground**        RGBA(166, 166, 166, 1)

**ChevronDisabledFill**    RGBA(244, 244, 244, 1)

**ChevronFill**    RGBA(255, 255, 255, 1)

**ChevronHoverBackground** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)

**ChevronHoverFill** RGBA(255, 255, 255, 1)

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Height** 40

**Italic** false

**PaddingBottom** 10

**PaddingLeft** 10

**PaddingRight** 0 10

**PaddingTop** 10

**Size** 13

**Strikethrough** false

**TabIndex** 7

**Underline** false

**Visible** !varLEPMode

**Width** 150 328

**X** 511

**Y** 592

**ZIndex** 19

#### Color Properties

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** ColorFade(Self.BorderColor, 15%)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** RGBA(255, 255, 255, 1)

**PressedFill** **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

**SelectionColor** RGBA(255, 255, 255, 1)

**SelectionFill** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

ddProduct

**Type**  dropdown

**Data**

**AllowEmptySelection** true

**Items** colProducts DropDownSample

**Design**

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**ChevronBackground** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**ChevronDisabledBackground** RGBA(166, 166, 166, 1)

**ChevronDisabledFill** RGBA(244, 244, 244, 1)

**ChevronFill** RGBA(255, 255, 255, 1)

**ChevronHoverBackground** **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

**ChevronHoverFill** RGBA(255, 255, 255, 1)

**DisplayMode** **If(varNewProject, DisplayMode.Edit, DisplayMode.View)**  
DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font.Font.'Open Sans'

**FontWeight** FontWeight.Normal

<b>Height</b>	40		
<b>Italic</b>	false		
<b>PaddingBottom</b>	10		
<b>PaddingLeft</b>	10		
<b>PaddingRight</b>	10		
<b>PaddingTop</b>	10		
<b>Size</b>	13		
<b>Strikethrough</b>	false		
<b>TabIndex</b>	<b>2</b>		
<b>Underline</b>	false		
<b>Width</b>	<b>150</b>	328	
<b>X</b>	95		
<b>Y</b>	480		
<b>ZIndex</b>	7		
<b>Color Properties</b>			
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)		
<b>DisabledBorderColor</b>		RGBA(166, 166, 166, 1)	
<b>DisabledColor</b>		RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)		
<b>Fill</b>	RGBA(255, 255, 255, 1)		
<b>FocusedBorderColor</b>		Self.BorderColor	
<b>HoverBorderColor</b>		ColorFade(Self.BorderColor, 15%)	
<b>HoverColor</b>	RGBA(0, 0, 0, 1)		
<b>HoverFill</b>		<b>App.Theme.Colors.Lighter70</b>	RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>		Self.HoverBorderColor	
<b>PressedColor</b>	RGBA(255, 255, 255, 1)		
<b>PressedFill</b>		<b>App.Theme.Colors.Darker30</b>	RGBA(0, 18, 107, 1)
<b>SelectionColor</b>	RGBA(255, 255, 255, 1)		
<b>SelectionFill</b>		<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>Child &amp; Parent Controls</b>			
<b>Child Controls</b>			
<b>Parent Control</b>	NewProjectScreen		

## ddProjectStatus

Type	<input checked="" type="checkbox"/>	dropdown
Data Items	["Active","InActive"]	DropDownSample
Design		
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
ChevronBackground	App.Theme.Colors.Primary	RGBA(56, 96, 178, 1)
ChevronDisabledBackground	RGB(166, 166, 166, 1)	
ChevronDisabledFill	RGB(244, 244, 244, 1)	
ChevronFill	RGB(255, 255, 255, 1)	
ChevronHoverBackground	App.Theme.Colors.Darker10	ColorFade(RGBA(56, 96, 178, 1), -20%)
ChevronHoverFill	RGB(255, 255, 255, 1)	
DisplayMode	DisplayMode.View	DisplayMode.Edit
FocusedBorderThickness	4	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	40	
Italic	false	
PaddingBottom	10	
PaddingLeft	10	
PaddingRight	10	
PaddingTop	10	
Size	13	
Strikethrough	false	
Underline	false	
Visible	<b>false</b>	
Width	<b>150</b>	328
X	894	
Y	370	
ZIndex	25	
Color Properties		
BorderColor	App.Theme.Colors.Darker40	RGB(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** ColorFade(Self.BorderColor, 15%)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** RGBA(255, 255, 255, 1)

**PressedFill** **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

**SelectionColor** RGBA(255, 255, 255, 1)

**SelectionFill** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

#### **Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

ddState

**Type**  dropdown

#### **Data**

**AllowEmptySelection** true

**Default** "1"

**Items** colStatesDropDownSample

#### **Design**

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**ChevronBackground** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

<b>ChevronDisabledBackground</b>	RGBA(166, 166, 166, 1)
<b>ChevronDisabledFill</b>	RGBA(244, 244, 244, 1)
<b>ChevronFill</b>	RGBA(255, 255, 255, 1)
<b>ChevronHoverBackground</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>ChevronHoverFill</b>	RGBA(255, 255, 255, 1)
<b>DisplayMode</b>	<b>If(varNewProject, DisplayMode.Edit, DisplayMode.View)</b> DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>PaddingBottom</b>	10
<b>PaddingLeft</b>	10
<b>PaddingRight</b>	10
<b>PaddingTop</b>	10
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>TabIndex</b>	1
<b>Underline</b>	false
<b>Width</b>	<b>150</b> 328
<b>X</b>	95
<b>Y</b>	368
<b>ZIndex</b>	5
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)

<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	ColorFade(Self.BorderColor, 15%)	
<b>HoverColor</b>	RGBA(0, 0, 0, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Lighter70</b>	RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor	
<b>PressedColor</b>	RGBA(255, 255, 255, 1)	
<b>PressedFill</b>	<b>App.Theme.Colors.Darker30</b>	RGBA(0, 18, 107, 1)
<b>SelectionColor</b>	RGBA(255, 255, 255, 1)	
<b>SelectionFill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	NewProjectScreen	
dpGoLiveDate		
<b>Type</b>	 datepicker	
<b>Data</b>		
<b>DateTimeZone</b>	DateTimeZone.Local	
<b>DefaultDate</b>	Today()	
<b>EndYear</b>	2050	
<b>Format</b>	DateTimeFormat.ShortDate	
<b>InputTextPlaceholder</b>	If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))	
<b>StartOfWeek</b>	StartOfWeek.Sunday	
<b>StartYear</b>	1970	
<b>Design</b>		
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>CalendarHeaderFill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>CurrentDateFill</b>	RGBA(255, 255, 255, 1)	
<b>DayColor</b>	RGBA(255, 255, 255, 1)	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	

<b>HoverDateFill</b>	<b>App.Theme.Colors.Lighter70</b> RGBA(186, 202, 226, 1)
<b>IconBackground</b>	<b>App.Theme.Colors.Primary</b> RGBA(56, 96, 178, 1)
<b>IconFill</b>	RGBA(255, 255, 255, 1)
<b>Italic</b>	false
<b>MonthColor</b>	RGBA(255, 255, 255, 1)
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	12
<b>PaddingRight</b>	5
<b>PaddingTop</b>	0
<b>SelectedDateFill</b>	<b>App.Theme.Colors.Primary</b> RGBA(56, 96, 178, 1)
<b>Size</b>	14
<b>TabIndex</b>	6
<b>Visible</b>	true
<b>WeekColor</b>	RGBA(255, 255, 255, 1)
<b>Width</b>	<b>150</b> 328
<b>X</b>	340
<b>Y</b>	592
<b>ZIndex</b>	17
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	

**Parent Control**

NewProjectScreen

grpAnalyst

**Type**  group

**Design**

**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 18

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

grpBenchmarkFileDialog

**Type**  group

**Design**

**Height** 5  
**Width** 5  
**X** 20  
**Y** 20  
**ZIndex** 31

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

grpButtons

**Type**  group

**Design**

**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 50

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

grpDevLabel\_2

**Type**  group

**Design**

**Height** 5  
**Width** 5  
**X** 80  
**Y** 80  
**ZIndex** 47  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

### grpEditDate

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 20  
**Y** 20  
**ZIndex** 44  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

### grpGoLiveDate

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 22  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

### grplteration

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 12  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

grpMileage

Type  group

**Design**

**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 24

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

grpMSID

Type  group

**Design**

**Height** 5  
**Width** 5  
**X** 20  
**Y** 20  
**ZIndex** 42

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

grpNDBLOB

Type  group

**Design**

**Height** 5  
**Width** 5  
**X** 20  
**Y** 20  
**ZIndex** 55

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

grpNewProjectID

Type  group

**Design**

**Height** 5

**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 12  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

### grpProduct

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 12  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

### grpProjectDescription

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 19  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

### grpProjectManager

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 20  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

## grpProjectType

Type  group

### Design

Height 5  
Width 5  
X 20  
Y 20  
ZIndex 48

### Child & Parent Controls

#### Child Controls

Parent Control NewProjectScreen

## grpState

Type  group

### Design

Height 5  
Width 5  
X 40  
Y 40  
ZIndex 12

### Child & Parent Controls

#### Child Controls

Parent Control NewProjectScreen

## grpStatus

Type  group

### Design

Height 5  
Width 5  
X 20  
Y 20  
ZIndex 35

### Child & Parent Controls

#### Child Controls

Parent Control NewProjectScreen

## Header1\_1

Type  Header

### Behavior

OnSelectLogo **false**

### Data

**BasePaletteColor**  
**FontColor**  
**Logo** Picture1

**Title** If(varNewProject=true, "Axis Program Management: Start New Project", "Axis Program Management: Edit Existing Project")

**UserEmail** User().Email

**UserImage** User().Image

**UserName** User().FullName

**Design**  
**DisplayMode** DisplayMode.Edit

**Height** 75

**Width** Parent.Width

**X** 0  
**Y** 0  
**ZIndex** 1  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HeaderContainer1\_1

### HeaderContainer1\_1

**Type** horizontalAutoLayoutContainer

**Design**  
**BorderStyle** BorderStyle.Solid

**ChildTabPriority** true

**DisplayMode** DisplayMode.Edit

**DropShadow** DropShadow.Light

**Height** 75

**LayoutAlignItems** LayoutAlignItems.Start

**LayoutDirection** LayoutDirection.Horizontal

**LayoutGap** 0

**LayoutJustifyContent** LayoutJustifyContent.Start

**LayoutMode** LayoutMode.Auto

**LayoutOverflowX** LayoutOverflow.Hide

**LayoutOverflowY** **LayoutOverflow.Hide**

**LayoutWrap** **false**

**RadiusBottomLeft** **4**

**RadiusBottomRight** **4**

**RadiusTopLeft** **4**

**RadiusTopRight** **4**

**Width** **500**

**X** **0**

**Y** **0**

**ZIndex** **2**

**Color Properties**

**BorderColor** `RGBA(0, 0, 0, 1)`

**Fill** `RGBA(255, 255, 255, 1)`

**Child & Parent Controls**

**Child Controls** Header1\_1

**Parent Control** ScreenContainer1\_1

Icon1\_4

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data**  
**Icon** **"GlobeWarning"**

**IconColor** `RGBA(255, 0, 0, 1)`

**IconStyle** **'Icon.IconStyle'.Outline**

**Design**  
**DisplayMode** **EditMode**

**Height** **45**

**Width** **45**

**X** 1299

**Y** 704

**ZIndex** 45

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

Icon1\_5

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data**  
**Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design**  
**DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

**X** 1052

**Y** 704

**ZIndex** 44

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

Icon4

**Type** ⓘ icon

**Design**  
**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 2

**Height** 64

<b>Icon</b>	<b>Icon.ArrowLeft</b>
<b>Width</b>	<b>64</b>
X	837
Y	428
<b>ZIndex</b>	<b>43</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Color</b>	RGB(255, 255, 255, 1)

**DisabledBorderColor**      RGB(166, 166, 166, 1)

**DisabledColor**      RGB(244, 244, 244, 1)

<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	RGB(0, 0, 0, 0)

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	<b>Self.Fill</b>

**Child & Parent Controls**  
**Child Controls**  
**Parent Control**      NewProjectScreen

Label12

Type  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "Please Enter Project Details" "Text"

**Design**  
**Align** Align.Center Align.Left

**AutoHeight** true

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 50 40

**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 297 150

**X** 735  
**Y** 389  
**ZIndex** 42

**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(255, 255, 255, 1)  
RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill**    RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

Label3

**Type**  label

<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"New Project ID" "Text"

<b>Design</b>	
<b>Align</b>	Align.Center Align.Left

<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	1 0

<b>DisplayMode</b>	DisplayMode.View DisplayMode.Edit
--------------------	-----------------------------------

<b>FocusedBorderThickness</b>	0
<b>Font</b>	App.Theme.Font Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Semibold FontWeight.Normal
-------------------	---------------------------------------

<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	150
<b>X</b>	95
<b>Y</b>	216
<b>ZIndex</b>	2
<b>Color Properties</b>	

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

NewProjectScreen

## Label3\_2

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "MSID" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 1 0

**DisplayMode** DisplayMode.View DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>false</b>
<b>Width</b>	150
<b>X</b>	724
<b>Y</b>	552
<b>ZIndex</b>	26
<b>Color Properties</b>	
<b>BorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)
<b>Fill</b>	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

Label3\_3

Type  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "Edit Date" "Text"

**Design**  
**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 1 0

**DisplayMode** DisplayMode.View DisplayMode.Edit

**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** false

**Width** 150  
**X** 894  
**Y** 552  
**ZIndex** 28

**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)  
RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

### Label3\_4

Type  label

#### Data

<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	<b>"Project Type"</b> "Text"

#### Design

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 1 0

**DisplayMode** DisplayMode.View DisplayMode.Edit

**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontSize** 13  
**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** false

**Width** 150  
**X** 1021  
**Y** 461

**ZIndex** 30  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(0, 0, 0, 0)  
  
**Fill** RGBA(255, 255, 255, 1)  
    RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

## Label5

**Type**  label  
  
**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "State" "Text"  
  
**Design**  
**Align** Align.Center Align.Left  
  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 95  
**Y** 328  
**ZIndex** 4  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

Label5\_1

**Type**  label

**Data**

**Live** Live.Off  
**Role** TextRole.Default  
**Text** "Product" "Text"

**Design**  
**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 95  
**Y** 440  
**ZIndex** 6

**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)  
RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color

<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

## Label5\_2

Type  label

### Data

<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Iteration" "Text"

### Design

**Align** Align.Center Align.Left

<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	150
<b>X</b>	95
<b>Y</b>	552
<b>ZIndex</b>	8

### Color Properties

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

## Label5\_4

**Type**  label

### Data

**Live** Live.Off

**Role** TextRole.Default

**Text** "Project Status" "Text"

### Design

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.View DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5

**PaddingTop** 5

**Size** 13

<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>false</b>
<b>Width</b>	150
<b>X</b>	894
<b>Y</b>	330
<b>ZIndex</b>	24
<b>Color Properties</b>	
<b>BorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>RGB</b>	RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

## Label6

<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Analyst" "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid

**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontSize** 13  
**FontWeight** FontWeight.Semibold FontWeight.Normal  
**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** true  
**Width** 320 150  
**X** 340  
**Y** 216  
**ZIndex** 10  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
**DisabledColor** RGBA(166, 166, 166, 1)  
**DisabledFill** RGBA(0, 0, 0, 0)  
**Fill** RGBA(255, 255, 255, 1)  
**FocusColor** RGBA(0, 0, 0, 0)  
**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**

**Child Controls****Parent Control**

NewProjectScreen

Label6\_1

**Type**  label**Data****Live** Live.Off**Role** TextRole.Default**Text** "Project Description" "Text"**Design****Align** Align.Left**BorderStyle** BorderStyle.Solid**BorderThickness** 0**DisplayMode** DisplayMode.Edit**FocusedBorderThickness** 0**Font** App.Theme.Font Font.'Open Sans'**FontWeight** FontWeight.Semibold FontWeight.Normal**Height** 40**Italic** false**LineHeight** 1.2**Overflow** Overflow.Hidden**PaddingBottom** 5**PaddingLeft** 5**PaddingRight** 5**PaddingTop** 5**Size** 13**Strikethrough** false**Underline** false**VerticalAlign** VerticalAlign.Middle**Visible** true**Width** 320 150**X** 340**Y** 330**ZIndex** 12**Color Properties****BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)**Color** RGBA(0, 0, 0, 1)**DisabledBorderColor** RGBA(56, 56, 56, 1)**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

#### Child & Parent Controls

##### Child Controls

**Parent Control** NewProjectScreen

Label6\_2

**Type**  label

#### Data

**Live** Live.Off

**Role** TextRole.Default

**Text** "Project Manager" "Text"

#### Design

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5

**PaddingTop** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle

**Visible** true

<b>Width</b>	320	150
<b>X</b>	340	
<b>Y</b>	441	
<b>ZIndex</b>	13	
<b>Color Properties</b>		
<b>BorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(255, 255, 255, 1)	
	RGBA(0, 0, 0, 0)	

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

### Label6\_3

<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Benchmark File ID" "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	App.Theme.Font
	Font.'Open Sans'

<b>FontWeight</b>	<b>FontWeight.Semibold</b>	FontWeight.Normal
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>false</b>	
<b>Width</b>	320	150
<b>X</b>	724	
<b>Y</b>	216	
<b>ZIndex</b>	22	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(255, 255, 255, 1)	
	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	
<b>PressedFill</b>	Self.Fill	
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	NewProjectScreen	

## Label6\_4

Type  label

**Data**

Live Live.Off  
Role TextRole.Default  
Text "NDB LOB" "Text"

**Design**

Align Align.Left  
BorderStyle BorderStyle.Solid  
BorderThickness 0  
DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font **App.Theme.Font** Font.'Open Sans'  
**FontWeight** **FontWeight.Semibold** FontWeight.Normal

Height 40  
Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 13  
Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Visible **false**

Width **320** 150

X 724  
Y 330  
ZIndex 33

**Color Properties**  
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)  
Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

### Label7

Type  label

#### Data

<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"varNewProject: "&varNewProject "Text"

#### Design

<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>false</b>

**Width** 200 150

X 57  
Y 126  
**ZIndex** 39

#### Color Properties

<b>BorderColor</b>	App.Theme.Colors.Darker40	RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGB	56, 56, 56, 1
<b>DisabledColor</b>	RGB	166, 166, 166, 1
<b>DisabledFill</b>	RGB	0, 0, 0, 0
<b>Fill</b>	RGB	214, 221, 224, 1
	RGB	0, 0, 0, 0

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

### Label7\_1

<b>Type</b>	 label	
<b>Data</b>		
<b>Live</b>	Live.Off	
<b>Role</b>	TextRole.Default	
<b>Text</b>	"varLEPMode: "& varLEPMode	"Text"
<b>Design</b>		
<b>Align</b>	Align.Left	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	0	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	App.Theme.Font	Font.'Open Sans'
<b>FontSize</b>	14	
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	

**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** false

**Width** 200 150

**X** 542  
**Y** 126  
**ZIndex** 38

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

Label7\_2

**Type**  label

**Data**  
**Live** Live.Off

<b>Role</b>	TextRole.Default	
<b>Text</b>	<b>"varExistingProject: "&amp; varExistingProject "Text"</b>	
<b>Design</b>		
<b>Align</b>	Align.Left	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	0	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>false</b>	
<b>Width</b>	<b>225</b>	150
<b>X</b>	286	
<b>Y</b>	126	
<b>ZIndex</b>	37	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(214, 221, 224, 1)	
	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	

<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen
<b>Label7_3</b>	
<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"varPDWReady: "& varPDWReady "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>false</b>
<b>Width</b>	<b>200</b> 150
<b>X</b>	769
<b>Y</b>	126
<b>ZIndex</b>	36
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(214, 221, 224, 1)

          RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen

Label7\_4

**Type**  label

<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"varPDWStatus: "        "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontSize</b>	13
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false

**VerticalAlign** VerticalAlign.Middle  
**Visible** false

**Width** 200 150

X 996  
Y 126  
**ZIndex** 35

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(214, 221, 224, 1)  
RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

Label8

**Type**  label

**Data**

**Live** Live.Off  
**Role** TextRole.Default  
**Text** "GoLive Date" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

<b>BorderThickness</b>	0
<b>DisplayMode</b>	EditMode
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontSize</b>	13
<b>FontWeight</b>	<b>FontWeight.Semibold</b> FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>true</b>
<b>Width</b>	150
<b>X</b>	340
<b>Y</b>	552
<b>ZIndex</b>	16
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>Foreground</b>	RGBA(0, 0, 0, 0)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	

**Parent Control****NewProjectScreen**

Label9

**Type**  label**Data****Live** Live.Off  
**Role** TextRole.Default  
**Text** "Mileage" "Text"**Design****Align** Align.Center Align.Left**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'**FontWeight** FontWeight.Semibold FontWeight.Normal**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** !varLEPMode**Width** 150  
**X** 511  
**Y** 552  
**ZIndex** 18**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)**Color** RGBA(0, 0, 0, 1)**DisabledBorderColor** RGBA(56, 56, 56, 1)**DisabledColor** RGBA(166, 166, 166, 1)**DisabledFill** RGBA(0, 0, 0, 0)

**Fill**    `RGBA(255, 255, 255, 1)`

`RGBA(0, 0, 0, 0)`

<b>FocusedBorderColor</b>	<code>Self.BorderColor</code>
<b>HoverBorderColor</b>	<code>Self.BorderColor</code>
<b>HoverColor</b>	<code>Self.Color</code>
<b>HoverFill</b>	<code>Self.Fill</code>
<b>PressedBorderColor</b>	<code>Self.BorderColor</code>
<b>PressedColor</b>	<code>Self.Color</code>
<b>PressedFill</b>	<code>Self.Fill</code>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	<code>NewProjectScreen</code>

## Rectangle7

**Type**  `rectangle`

### Design

**BorderStyle**                    `BorderStyle.Solid`

**BorderThickness**              `0`

**DisplayMode**                  `DisplayMode.Edit`

**FocusedBorderThickness**      `2`

**Height**                        `497`

**Width**                        `371`

**X**                             `702`

**Y**                             `216`

**ZIndex**                      `41`

### Color Properties

**BorderColor**                  `App.Theme.Colors.Darker40`

**DisabledFill**                `Self.Fill`

**Fill**                          `App.Theme.Colors.Primary`

**FocusedBorderColor**        `Self.BorderColor`

**HoverFill**                    `Self.Fill`

**PressedFill**                `Self.Fill`

**Child & Parent Controls**

**Child Controls**

**Parent Control**

NewProjectScreen

ScreenContainer1\_1

Type  verticalAutoLayoutContainer

**Design**

**BorderStyle**

**BorderStyle.Solid**

**ChildTabPriority**

**true**

**DisplayMode**

**DisplayMode.Edit**

**DropShadow**

**DropShadow.Light**

**Height**

**109**

**LayoutAlignItems**

**LayoutAlignItems.Stretch**

**LayoutDirection**

**LayoutDirection.Vertical**

**LayoutGap**

**16**

**LayoutJustifyContent**

**LayoutJustifyContent.Start**

**LayoutMode**

**LayoutMode.Auto**

**LayoutOverflowX**

**LayoutOverflow.Hide**

**LayoutOverflowY**

**LayoutOverflow.Hide**

**LayoutWrap**

**false**

**PaddingBottom**

**16**

**PaddingLeft**

**16**

**PaddingRight**

**16**

**PaddingTop**

**16**

**RadiusBottomLeft**

**4**

**RadiusBottomRight**

**4**

**RadiusTopLeft**

**4**

**RadiusTopRight**

**4**

**Width**

**Parent.Width**

**X**

**0**

**Y** 0  
**ZIndex** 1  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

**Fill** RGBA(245, 245, 245, 1)

**Child & Parent Controls**  
**Child Controls** HeaderContainer1\_1  
**Parent Control** NewProjectScreen

TextCanvas1\_2

**Type** ⓘ PowerApps\_CoreControls\_TextCanvas  
**Data**  
**Align** 'TextCanvas.Align'.Center  
**AutoHeight** true  
**FontColor** RGBA(255, 0, 0, 1)

**Size** 20  
**Text** If/AdminMode,"DEV VERSION AdminMode", "DEV VERSION"  
**Design**  
**DisplayMode** DisplayMode.Edit  
**Height** 45  
**Width** 202  
**X** 1097  
**Y** 704  
**ZIndex** 46  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

## txtAnalyst

Type  label

**Data**  
Live Live.Off  
Role TextRole.Default  
Text **Office365Users.MyProfileV2().displayName**  
"Text"

**Design**  
Align Align.Left  
BorderStyle BorderStyle.Solid  
BorderThickness 1 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0  
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal  
Height 40  
Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 13  
Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Visible **true**

Width **320** 150

X 340  
Y 256  
ZIndex 11

**Color Properties**  
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor **RGBA(0, 0, 0, 1)**  
RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

txtBenchmarkFileID

**Type** `Abc` text

**Data**

**Default** "" "Text input"

**DelayOutput** false

**HintText** "Input Benchmark File ID"

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** `App.Theme.Font` Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Format** TextFormat.Text

**Height** 40

**Italic** false

**Mode** TextMode.SingleLine

**RadiusBottomLeft** 5

**RadiusBottomRight** 5

**RadiusTopLeft** 5

**RadiusTopRight** 5

**Size** 13

**Strikethrough** false

**TabIndex** 8

**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Visible** false

**Width** 320  
**X** 724  
**Y** 256  
**ZIndex** 23

**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97), Color.White)  
 RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

**txtLastEditDate**

**Type**  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** Text(Now(), "mm/dd/yyyy") "Text"

**Design**  
**Align** Align.Center Align.Left

<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	1 0	
<b>DisplayMode</b>	<b>DisplayMode.View</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>false</b>	
<b>Width</b>	150	
<b>X</b>	894	
<b>Y</b>	592	
<b>ZIndex</b>	29	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(255, 255, 255, 1)	
	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	

**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

txtMSID

**Type** label

**Data**

**Live** Live.Off  
**Role** TextRole.Default  
**Text** varmsid "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 1 0

**DisplayMode** DisplayMode.View DisplayMode.Edit

**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** false

**Width** 150  
**X** 724  
**Y** 592  
**ZIndex** 27

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(255, 255, 255, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      NewProjectScreen

## txtNDBLOB

**Type**          text

**Behavior**

**OnChange**                **false**

**Data**

**Default**                 ""      "Text input"

**DelayOutput**            false

**HintText**                "Input NDB LOB (3 Char Max)"

**MaxLength**              3

**Design**

**Align**                  Align.Left

**BorderStyle**            BorderStyle.Solid

**BorderThickness**        2

**DisplayMode**            DisplayMode.Edit

**FocusedBorderThickness** 4

**Font**                    **App.Theme.Font**      Font.'Open Sans'

**FontWeight**             FontWeight.Normal

**Format**                 TextFormat.Text

**Height**                40

**Italic**                false

**Mode**                 TextMode.SingleLine

**RadiusBottomLeft**      5

**RadiusBottomRight**      5

**RadiusTopLeft** 5  
**RadiusTopRight** 5  
**Size** 13  
**Strikethrough** false  
**TabIndex** 9  
  
**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Visible** false  
  
**Width** 320  
**X** 724  
**Y** 370  
**ZIndex** 34  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97), Color.White)  
RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** NewProjectScreen

txtNewProjectID

**Type**  label

**Data**

**Live** Live.Off

<b>Role</b>	TextRole.Default		
<b>Text</b>		If(IsBlank(ddState.SelectedText)&&IsBlank(ddProduct.SelectedText),"", Concatenate(ddState.Selected.State,ddProduct.Selected.Product,Text(Year(Now())),"0",Text(ddlIteration.Selected.Value)))	"Text"
<b>Design</b>			
<b>Align</b>		Align.Center	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid		
<b>BorderThickness</b>	2 0		
<b>DisplayMode</b>		DisplayMode.Disabled	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0		
<b>Font</b>		App.Theme.Font	Font.'Open Sans'
<b>FontWeight</b>		FontWeight.Bold	FontWeight.Normal
<b>Height</b>	40		
<b>Italic</b>	false		
<b>LineHeight</b>	1.2		
<b>Overflow</b>	Overflow.Hidden		
<b>PaddingBottom</b>	5		
<b>PaddingLeft</b>	5		
<b>PaddingRight</b>	5		
<b>PaddingTop</b>	5		
<b>Size</b>	13		
<b>Strikethrough</b>	false		
<b>Underline</b>	false		
<b>VerticalAlign</b>	VerticalAlign.Middle		
<b>Width</b>	150		
<b>X</b>	95		
<b>Y</b>	256		
<b>ZIndex</b>	3		
<b>Color Properties</b>			
<b>BorderColor</b>		App.Theme.Colors.Darker40	RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)		
<b>DisabledBorderColor</b>		RGB(0, 0, 0, 1)	
		RGB(56, 56, 56, 1)	
<b>DisabledColor</b>		RGB(0, 0, 0, 1)	
		RGB(166, 166, 166, 1)	
<b>DisabledFill</b>	RGB(139, 154, 159, 1)		

RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

txtProjectDescription

**Type**  text

**Data**  
**Default** "" "Text input"

**DelayOutput** false  
**HintText** "Input Description"

**Design**  
**Align** Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Format** TextFormat.Text  
**Height** 40  
**Italic** false  
**Mode** TextMode.SingleLine  
**RadiusBottomLeft** 5  
**RadiusBottomRight** 5  
**RadiusTopLeft** 5  
**RadiusTopRight** 5  
**Size** 13  
**Strikethrough** false

**TabIndex** 4

**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Visible** true  
**Width** 320  
**X** 340  
**Y** 370  
**ZIndex** 14  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97), Color.White)  
                   RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NewProjectScreen

**txtProjectManager**

**Type** Abc text

**Data**  
**Default** "" "Text input"

**DelayOutput** false  
**HintText** "Input Project Manager"

**Design**  
**Align** Align.Left

<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	40
<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>TabIndex</b>	<b>5</b>
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Visible</b>	<b>true</b>
<b>Width</b>	320
X	340
Y	481
ZIndex	15
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97), Color.White) RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>HoverColor</b>	RGBA(0, 0, 0, 1)
<b>HoverFill</b>	<b>App.Theme.Colors.Lighter70</b> RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor
<b>PressedColor</b>	Self.Color

<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NewProjectScreen
txtProjectType	
<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	If(varLEPMode=true,"L","F") "Text"
<b>Design</b>	
<b>Align</b>	<b>Align.Center</b> Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	1 0
<b>DisplayMode</b>	<b>DisplayMode.View</b> DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontSize</b>	14
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>false</b>
<b>Width</b>	150
<b>X</b>	1021
<b>Y</b>	501
<b>ZIndex</b>	31
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)



iconBack\_3  
lblProjectID\_4  
txtProjectID\_4  
Label1\_11  
txtNotesSearchBox  
Label1\_10  
ddNotesCategory  
Icon3\_1  
galNotesData  
NotesCover  
NotesForm  
Label14  
btnNotesLoad  
btnNewNote  
btnSubmitNote  
btnUpdateNote  
Icon1\_19  
TextCanvas1\_9  
Icon1\_18  
grpNotesCover  
grpDevLabel\_9

btnNewNote

Type  button

**Behavior**

**OnSelect** ResetForm(NotesForm);  
Set(varNotesFormMode, FormMode.New); Set(VarNewNoteMode,true);  
Set(varbtnAddNewNoteMode,false); Set(varbtnSubmitNoteMode,true);  
Set(varbtnUpdateNoteMode,false); Set(vargalNotesEmpty,DisplayMode.Edit)

**Data**

**Text** "Create New Note" "Button"

**Design**

**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontSize** 16  
**FontWeight** FontWeight.Bold FontWeight.Semibold

**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15

**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** varbtnAddNewNoteMode

**Width** 190 160

**X** 197  
**Y** 683  
**ZIndex** 16

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

    RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill

**PressedColor** Self.Color Self.Fill

**PressedFill** App.Theme.Colors.Darker40 Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** NotesEntryScreen

btnNotesLoad

**Type**  button

```

Behavior
OnSelect

If(  IsEmpty(  ClearCollect(  colN
oteGridData,      Filter(      CS_EXP_ProjectNotes,      ProjectID =
varCurrentProjectID      )  ), Set(  varNotesEmpty,  true  ),
Set(  varNotesEmpty,  false  ));ClearCollect(  colNoteGridData,
Filter(  CS_EXP_ProjectNotes,  ProjectID = varCurrentProjectID  ));ResetForm(NotesForm);
Set(  varNotesFormMode,  FormMode.New );Set(varbtnAddNewNoteMode,true);
Set(varbtnSubmitNoteMode,false);Set(varbtnUpdateNoteMode,false);

Data
Text          "btnNotesLoad"      "Button"

Design
Align          Align.Center
BorderStyle    BorderStyle.Solid
BorderThickness 2
DisplayMode   DisplayMode.Edit
FocusedBorderThickness 4
Font          App.Theme.Font      Font.'Open Sans'

FontWeight    FontWeight.Semibold
Height        40
Italic        false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size          15
Strikethrough false
Underline     false
VerticalAlign VerticalAlign.Middle
Visible       false

Width        160
X            83
Y            683
ZIndex      13
Color Properties
BorderColor  App.Theme.Colors.Primary  ColorFade(Self.Fill, -15%)
Color        RGBA(255, 255, 255, 1)

DisabledBorderColor  RGBA(244, 244, 244, 1)
Color        RGBA(166, 166, 166, 1)

DisabledColor  RGBA(166, 166, 166, 1)
DisabledFill  RGBA(244, 244, 244, 1)

```

<b>Fill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGBA(255, 255, 255, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	NotesEntryScreen	

#### btnSubmitNote

Type  button

**Behavior**  
**OnSelect**

```
Patch( CS_EXP_ProjectNotes
, Defaults(CS_EXP_ProjectNotes), { ProjectID: varCurrentProjectID, Notes:
txtNotes.Text, ActionItem: "No", ProjectStatus: "Active", OrigNoteMSID:
txtNoteOrigMSID.Text, LastEditMSID: txtNoteLastMSID.Text, LastEditDate:
DateTimeValue(dtNoteEditDate.SelectedDate), DataLoadDate:
DateTimeValue(dtNoteLoadDate.SelectedDate),
ProjectCategory:ddNotesFormCategory.SelectedText.Value } ); Select(btnNotesLoad);
```

**Data**  
**Text** "Submit New Note" "Button"

**Design**  
**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** **App.Theme.Font** Font.'Open Sans'  
**FontSize** 16  
**FontWeight** **FontWeight.Bold** FontWeight.Semibold  
**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10

**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** varbtnSubmitNoteMode

**Width** 200 160

**X** 646  
**Y** 683  
**ZIndex** 15

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGB(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill

**PressedColor** Self.Color Self.Fill

**PressedFill** App.Theme.Colors.Darker40 Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** NotesEntryScreen

btnUpdateNote

Type  button

**Behavior**

**OnSelect**

```
Patch( CS_EXP_ProjectNotes
, LookUp(CS_EXP_ProjectNotes, ProjectID=varCurrentProjectID &&
RecordID=Value(txtNotesRecordID.Text)), { ProjectID: varCurrentProjectID, Notes:
txtNotes.Text, ActionItem: "No", ProjectStatus: "Active", OrigNoteMSID:
txtNoteOrigMSID.Text, LastEditMSID: txtNoteLastMSID.Text, LastEditDate:
DateTimeValue(dtNoteEditDate.SelectedDate), DataLoadDate:
DateTimeValue(dtNoteLoadDate.SelectedDate),
ProjectCategory:ddNotesFormCategory.SelectedText.Value } ); Select(btnNotesLoad);
```

**Data**

**Text** "Update Existing Note" "Button"

**Design**

**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Bold FontWeight.Semibold

**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** varbtnUpdateNoteMode

**Width** 230 160

**X** 885  
**Y** 683  
**ZIndex** 14

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor**      `RGBA(166, 166, 166, 1)`

**DisabledFill** `RGBA(244, 244, 244, 1)`

**Fill**    `RGBA(15, 108, 189, 1)`

`RGB(56, 96, 178, 1)`

**FocusedBorderColor**      `Self.BorderColor`

**HoverBorderColor**            `App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)`

**HoverColor**    `RGBA(255, 255, 255, 1)`

**HoverFill**                  `App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)`

**PressedBorderColor**        `App.Theme.Colors.Darker40 Self.Fill`

**PressedColor**              `Self.Color`    `Self.Fill`

**PressedFill**                `App.Theme.Colors.Darker40 Self.Color`

**Child & Parent Controls**

**Child Controls**

**Parent Control**            `NotesEntryScreen`

## DataCardKey18

**Type**     `label`

**Data**

**Live**                    `Live.Off`

**Role**                    `TextRole.Default`

**Text**                    `Parent.DisplayName "Text"`

**Design**

**Align**                  `Align.Left`

**AutoHeight**             `true`

**BorderStyle**            `BorderStyle.Solid`

**BorderThickness**        `0`

**DisplayMode**            `DisplayMode.Edit`

**FocusedBorderThickness** `0`

**Font**                    `App.Theme.Font`    `Font.'Open Sans'`

**FontSize**                `16`

**FontWeight**             `FontWeight.Normal`

**Height**                 `34`    `40`

**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** Parent.Width - 60 150

**Wrap** false

**X** 30  
**Y** 10  
**ZIndex** 1

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** LastName\_DataCard2

DataCardKey19

Type  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** Parent.DisplayName "Text"

**Design**

**Align** Align.Left

**AutoHeight** true

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Height** 34 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5

**PaddingTop** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle

**Width** Parent.Width - 60 150

**Wrap** false

**X** 30

**Y** 10

**ZIndex** 1

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill**    RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	LastEditMSID_DataCard2

DataCardKey20

**Type**  label

<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	<b>Parent.DisplayName</b> "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>AutoHeight</b>	<b>true</b>
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	<b>34</b> 40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	<b>Parent.Width - 60</b> 150
<b>Wrap</b>	<b>false</b>
<b>X</b>	30
<b>Y</b>	10

**ZIndex** 1

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** OrigNoteMSID\_DataCard1

## DataCardKey21

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** Parent.DisplayName "Text"

**Design**

**Align** Align.Left

**AutoHeight** true

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

<b>Height</b>	<b>34</b>	40
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	<b>Parent.Width - 60</b>	150

**Wrap** false

X 30  
Y 10  
**ZIndex** 1

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** RecordID\_DataCard1

DataCardKey22

Type  label

**Data**

Live Live.Off

Role TextRole.Default

Text Parent.DisplayName "Text"

**Design**

Align Align.Left

AutoHeight true

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 0

Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Normal

Height 34 40

Italic false

LineHeight 1.2

Overflow Overflow.Hidden

PaddingBottom 5

PaddingLeft 5

PaddingRight 5

PaddingTop 5

Size 13

Strikethrough false

Underline false

VerticalAlign VerticalAlign.Middle

Width Parent.Width - 60 150

Wrap false

X 30

Y 10

ZIndex 1

**Color Properties**

BorderColor RGBA(0, 0, 0, 1)

RGB(0, 18, 107, 1)

Color App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

**Fill**    `RGBA(0, 0, 0, 0)`

<b>FocusedBorderColor</b>	<code>Self.BorderColor</code>
<b>HoverBorderColor</b>	<code>Self.BorderColor</code>
<b>HoverColor</b>	<code>Self.Color</code>
<b>HoverFill</b>	<code>Self.Fill</code>
<b>PressedBorderColor</b>	<code>Self.BorderColor</code>
<b>PressedColor</b>	<code>Self.Color</code>
<b>PressedFill</b>	<code>Self.Fill</code>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	<code>DataLoadDate_DataCard3</code>

**DataCardKey24**

<b>Type</b>	 <code>label</code>
<b>Data</b>	
<b>Live</b>	<code>Live.Off</code>
<b>Role</b>	<code>TextRole.Default</code>
<b>Text</b>	<code>Parent.DisplayName "Text"</code>
<b>Design</b>	
<b>Align</b>	<code>Align.Left</code>
<b>AutoHeight</b>	<code>true</code>
<b>BorderStyle</b>	<code>BorderStyle.Solid</code>
<b>BorderThickness</b>	<code>0</code>
<b>DisplayMode</b>	<code>DisplayMode.Edit</code>
<b>FocusedBorderThickness</b>	<code>0</code>
<b>Font</b>	<code>App.Theme.Font</code> <code>Font.'Open Sans'</code>
<b>FontWeight</b>	<code>FontWeight.Normal</code>
<b>Height</b>	<code>34</code> <code>40</code>
<b>Italic</b>	<code>false</code>
<b>LineHeight</b>	<code>1.2</code>
<b>Overflow</b>	<code>Overflow.Hidden</code>
<b>PaddingBottom</b>	<code>5</code>
<b>PaddingLeft</b>	<code>5</code>
<b>PaddingRight</b>	<code>5</code>
<b>PaddingTop</b>	<code>5</code>
<b>Size</b>	<code>13</code>
<b>Strikethrough</b>	<code>false</code>
<b>Underline</b>	<code>false</code>
<b>VerticalAlign</b>	<code>VerticalAlign.Middle</code>
<b>Width</b>	<code>Parent.Width - 60</code> <code>150</code>
<b>Wrap</b>	<code>false</code>
<b>X</b>	<code>30</code>

**Y** 10

**ZIndex** 1

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** ProjectCategory\_DataCard3

DataCardKey26

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** Parent.DisplayName "Text"

**Design**

**Align** Align.Left

**AutoHeight** true

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Height** 34 40

**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** Parent.Width - 60 150

**Wrap** false

**X** 30  
**Y** 10  
**ZIndex** 1

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** Notes\_DataCard4

DataLoadDate\_DataCard3

Type [?](#) typedDataCard

Data  
DataField "DataLoadDate"

Default ThisItem.DataLoadDate

DisplayName [DataSourceInfo\(\[@CS\\_EXP\\_ProjectNotes\],DataSourceInfo.DisplayName,DataLoadDate\)](#)

Required false

Update If(Not IsBlank(dtNoteLoadDate.SelectedDate),  
dtNoteLoadDate.SelectedDate)

Design  
BorderStyle [BorderStyle.Solid](#)

DisplayMode Parent.DisplayMode

Height 50

Visible false

Width 778

X 0  
Y 3  
ZIndex 1

Color Properties  
BorderColor [App.Theme.Colors.Darker40](#)

Fill [RGBA\(0, 0, 0, 0\)](#)

#### Child & Parent Controls

Child Controls StarVisible21  
DataCardKey22  
dtNoteLoadDate  
ErrorMessage21

Parent Control NotesForm

ddNotesCategory

Type  dropdown

Data

<b>Default</b>	<b>"ALL"</b>	
<b>Items</b>	<b>CS_EXP_ProjectNotes_Categories</b> DropDownSample	
<b>Design</b>		
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>ChevronBackground</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>ChevronDisabledBackground</b>	RGBA(166, 166, 166, 1)	
<b>ChevronDisabledFill</b>	RGBA(244, 244, 244, 1)	
<b>ChevronFill</b>	RGBA(255, 255, 255, 1)	
<b>ChevronHoverBackground</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>ChevronHoverFill</b>	RGBA(255, 255, 255, 1)	
<b>DisplayMode</b>	<b>vargalNotesEmpty</b>	EditMode
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'	
<b>FontSize</b>	14	
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>PaddingBottom</b>	10	
<b>PaddingLeft</b>	10	
<b>PaddingRight</b>	10	
<b>PaddingTop</b>	10	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>Width</b>	<b>200</b>	328
<b>X</b>	1077	
<b>Y</b>	172	
<b>ZIndex</b>	9	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>	RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** ColorFade(Self.BorderColor, 15%)  
**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** RGBA(255, 255, 255, 1)

**PressedFill** App.Theme.Colors.Darker30 RGBA(0, 18, 107, 1)

**SelectionColor** RGBA(255, 255, 255, 1)

**SelectionFill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NotesEntryScreen

## ddNotesFormCategory

**Type**  dropdown

**Data**  
**Default** If( varbtnAddNewNoteMode, "ALL",  
varExistingNotesData.ProjectCategory )

**Items** CS\_EXP\_ProjectNotes\_Categories DropDownSample

**Design**  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**ChevronBackground** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**ChevronDisabledBackground** RGBA(166, 166, 166, 1)

**ChevronDisabledFill** RGBA(244, 244, 244, 1)

**ChevronFill** RGBA(255, 255, 255, 1)

**ChevronHoverBackground** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)

**ChevronHoverFill** RGBA(255, 255, 255, 1)

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Height** 40

**Italic** false

**PaddingBottom** 10

**PaddingLeft** 10

**PaddingRight** 10

**PaddingTop** 10

**Size** 13

**Strikethrough** false

**Underline** false

**Width** 328

**X** 30

**Y** 49

**ZIndex** 5

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** ColorFade(Self.BorderColor, 15%)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** RGBA(255, 255, 255, 1)

**PressedFill** App.Theme.Colors.Darker30 RGBA(0, 18, 107, 1)

<b>SelectionColor</b>	RGB(255, 255, 255, 1)	
<b>SelectionFill</b>	<b>App.Theme.Colors.Primary</b>	RGB(56, 96, 178, 1)
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>		
ProjectCategory_DataCard3		
dtNoteEditDate		
<b>Type</b>	 datepicker	
<b>Data</b>		
<b>DateTimeZone</b>	DateTimeZone.Local	
<b>DefaultDate</b>	If(VarNewNoteMode, Now(), ThisItem.LastEditDate) Today()	
<b>EndYear</b>	<b>Year(Today())+100</b>	2050
<b>Format</b>	DateTimeFormat.ShortDate	
<b>InputTextPlaceholder</b>	If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))	
<b>StartOfWeek</b>	StartOfWeek.Sunday	
<b>StartYear</b>	<b>1899</b>	1970
<b>Tooltip</b>	<b>Parent.DisplayName</b>	
<b>Design</b>		
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>CalendarHeaderFill</b>	<b>App.Theme.Colors.Primary</b>	RGB(56, 96, 178, 1)
<b>CurrentDateFill</b>	RGB(255, 255, 255, 1)	
<b>DayColor</b>	RGB(255, 255, 255, 1)	
<b>DisplayMode</b>	<b>DisplayMode.Disabled</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontSize</b>	14	
<b>FontWeight</b>	FontWeight.Normal	
<b>Height</b>	40	
<b>HoverDateFill</b>	<b>App.Theme.Colors.Lighter70</b>	RGB(186, 202, 226, 1)
<b>IconBackground</b>	<b>App.Theme.Colors.Primary</b>	RGB(56, 96, 178, 1)
<b>IconFill</b>	RGB(255, 255, 255, 1)	

**IsEditable** true

**Italic** false

**MonthColor** RGBA(255, 255, 255, 1)

**PaddingBottom** 0 5

**PaddingLeft** 5 12

**PaddingRight** 5

**PaddingTop** 0

**SelectedDateFill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**Size** 14

**WeekColor** RGBA(255, 255, 255, 1)

**Width** (Parent.Width - 60) 328

**X** 30

**Y** DataCardKey18.Y + DataCardKey18.Height + 5

**ZIndex** 2

**Color Properties**

**BorderColor** If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)  
RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(0, 0, 0, 1)  
RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** LastEditDate\_DataCard2

dtNoteLoadDate

Type	 datepicker	
<b>Data</b>		
DateTimeZone	DateTimeZone.Local	
DefaultDate	If(VarNewNoteMode, Now(), ThisItem.DataLoadDate) Today()	
EndYear	Year(Today())+100	2050
Format	DateTimeFormat.ShortDate	
InputTextPlaceholder	If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))	
StartOfWeek	StartOfWeek.Sunday	
StartYear	1899	1970
Tooltip	<b>Parent.DisplayName</b>	
<b>Design</b>		
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
CalendarHeaderFill	App.Theme.Colors.Primary	RGBA(56, 96, 178, 1)
CurrentDateFill	RGBA(255, 255, 255, 1)	
DayColor	RGBA(255, 255, 255, 1)	
DisplayMode	DisplayMode.Disabled	DisplayMode.Edit
FocusedBorderThickness	4	
Font	App.Theme.Font	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	40	
HoverDateFill	App.Theme.Colors.Lighter70	RGBA(186, 202, 226, 1)
IconBackground	App.Theme.Colors.Primary	RGBA(56, 96, 178, 1)
IconFill	RGBA(255, 255, 255, 1)	
IsEditable	true	
Italic	false	
MonthColor	RGBA(255, 255, 255, 1)	
PaddingBottom	0	5
PaddingLeft	5	12
PaddingRight	5	

**PaddingTop** 0  
**SelectedDateFill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**Size** 14  
**WeekColor** RGBA(255, 255, 255, 1)

**Width** (Parent.Width - 60) 328

**X** 30  
**Y** DataCardKey22.Y + DataCardKey22.Height + 5  
**ZIndex** 2

**Color Properties**

**BorderColor** If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)  
RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(0, 0, 0, 1)  
RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** DataLoadDate\_DataCard3

## ErrorMessage18

**Type**  label

**Data**

**Live** Live.Assertive Live.Off

**Role** TextRole.Default

**Text** Parent.Error "Text"

**Design**  
**Align** Align.Left  
**AutoHeight** true  
  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Semibold FontWeight.Normal  
  
**Height** 10 40  
  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 0 5  
  
**PaddingLeft** 0 5  
  
**PaddingRight** 0 5  
  
**PaddingTop** 0 5  
  
**Size** 14 13  
  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** Parent.DisplayMode=DisplayMode.Edit  
  
**Width** Parent.Width - 60 150  
  
**X** 30  
**Y** dtNoteEditDate.Y + dtNoteEditDate.Height  
**ZIndex** 6  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
 RGBA(0, 18, 107, 1)  
  
  
**Color** RGBA(168, 0, 0, 1)  
  
 RGBA(0, 0, 0, 1)  
  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
  
**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	LastEditDate_DataCard2

ErrorMessage19

**Type**  label

<b>Data</b>	
<b>Live</b>	<b>Live.Assertive</b> Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	<b>Parent.Error</b> "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>AutoHeight</b>	<b>true</b>
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Semibold</b> FontWeight.Normal
<b>Height</b>	<b>10</b> 40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	<b>0</b> 5
<b>PaddingLeft</b>	<b>0</b> 5
<b>PaddingRight</b>	<b>0</b> 5
<b>PaddingTop</b>	<b>0</b> 5

<b>Size</b>	<b>14</b>	13
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>		<b>Parent.DisplayMode=DisplayMode.Edit</b>
<b>Width</b>		<b>Parent.Width - 60</b> 150
<b>X</b>	30	
<b>Y</b>	txtNoteLastMSID.Y + txtNoteLastMSID.Height	
<b>ZIndex</b>	3	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(168, 0, 0, 1)	
	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>		RGBA(56, 56, 56, 1)
<b>DisabledColor</b>		RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	
<b>PressedFill</b>	Self.Fill	
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>		LastEditMSID_DataCard2

ErrorMessage20

**Type**  label

**Data**

<b>Live</b>	<b>Live.Assertive</b>	Live.Off
<b>Role</b>	TextRole.Default	
<b>Text</b>	<b>Parent.Error</b>	"Text"
<b>Design</b>		
<b>Align</b>	Align.Left	
<b>AutoHeight</b>	<b>true</b>	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	0	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Semibold</b>	FontWeight.Normal
<b>Height</b>	<b>10</b>	40
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	<b>0</b>	5
<b>PaddingLeft</b>	<b>0</b>	5
<b>PaddingRight</b>	<b>0</b>	5
<b>PaddingTop</b>	<b>0</b>	5
<b>Size</b>	<b>14</b>	13
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>		<b>Parent.DisplayMode=DisplayMode.Edit</b>
<b>Width</b>	<b>Parent.Width - 60</b>	150
<b>X</b>	30	
<b>Y</b>	txtNoteOrigMSID.Y + txtNoteOrigMSID.Height	
<b>ZIndex</b>	3	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(168, 0, 0, 1)	
	RGBA(0, 0, 0, 1)	

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      OrigNoteMSID\_DataCard1

ErrorMessage21

**Type**  label

**Data**

**Live**                  **Live.Assertive** Live.Off

**Role**                  TextRole.Default

**Text**                  **Parent.Error** "Text"

**Design**

**Align**                Align.Left

**AutoHeight**           **true**

**BorderStyle**          BorderStyle.Solid

**BorderThickness**      0

**DisplayMode**           DisplayMode.Edit

**FocusedBorderThickness** 0

**Font**                  **App.Theme.Font**      Font.'Open Sans'

**FontWeight**           **FontWeight.Semibold** FontWeight.Normal

**Height**               **10**      40

**Italic**                false

**LineHeight**           1.2

**Overflow**             Overflow.Hidden

**PaddingBottom**       **0**      5

**PaddingLeft**          **0**      5

<b>PaddingRight</b>	<b>0</b>	5
<b>PaddingTop</b>	<b>0</b>	5
<b>Size</b>	<b>14</b>	13
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Visible</b>	<b>Parent.DisplayMode=DisplayMode.Edit</b>	
<b>Width</b>	<b>Parent.Width - 60</b>	150
<b>X</b>	30	
<b>Y</b>	dtNoteLoadDate.Y + dtNoteLoadDate.Height	
<b>ZIndex</b>	6	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
<b>Color</b>	RGBA(168, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	
<b>PressedFill</b>	Self.Fill	
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	DataLoadDate_DataCard3	

## ErrorMessage24

Type  label

Data  
Live Live.Assertive Live.Off

Role TextRole.Default  
Text Parent.Error "Text"

Design  
Align Align.Left  
AutoHeight true

BorderStyle BorderStyle.Solid  
BorderThickness 0  
DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 10 40

Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 0 5

PaddingLeft 0 5  
PaddingRight 0 5  
PaddingTop 0 5

Size 14 13

Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Visible Parent.DisplayMode=DisplayMode.Edit

Width Parent.Width - 60 150

X 30  
Y ddNotesFormCategory.Y + ddNotesFormCategory.Height  
ZIndex 3

Color Properties  
BorderColor RGBA(0, 0, 0, 1)  
RGB(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

ProjectCategory\_DataCard3

ErrorMessage26

**Type**  label

**Data**

**Live**                          **Live.Assertive** Live.Off

**Role**                          TextRole.Default

**Text**                          **Parent.Error** "Text"

**Design**

**Align**                         Align.Left

**AutoHeight**                 true

**BorderStyle**                 BorderSide.Solid

**BorderThickness**           0

**DisplayMode**                 DisplayMode.Edit

**FocusedBorderThickness** 0

**Font**                         **App.Theme.Font**      Font.'Open Sans'

**FontWeight**                 **FontWeight.Semibold** FontWeight.Normal

**Height**                       10      40

**Italic**                        false

<b>LineHeight</b>	1.2		
<b>Overflow</b>	Overflow.Hidden		
<b>PaddingBottom</b>	0	5	
<b>PaddingLeft</b>	0	5	
<b>PaddingRight</b>	0	5	
<b>PaddingTop</b>	0	5	
<b>Size</b>	14	13	
<b>Strikethrough</b>	false		
<b>Underline</b>	false		
<b>VerticalAlign</b>	VerticalAlign.Middle		
<b>Visible</b>	<b>Parent.DisplayMode=DisplayMode.Edit</b>		
<b>Width</b>	<b>Parent.Width - 60</b>		150
<b>X</b>	30		
<b>Y</b>	txtNotes.Y + txtNotes.Height		
<b>ZIndex</b>	3		
<b>Color Properties</b>			
<b>BorderColor</b>	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
<b>Color</b>	RGBA(168, 0, 0, 1)		
	RGBA(0, 0, 0, 1)		
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)		
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)		
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)		
<b>Fill</b>	RGBA(0, 0, 0, 0)		
<b>FocusedBorderColor</b>	Self.BorderColor		
<b>HoverBorderColor</b>	Self.BorderColor		
<b>HoverColor</b>	Self.Color		
<b>HoverFill</b>	Self.Fill		
<b>PressedBorderColor</b>	Self.BorderColor		
<b>PressedColor</b>	Self.Color		
<b>PressedFill</b>	Self.Fill		
<b>Child &amp; Parent Controls</b>			

**Child Controls****Parent Control**

Notes\_DataCard4

galCategory

**Type**  label**Behavior****OnSelect** **Select(Parent)****Data****Live**

Live.Off

**Role**

TextRole.Default

**Text****"Category: "&ThisItem.ProjectCategory** "Text"**Design****Align** Align.Left**BorderStyle** BorderStyle.Solid**BorderThickness** 0**DisplayMode** DisplayMode.Edit**FocusedBorderThickness** 0**Font** App.Theme.Font Font.'Open Sans'**FontWeight** If(ThisItem.IsSelected, FontWeight.Semibold,**FontWeight.Normal)** FontWeight.Normal**Height** Self.Size \* 1.8 40**Italic** false**LineHeight** 1.2**Overflow** Overflow.Hidden**PaddingBottom** 0 5**PaddingLeft** 0 5**PaddingRight** 0 5**PaddingTop** 0 5**Size** 14 13**Strikethrough** false**TabIndex** -1**Underline** false**VerticalAlign** VerticalAlign.Top VerticalAlign.Middle**Width** Parent.TemplateWidth - 86 150**X** 16**Y** (Parent.TemplateHeight - (Self.Size\*1.8 + galOrigLoadDate.Size\*1.8 + 2 + galCreatedBy.Size\*1.8)) / 2**ZIndex** 1

**Color Properties****BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(50, 49, 48, 1)

RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)**DisabledColor** RGBA(166, 166, 166, 1)**DisabledFill** RGBA(0, 0, 0, 0)**Fill** RGBA(0, 0, 0, 0)**FocusedBorderColor** Self.BorderColor**HoverBorderColor** Self.BorderColor**HoverColor** Self.Color**HoverFill** Self.Fill**PressedBorderColor** Self.BorderColor**PressedColor** Self.Color**PressedFill** Self.Fill**Child & Parent Controls****Child Controls****Parent Control** galNotesData

galCreatedBy

**Type**  label**Behavior****OnSelect** Select(Parent)**Data****Live** Live.Off**Role** TextRole.Default**Text** "Created: "&ThisItem.OrigNoteMSID "Text"**Design****Align** Align.Left**AutoHeight** false**BorderStyle** BorderStyle.Solid

**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** **App.Theme.Font** Font.'Open Sans'  
  
**FontWeight** If(ThisItem.IsSelected, FontWeight.Semibold,  
**FontWeight.Normal**)  
  
**Height** **Self.Size \* 1.8** 40  
  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 0 5  
  
**PaddingLeft** 0 5  
  
**PaddingRight** 0 5  
  
**PaddingTop** 0 5  
  
**Size** 12 13  
  
**Strikethrough** false  
**TabIndex** -1  
  
**Underline** false  
**VerticalAlign** **VerticalAlign.Top** VerticalAlign.Middle  
  
**Width** **galCategory.Width** 150  
  
**X** galCategory.X  
**Y** galOrigLoadDate.Y + galOrigLoadDate.Height  
**ZIndex** 3  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
RGB(0, 18, 107, 1)  
  
**Color** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(0, 0, 0, 0)  
  
**Fill** RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	galNotesData

## galleryTemplate4

**Type**  galleryTemplate

**Design**

**TemplateFill** RGBA(0, 0, 0, 0)

**Child & Parent Controls**

**Child Controls**

**Parent Control** galNotesData

## galNotes

**Type**  label

**Behavior**

**OnSelect** Select(Parent)

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "Notes: "& Left(ThisItem.Notes,50) "Text"

**Design**

**Align** Align.Left

**AutoHeight** true

**BorderStyle**

BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight**

If(ThisItem.IsSelected, FontWeight.Semibold,

FontWeight.Normal)

FontWeight.Normal

**Height**

66 40

<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	<b>0</b>	5
<b>PaddingLeft</b>	<b>0</b>	5
<b>PaddingRight</b>	<b>0</b>	5
<b>PaddingTop</b>	<b>0</b>	5
<b>Size</b>	<b>12</b>	13
<b>Strikethrough</b>	false	
<b>TabIndex</b>	<b>-1</b>	
<b>Underline</b>	false	
<b>VerticalAlign</b>	<b>VerticalAlign.Top</b>	VerticalAlign.Middle
<b>Width</b>	<b>290</b>	150
<b>Wrap</b>	<b>true</b>	
<b>X</b>	232	
<b>Y</b>	42	
<b>ZIndex</b>	9	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	

**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** galNotesData

galNotesData

**Type**  gallery

**Data**  
**Items** Filter( SortByColumns( colNoteGridData, "RecordID", SortOrder.Descending ), (IsBlank(txtNotesSearchBox.Text) || txtNotesSearchBox.Text in Notes) && (ddNotesCategory.SelectedText.Value = "ALL" || ProjectCategory = ddNotesCategory.SelectedText.Value) ) CustomGallerySample

**WrapCount** 1  
**Design**  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 1

**DelayItemLoading** true

**DisplayMode** DisplayMode.Edit  
**Height** 399 575

**Layout** Layout.Vertical  
**LoadingSpinner** LoadingSpinner.Data LoadingSpinner.None

**LoadingSpinnerColor** Self.BorderColor  
**TemplatePadding** 0  
**TemplateSize** 104 Min(160, Self.Height - 60)

**Transition** Transition.None  
**Width** 634 640

**X** 83  
**Y** 268  
**ZIndex** 12

**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**DisabledBorderColor** Self.BorderColor  
**DisabledFill** Self.Fill  
**Fill** RGBA(180, 214, 250, 1)

RGBA(0, 0, 0, 0)

```

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate4
    Rectangle11
    galCategory
    galRecordID
    iconDeleteNote
    iconEditNote
    galOrigLoadDate
    galNotes
    galCreatedBy
    Separator8

Parent Control NotesEntryScreen

galOrigLoadDate

Type  label

Behavior
OnSelect Select(Parent)

Data
Live Live.Off
Role TextRole.Default
Text "Orig Load Date:  
&Text(DateValue(ThisItem.DataLoadDate),DateTimeFormat.ShortDate)" "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font App.Theme.Font Font.'Open Sans'

FontWeight If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)
FontSize Normal

Height Self.Size * 1.8 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 0 5
PaddingLeft 0 5
PaddingRight 0 5

```

<b>PaddingTop</b>	0	5
<b>Size</b>	12	13
<b>Strikethrough</b>	false	
<b>TabIndex</b>	-1	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Top	VerticalAlign.Middle
<b>Width</b>	galCategory.Width	150
<b>X</b>	galCategory.X	
<b>Y</b>	galCategory.Y + galCategory.Height	
<b>ZIndex</b>	2	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(56, 56, 56, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(0, 0, 0, 0)	
<b>Fill</b>	RGBA(0, 0, 0, 0)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	Self.BorderColor	
<b>HoverColor</b>	Self.Color	
<b>HoverFill</b>	Self.Fill	
<b>PressedBorderColor</b>	Self.BorderColor	
<b>PressedColor</b>	Self.Color	
<b>PressedFill</b>	Self.Fill	
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	galNotesData	

galRecordID

Type  label

<b>Behavior</b>			
<b>OnSelect</b>	<b>Select(Parent)</b>		
<b>Data</b>			
<b>Live</b>	Live.Off		
<b>Role</b>	TextRole.Default		
<b>Text</b>	<b>"RecordID: "&amp; ThisItem.RecordID</b> "Text"		
<b>Design</b>			
<b>Align</b>	Align.Left		
<b>AutoHeight</b>	<b>true</b>		
<b>BorderStyle</b>	BorderStyle.Solid		
<b>BorderThickness</b>	0		
<b>DisplayMode</b>	DisplayMode.Edit		
<b>FocusedBorderThickness</b>	0		
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'	
<b>FontWeight</b>	<b>If(ThisItem.IsSelected, FontWeight.Semibold,</b>		
<b>FontWeight.Normal)</b>	FontWeight.Normal		
<b>Height</b>	<b>66</b>	40	
<b>Italic</b>	false		
<b>LineHeight</b>	1.2		
<b>Overflow</b>	Overflow.Hidden		
<b>PaddingBottom</b>	<b>0</b>	5	
<b>PaddingLeft</b>	<b>0</b>	5	
<b>PaddingRight</b>	<b>0</b>	5	
<b>PaddingTop</b>	<b>0</b>	5	
<b>Size</b>	<b>12</b>	13	
<b>Strikethrough</b>	false		
<b>TabIndex</b>	<b>-1</b>		
<b>Underline</b>	false		
<b>VerticalAlign</b>	<b>VerticalAlign.Top</b>	VerticalAlign.Middle	
<b>Width</b>	<b>290</b>	150	
<b>Wrap</b>	<b>true</b>		
<b>X</b>	232		
<b>Y</b>	18		
<b>ZIndex</b>	8		
<b>Color Properties</b>			
<b>BorderColor</b>	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      galNotesData

grpDevLabel\_9

**Type**  group

**Design**

**Height**      5

**Width**      5

**X**      80

**Y**      80

**ZIndex**      22

**Child & Parent Controls**

**Child Controls**

**Parent Control**      NotesEntryScreen

grpNotesCover

**Type**  group

**Design**

**Height**      5

**Width**      5

**X**      40

**Y**      40

**ZIndex**      18

**Child & Parent Controls**

**Child Controls****Parent Control** NotesEntryScreen

Header1\_8

**Type**  Header**Behavior****OnSelectLogo** false**Data****BasePaletteColor****FontColor****Logo** Picture1**Title** "Axis Program Management: Notes Entry"**UserEmail** User().Email**UserImage** User().Image**UserName** User().FullName**Design****DisplayMode** DisplayMode.Edit**Height** 75**Width** Parent.Width**X** 0**Y** 0**ZIndex** 1**Child & Parent Controls****Child Controls****Parent Control** HeaderContainer1\_8

HeaderContainer1\_8

**Type**  horizontalAutoLayoutContainer**Design****BorderStyle** BorderStyle.Solid**ChildTabPriority** true**DisplayMode** DisplayMode.Edit**DropShadow** DropShadow.Light**Height** 75

<b>LayoutAlignItems</b>	<b>LayoutAlignItems.Start</b>
<b>LayoutDirection</b>	<b>LayoutDirection.Horizontal</b>
<b>LayoutGap</b>	<b>0</b>
<b>LayoutJustifyContent</b>	<b>LayoutJustifyContent.Start</b>
<b>LayoutMode</b>	<b>LayoutMode.Auto</b>
<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	<b>false</b>
<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>500</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>2</b>
<b>Color Properties</b>	
<b>BorderColor</b>	RGBA(0, 0, 0, 1)

**Fill**    RGBA(255, 255, 255, 1)

#### **Child & Parent Controls**

**Child Controls**      Header1\_8

**Parent Control**      ScreenContainer1\_7

Icon1\_18

**Type**     PowerApps\_CoreControls\_Icon

**Data**  
**Icon**                          "GlobeWarning"

**IconColor**    RGBA(255, 0, 0, 1)

<b>IconStyle</b>	'Icon.IconStyle'.Outline
<b>Design</b>	
<b>DisplayMode</b>	DisplayMode.Edit
<b>Height</b>	45
<b>Width</b>	45
X	1299
Y	704
ZIndex	20
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NotesEntryScreen

Icon1\_19

## Type ? PowerApps\_CoreControls\_Icon

Data	
Icon	"GlobeWarning"
IconColor	RGBA(255, 0, 0, 1)
IconSize	16

<b>IconStyle</b>	'Icon.IconStyle'.Outline
<b>Design</b>	
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>45</b>
<b>Width</b>	<b>45</b>
X	1052
Y	704
ZIndex	19
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NotesEntryScreen

Icon3\_1

Type  icon

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>vargalNotesEmpty</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>40</b>
<b>Icon</b>	<b>Icon.Search</b>
<b>PaddingBottom</b>	<b>5</b>
<b>PaddingLeft</b>	<b>5</b>
<b>PaddingRight</b>	<b>5</b>
<b>PaddingTop</b>	<b>5</b>
<b>Width</b>	<b>40</b>
<b>X</b>	<b>606</b>
<b>Y</b>	<b>173</b>
<b>ZIndex</b>	<b>11</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Color</b>	<b>App.Theme.Colors.Darker30</b>
<b>DisabledBorderColor</b>	<b>RGBA(166, 166, 166, 1)</b>
<b>DisabledColor</b>	<b>RGBA(244, 244, 244, 1)</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>RGBA(0, 0, 0, 0)</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>

<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NotesEntryScreen
iconBack_3	
<b>Type</b>	 icon
<b>Behavior</b>	
<b>OnSelect</b>	<b>Set(varEditProject,true); Back(); Set(varFormCoverMode,true);</b>
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>45</b>
<b>Icon</b>	<b>Icon.BackArrow</b>
<b>Width</b>	<b>45</b>
<b>X</b>	<b>83</b>
<b>Y</b>	<b>169</b>
<b>ZIndex</b>	<b>5</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Color</b>	<b>App.Theme.Colors.Darker30</b>
<b>DisabledBorderColor</b>	<b>RGBA(166, 166, 166, 1)</b>
<b>DisabledColor</b>	<b>RGBA(244, 244, 244, 1)</b>
<b>DisabledFill</b>	<b>Self.Fill</b>

**Fill**    **RGB(0, 0, 0)**

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NotesEntryScreen

iconDeleteNote

Type icon

## Behavior

```
OnSelect Remove( colNoteGridData, ThisItem );
Remove( CS_EXP_ProjectNotes, LookUp( CS_EXP_ProjectNotes, RecordID =
ThisItem.RecordID ) ); Set(varbtnAddNewNoteMode,true); Set(varbtnSubmitNoteMode,false);
Set(varbtnUpdateNoteMode,false);
```

## Design

**BorderStyle** **BorderStyle.Solid**

## BorderThickness

0

## DisplayMode

## DisplayMode.Edit

## FocusedBorderTH

2

## Height

38

## Icon

16

### Width

38

Y

Y 32  
Block 7

ZIndex 7

## Color Properties

**BorderColor** App.Theme.Colors.Darker40

Color RGBA(255, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(244, 244, 244, 1)

**DisabledFill** Self.Fill

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** ColorFade(Self.BorderColor, 20%)

**HoverColor** ColorFade(Self.Color, 20%)

**HoverFill** Self.Fill

**PressedBorderColor** ColorFade(Self.BorderColor, -20%)

**PressedColor** ColorFade(Self.Color, -20%)

**PressedFill** Self.Fill

#### Child & Parent Controls

##### Child Controls

**Parent Control** galNotesData

iconEditNote

**Type**  icon

#### Behavior

**OnSelect** ResetForm(NotesForm);  
Set(varExistingNotesData, ThisItem); Set(varNotesFormMode, FormMode.Edit);  
Set(VarNewNoteMode, false); Set(varbtnAddNewNoteMode, true);  
Set(varbtnSubmitNoteMode, false); Set(varbtnUpdateNoteMode, true);

#### Data

<b>AccessibleLabel</b>	<b>Self.Tooltip</b>
<b>Tooltip</b>	"View item details"
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>35</b>
<b>Icon</b>	<b>Icon.Edit</b>
<b>PaddingBottom</b>	<b>0</b>
<b>PaddingLeft</b>	<b>0</b>
<b>PaddingRight</b>	<b>0</b>
<b>PaddingTop</b>	<b>0</b>
<b>TabIndex</b>	<b>-1</b>
<b>Width</b>	<b>35</b>
<b>X</b>	Parent.TemplateWidth - Self.Width - 12
<b>Y</b>	(Parent.TemplateHeight / 2) - (Self.Height / 2)
<b>ZIndex</b>	<b>4</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Color</b>	RGB(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGB(166, 166, 166, 1)
<b>DisabledColor</b>	RGB(244, 244, 244, 1)
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	RGB(0, 0, 0, 0)

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	galNotesData

Label1\_10

<b>Type</b>	 label	
<b>Data</b>		
<b>Live</b>	Live.Off	
<b>Role</b>	TextRole.Default	
<b>Text</b>	<b>"Filter Category"</b> "Text"	
<b>Design</b>		
<b>Align</b>	<b>Align.Center</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	0	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Bold</b>	FontWeight.Normal
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	150	

**X** 927  
**Y** 172  
**ZIndex** 6  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(0, 0, 0, 0)  
  
**Fill** RGBA(0, 0, 0, 0)  
  
**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NotesEntryScreen

## Label1\_11

**Type**  label  
  
**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "Search History" "Text"  
  
**Design**  
**Align** Align.Center Align.Left  
  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Bold FontWeight.Normal  
  
**Height** 40

**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 456  
**Y** 171  
**ZIndex** 8  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NotesEntryScreen

Label14

**Type**  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "There are no current notes for this project, please select  
'Create New Note' button."  
"Text"

**Design**  
**Align** Align.Center Align.Left  
**AutoHeight** true  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontSize** 16  
**FontWeight** FontWeight.Semibold FontWeight.Normal  
**Height** 63 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 16 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** If(CountRows(galNotesData.AllItems)=0  
&& !VarNewNoteMode,true,false)  
**Width** 1143 150  
**X** 112  
**Y** 363  
**ZIndex** 18  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(255, 255, 255, 1)  
**TextColor** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(0, 0, 0, 0)  
  
**Fill** RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	NotesEntryScreen

LastEditDate\_DataCard2

**Type** ⓘ typedDataCard

**Data**

**DataField** "LastEditDate"

**Default**

ThisItem.LastEditDate

**DisplayName**

DataSourceInfo([

@CS\_EXP\_ProjectNotes],DataSourceInfo.DisplayName,LastEditDate)

**Required** false

**Update** If(Not IsBlank(dtNoteEditDate.SelectedDate),  
dtNoteEditDate.SelectedDate)

**Design**

**BorderStyle** BorderStyle.Solid

**DisplayMode** Parent.DisplayMode

**Height** 50

**Visible** false

**Width** 778

**X** 0

**Y** 2

**ZIndex** 1

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40

**Fill** RGBA(0, 0, 0, 0)

**Child & Parent Controls**

**Child Controls** StarVisible18  
DataCardKey18  
dtNoteEditDate  
ErrorMessage18

**Parent Control** NotesForm

LastEditMSID\_DataCard2

**Type** (?) typedDataCard

**Data**

**DataField** "LastEditMSID"

**Default** ThisItem.LastEditMSID

**DisplayName** **DataSourceInfo**([@CS\_EXP\_ProjectNotes].DataSourceInfo.DisplayName, LastEditMSID)

**MaxLength** **DataSourceInfo**([@CS\_EXP\_ProjectNotes],  
DataSourceInfo.MaxLength, LastEditMSID)

**Required** false

**Update** txtNoteLastMSID.Text

**Design**

**BorderStyle** BorderStyle.Solid

**DisplayMode** Parent.DisplayMode

**Height** 265

**Visible** false

**Width** 768

**X** 0

**Y** 1

**ZIndex** 1

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40

**Fill** RGBA(0, 0, 0, 0)

**Child & Parent Controls**

**Child Controls** StarVisible19  
DataCardKey19

txtNoteLastMSID  
ErrorMessage19

**Parent Control** NotesForm

lblProjectID\_4

**Type**  label

**Data**

Live Live.Off  
Role TextRole.Default  
Text "Project ID:" "Text"

**Design**

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid  
BorderThickness 2 0

DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Bold FontWeight.Normal

Height 40  
Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 13  
Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Width 150  
X 155  
Y 171  
ZIndex 3

**Color Properties**

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(255, 255, 255, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      NotesEntryScreen

Notes\_DataCard4

**Type**  typedDataCard

**Data**

**DataField**      "Notes"

**Default**      ThisItem.Notes

**DisplayName**

DataSourceInfo([

@CS\_EXP\_ProjectNotes],DataSourceInfo.DisplayName,Notes)

**Required**      false

**Update**      txtNotes.Text

**Design**

**BorderStyle**      BorderStyle.Solid

**DisplayMode**      Parent.DisplayMode

**Height**      285

**Width**      564

**X**      0

**Y**      4

**ZIndex** 1  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40  
**Fill** RGBA(0, 0, 0, 0)

**Child & Parent Controls**  
**Child Controls** StarVisible26  
DataCardKey26  
txtNotes  
ErrorMessage26

**Parent Control** NotesForm

NotesCover

**Type**  rectangle

**Design**  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 2  
**Height** 400  
**Visible** If(CountRows(galNotesData.AllItems)=0  
&& !VarNewNoteMode,true,false)  
**Width** 1213  
**X** 83  
**Y** 268  
**ZIndex** 17  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40  
**DisabledFill** Self.Fill  
**Fill** App.Theme.Colors.Primary  
**FocusedBorderColor** Self.BorderColor  
**HoverFill** Self.Fill  
**PressedFill** Self.Fill

**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NotesEntryScreen

## NotesForm

**Type**  form  
**Data**  
**DataSource** CS\_EXP\_ProjectNotes  
**DefaultMode** varNotesFormMode FormMode.Edit  
**Item** varExistingNotesData  
**Design**  
**BorderStyle** BorderStyle.Solid  
**Height** 400 500  
**NumberOfColumns** 1  
**SnapToColumns** false  
**Width** 571 800  
**X** 705  
**Y** 268  
**ZIndex** 7  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**Child & Parent Controls**  
**Child Controls** OrigNoteMSID\_DataCard1  
LastEditMSID\_DataCard2  
ProjectCategory\_DataCard3  
LastEditDate\_DataCard2  
DataLoadDate\_DataCard3  
Notes\_DataCard4  
RecordID\_DataCard1

**Parent Control** NotesEntryScreen

## OrigNoteMSID\_DataCard1

**Type**  typedDataCard  
**Data**  
**DataField** "OrigNoteMSID"

<b>Default</b>	<b>ThisItem.OrigNoteMSID</b>
<b>DisplayName</b>	<b>DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,OrigNoteMSID)</b>
<b>MaxLength</b>	<b>DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.MaxLength, OrigNoteMSID)</b>
<b>Required</b>	<b>false</b>
<b>Update</b>	<b>txtNoteOrigMSID.Text</b>
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>DisplayMode</b>	<b>Parent.DisplayMode</b>
<b>Height</b>	<b>281</b>
<b>Visible</b>	<b>false</b>
<b>Width</b>	<b>768</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Fill</b>	<b>RGBA(0, 0, 0, 0)</b>

**Child & Parent Controls**

<b>Child Controls</b>	<b>StarVisible20</b>
	<b>DataCardKey20</b>
	<b>txtNoteOrigMSID</b>
	<b>ErrorMessage20</b>
<b>Parent Control</b>	<b>NotesForm</b>

ProjectCategory\_DataCard3

<b>Type</b> <small>(?)</small>	<b>typedDataCard</b>
<b>Data</b>	
<b>DataField</b>	<b>"ProjectCategory"</b>
<b>Default</b>	<b>ThisItem.ProjectCategory</b>

**DisplayName** `DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,ProjectCategory)`

**MaxLength** `DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.MaxLength, ProjectCategory)`

**Required** `false`

**Update** `ddNotesFormCategory.Selected.ProjectCateg  
ory`

**Design**

**BorderStyle** `BorderStyle.Solid`

**DisplayMode** `Parent.DisplayMode`

**Height** `50`

**Width** `550`

**X** `1`  
**Y** `1`  
**ZIndex** `1`

**Color Properties**

**BorderColor** `App.Theme.Colors.Darker40`

**Fill** `RGBA(0, 0, 0, 0)`

#### Child & Parent Controls

**Child Controls** `StarVisible24`  
`DataCardKey24`  
`ddNotesFormCategory`  
`ErrorMessage24`

**Parent Control** `NotesForm`

RecordID\_DataCard1

**Type** [?](#) `typedDataCard`

**Data**  
**DataField** `"RecordID"`

**Default** `ThisItem.RecordID`

**DisplayName** `DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,RecordID)`

<b>Required</b>	<b>false</b>
<b>Design</b> <b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>DisplayMode</b>	<b>DisplayMode.View</b>
<b>Height</b>	<b>40</b>
<b>Visible</b>	<b>false</b>
<b>Width</b>	<b>571</b>
X	0
Y	5
ZIndex	1
<b>Color Properties</b> <b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Fill</b>	RGBA(0, 0, 0, 0)

**Child & Parent Controls**  
**Child Controls** DataCardKey21  
txtNotesRecordID

**Parent Control** NotesForm

Rectangle11

Type	 rectangle
<b>Behavior</b> <b>OnSelect</b>	<b>Select(Parent)</b>
<b>Design</b> <b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>Parent.TemplateHeight - Separator8.Height</b>
<b>TabIndex</b>	<b>-1</b>
<b>Visible</b>	<b>ThisItem.IsSelected</b>

<b>Width</b>	<b>4</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>6</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Darker30</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	<b>galNotesData</b>

#### Rectangle5\_4

Type  rectangle

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>2</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>586</b>
<b>Width</b>	<b>1254</b>
<b>X</b>	<b>60</b>
<b>Y</b>	<b>156</b>
<b>ZIndex</b>	<b>2</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>RGBA(0, 0, 0, 1)</b>

<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>RGBA(214, 221, 224, 1)</b>

**FocusedBorderColor**      **Self.BorderColor**

**HoverFill**      **Self.Fill**

**PressedFill**      **Self.Fill**

**Child & Parent Controls**

**Child Controls**

**Parent Control**

NotesEntryScreen

ScreenContainer1\_7

**Type**  verticalAutoLayoutContainer

**Design**

**BorderStyle**      **BorderStyle.Solid**

**ChildTabPriority**      **true**

**DisplayMode**      **DisplayMode.Edit**

**DropShadow**      **DropShadow.Light**

**Height**      **109**

**LayoutAlignItems**      **LayoutAlignItems.Stretch**

**LayoutDirection**      **LayoutDirection.Vertical**

**LayoutGap**      **16**

**LayoutJustifyContent**      **LayoutJustifyContent.Start**

**LayoutMode**      **LayoutMode.Auto**

**LayoutOverflowX**      **LayoutOverflow.Hide**

**LayoutOverflowY**      **LayoutOverflow.Hide**

**LayoutWrap**      **false**

**PaddingBottom**      **16**

**PaddingLeft**      **16**

**PaddingRight**      **16**

**PaddingTop**      **16**

**RadiusBottomLeft**      **4**

**RadiusBottomRight** 4  
**RadiusTopLeft** 4  
**RadiusTopRight** 4  
**Width** **Parent.Width**  
**X** 0  
**Y** 0  
**ZIndex** 1  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
**Fill** RGBA(245, 245, 245, 1)

**Child & Parent Controls**  
**Child Controls** HeaderContainer1\_8  
**Parent Control** NotesEntryScreen

Separator8

**Type**  rectangle  
**Behavior**  
**OnSelect** **Select(Parent)**  
**Design**  
**BorderStyle** **BorderStyle.Solid**  
**BorderThickness** 0  
**DisplayMode** **DisplayMode.Edit**  
**FocusedBorderThickness** 2  
**Height** 8  
**TabIndex** -1  
**Width** **Parent.TemplateWidth**  
**X** 0  
**Y** Parent.TemplateHeight - Self.Height  
**ZIndex** 5  
**Color Properties**

<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	RGB(255, 255, 255, 1)

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	galNotesData

StarVisible18

<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"*" "Text"
<b>Design</b>	
<b>Align</b>	<b>Align.Center</b> Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	<b>DataCardKey18.Height</b> 40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>And(Parent.Required,</b> <b>Parent.DisplayMode=DisplayMode.Edit)</b>

**Width** 30 150

**Wrap** false

**X** 0  
**Y** DataCardKey18.Y  
**ZIndex** 7

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** LastEditDate\_DataCard2

StarVisible19

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "\*" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** **App.Theme.Font** Font.'Open Sans'  
  
**FontWeight** FontWeight.Normal  
**Height** **DataCardKey19.Height** 40  
  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** And(Parent.Required,  
Parent.DisplayMode=DisplayMode.Edit)  
  
**Width** **30** 150  
  
**Wrap** false  
  
**X** 0  
**Y** DataCardKey19.Y  
**ZIndex** 4  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
 RGBA(0, 18, 107, 1)  
  
  
**Color** **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
  
**DisabledFill** RGBA(0, 0, 0, 0)  
  
  
**Fill** RGBA(0, 0, 0, 0)  
  
  
**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** LastEditMSID\_DataCard2

StarVisible20

**Type**  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "\*" "Text"

**Design**  
**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Height** DataCardKey20.Height 40

**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** And(Parent.Required,  
Parent.DisplayMode=DisplayMode.Edit)

**Width** 30 150

**Wrap** false

**X** 0  
**Y** DataCardKey20.Y

**ZIndex** 4  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** OrigNoteMSID\_DataCard1

StarVisible21

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "\*" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Height** DataCardKey22.Height 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** And(Parent.Required,  
Parent.DisplayMode=DisplayMode.Edit)

**Width** 30 150

**Wrap** false

**X** 0  
**Y** DataCardKey22.Y  
**ZIndex** 7

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** DataLoadDate\_DataCard3

StarVisible24

**Type**  label

**Data**

**Live** Live.Off  
**Role** TextRole.Default  
**Text** "\*" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Height** DataCardKey24.Height 40

**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Visible** And(Parent.Required,  
Parent.DisplayMode=DisplayMode.Edit)

**Width** 30 150

**Wrap** false

**X** 0  
**Y** DataCardKey24.Y  
**ZIndex** 4

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)  
RGBA(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill**    RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	ProjectCategory_DataCard3

StarVisible26

**Type**  label

<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"*" "Text"
<b>Design</b>	
<b>Align</b>	<b>Align.Center</b> Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	<b>DataCardKey26.Height</b> 40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Visible</b>	<b>And(Parent.Required,</b>
<b>Parent.DisplayMode=DisplayMode.Edit)</b>	
<b>Width</b>	30 150
<b>Wrap</b>	false

**X** 0  
**Y** DataCardKey26.Y  
**ZIndex** 4  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
RGB(0, 18, 107, 1)

**Color** App.Theme.Colors.Darker30 RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** Notes\_DataCard4

TextCanvas1\_9

**Type** ⓘ PowerApps\_CoreControls\_TextCanvas

**Data**  
**Align** 'TextCanvas.Align'.Center

**AutoHeight** true

**FontColor** RGBA(255, 0, 0, 1)

**Size** 20

**Text** If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")

**Design**

<b>DisplayMode</b>	<b>DisplayMode.Edit</b>	
<b>Height</b>	45	
<b>Width</b>	202	
X	1097	
Y	704	
ZIndex	21	

**Child & Parent Controls**

<b>Child Controls</b>		
<b>Parent Control</b>	NotesEntryScreen	

**txtNoteLastMSID**

<b>Type</b>	<input type="text" value="Abc"/>	text
<b>Data</b>		
<b>Default</b>	If(VarNewNoteMode, varmsid, ThisItem.LastEditMSID) "Text input"	
<b>DelayOutput</b>	true false	
<b>MaxLength</b>	Parent.MaxLength	
<b>Tooltip</b>	Parent.DisplayName	
<b>Design</b>		
<b>Align</b>	Align.Left	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>DisplayMode</b>	<b>DisplayMode.Disabled</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	App.Theme.Font Font.'Open Sans'	
<b>FontWeight</b>	FontWeight.Normal	
<b>Format</b>	TextFormat.Text	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>Mode</b>	TextMode.SingleLine	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>RadiusBottomLeft</b>	0	5

<b>RadiusBottomRight</b>	<b>0</b>	<b>5</b>
<b>RadiusTopLeft</b>	<b>0</b>	<b>5</b>
<b>RadiusTopRight</b>	<b>0</b>	<b>5</b>
<b>Size</b>	<b>13</b>	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto	
<b>Width</b>	<b>Parent.Width - 50</b>	<b>320</b>
<b>X</b>	<b>30</b>	
<b>Y</b>	DataCardKey19.Y + DataCardKey19.Height + 5	
<b>ZIndex</b>	<b>2</b>	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)</b> RGBA(0, 18, 107, 1)	
<b>Color</b>	RGBA(0, 0, 0, 1)	
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledColor</b>	RGBA(0, 0, 0, 1) RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)	
<b>Fill</b>	RGBA(255, 255, 255, 1)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)	
<b>HoverColor</b>	RGBA(0, 0, 0, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Lighter70</b> RGBA(186, 202, 226, 1)	
<b>PressedBorderColor</b>	Self.HoverBorderColor	
<b>PressedColor</b>	Self.Color	
<b>PressedFill</b>	Self.Fill	
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	LastEditMSID_DataCard2	

txtNoteOrigMSID

**Type** `Abc` text  
**Data**  
**Default** `If(VarNewNoteMode, varmsid, ThisItem.OrigNoteMSID)` "Text  
**input"**  
**DelayOutput** `true` false  
**MaxLength** `Parent.MaxLength`  
**Tooltip** `Parent.DisplayName`  
**Design**  
**Align** `Align.Left`  
**BorderStyle** `BorderStyle.Solid`  
**BorderThickness** 2  
**DisplayMode** `DisplayMode.Disabled` `DisplayMode.Edit`  
**FocusedBorderThickness** 4  
**Font** `App.Theme.Font` `Font.'Open Sans'`  
**FontWeight** `FontWeight.Normal`  
**Format** `TextFormat.Text`  
**Height** **107** 40  
**Italic** false  
**Mode** `TextMode.SingleLine`  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**RadiusBottomLeft** 0 5  
**RadiusBottomRight** 0 5  
**RadiusTopLeft** 0 5  
**RadiusTopRight** 0 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VirtualKeyboardMode** `VirtualKeyboardMode.Auto`  
**Width** `Parent.Width - 50` 320  
**X** 30  
**Y** `DataCardKey20.Y + DataCardKey20.Height + 5`  
**ZIndex** 2  
**Color Properties**  
**BorderColor** `If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)`  
`RGBA(0, 18, 107, 1)`

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** OrigNoteMSID\_DataCard1

txtNotes

**Type**  text

**Data**

**Default** Parent.Default"Text input"

**DelayOutput** true false

**Tooltip** Parent.DisplayName

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** Parent.DisplayMode DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	<b>214</b> 40
<b>Italic</b>	false
<b>Mode</b>	<b>TextMode.MultiLine</b> TextMode.SingleLine
<b>PaddingBottom</b>	<b>5</b>
<b>PaddingLeft</b>	<b>5</b>
<b>PaddingRight</b>	<b>5</b>
<b>PaddingTop</b>	<b>5</b>
<b>RadiusBottomLeft</b>	<b>0</b> 5
<b>RadiusBottomRight</b>	<b>0</b> 5
<b>RadiusTopLeft</b>	<b>0</b> 5
<b>RadiusTopRight</b>	<b>0</b> 5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	<b>Parent.Width - 60</b> 320
<b>X</b>	30
<b>Y</b>	DataCardKey26.Y + DataCardKey26.Height + 5
<b>ZIndex</b>	2
<b>Color Properties</b>	
<b>BorderColor</b>	<b>If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

<b>HoverFill</b>	<b>App.Theme.Colors.Lighter70</b> RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	Notes_DataCard4

txtNotesRecordID

<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	<b>Parent.Default</b> "Text"
<b>Design</b>	
<b>Align</b>	Align.Left
<b>AutoHeight</b>	<b>true</b>
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	<b>Parent.DisplayMode</b> DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Height</b>	<b>27</b> 40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	<b>0</b> 5
<b>PaddingRight</b>	<b>0</b> 5
<b>PaddingTop</b>	<b>0</b> 5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	<b>Parent.Width - 60</b> 150
<b>X</b>	30
<b>Y</b>	DataCardKey21.Y + DataCardKey21.Height + 5

**ZIndex** 2  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(56, 56, 56, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(0, 0, 0, 0)  
  
**Fill** RGBA(0, 0, 0, 0)  
  
**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** RecordID\_DataCard1

### txtNotesSearchBox

**Type**  text  
  
**Data**  
**Default** "" "Text input"  
  
**DelayOutput** false  
**HintText** "Search ProjectID"  
  
**Design**  
**Align** Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** vargalNotesEmpty DisplayMode.Edit  
  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Normal  
**Format** TextFormat.Text  
**Height** 40  
**Italic** false

**Mode** TextMode.SingleLine  
**PaddingLeft** 35  
  
**RadiusBottomLeft** 5  
**RadiusBottomRight** 5  
**RadiusTopLeft** 5  
**RadiusTopRight** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Width** 320  
**X** 606  
**Y** 172  
**ZIndex** 10  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** NotesEntryScreen

txtProjectID\_4

**Type**  label

**Data**

**Live** Live.Off  
**Role** TextRole.Default  
**Text** varCurrentProjectID "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0

**DisplayMode** DisplayMode.Disabled DisplayMode.Edit

**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Bold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 305  
**Y** 171  
**ZIndex** 4

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)  
RGB(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(0, 0, 0, 1)  
RGB(56, 56, 56, 1)

**DisabledColor** RGBA(0, 0, 0, 1)  
RGB(166, 166, 166, 1)

**DisabledFill** RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** NotesEntryScreen

## OptionalYLineScreen

**Type**  screen

**Behavior**

**OnVisible**

**Data**

**BackgroundImage** **BackgroundImage**

**Design**

**Height** Max(App.Height, App.MinScreenWidth)

**ImagePosition** **ImagePosition.Fill** ImagePosition.Fit

**LoadingSpinner** LoadingSpinner.None

**LoadingSpinnerColor** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**Orientation** If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)

**Size** 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)

**Width** Max(App.Width, App.MinScreenWidth)

**Color Properties**

**Fill** **Color.White** White

**Child & Parent Controls**

**Child Controls** ScreenContainer1\_4

Rectangle5\_1

iconBack

lblProjectID\_1

txtProjectID\_1

lblPreAward\_1  
lblProdCd\_2  
lblIPANbr\_2  
lblMktNbr\_2  
txtOptPreProdCd  
txtOptPreIPANbr  
txtOptPreMktNbr  
btnAddPreYLine\_1  
btnOptDelPreYLine  
lblPostAward\_1  
lblProdCd\_3  
lblIPANbr\_3  
lblMktNbr\_3  
txtOptPostProdCd  
txtOptPostIPANbr  
txtOptPostMktNbr  
btnOptDelPostYLine  
btnAddPostYLine\_1  
Icon1\_13  
TextCanvas1\_6  
Icon1\_12  
grpPreAward\_1  
grpPostAward\_1  
grpDevLabel\_6

btnAddPostYLine\_1

Type  button

**Behavior**

**OnSelect**

```
Set(varExistingRecord,Loo
kUp(CS_EXP_YLine_Translation,      ProjectID = varCurrentProjectID &&      NDB_Yline_IPA =
Value(txtOptPostIPANbr.Text)));
If(IsBlank(varExistingRecord),Patch(CS_EXP_YLine_Translation,{      ProjectID:
varCurrentProjectID,      ProjectStatus: "Active",      NDB_Yline_ProdCd:
txtOptPostProdCd.Text,      NDB_Yline_IPA: Value(txtOptPostIPANbr.Text),
NDB_Yline_MktNum: Value(txtOptPostMktNbr.Text),      DataLoadDate: Now(),
LastEditDate: varCurrentLastEditDate,      LastEditMSID: varCurrentLastEditMSID,
PreAward: 0}),  Patch(CS_EXP_YLine_Translation,varExistingRecord,{      ProjectStatus:
"Active",      NDB_Yline_ProdCd: txtOptPostProdCd.Text,      NDB_Yline_MktNum:
Value(txtOptPostMktNbr.Text),      LastEditDate: varCurrentLastEditDate,      LastEditMSID:
varCurrentLastEditMSID,      PreAward: 0})); Notify("Y Line Data
Added",NotificationType.Success,2000);
```

**Data**

Text If(IsBlank(txtOptPostProdCd.Text) &&
IsBlank(txtOptPostIPANbr.Text) && IsBlank(txtOptPostMktNbr.Text), "Add Post Y-Line", "Update
Post Y-Line")  
"Button"

**Design**

Align Align.Center

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Semibold  
**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 195 160  
  
**X** 694  
**Y** 644  
**ZIndex** 5  
**Color Properties**  
**BorderColor** App.Theme.Colors.PrimaryColorFade(Self.Fill, -15%)  
  
**Color** RGBA(255, 255, 255, 1)  
  
**DisabledBorderColor** RGBA(244, 244, 244, 1)  
  
    RGBA(166, 166, 166, 1)  
  
**DisabledColor** RGBA(166, 166, 166, 1)  
  
**DisabledFill** RGBA(244, 244, 244, 1)  
  
**Fill** App.Theme.Colors.PrimaryRGB(56, 96, 178, 1)  
  
**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10  
    ColorFade(Self.BorderColor, 20%)  
  
**HoverColor** RGBA(255, 255, 255, 1)  
  
**HoverFill** App.Theme.Colors.Darker10 ColorFade(RGBA(56, 96, 178, 1), -20%)  
  
**PressedBorderColor** App.Theme.Colors.Darker40 Self.Fill  
  
**PressedColor** Self.Color Self.Fill

PressedFill	App.Theme.Colors.Darker40	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	OptionalYLineScreen	
btnAddPreYLine_1		
<b>Type</b>	 button	
<b>Behavior</b>		
<b>OnSelect</b>		Set(varExistingRecord,Loc
kUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPreIPANbr.Text));		
If(IsBlank(varExistingRecord),Patch(CS_EXP_YLine_Translation,{ ProjectID:		
varCurrentProjectID, ProjectStatus: "Active", NDB_Yline_ProdCd:		
txtOptPreProdCd.Text, NDB_Yline_IPA: Value(txtOptPreIPANbr.Text),		
NDB_Yline_MktNum: Value(txtOptPreMktNbr.Text), DataLoadDate: Now(),		
LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID,		
PreAward: 1}), Patch(CS_EXP_YLine_Translation,varExistingRecord,{ ProjectStatus:		
"Active", NDB_Yline_ProdCd: txtOptPreProdCd.Text, NDB_Yline_MktNum:		
Value(txtOptPreMktNbr.Text), LastEditDate: varCurrentLastEditDate, LastEditMSID:		
varCurrentLastEditMSID, PreAward: 1}); Notify("Y Line Data		
Added",NotificationType.Success,2000);		
<b>Data</b>		
<b>Text</b>		If(IsBlank(txtOptPreProdCd.Text) &&
IsBlank(txtOptPreIPANbr.Text) && IsBlank(txtOptPreMktNbr.Text), "Add Pre Y-Line", "Update Pre		
Y-Line")		"Button"
<b>Design</b>		
<b>Align</b>	Align.Center	
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	2	
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	4	
<b>Font</b>	App.Theme.Font	Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Semibold	
<b>Height</b>	40	
<b>Italic</b>	false	
<b>RadiusBottomLeft</b>	10	
<b>RadiusBottomRight</b>	10	
<b>RadiusTopLeft</b>	10	
<b>RadiusTopRight</b>	10	
<b>Size</b>	15	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	190	160

<b>X</b>	694	
<b>Y</b>	438	
<b>ZIndex</b>	22	
<b>Color Properties</b>		
<b>BorderColor</b>		<b>App.Theme.Colors.PrimaryColorFade(Self.Fill, -15%)</b>
<b>Color</b>	RGB(255, 255, 255, 1)	
<b>DisabledBorderColor</b>		RGB(244, 244, 244, 1)
		RGB(166, 166, 166, 1)
<b>DisabledColor</b>		RGB(166, 166, 166, 1)
<b>DisabledFill</b>	RGB(244, 244, 244, 1)	
<b>Fill</b>		<b>App.Theme.Colors.Primary</b> RGB(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>		<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)	
<b>HoverFill</b>		<b>App.Theme.Colors.Darker10</b> ColorFade(RGB(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>		<b>App.Theme.Colors.Darker40</b>
<b>PressedColor</b>		<b>Self.Color</b> Self.Fill
<b>PressedFill</b>		<b>App.Theme.Colors.Darker40</b>
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	Optional	YLineScreen
<b>btnOptDelPostYLine</b>		
<b>Type</b>	 button	
<b>Behavior</b>		
<b>OnSelect</b>		RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPostIPANbr.Text)); Reset(txtOptPostProdCd); Reset(txtOptPostIPANbr); Reset(txtOptPostMktNbr); Notify("Y Line Data Deleted", NotificationType.Success, 2000);

**Data**

**Text** "Delete Post Y-Line" "Button"

**Design**

<b>Align</b>	Align.Center
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Semibold
<b>Height</b>	40
<b>Italic</b>	false
<b>RadiusBottomLeft</b>	10
<b>RadiusBottomRight</b>	10
<b>RadiusTopLeft</b>	10
<b>RadiusTopRight</b>	10
<b>Size</b>	15
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	<b>195</b> 160
<b>X</b>	480
<b>Y</b>	644
<b>ZIndex</b>	25
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b> ColorFade(Self.Fill, -15%)
<b>Color</b>	RGB(255, 255, 255, 1)
<b>DisabledBorderColor</b>	RGB(244, 244, 244, 1)
	RGB(166, 166, 166, 1)
<b>DisabledColor</b>	RGB(166, 166, 166, 1)
<b>DisabledFill</b>	RGB(244, 244, 244, 1)
<b>Fill</b>	<b>App.Theme.Colors.Primary</b> RGB(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(RGB(56, 96, 178, 1), -20%)

<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b> Self.Fill			
<b>PressedColor</b>	<b>Self.Color</b> Self.Fill			
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b> Self.Color			
<b>Child &amp; Parent Controls</b>				
<b>Child Controls</b>				
<b>Parent Control</b>	OptionalYLineScreen			
btnOptDelPreYLine				
<b>Type</b>	 button			
<b>Behavior</b>				
<b>OnSelect</b>	RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPreIPANbr.Text)); Reset(txtOptPreProdCd); Reset(txtOptPreIPANbr); Reset(txtOptPreMktNbr); Notify("Y Line Data Deleted", NotificationType.Success, 2000);			
<b>Data</b>				
<b>Text</b>	<b>"Delete Pre Y-Line"</b> "Button"			
<b>Design</b>				
<b>Align</b>	Align.Center			
<b>BorderStyle</b>	BorderStyle.Solid			
<b>BorderThickness</b>	2			
<b>DisplayMode</b>	DisplayMode.Edit			
<b>FocusedBorderThickness</b>	4			
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'		
<b>FontWeight</b>	FontWeight.Semibold			
<b>Height</b>	40			
<b>Italic</b>	false			
<b>RadiusBottomLeft</b>	10			
<b>RadiusBottomRight</b>	10			
<b>RadiusTopLeft</b>	10			
<b>RadiusTopRight</b>	10			
<b>Size</b>	15			
<b>Strikethrough</b>	false			
<b>Underline</b>	false			
<b>VerticalAlign</b>	VerticalAlign.Middle			
<b>Width</b>	<b>190</b>	160		
<b>X</b>	480			
<b>Y</b>	439			
<b>ZIndex</b>	24			
<b>Color Properties</b>				
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b> ColorFade(Self.Fill, -15%)			
<b>Color</b>	RGB(255, 255, 255, 1)			

**DisabledBorderColor**      RGBA(244, 244, 244, 1)  
                        RGBA(166, 166, 166, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(244, 244, 244, 1)

**Fill**                   **App.Theme.Colors.Primary**    RGBA(56, 96, 178, 1)

**FocusedBorderColor**    Self.BorderColor  
**HoverBorderColor**       **App.Theme.Colors.Darker10**    ColorFade(Self.BorderColor, 20%)

**HoverColor**    RGBA(255, 255, 255, 1)

**HoverFill**                   **App.Theme.Colors.Darker10**    ColorFade(RGBA(56, 96, 178, 1), -20%)

**PressedBorderColor**       **App.Theme.Colors.Darker40**    Self.Fill

**PressedColor**             **Self.Color**        Self.Fill

**PressedFill**               **App.Theme.Colors.Darker40**    Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control**        OptionalYLineScreen

## grpDevLabel\_6

**Type**     group

**Design**

**Height**        5  
**Width**         5  
**X**              80  
**Y**              80  
**ZIndex**        29

**Child & Parent Controls**

**Child Controls**

**Parent Control**   OptionalYLineScreen

## grpPostAward\_1

**Type**     group

**Design**  
**Height** 5  
**Width** 5  
**X** 40  
**Y** 40  
**ZIndex** 16  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

### grpPreAward\_1

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 20  
**Y** 20  
**ZIndex** 23  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

### Header1\_5

**Type**  Header  
**Behavior**  
**OnSelectLogo** false  
**Data**  
**BasePaletteColor**  
**FontColor**  
**Logo** Picture1  
**Title** "Axis Program Management: Optional Y Line Management"  
  
**UserEmail** User().Email  
**UserImage** User().Image  
**UserName** User().FullName  
  
**Design**  
**DisplayMode** DisplayMode.Edit  
**Height** 75  
**Width** Parent.Width

X 0  
Y 0  
ZIndex 1  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HeaderContainer1\_5

HeaderContainer1\_5

**Type**  horizontalAutoLayoutContainer

**Design**  
**BorderStyle** **BorderStyle.Solid**

**ChildTabPriority** true

**DisplayMode** **DisplayMode.Edit**

**DropShadow** **DropShadow.Light**

**Height** 75

**LayoutAlignItems** **LayoutAlignItems.Start**

**LayoutDirection** **LayoutDirection.Horizontal**

**LayoutGap** 0

**LayoutJustifyContent** **LayoutJustifyContent.Start**

**LayoutMode** **LayoutMode.Auto**

**LayoutOverflowX** **LayoutOverflow.Hide**

**LayoutOverflowY** **LayoutOverflow.Hide**

**LayoutWrap** false

**RadiusBottomLeft** 4

**RadiusBottomRight** 4

**RadiusTopLeft** 4

**RadiusTopRight** 4

**Width** 500

X 0

Y 0

ZIndex 2

**Color Properties**

**BorderColor** `RGBA(0, 0, 0, 1)`

**Fill** RGBA(255, 255, 255, 1)

**Child & Parent Controls**

**Child Controls** Header1\_5

**Parent Control** ScreenContainer1\_4

Icon1\_12

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

**X** 1299

**Y** 704

**ZIndex** 27

**Child & Parent Controls**

**Child Controls**

**Parent Control** OptionalYLineScreen

Icon1\_13

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

<b>IconStyle</b>	'Icon.IconStyle'.Outline
<b>Design</b>	
<b>DisplayMode</b>	DisplayMode.Edit
<b>Height</b>	45
<b>Width</b>	45
X	1052
Y	704
ZIndex	26
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

### iconBack

<b>Type</b>	icon
<b>Behavior</b>	
<b>OnSelect</b>	Set(varEditProject,true); Back();
<b>Design</b>	
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	2
<b>Height</b>	45
<b>Icon</b>	Icon.BackArrow
<b>Width</b>	45
X	469
Y	209
ZIndex	23
<b>Color Properties</b>	
<b>BorderColor</b>	App.Theme.Colors.Darker40
<b>Color</b>	App.Theme.Colors.Darker30
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)

**DisabledColor**      `RGBA(244, 244, 244, 1)`

**DisabledFill**      `Self.Fill`

**Fill**    `RGBA(0, 0, 0, 0)`

**FocusedBorderColor**      `Self.BorderColor`

**HoverBorderColor**      `ColorFade(Self.BorderColor, 20%)`

**HoverColor**      `ColorFade(Self.Color, 20%)`

**HoverFill**      `Self.Fill`

**PressedBorderColor**      `ColorFade(Self.BorderColor, -20%)`

**PressedColor**      `ColorFade(Self.Color, -20%)`

**PressedFill**      `Self.Fill`

#### **Child & Parent Controls**

**Child Controls**

**Parent Control**      `OptionalYLineScreen`

lblIPANbr\_2

**Type**  `label`

#### **Data**

**Live**      `Live.Off`

**Role**      `TextRole.Default`

**Text**      `"IPANbr "`      `"Text"`

#### **Design**

**Align**      `Align.Center`      `Align.Left`

**BorderStyle**      `BorderStyle.Solid`

**BorderThickness**      `2`      `0`

**DisplayMode**      `DisplayMode.Edit`

**FocusedBorderThickness**      `0`

**Font**      `App.Theme.Font`      `Font.'Open Sans'`

**FontWeight**      `FontWeight.Semibold` `FontWeight.Normal`

**Height**      `40`

**Italic**      `false`

**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 607  
**Y** 334  
**ZIndex** 16  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

lblIPANbr\_3

**Type**  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "IPANbr" "Text"

**Design**  
**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 608  
**Y** 547  
**ZIndex** 7

**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
RGB(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

### lblMktNbr\_2

<b>Type</b>	 label
<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"MktNbr" "Text"
<b>Design</b>	
<b>Align</b>	<b>Align.Center</b> Align.Left
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2 0
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Semibold</b> FontWeight.Normal
<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	150
<b>X</b>	757
<b>Y</b>	334
<b>ZIndex</b>	17
<b>Color Properties</b>	

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** OptionalYLineScreen

### lblMktNbr\_3

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "MktNbr" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** **FontWeight.Semibold** **FontWeight.Normal**

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 758  
**Y** 547  
**ZIndex** 8  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

## lblPostAward\_1

Type  label

### Data

Live Live.Off  
Role TextRole.Default  
Text "**Optional Post Award Y-Line Data**" "Text"

### Design

Align Align.Center Align.Left

BorderStyle BorderStyle.Solid  
BorderThickness 2 0

DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Bold FontWeight.Normal

Height 40  
Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 13  
Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Width 450 150

X 458  
Y 496  
ZIndex 14

### Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGB(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

## lblPreAward\_1

**Type**  label

<b>Data</b>	
<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Optional Pre Award Y-Line Data" "Text"

<b>Design</b>	
<b>Align</b>	Align.Center Align.Left

<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2 0

<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	App.Theme.Font

<b>FontSize</b>	13
<b>FontWeight</b>	FontWeight.Bold

<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false

**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 450 150

**X** 457  
**Y** 283  
**ZIndex** 21

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

lblProdCd\_2

**Type**  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "ProdCd" "Text"

**Design**

<b>Align</b>	<b>Align.Center</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	<b>2</b>	0
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Semibold</b>	FontWeight.Normal
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	150	
<b>X</b>	457	
<b>Y</b>	334	
<b>ZIndex</b>	15	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color

<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

lblProdCd\_3

**Type**  label

**Data**

<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"ProdCd" "Text"

**Design**


**Align**  Align.Center Align.Left


**BorderStyle**  **BorderThickness** 2 0

**DisplayMode**  **FocusedBorderThickness** 0  
**Font**  Font.'Open Sans'

**FontWeight**  **FontWeight.Semibold**  **FontWeight.Normal**

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 458  
**Y** 547  
**ZIndex** 6  
**Color Properties**  
**BorderColor**  **RGB(0, 0, 0, 1)**

 **RGB(0, 18, 107, 1)**

**Color**  **RGB(0, 0, 0, 1)**

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(255, 255, 255, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

OptionalYLineScreen

## lblProjectID\_1

**Type**  label

**Data**

**Live**                  Live.Off

**Role**                  TextRole.Default

**Text**                  "Project ID:"    "Text"

**Design**

**Align**                  **Align.Center**    Align.Left

**BorderStyle**      TextStyle.Solid

**BorderThickness**      2        0

**DisplayMode**      DisplayMode.Edit

**FocusedBorderThickness**      0

**Font**                  **App.Theme.Font**    Font.'Open Sans'

**FontWeight**              **FontWeight.Bold**    FontWeight.Normal

**Height**                40

**Italic**                false

**LineHeight**            1.2

**Overflow**              Overflow.Hidden

**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 532  
**Y** 212  
**ZIndex** 3  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

Rectangle5\_1

**Type**  rectangle

**Design**

<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>2</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>493</b>
<b>Width</b>	<b>469</b>
<b>X</b>	<b>448</b>
<b>Y</b>	<b>197</b>
<b>ZIndex</b>	<b>2</b>
<b>Color Properties</b>	
<b>BorderColor</b>	RGBA(0, 0, 0, 1)

<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	RGBA(214, 221, 224, 1)

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

#### ScreenContainer1\_4

<b>Type</b>	 verticalAutoLayoutContainer
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>ChildTabPriority</b>	<b>true</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>DropShadow</b>	<b>DropShadow.Light</b>
<b>Height</b>	<b>109</b>

<b>LayoutAlignItems</b>	<b>LayoutAlignItems.Stretch</b>
<b>LayoutDirection</b>	<b>LayoutDirection.Vertical</b>
<b>LayoutGap</b>	<b>16</b>
<b>LayoutJustifyContent</b>	<b>LayoutJustifyContent.Start</b>
<b>LayoutMode</b>	<b>LayoutMode.Auto</b>
<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	<b>false</b>
<b>PaddingBottom</b>	<b>16</b>
<b>PaddingLeft</b>	<b>16</b>
<b>PaddingRight</b>	<b>16</b>
<b>PaddingTop</b>	<b>16</b>
<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>Parent.Width</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>RGBA(0, 0, 0, 1)</b>

**Fill**    **RGBA(245, 245, 245, 1)**

#### **Child & Parent Controls**

**Child Controls**      HeaderContainer1\_5

**Parent Control**      OptionalYLineScreen

## TextCanvas1\_6

Type [?](#) PowerApps\_CoreControls\_TextCanvas

Data  
Align 'TextCanvas.Align'.Center

AutoHeight true

FontColor RGBA(255, 0, 0, 1)

Size 20

Text  
VERSION" If/AdminMode,"DEV VERSION AdminMode", "DEV

Design  
DisplayMode DisplayMode.Edit

Height 45

Width 202

X 1097

Y 704

ZIndex 28

### Child & Parent Controls

#### Child Controls

Parent Control OptionalYLineScreen

## txtOptPostIPANbr

Type [Abc](#) text

Data  
Default "Text input"

DelayOutput false

MaxLength 3

### Design

Align Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 2

Clear true

DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font [App.Theme.Font](#) Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	40
<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	150      320
<b>X</b>	608
<b>Y</b>	594
<b>ZIndex</b>	10
<b>Color Properties</b>	
<b>BorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>HoverColor</b>	RGBA(0, 0, 0, 1)
<b>HoverFill</b>	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

txtOptPostMktNbr

**Type** `Abc` text

**Data**

**Default** "Text input"

**DelayOutput** false

**MaxLength** 4

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**Clear** true

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** `App.Theme.Font` Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Format** TextFormat.Text

**Height** 40

**Italic** false

**Mode** TextMode.SingleLine

**RadiusBottomLeft** 5

**RadiusBottomRight** 5

**RadiusTopLeft** 5

**RadiusTopRight** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VirtualKeyboardMode** VirtualKeyboardMode.Auto

**Width** 150 320

**X** 758

**Y** 594

**ZIndex** 11

**Color Properties**

**BorderColor** `App.Theme.Colors.Darker40` RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** OptionalYLineScreen

txtOptPostProdCd

**Type**  text

**Data**

**Default** "Text input"

**DelayOutput** false

**MaxLength** 2

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**Clear** true

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Format** TextFormat.Text

**Height** 40

**Italic** false

**Mode** TextMode.SingleLine

**RadiusBottomLeft** 5

**RadiusBottomRight** 5

**RadiusTopLeft** 5

**RadiusTopRight** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VirtualKeyboardMode** VirtualKeyboardMode.Auto

**Width** 150 320

**X** 458

**Y** 594

**ZIndex** 9

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

OptionalYLineScreen

txtOptPreIPANbr

**Type**  text

**Data**

**Default**

```
If( !IsBlank( LookUp( CS_E  
XP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA ) ) &&  
StartsWith( LookUp( CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID,  
NDB_Yline_IPA ), 333 ), LookUp( CS_EXP_YLine_Translation, ProjectID =  
varCurrentProjectID, NDB_Yline_IPA )) "Text input"
```

**DelayOutput** false

**MaxLength** 3

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**Clear** true

<b>DisplayMode</b>	EditMode
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'
<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	40
<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	<b>150</b> 320
<b>X</b>	607
<b>Y</b>	381
<b>ZIndex</b>	19
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>HoverColor</b>	RGBA(0, 0, 0, 1)
<b>HoverFill</b>	<b>App.Theme.Colors.Lighter70</b> RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen

txtOptPreMktNbr

Type `Abc` text

Data  
Default "Text input"

DelayOutput false  
MaxLength 4

Design  
Align Align.Left  
BorderStyle BorderStyle.Solid  
BorderThickness 2  
Clear true

DisplayMode DisplayMode.Edit  
FocusedBorderThickness 4  
Font `App.Theme.Font` Font.'Open Sans'

FontWeight FontWeight.Normal  
Format TextFormat.Text  
Height 40  
Italic false  
Mode TextMode.SingleLine  
RadiusBottomLeft 5  
RadiusBottomRight 5  
RadiusTopLeft 5  
RadiusTopRight 5  
Size 13  
Strikethrough false  
Underline false  
VirtualKeyboardMode VirtualKeyboardMode.Auto  
Width 150 320

X 757  
Y 381  
ZIndex 20

Color Properties  
BorderColor `App.Theme.Colors.Darker40` RGBA(0, 18, 107, 1)  
Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

txtOptPreProdCd

**Type** `Abc` text

**Data**  
**Default** "Text input"

**DelayOutput** false  
**MaxLength** 2

**Design**  
**Align** Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**Clear** true

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Format** TextFormat.Text  
**Height** 40  
**Italic** false  
**Mode** TextMode.SingleLine  
**RadiusBottomLeft** 5  
**RadiusBottomRight** 5  
**RadiusTopLeft** 5  
**RadiusTopRight** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Width** 150 320

**X** 457  
**Y** 381  
**ZIndex** 18  
**Color Properties**  
**BorderColor** **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)  
**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** OptionalYLineScreen

txtProjectID\_1

**Type**  label

**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** varCurrentProjectID "Text"

**Design**  
**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0

**DisplayMode** **DisplayMode.Disabled** DisplayMode.Edit

**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontSize** 16  
**FontWeight** FontWeight.Bold FontWeight.Normal  
**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 682  
**Y** 212  
**ZIndex** 4  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
  
RGB(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)  
  
**DisabledBorderColor** RGBA(0, 0, 0, 1)  
  
RGB(56, 56, 56, 1)

**DisabledColor** RGBA(0, 0, 0, 1)  
  
RGB(166, 166, 166, 1)

**DisabledFill** RGBA(139, 154, 159, 1)  
  
RGB(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)  
  
RGB(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	OptionalYLineScreen


## SuccessScreenCompetitorData

**Type**  screen


### Data

**BackgroundImage**  **BackgroundImage**

### Design

<b>Height</b>	Max(App.Height, App.MinScreenWidth)
<b>ImagePosition</b>	ImagePosition.Fit
<b>LoadingSpinner</b>	LoadingSpinner.None
<b>LoadingSpinnerColor</b>	<b>App.Theme.Colors.Primary</b>   RGBA(56, 96, 178, 1)
<b>Orientation</b>	If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
<b>Size</b> Self.Width)	1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >=
<b>Width</b>	Max(App.Width, App.MinScreenWidth)
<b>Color Properties</b>	
<b>Fill</b>	<b>Color.White</b> White 

### Child & Parent Controls

**Child Controls**  iconCircle1\_2  
 iconCheck1\_2  
 LblSuccessMsg1\_2  
 btnSuccessContinue\_2  
 Icon1\_25  
 TextCanvas1\_12  
 Icon1\_24  
 grpDevLabel\_12

## btnSuccessContinue\_2

**Type**  PowerApps\_CoreControls\_ButtonCanvas

### Behavior

**OnSelect**  **Navigate(EditProjectScreen);**

### Data

**Align**  ...

<b>BasePaletteColor</b>	""
<b>BorderStyle</b>	""
<b>FontColor</b>	
<b>FontSize</b>	<b>20</b>
<b>Icon</b>	""
<b>IconRotation</b>	<b>0</b>
<b>IconStyle</b>	"Outline"
<b>Layout</b>	"Icon before"
<b>Text</b>	"Continue"
<b>VerticalAlign</b>	""
<b>Design</b>	
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>45</b>
<b>Width</b>	<b>150</b>
<b>X</b>	608
<b>Y</b>	559
<b>ZIndex</b>	4
<b>Color Properties</b>	
<b>BorderColor</b>	
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenCompetitorData

grpDevLabel 12

Type		group
<b>Design</b>		
Height		5
Width		5
X		80
Y		80
ZIndex		8
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	SuccessScreen	CompetitorData

Icon1\_24

Type [?](#) PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

X 1299

Y 704

ZIndex 6

**Child & Parent Controls**

**Child Controls**

**Parent Control** SuccessScreenCompetitorData

## Icon1\_25

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

X 1052

Y 704

ZIndex 5

**Child & Parent Controls**

**Child Controls**

**Parent Control** SuccessScreenCompetitorData

## iconCheck1\_2

Type  icon

Design  
**BorderStyle** `BorderStyle.Solid`

**BorderThickness** `0`

**DisplayMode** `DisplayMode.Edit`

**FocusedBorderThickness** `2`

**Height** `iconCircle1_2.Height`

**Icon** `Icon.Check`

**PaddingBottom** `Self.PaddingTop`

**PaddingLeft** `Self.PaddingTop`

**PaddingRight** `Self.PaddingTop`

**PaddingTop** `24`

**Width** `iconCircle1_2.Width`

**X** `Parent.Width/2 - Self.Width/2`

**Y** `(Parent.Height/2 - Self.Height/2) * .7`

**ZIndex** `2`

**Color Properties**

**BorderColor** `App.Theme.Colors.Darker40`

**Color** `RGBA(0, 0, 0, 1)`

**DisabledBorderColor** `RGBA(166, 166, 166, 1)`

**DisabledColor** `RGBA(244, 244, 244, 1)`

**DisabledFill** `Self.Fill`

**Fill** `RGBA(0, 0, 0, 0)`

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	RGB(255, 255, 255, 0.3)

#### **Child & Parent Controls**

<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenCompetitorData

iconCircle1\_2

Type  circle

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>100</b>
<b>Width</b>	<b>100</b>
<b>X</b>	Parent.Width/2 - Self.Width/2
<b>Y</b>	(Parent.Height/2 - Self.Height/2) * .7
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Primary</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>

**PressedFill**

**Self.Fill**

**Child & Parent Controls**

**Child Controls**

**Parent Control**

SuccessScreenCompetitorData

LblSuccessMsg1\_2

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "Competitor Data Updated!" "Text"

**Design**

**Align** Align.Center Align.Left

**AutoHeight** true

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Bold FontWeight.Normal

**Height** iconCircle1\_2.Height 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5

**PaddingTop** 5

**Size** 20 13

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle

**Width** Parent.Width \* 0.75 150

**X** Parent.Width/2 - Self.Width/2

**Y** iconCheck1\_2.Y + iconCheck1\_2.Height + 100

**ZIndex** 3

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** SuccessScreenCompetitorData

## TextCanvas1\_12

**Type** ⓘ PowerApps\_CoreControls\_TextCanvas

**Data**

**Align** 'TextCanvas.Align'.Center

**AutoHeight** true

**FontColor** RGBA(255, 0, 0, 1)

**Size** 20

**Text** If(AdminMode,"DEV VERSION AdminMode", "DEV  
VERSION")

**Design**

**DisplayMode** DisplayMode.Edit

**Height** 45

<b>Width</b>	202
X	1097
Y	704
ZIndex	7
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenCompetitorData
SuccessScreenEditProject	
<b>Type</b>	□ screen
<b>Data</b>	
<b>BackgroundImage</b>	<b>BackgroundImage</b>
<b>Design</b>	
<b>Height</b>	Max(App.Height, App.MinScreenWidth)
<b>ImagePosition</b>	ImagePosition.Fit
<b>LoadingSpinner</b>	LoadingSpinner.None
<b>LoadingSpinnerColor</b>	<b>App.Theme.Colors.Primary</b> RGBA(56, 96, 178, 1)
<b>Orientation</b>	If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
<b>Size</b>	1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
<b>Width</b>	Max(App.Width, App.MinScreenWidth)
<b>Color Properties</b>	
<b>Fill</b>	<b>Color.White</b> White
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	iconCircle1_1
iconCheck1_1	
LblSuccessMsg1_1	
btnSuccessContinue_1	
Icon1_23	
TextCanvas1_11	
Icon1_22	
grpDevLabel_11	
btnSuccessContinue_1	
<b>Type</b>	② PowerApps_CoreControls_ButtonCanvas
<b>Behavior</b>	
<b>OnSelect</b>	<b>Navigate(EditProjectScreen);</b>
<b>Data</b>	
<b>Align</b>	""
<b>BasePaletteColor</b>	

**BorderStyle**                          ""

**FontColor**

**FontSize**                          20

**Icon**                                  ""

**IconRotation**                          0

**IconStyle**                                  "Outline"

**Layout**                                  "Icon before"

**Text**    "Continue"

**VerticalAlign**                                  ""

**Design**

**DisplayMode**                                  DisplayMode.Edit

**Height**    45

**Width**    150

**X**    608

**Y**    559

**ZIndex**    4

**Color Properties**

**BorderColor**

**Child & Parent Controls**

**Child Controls**

**Parent Control**      SuccessScreenEditProject

## grpDevLabel\_11

**Type**  group

**Design**

**Height**                                  5

**Width**    5

**X**    80

**Y**    80

**ZIndex**    8

**Child & Parent Controls**

**Child Controls**

**Parent Control**      SuccessScreenEditProject

## Icon1\_22

**Type**  PowerApps\_CoreControls\_Icon

**Data**

**Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design**

**DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

**X** 1299  
**Y** 704  
**ZIndex** 6

**Child & Parent Controls**

**Child Controls**

**Parent Control** SuccessScreenEditProject

### Icon1\_23

**Type** ⓘ PowerApps\_CoreControls\_Icon

**Data**

**Icon** "GlobeWarning"

**IconColor** RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

**Design**

**DisplayMode** DisplayMode.Edit

**Height** 45

**Width** 45

**X** 1052  
**Y** 704  
**ZIndex** 5

**Child & Parent Controls**

**Child Controls**

**Parent Control** SuccessScreenEditProject

## iconCheck1\_1

Type  icon

Design  
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **iconCircle1\_1.Height**

Icon **Icon.Check**

PaddingBottom **Self.PaddingTop**

PaddingLeft **Self.PaddingTop**

PaddingRight **Self.PaddingTop**

PaddingTop **24**

Width **iconCircle1\_1.Width**

X **Parent.Width/2 - Self.Width/2**

Y **(Parent.Height/2 - Self.Height/2) \* .7**

ZIndex **2**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Color **RGBA(0, 0, 0, 1)**

DisabledBorderColor **RGBA(166, 166, 166, 1)**

DisabledColor **RGBA(244, 244, 244, 1)**

DisabledFill **Self.Fill**

Fill **RGBA(0, 0, 0, 0)**

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	RGB(255, 255, 255, 0.3)

### Child & Parent Controls

<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenEditProject

iconCircle1\_1

Type  circle

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>100</b>
<b>Width</b>	<b>100</b>
<b>X</b>	Parent.Width/2 - Self.Width/2
<b>Y</b>	(Parent.Height/2 - Self.Height/2) * .7
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Primary</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	

**Child Controls****Parent Control**

SuccessScreenEditProject

LblSuccessMsg1\_1

**Type**  label**Data****Live** Live.Off  
**Role** TextRole.Default  
**Text** "SQL Table Updated Successfully!" "Text"**Design****Align** Align.Center Align.Left**AutoHeight** true**BorderStyle** BorderStyle.Solid  
**BorderThickness** 0  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'**FontWeight** FontWeight.Bold FontWeight.Normal**Height** iconCircle1\_1.Height 40**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5**Size** 20 13**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** Parent.Width \* 0.75 150**X** Parent.Width/2 - Self.Width/2  
**Y** iconCheck1\_1.Y + iconCheck1\_1.Height + 100  
**ZIndex** 3**Color Properties****BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(40, 134, 222, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      SuccessScreenEditProject

## TextCanvas1\_11

**Type**       PowerApps\_CoreControls\_TextCanvas

**Data**

**Align**      'TextCanvas.Align'.Center

**AutoHeight**      true

**FontColor**    RGBA(255, 0, 0, 1)

**Size**      20

**Text**      If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")

**Design**

**DisplayMode**      DisplayMode.Edit

**Height**      45

**Width**      202

X 1097  
Y 704  
ZIndex 7  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** SuccessScreenEditProject

## SuccessScreenNewProject

**Type**  screen

**Data**

**BackgroundImage** **BackgroundImage**

**Design**

**Height** Max(App.Height, App.MinScreenWidth)  
**ImagePosition** ImagePosition.Fit  
**LoadingSpinner** LoadingSpinner.None  
**LoadingSpinnerColor** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**Orientation** If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)  
**Size** 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)  
**Width** Max(App.Width, App.MinScreenWidth)

**Color Properties**

**Fill** **Color.White** White

**Child & Parent Controls**

**Child Controls** iconCircle1  
iconCheck1  
LblSuccessMsg1  
btnSuccessContinue  
Icon1\_21  
TextCanvas1\_10  
Icon1\_20  
grpDevLabel\_10

## btnSuccessContinue

**Type**  PowerApps\_CoreControls\_ButtonCanvas

**Behavior**

**OnSelect** Navigate(EditProjectScreen);

**Data**

**Align** ""

**BasePaletteColor**  
**BorderStyle** ""

**FontColor**

**FontSize** 20  
**Icon** ""  
**IconRotation** 0  
**IconStyle** "Outline"  
**Layout** "Icon before"  
**Text** "Continue"  
**VerticalAlign** ""  
**Design**  
**DisplayMode** DisplayMode.Edit  
**Height** 45  
**Width** 150  
**X** 608  
**Y** 559  
**ZIndex** 4  
**Color Properties**  
**BorderColor**  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** SuccessScreenNewProject

## grpDevLabel\_10

**Type**  group  
**Design**  
**Height** 5  
**Width** 5  
**X** 80  
**Y** 80  
**ZIndex** 8  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** SuccessScreenNewProject

## Icon1\_20

**Type**  PowerApps\_CoreControls\_Icon  
**Data**  
**Icon** "GlobeWarning"  
**IconColor** RGBA(255, 0, 0, 1)

<b>IconStyle</b>	'Icon.IconStyle'.Outline
<b>Design</b>	
<b>DisplayMode</b>	DisplayMode.Edit
<b>Height</b>	45
<b>Visible</b>	true
<b>Width</b>	45
X	1299
Y	704
ZIndex	6
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenNewProject

Icon1\_21

## Type [?](#) PowerApps\_CoreControls\_Icon

**Data Icon** "GlobeWarning"

**IconColor**    RGBA(255, 0, 0, 1)

<b>IconStyle</b>	'Icon.IconStyle'.Outline
<b>Design</b>	
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>45</b>
<b>Visible</b>	<b>true</b>
<b>Width</b>	<b>45</b>
<b>X</b>	1052
<b>Y</b>	704
<b>ZIndex</b>	5
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenNewProject

iconCheck1

Type  icon

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **iconCircle1.Height**

Icon **Icon.Check**

PaddingBottom **Self.PaddingTop**

PaddingLeft **Self.PaddingTop**

PaddingRight **Self.PaddingTop**

PaddingTop **24**

Width **iconCircle1.Width**

X **Parent.Width/2 - Self.Width/2**

Y **(Parent.Height/2 - Self.Height/2) \* .7**

ZIndex **2**

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Color **RGBA(0, 0, 0, 1)**

DisabledBorderColor **RGBA(166, 166, 166, 1)**

DisabledColor **RGBA(244, 244, 244, 1)**

DisabledFill **Self.Fill**

Fill **RGBA(0, 0, 0, 0)**

<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverBorderColor</b>	<b>ColorFade(Self.BorderColor, 20%)</b>
<b>HoverColor</b>	<b>ColorFade(Self.Color, 20%)</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	RGB(255, 255, 255, 0.3)

### Child & Parent Controls

<b>Child Controls</b>	
<b>Parent Control</b>	SuccessScreenNewProject

iconCircle1

Type  circle

<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>Height</b>	<b>100</b>
<b>Width</b>	<b>100</b>
<b>X</b>	Parent.Width/2 - Self.Width/2
<b>Y</b>	(Parent.Height/2 - Self.Height/2) * .7
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	<b>App.Theme.Colors.Primary</b>
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	

**Child Controls****Parent Control**

SuccessScreenNewProject

**LblSuccessMsg1****Type**  label**Data****Live**

Live.Off

**Role**

TextRole.Default

**Text****"ProjectID Successfully Created!"** "Text"**Design****Align****Align.Center** Align.Left**AutoHeight****true****BorderStyle**

BorderStyle.Solid

**BorderThickness**

0

**DisplayMode**

DisplayMode.Edit

**FocusedBorderThickness**

0

**Font****App.Theme.Font**

Font.'Open Sans'

**FontWeight****FontWeight.Bold**

FontWeight.Normal

**Height****iconCircle1.Height** 40**Italic**

false

**LineHeight**

1.2

**Overflow**

Overflow.Hidden

**PaddingBottom**

5

**PaddingLeft**

5

**PaddingRight**

5

**PaddingTop**

5

**Size****20** 13**Strikethrough**

false

**Underline**

false

**VerticalAlign**

VerticalAlign.Middle

**Width****Parent.Width \* 0.75** 150**X**

Parent.Width/2 - Self.Width/2

**Y**

iconCheck1.Y + iconCheck1.Height + 100

**ZIndex**

3

**Color Properties****BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(40, 134, 222, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**      SuccessScreenNewProject

## TextCanvas1\_10

**Type**     PowerApps\_CoreControls\_TextCanvas

**Data**

**Align**                    'TextCanvas.Align'.Center

**AutoHeight**                true

**FontColor**    RGBA(255, 0, 0, 1)

**Size**                    20

**Text**                    If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")

**Design**

**DisplayMode**             DisplayMode.Edit

**Height**                    45

**Visible**                  true

**Width** 202

X 1097  
Y 704  
ZIndex 7

**Child & Parent Controls**

**Child Controls**

**Parent Control** SuccessScreenNewProject

**YLineScreen**

**Type**  screen

**Behavior**

**OnVisible**

**Data**

**BackgroundImage** **BackgroundImage**

**Design**

**Height** Max(App.Height, App.MinScreenHeight)  
**ImagePosition** **ImagePosition.Fill** **ImagePosition.Fit**

**LoadingSpinner** LoadingSpinner.None  
**LoadingSpinnerColor** **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

**Orientation** If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)  
**Size** 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)  
**Width** Max(App.Width, App.MinScreenWidth)

**Color Properties**

**Fill** **Color.White** White

**Child & Parent Controls**

**Child Controls** ScreenContainer1\_3

Rectangle5  
iconYLineBack  
iconOptionalYLine  
lblProjectID  
txtProjectID  
lblPreAward  
lblProdCd\_1  
lblIPANbr\_1  
lblMktNbr\_1  
txtPreProdCd  
txtPreIPANbr  
txtPreMktNbr  
btnDelPreYLine  
btnAddPreYLine  
lblPostAward  
lblProdCd  
lblIPANbr  
lblMktNbr

txtPostProdCd  
txtPostIPANbr  
txtPostMktNbr  
btnDelPostYLine  
btnAddPostYLine  
Icon1\_11  
TextCanvas1\_5  
Icon1\_10  
grpPreAward  
grpPostAward  
grpDevLabel\_5

btnAddPostYLine

Type  button

**Behavior**  
**OnSelect**

```
Set(varExistingRecord,Loo
kUp(CS_EXP_YLine_Translation,    ProjectID = varCurrentProjectID &&    NDB_Yline_IPA =
Value(txtPostIPANbr.Text));
If(IsBlank(varExistingRecord),Patch(CS_EXP_YLine_Translation,{    ProjectID:
varCurrentProjectID,    ProjectStatus: "Active",    NDB_Yline_ProdCd: txtPostProdCd.Text,
NDB_Yline_IPA: Value(txtPostIPANbr.Text),    NDB_Yline_MktNum: Value(txtPostMktNbr.Text),
DataLoadDate: Now(),    LastEditDate: varCurrentLastEditDate,    LastEditMSID:
varCurrentLastEditMSID,    PreAward: 0}),
Patch(CS_EXP_YLine_Translation,varExistingRecord,{    ProjectStatus: "Active",
NDB_Yline_ProdCd: txtPostProdCd.Text,    NDB_Yline_MktNum: Value(txtPostMktNbr.Text),
LastEditDate: varCurrentLastEditDate,    LastEditMSID: varCurrentLastEditMSID,
PreAward: 0}); Notify("Y Line Data Added",NotificationType.Success,2000);
```

**Data**  
**Text** "Add Post Y-Line" "Button"

**Design**  
**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold  
**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false

<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	195	160
<b>X</b>	694	
<b>Y</b>	644	
<b>ZIndex</b>	5	
<b>Color Properties</b>		
<b>BorderColor</b>	<b>App.Theme.Colors.PrimaryColorFade(Self.Fill, -15%)</b>	
<b>Color</b>	RGBA(255, 255, 255, 1)	
<b>DisabledBorderColor</b>	RGBA(244, 244, 244, 1)	
	RGBA(166, 166, 166, 1)	
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)	
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)	
<b>Fill</b>	<b>App.Theme.Colors.Primary</b> RGBA(56, 96, 178, 1)	
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)	
<b>HoverColor</b>	RGBA(255, 255, 255, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	YLineScreen	
<b>btnAddPreYLine</b>		
<b>Type</b>		button
<b>Behavior</b>		
<b>OnSelect</b>	Set( varExistingRecord,	
<b>LookUp(</b>	CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA =	

```

Value(txtPreIPANbr.Text) )); If( IsBlank(varExistingRecord),
Patch( CS_EXP_YLine_Translation, { ProjectID: varCurrentProjectID,
ProjectStatus: "Active", NDB_Yline_ProdCd: txtPreProdCd.Text, NDB_Yline_IPA:
Value(txtPreIPANbr.Text), NDB_Yline_MktNum: Value(txtPreMktNbr.Text),
DataLoadDate: Now(), LastEditDate: varCurrentLastEditDate, LastEditMSID:
varCurrentLastEditMSID, PreAward: 1 } ), Patch( CS_EXP_YLine_Translation,
varExistingRecord, { ProjectStatus: "Active", NDB_Yline_ProdCd:
txtPreProdCd.Text, NDB_Yline_MktNum: Value(txtPreMktNbr.Text), LastEditDate:
varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 1 } );
Notify( "Y Line Data Added", NotificationType.Success, 2000 );

```

**Data**

**Text** "Add Pre Y-Line" "Button"

**Design**

<b>Align</b>	Align.Center
<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	2
<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	4
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Semibold
<b>Height</b>	40
<b>Italic</b>	false
<b>RadiusBottomLeft</b>	10
<b>RadiusBottomRight</b>	10
<b>RadiusTopLeft</b>	10
<b>RadiusTopRight</b>	10
<b>Size</b>	15
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	<b>190</b> 160

<b>X</b>	694
<b>Y</b>	439
<b>ZIndex</b>	22

**Color Properties**

<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b> ColorFade(Self.Fill, -15%)
--------------------	--

**Color** RGBA(255, 255, 255, 1)

<b>DisabledBorderColor</b>	RGBA(244, 244, 244, 1)
----------------------------	------------------------

RGBA(166, 166, 166, 1)

<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
----------------------	------------------------

<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
---------------------	------------------------

<b>Fill</b>	<b>App.Theme.Colors.Primary</b>	RGBA(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor	
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGB(255, 255, 255, 1)	
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b>	ColorFade(RGB(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b>	Self.Fill
<b>PressedColor</b>	<b>Self.Color</b>	Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b>	Self.Color
<b>Child &amp; Parent Controls</b>		
<b>Child Controls</b>		
<b>Parent Control</b>	YLineScreen	

#### btnDelPostYLine

Type  button

**Behavior**

**OnSelect**

```
Removelf(CS_EXP_YLine_Translation, ProjectID =
varCurrentProjectID && NDB_Yline_IPA = Value(txtPostIPANbr.Text)); Reset(txtPostProdCd);
Reset(txtPostIPANbr); Reset(txtPostMktNbr); Notify("Y Line Data
Deleted",NotificationType.Success,2000);
```

**Data**

**Text** "Delete Post Y-Line" "Button"

**Design**

**Align** Align.Center

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** **App.Theme.Font** Font.'Open Sans'

**FontWeight** FontWeight.Semibold

**Height** 40

**Italic** false

**RadiusBottomLeft** 10

**RadiusBottomRight** 10

**RadiusTopLeft** 10

**RadiusTopRight** 10

**Size** 15

**Strikethrough** false

**Underline** false

<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	195 160
<b>X</b>	480
<b>Y</b>	644
<b>ZIndex</b>	26
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Primary</b> ColorFade(Self.Fill, -15%)
<b>Color</b>	RGBA(255, 255, 255, 1)
<b>DisabledBorderColor</b>	RGBA(244, 244, 244, 1)
	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	<b>App.Theme.Colors.Primary</b> RGBA(56, 96, 178, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(Self.BorderColor, 20%)
<b>HoverColor</b>	RGBA(255, 255, 255, 1)
<b>HoverFill</b>	<b>App.Theme.Colors.Darker10</b> ColorFade(RGBA(56, 96, 178, 1), -20%)
<b>PressedBorderColor</b>	<b>App.Theme.Colors.Darker40</b> Self.Fill
<b>PressedColor</b>	<b>Self.Color</b> Self.Fill
<b>PressedFill</b>	<b>App.Theme.Colors.Darker40</b> Self.Color
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	YLineScreen
btnDelPreYLine	
<b>Type</b>	 button
<b>Behavior</b>	
<b>OnSelect</b>	RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtPreIPANbr.Text)); Reset(txtPreProdCd);

```
Reset(txtPreIPANbr); Reset(txtPreMktNbr); Notify("Y Line Data  
Deleted",NotificationType.Success,2000);
```

**Data**

**Text** "Delete Pre Y-Line" "Button"

**Design**

**Align** Align.Center  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold  
**Height** 40  
**Italic** false  
**RadiusBottomLeft** 10  
**RadiusBottomRight** 10  
**RadiusTopLeft** 10  
**RadiusTopRight** 10  
**Size** 15  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 190 160

**X** 480  
**Y** 439  
**ZIndex** 25

**Color Properties**

**BorderColor** App.Theme.Colors.Primary ColorFade(Self.Fill, -15%)

**Color** RGBA(255, 255, 255, 1)

**DisabledBorderColor** RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** App.Theme.Colors.Primary RGBA(56, 96, 178, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker10 ColorFade(Self.BorderColor, 20%)

**HoverColor** RGBA(255, 255, 255, 1)

**HoverFill** **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -  
20%)

**PressedBorderColor** **App.Theme.Colors.Darker40** Self.Fill

**PressedColor** **Self.Color** Self.Fill

**PressedFill** **App.Theme.Colors.Darker40** Self.Color

**Child & Parent Controls**

**Child Controls**

**Parent Control** YLineScreen

### grpDevLabel\_5

**Type**  group

**Design**

**Height** 5

**Width** 5

**X** 80

**Y** 80

**ZIndex** 30

**Child & Parent Controls**

**Child Controls**

**Parent Control** YLineScreen

### grpPostAward

**Type**  group

**Design**

**Height** 5

**Width** 5

**X** 40

**Y** 40

**ZIndex** 16

**Child & Parent Controls**

**Child Controls**

**Parent Control** YLineScreen

### grpPreAward

**Type**  group

**Design**

**Height** 5

**Width** 5

**X** 20

**Y** 20

**ZIndex** 23  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

#### Header1\_4

**Type**  Header  
**Behavior**  
**OnSelectLogo** false  
**Data**  
**BasePaletteColor**  
**FontColor**  
**Logo** Picture1  
**Title** "Axis Program Management: Y Line Management"  
**UserEmail** User().Email  
**UserImage** User().Image  
**UserName** User().FullName  
**Design**  
**DisplayMode** DisplayMode.Edit  
**Height** 75  
**Width** Parent.Width  
**X** 0  
**Y** 0  
**ZIndex** 1  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** HeaderContainer1\_4

#### HeaderContainer1\_4

**Type**  horizontalAutoLayoutContainer  
**Design**  
**BorderStyle** BorderStyle.Solid  
**ChildTabPriority** true  
**DisplayMode** DisplayMode.Edit  
**DropShadow** DropShadow.Light

<b>Height</b>	<b>75</b>
<b>LayoutAlignItems</b>	<b>LayoutAlignItems.Start</b>
<b>LayoutDirection</b>	<b>LayoutDirection.Horizontal</b>
<b>LayoutGap</b>	<b>0</b>
<b>LayoutJustifyContent</b>	<b>LayoutJustifyContent.Start</b>
<b>LayoutMode</b>	<b>LayoutMode.Auto</b>
<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	<b>false</b>
<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>500</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>2</b>
<b>Color Properties</b>	
<b>BorderColor</b>	<b>RGBA(0, 0, 0, 1)</b>

**Fill** **RGBA(255, 255, 255, 1)**

#### **Child & Parent Controls**

**Child Controls** Header1\_4

**Parent Control** ScreenContainer1\_3

Icon1\_10

**Type**  PowerApps\_CoreControls\_Icon

**Data**  
**Icon** "GlobeWarning"

**IconColor**    RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

## Design

## DisplayMode

## DisplayMode.Edit

## Height

45

## Width

45

X 1299

Y

704

## ZIndex

## **Child & Parent Controls**

### **Child Controls**

### **Parent Control** → [View Screen](#)

Icon1 11

Type  PowerApps CoreControls Icon

Data

Data  
Icon

"GlobeWarning"

**IconColor**    RGBA(255, 0, 0, 1)

**IconStyle** 'Icon.IconStyle'.Outline

Design

### DisplayMode

## DisplayMode.Edit

## Height

45

## Width

45

X 1052

Y

Z|ndex

# **Child & Parent Controls**

## **Child Controls**

iconOptionsIVI inc

Type  icon

**Behavior**

**OnSelect** Navigate(OptionalYLineScreen);

**Design**

**BorderStyle** BorderStyle.Solid

**BorderThickness** 0

**DisplayMode** DisplayMode.Disabled

**FocusedBorderThickness** 2

**Height** 45

**Icon** Icon.GlobeChangesPending

**Visible** true

**Width** 45

**X** 855

**Y** 209

**ZIndex** 24

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40

**Color** App.Theme.Colors.Darker30

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(244, 244, 244, 1)

**DisabledFill** Self.Fill

**Fill** RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** ColorFade(Self.BorderColor, 20%)

**HoverColor** ColorFade(Self.Color, 20%)

**HoverFill** Self.Fill

<b>PressedBorderColor</b>	<b>ColorFade(Self.BorderColor, -20%)</b>
<b>PressedColor</b>	<b>ColorFade(Self.Color, -20%)</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	YLineScreen
iconYLineBack	
<b>Type</b>	 icon
<b>Behavior</b>	
<b>OnSelect</b>	<b>Set(varEditProject,true); Back(); Set(varFormCoverMode,true);</b>
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>BorderThickness</b>	<b>0</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>FocusedBorderThickness</b>	<b>2</b>
<b>Height</b>	<b>45</b>
<b>Icon</b>	<b>Icon.BackArrow</b>
<b>Width</b>	<b>45</b>
<b>X</b>	469
<b>Y</b>	209
<b>ZIndex</b>	23
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b>
<b>Color</b>	<b>App.Theme.Colors.Darker30</b>
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(244, 244, 244, 1)
<b>DisabledFill</b>	<b>Self.Fill</b>

**Fill**    `RGBA(0, 0, 0, 0)`

<b>FocusedBorderColor</b>	<code>Self.BorderColor</code>
<b>HoverBorderColor</b>	<code>ColorFade(Self.BorderColor, 20%)</code>
<b>HoverColor</b>	<code>ColorFade(Self.Color, 20%)</code>
<b>HoverFill</b>	<code>Self.Fill</code>
<b>PressedBorderColor</b>	<code>ColorFade(Self.BorderColor, -20%)</code>
<b>PressedColor</b>	<code>ColorFade(Self.Color, -20%)</code>
<b>PressedFill</b>	<code>Self.Fill</code>

**Child & Parent Controls**

<b>Child Controls</b>	
<b>Parent Control</b>	<code>YLineScreen</code>

lblIPANbr

**Type**  `label`

<b>Data</b>		
<b>Live</b>	<code>Live.Off</code>	
<b>Role</b>	<code>TextRole.Default</code>	
<b>Text</b>	<code>"IPANbr"</code>	<code>"Text"</code>
<b>Design</b>		
<b>Align</b>	<code>Align.Center</code>	<code>Align.Left</code>
<b>BorderStyle</b>	<code>BorderStyle.Solid</code>	
<b>BorderThickness</b>	<code>2</code>	<code>0</code>
<b>DisplayMode</b>	<code>DisplayMode.Edit</code>	
<b>FocusedBorderThickness</b>	<code>0</code>	
<b>Font</b>	<code>App.Theme.Font</code>	<code>Font.'Open Sans'</code>
<b>FontWeight</b>	<code>FontWeight.Semibold</code> <code>FontWeight.Normal</code>	
<b>Height</b>	<code>40</code>	
<b>Italic</b>	<code>false</code>	
<b>LineHeight</b>	<code>1.2</code>	
<b>Overflow</b>	<code>Overflow.Hidden</code>	
<b>PaddingBottom</b>	<code>5</code>	
<b>PaddingLeft</b>	<code>5</code>	
<b>PaddingRight</b>	<code>5</code>	
<b>PaddingTop</b>	<code>5</code>	
<b>Size</b>	<code>13</code>	

**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 608  
**Y** 547  
**ZIndex** 7  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

lblIPANbr\_1

**Type**  label  
**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** "IPANbr" "Text"

**Design**

<b>Align</b>	<b>Align.Center</b>	Align.Left
<b>BorderStyle</b>	BorderStyle.Solid	
<b>BorderThickness</b>	<b>2</b>	0
<b>DisplayMode</b>	DisplayMode.Edit	
<b>FocusedBorderThickness</b>	0	
<b>Font</b>	<b>App.Theme.Font</b>	Font.'Open Sans'
<b>FontWeight</b>	<b>FontWeight.Semibold</b>	FontWeight.Normal
<b>Height</b>	40	
<b>Italic</b>	false	
<b>LineHeight</b>	1.2	
<b>Overflow</b>	Overflow.Hidden	
<b>PaddingBottom</b>	5	
<b>PaddingLeft</b>	5	
<b>PaddingRight</b>	5	
<b>PaddingTop</b>	5	
<b>Size</b>	13	
<b>Strikethrough</b>	false	
<b>Underline</b>	false	
<b>VerticalAlign</b>	VerticalAlign.Middle	
<b>Width</b>	150	
<b>X</b>	607	
<b>Y</b>	334	
<b>ZIndex</b>	16	
<b>Color Properties</b>		
<b>BorderColor</b>	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color

**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

### lblMktNbr

**Type**  label

#### Data

**Live** Live.Off  
**Role** TextRole.Default  
**Text** "MktNbr" "Text"

#### Design

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Semibold FontWeight.Normal

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 758  
**Y** 547  
**ZIndex** 8

#### Color Properties

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor**      RGBA(56, 56, 56, 1)

**DisabledColor**      RGBA(166, 166, 166, 1)

**DisabledFill**    RGBA(0, 0, 0, 0)

**Fill**    RGBA(255, 255, 255, 1)

          RGBA(0, 0, 0, 0)

**FocusedBorderColor**      Self.BorderColor

**HoverBorderColor**      Self.BorderColor

**HoverColor**      Self.Color

**HoverFill**      Self.Fill

**PressedBorderColor**      Self.BorderColor

**PressedColor**      Self.Color

**PressedFill**      Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

YLineScreen

lblMktNbr\_1

**Type**     label

**Data**

**Live**      Live.Off

**Role**      TextRole.Default

**Text**      "MktNbr"      "Text"

**Design**

**Align**      **Align.Center**      Align.Left

**BorderStyle**      BorderSide.Solid

**BorderThickness**      2      0

**DisplayMode**      DisplayMode.Edit

**FocusedBorderThickness**      0

**Font**      **App.Theme.Font**      Font.'Open Sans'

**FontWeight**      **FontWeight.Semibold**      FontWeight.Normal

**Height**      40

**Italic**      false

**LineHeight**      1.2

**Overflow**      Overflow.Hidden

**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 757  
**Y** 334  
**ZIndex** 17  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

lblPostAward

**Type**  label

**Data**

**Live** Live.Off  
**Role** TextRole.Default  
**Text** "Post Award Y-Line Data" "Text"  
  
**Design**  
**Align** Align.Center Align.Left  
  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0  
  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
  
**FontWeight** FontWeight.Bold FontWeight.Normal  
  
**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 450 150  
  
**X** 458  
**Y** 496  
**ZIndex** 14  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)  
      
    RGB(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(179, 179, 179, 1)

    RGB(0, 0, 0, 0)

<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	Self.BorderColor
<b>HoverColor</b>	Self.Color
<b>HoverFill</b>	Self.Fill
<b>PressedBorderColor</b>	Self.BorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	YLineScreen

## lblPreAward

Type  label

### Data

<b>Live</b>	Live.Off
<b>Role</b>	TextRole.Default
<b>Text</b>	"Pre Award Y-Line Data" "Text"

### Design

<b>Align</b>	Align.Center Align.Left
--------------	-------------------------

<b>BorderStyle</b>	BorderStyle.Solid
<b>BorderThickness</b>	<b>2</b> 0

<b>DisplayMode</b>	DisplayMode.Edit
<b>FocusedBorderThickness</b>	0
<b>Font</b>	<b>App.Theme.Font</b> Font.'Open Sans'

<b>FontWeight</b>	<b>FontWeight.Bold</b> FontWeight.Normal
-------------------	--

<b>Height</b>	40
<b>Italic</b>	false
<b>LineHeight</b>	1.2
<b>Overflow</b>	Overflow.Hidden
<b>PaddingBottom</b>	5
<b>PaddingLeft</b>	5
<b>PaddingRight</b>	5
<b>PaddingTop</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VerticalAlign</b>	VerticalAlign.Middle
<b>Width</b>	<b>450</b> 150

<b>X</b>	457
----------	-----

<b>Y</b>	283
----------	-----

<b>ZIndex</b>	21
---------------	----

<b>Color Properties</b>	
-------------------------	--

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** YLineScreen

## lblProdCd

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "ProdCd" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** **FontWeight.Semibold** **FontWeight.Normal**

**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 458  
**Y** 547  
**ZIndex** 6  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

## lblProdCd\_1

Type  label

Data  
Live Live.Off  
Role TextRole.Default  
Text "ProdCd" "Text"

Design  
Align Align.Center Align.Left

BorderStyle BorderStyle.Solid  
BorderThickness 2 0

DisplayMode DisplayMode.Edit  
FocusedBorderThickness 0  
Font App.Theme.Font Font.'Open Sans'

FontWeight FontWeight.Semibold FontWeight.Normal

Height 40  
Italic false  
LineHeight 1.2  
Overflow Overflow.Hidden  
PaddingBottom 5  
PaddingLeft 5  
PaddingRight 5  
PaddingTop 5  
Size 13  
Strikethrough false  
Underline false  
VerticalAlign VerticalAlign.Middle  
Width 150  
X 457  
Y 334  
ZIndex 15

### Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

YLineScreen

## lblProjectID

**Type**  label

**Data**

**Live** Live.Off

**Role** TextRole.Default

**Text** "Project ID:" "Text"

**Design**

**Align** Align.Center Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2 0

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 0

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Bold FontWeight.Normal

**Height** 40

**Italic** false

**LineHeight** 1.2

**Overflow** Overflow.Hidden

**PaddingBottom** 5

**PaddingLeft** 5

**PaddingRight** 5

**PaddingTop** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 532  
**Y** 212  
**ZIndex** 3  
**Color Properties**  
**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** Self.BorderColor  
**HoverColor** Self.Color  
**HoverFill** Self.Fill  
**PressedBorderColor** Self.BorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

Rectangle5

**Type**  rectangle

**Design**  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 2

<b>Height</b>	<b>493</b>
<b>Width</b>	<b>469</b>
X	448
Y	197
ZIndex	2
<b>Color Properties</b>	
<b>BorderColor</b>	RGBA(0, 0, 0, 1)
<b>DisabledFill</b>	<b>Self.Fill</b>
<b>Fill</b>	RGBA(214, 221, 224, 1)
<b>FocusedBorderColor</b>	<b>Self.BorderColor</b>
<b>HoverFill</b>	<b>Self.Fill</b>
<b>PressedFill</b>	<b>Self.Fill</b>
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	YLineScreen
<b>ScreenContainer1_3</b>	
<b>Type</b>	 verticalAutoLayoutContainer
<b>Design</b>	
<b>BorderStyle</b>	<b>BorderStyle.Solid</b>
<b>ChildTabPriority</b>	<b>true</b>
<b>DisplayMode</b>	<b>DisplayMode.Edit</b>
<b>DropShadow</b>	<b>DropShadow.Light</b>
<b>Height</b>	<b>109</b>
<b>LayoutAlignItems</b>	<b>LayoutAlignItems.Stretch</b>
<b>LayoutDirection</b>	<b>LayoutDirection.Vertical</b>
<b>LayoutGap</b>	<b>16</b>
<b>LayoutJustifyContent</b>	<b>LayoutJustifyContent.Start</b>

<b>LayoutMode</b>	<b>LayoutMode.Auto</b>
<b>LayoutOverflowX</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutOverflowY</b>	<b>LayoutOverflow.Hide</b>
<b>LayoutWrap</b>	<b>false</b>
<b>PaddingBottom</b>	<b>16</b>
<b>PaddingLeft</b>	<b>16</b>
<b>PaddingRight</b>	<b>16</b>
<b>PaddingTop</b>	<b>16</b>
<b>RadiusBottomLeft</b>	<b>4</b>
<b>RadiusBottomRight</b>	<b>4</b>
<b>RadiusTopLeft</b>	<b>4</b>
<b>RadiusTopRight</b>	<b>4</b>
<b>Width</b>	<b>Parent.Width</b>
<b>X</b>	<b>0</b>
<b>Y</b>	<b>0</b>
<b>ZIndex</b>	<b>1</b>
<b>Color Properties</b>	
<b>BorderColor</b>	RGBA(0, 0, 0, 1)

**Fill**    `RGBA(245, 245, 245, 1)`

## **Child & Parent Controls**

## **Child Controls** HeaderContainer1\_4

**Parent Control** YLineScreen

## TextCanvas1\_5

Type ? F

## Data

**Align** 'TextCanvas.Align'.Center

**AutoHeight** true  
**FontColor** RGBA(255, 0, 0, 1)  
  
**Size** 20  
**Text** If/AdminMode,"DEV VERSION AdminMode", "DEV VERSION")  
  
**Design**  
**DisplayMode** DisplayMode.Edit  
  
**Height** 45  
  
**Width** 202  
  
**X** 1097  
**Y** 704  
**ZIndex** 29  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

**txtPostIPANbr**  
  
**Type** Abc text  
  
**Behavior**  
**OnChange** false  
  
**Data**  
**Default**  
  
**XP\_YLine\_Translation**, ProjectID = varCurrentProjectID, NDB\_Yline\_IPA ) )&&  
**StartsWith**( LookUp( CS\_EXP\_YLine\_Translation, ProjectID = varCurrentProjectID,  
NDB\_Yline\_IPA ), 4 ), LookUp( CS\_EXP\_YLine\_Translation, ProjectID =  
varCurrentProjectID, NDB\_Yline\_IPA )) "Text input"  
  
**DelayOutput** false  
**MaxLength** 3  
  
**Design**  
**Align** Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**Clear** true  
  
**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

<b>FontWeight</b>	FontWeight.Normal
<b>Format</b>	TextFormat.Text
<b>Height</b>	40
<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	<b>150</b> 320
<b>X</b>	608
<b>Y</b>	594
<b>ZIndex</b>	10
<b>Color Properties</b>	
<b>BorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	<b>App.Theme.Colors.Darker40</b> RGBA(0, 18, 107, 1)
<b>HoverColor</b>	RGBA(0, 0, 0, 1)
<b>HoverFill</b>	<b>App.Theme.Colors.Lighter70</b> RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	YLineScreen

txtPostMktNbr

**Type** `Abc` text

**Behavior**

**OnChange** `false`

**Data**

**Default**

```
If( !IsBlank( LookUp( CS_E
XP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_MktNum ) ) &&
StartsWith( LookUp( CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID,
NDB_Yline_IPA ), 4 ), LookUp( CS_EXP_YLine_Translation, ProjectID =
varCurrentProjectID, NDB_Yline_MktNum )) "Text input"
```

**DelayOutput** `false`

**MaxLength** `4`

**Design**

**Align** `Align.Left`

**BorderStyle** `BorderStyle.Solid`

**BorderThickness** `2`

**Clear** `true`

**DisplayMode** `DisplayMode.Edit`

**FocusedBorderThickness** `4`

**Font** `App.Theme.Font` `Font.'Open Sans'`

**FontWeight** `FontWeight.Normal`

**Format** `TextFormat.Text`

**Height** `40`

**Italic** `false`

**Mode** `TextMode.SingleLine`

**RadiusBottomLeft** `5`

**RadiusBottomRight** `5`

**RadiusTopLeft** `5`

**RadiusTopRight** `5`

**Size** `13`

**Strikethrough** `false`

**Underline** `false`

**VirtualKeyboardMode** `VirtualKeyboardMode.Auto`

**Width** `150` `320`

**X** `758`

**Y** `594`

**ZIndex** `11`

**Color Properties**

**BorderColor** `App.Theme.Colors.Darker40` `RGBA(0, 18, 107, 1)`

**Color** `RGBA(0, 0, 0, 1)`

**DisabledBorderColor** `RGBA(166, 166, 166, 1)`

**DisabledColor** `RGBA(166, 166, 166, 1)`

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor**

Self.BorderColor

**HoverBorderColor**

**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill**

**App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

**PressedBorderColor**

Self.HoverBorderColor

**PressedColor**

Self.Color

**PressedFill**

Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control**

YLineScreen

txtPostProdCd

**Type**  text

**Behavior**

**OnChange** false

**Data**

**Default**

If( !IsBlank( LookUp( CS\_E  
XP\_YLine\_Translation, ProjectID = varCurrentProjectID, NDB\_Yline\_ProdCd ) ) &&  
StartsWith( LookUp( CS\_EXP\_YLine\_Translation, ProjectID = varCurrentProjectID,  
NDB\_Yline\_IPA ), 4 ), LookUp( CS\_EXP\_YLine\_Translation, ProjectID =  
varCurrentProjectID, NDB\_Yline\_ProdCd ) ) "Text input"

**DelayOutput** false

**MaxLength** 2

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**Clear** true

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** **App.Theme.Font** Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Format** TextFormat.Text

**Height** 40

<b>Italic</b>	false
<b>Mode</b>	TextMode.SingleLine
<b>RadiusBottomLeft</b>	5
<b>RadiusBottomRight</b>	5
<b>RadiusTopLeft</b>	5
<b>RadiusTopRight</b>	5
<b>Size</b>	13
<b>Strikethrough</b>	false
<b>Underline</b>	false
<b>VirtualKeyboardMode</b>	VirtualKeyboardMode.Auto
<b>Width</b>	150 320
<b>X</b>	458
<b>Y</b>	594
<b>ZIndex</b>	9
<b>Color Properties</b>	
<b>BorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>Color</b>	RGBA(0, 0, 0, 1)
<b>DisabledBorderColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledColor</b>	RGBA(166, 166, 166, 1)
<b>DisabledFill</b>	RGBA(244, 244, 244, 1)
<b>Fill</b>	RGBA(255, 255, 255, 1)
<b>FocusedBorderColor</b>	Self.BorderColor
<b>HoverBorderColor</b>	App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)
<b>HoverColor</b>	RGBA(0, 0, 0, 1)
<b>HoverFill</b>	App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)
<b>PressedBorderColor</b>	Self.HoverBorderColor
<b>PressedColor</b>	Self.Color
<b>PressedFill</b>	Self.Fill
<b>Child &amp; Parent Controls</b>	
<b>Child Controls</b>	
<b>Parent Control</b>	YLineScreen

txtPrelPANbr

**Type**  text

**Behavior**

**OnChange** false

**Data**

**Default**

```
If( !IsBlank( LookUp( CS_E
XP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA ) ) &&
StartsWith( LookUp( CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID,
NDB_Yline_IPA ), 333 ), LookUp( CS_EXP_YLine_Translation, ProjectID =
varCurrentProjectID, NDB_Yline_IPA ) )
                                         "Text input"
```

**DelayOutput** false

**MaxLength** 3

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**Clear** true

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Format** TextFormat.Text

**Height** 40

**Italic** false

**Mode** TextMode.SingleLine

**RadiusBottomLeft** 5

**RadiusBottomRight** 5

**RadiusTopLeft** 5

**RadiusTopRight** 5

**Size** 13

**Strikethrough** false

**Underline** false

**VirtualKeyboardMode** VirtualKeyboardMode.Auto

**Width** 150 320

**X** 607

**Y** 381

**ZIndex** 19

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** YLineScreen

txtPreMktNbr

**Type**  text

**Behavior**

**OnChange** false

**Data**

**Default**

If( !IsBlank( LookUp( CS\_E  
XP\_YLine\_Translation, ProjectID = varCurrentProjectID, NDB\_Yline\_MktNum ) ) &&  
StartsWith( LookUp( CS\_EXP\_YLine\_Translation, ProjectID = varCurrentProjectID,  
NDB\_Yline\_IPA ), 333 ), LookUp( CS\_EXP\_YLine\_Translation, ProjectID =  
varCurrentProjectID, NDB\_Yline\_MktNum )) "Text input"

**DelayOutput** false

**MaxLength** 4

**Design**

**Align** Align.Left

**BorderStyle** BorderStyle.Solid

**BorderThickness** 2

**Clear** true

**DisplayMode** DisplayMode.Edit

**FocusedBorderThickness** 4

**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal

**Format** TextFormat.Text

**Height** 40

**Italic** false

**Mode** TextMode.SingleLine

**RadiusBottomLeft** 5

**RadiusBottomRight** 5  
**RadiusTopLeft** 5  
**RadiusTopRight** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Width** 150 320

**X** 757  
**Y** 381  
**ZIndex** 20  
**Color Properties**  
**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)

**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

txtPreProdCd

**Type** Abc text

**Behavior**  
**OnChange** false

**Data**

**Default**

```
If( !IsBlank( LookUp( CS_E
XP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_ProdCd ) ) &&
StartsWith( LookUp( CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID,
NDB_Yline_IPA ), 333 ), LookUp( CS_EXP_YLine_Translation, ProjectID =
varCurrentProjectID, NDB_Yline_ProdCd )) "Text input"
```

**DelayOutput** false  
**MaxLength** 2

**Design**

**Align** Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2  
**Clear** true

**DisplayMode** DisplayMode.Edit  
**FocusedBorderThickness** 4  
**Font** App.Theme.Font Font.'Open Sans'

**FontWeight** FontWeight.Normal  
**Format** TextFormat.Text  
**Height** 40  
**Italic** false  
**Mode** TextMode.SingleLine  
**RadiusBottomLeft** 5  
**RadiusBottomRight** 5  
**RadiusTopLeft** 5  
**RadiusTopRight** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VirtualKeyboardMode** VirtualKeyboardMode.Auto  
**Width** 150 320

**X** 457  
**Y** 381  
**ZIndex** 18

**Color Properties**

**BorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(166, 166, 166, 1)

**DisabledColor** RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(244, 244, 244, 1)

**Fill** RGBA(255, 255, 255, 1)

**FocusedBorderColor** Self.BorderColor  
**HoverBorderColor** App.Theme.Colors.Darker40 RGBA(0, 18, 107, 1)  
**HoverColor** RGBA(0, 0, 0, 1)

**HoverFill** App.Theme.Colors.Lighter70 RGBA(186, 202, 226, 1)  
**PressedBorderColor** Self.HoverBorderColor  
**PressedColor** Self.Color  
**PressedFill** Self.Fill  
**Child & Parent Controls**  
**Child Controls**  
**Parent Control** YLineScreen

txtProjectID

**Type**  label  
**Data**  
**Live** Live.Off  
**Role** TextRole.Default  
**Text** varCurrentProjectID "Text"  
**Design**  
**Align** Align.Center Align.Left  
**BorderStyle** BorderStyle.Solid  
**BorderThickness** 2 0  
**DisplayMode** DisplayMode.Disabled DisplayMode.Edit  
**FocusedBorderThickness** 0  
**Font** App.Theme.Font Font.'Open Sans'  
**FontWeight** FontWeight.Bold FontWeight.Normal  
**Height** 40  
**Italic** false  
**LineHeight** 1.2  
**Overflow** Overflow.Hidden  
**PaddingBottom** 5  
**PaddingLeft** 5  
**PaddingRight** 5  
**PaddingTop** 5  
**Size** 13  
**Strikethrough** false  
**Underline** false  
**VerticalAlign** VerticalAlign.Middle  
**Width** 150  
**X** 682  
**Y** 212

**ZIndex** 4

**Color Properties**

**BorderColor** RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

**Color** RGBA(0, 0, 0, 1)

**DisabledBorderColor** RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

**DisabledColor** RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

**DisabledFill** RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

**Fill** RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

**FocusedBorderColor** Self.BorderColor

**HoverBorderColor** Self.BorderColor

**HoverColor** Self.Color

**HoverFill** Self.Fill

**PressedBorderColor** Self.BorderColor

**PressedColor** Self.Color

**PressedFill** Self.Fill

**Child & Parent Controls**

**Child Controls**

**Parent Control** YLineScreen