Variables & Collections

There are 60 Global Variables, 1 Context Variables and 14 Collections.

Global Variables

Variable Name	Used In	
AdminMode	**Control**	**Property**
App ()	OnStart	
Body1_2 (EditProjectScreen)	Visible	
Body1_3 (EditProjectScreen)	Visible	
btnFormLoad (EditProjectScreen)	OnSelect	
btnResetGallery (EditProjectScreen)	OnSelect	
iconEdit (EditProjectScreen)	OnSelect	
Label17 (HomeScreen)	Visible	
Label17_1 (HomeScreen)	Visible	
Label17_2 (HomeScreen)	Visible	
TextCanvas1 (EntryScreen)	Text	
TextCanvas1_1 (HomeScreen)	Text	
TextCanvas1_10 (SuccessScreenNewProject)	Text	
TextCanvas1_11 (SuccessScreenEditProject)	Text	
TextCanvas1_12 (SuccessScreenCompetitorData)	Text	
TextCanvas1_2 (NewProjectScreen)	Text	
TextCanvas1_3 (EditProjectScreen)	Text	
TextCanvas1_4 (EditServiceAreaScreen)	Text	
TextCanvas1_5 (YLineScreen)	Text	
TextCanvas1_6 (OptionalYLineScreen)	Text	
TextCanvas1_7 (CSPLOBMappingScreen)	Text	
TextCanvas1_8 (CompetitorEntryScreen)	Text	
TextCanvas1_9 (NotesEntryScreen)	Text	
tglAdmin (HomeScreen)	OnCheck	
tglAdmin (HomeScreen)	OnUncheck	

CurrentStep	Control	Property
App ()	OnStart	
btnSuccessContinue_3 (EntryScreen)	OnSelect	
LblSuccessMsg1_3 (EntryScreen)	Text	
Progress1 (EntryScreen)	Value	
Timer2 (EntryScreen)	OnTimerEnd	

DeleteProject	Control	Property
btnPopCancel_2 (EditProjectScreen)	OnSelect	
btnPopCancel_2 (EditProjectScreen)	Visible	
btnYesDelete (EditProjectScreen)	OnSelect	
btnYesDelete (EditProjectScreen)	Visible	
EditProjectScreen (EditProjectScreen)	OnVisible	
IconDelete (EditProjectScreen)	OnSelect	
Label10_4 (EditProjectScreen)	Visible	
Label11_4 (EditProjectScreen)	Visible	
Rectangle2_4 (EditProjectScreen)	Visible	
Rectangle3_4 (EditProjectScreen)	Visible	

DelReady	Control	Property
btnResetGallery (EditProjectScreen)	OnSelect	
btnYesDelete (EditProjectScreen)	OnSelect	
EditProjectScreen (EditProjectScreen)	OnVisible	

IconDelete (EditProjectScreen) Visible
iconEdit (EditProjectScreen) OnSelect

ESAGoBack	Control	Property
btnExistingProject (HomeScreen)		OnSelect
btnGoBack (EditServiceAreaScreen)		OnSelect
btnPopContinue (EditServiceAreaScreen)		OnSelect
btnResetGallery (EditProjectScreen)		OnSelect

galProjectData	Control	Property
btnFormLoad (EditProjectScreen)		OnSelect
btnResetGallery (EditProjectScreen)		OnSelect
galProjects (EditProjectScreen)		Items
IconDelete (EditProjectScreen)		OnSelect
iconEdit (EditProjectScreen)		OnSelect

isChecked	Control	Property
btnLoadLOB (CSPLOBMappingScreen)		OnSelect
cbSelectLOB (CSPLOBMappingScreen)		OnCheck
cbSelectLOB (CSPLOBMappingScreen)		OnUncheck

TimerRunning	Control	Property
App ()	OnStart	
Timer2 (EntryScreen)	OnTimerEnd	
Timer2 (EntryScreen)	Start	

TotalSteps	Control	Property
App ()	OnStart	
LblSuccessMsg1_3 (EntryScreen)	Text	
Progress1 (EntryScreen)	Value	
Timer2 (EntryScreen)	OnTimerEnd	

varAddButtonVisible	Control	Property
btnAdd (CompetitorEntryScreen)	Visible	
CompetitorEntryScreen (CompetitorEntryScreen)	OnVisible	
ddCompetitorProduct (CompetitorEntryScreen)	OnChange	
timerAddBtn (CompetitorEntryScreen)	OnSelect	
timerAddBtn (CompetitorEntryScreen)	OnTimerEnd	
timerAddBtn (CompetitorEntryScreen)	OnTimerStart	
varAddButtonVisibleLabel (CompetitorEntryScreen)	Text	

varbtnAddNewNoteMode	Control	Property
btnNewNote (NotesEntryScreen)		OnSelect
btnNewNote (NotesEntryScreen)		Visible
btnNotesLoad (NotesEntryScreen)		OnSelect
ddNotesFormCategory (NotesEntryScreen)		Default
iconDeleteNote (NotesEntryScreen)		OnSelect
iconEditNote (NotesEntryScreen)		OnSelect
NotesEntryScreen (NotesEntryScreen)		OnVisible

varbtnSubmitNoteMode	Control	Property
btnNewNote (NotesEntryScreen)		OnSelect
btnNotesLoad (NotesEntryScreen)		OnSelect
btnSubmitNote (NotesEntryScreen)		Visible
iconDeleteNote (NotesEntryScreen)		OnSelect

iconEditNote (NotesEntryScreen) OnSelect
NotesEntryScreen (NotesEntryScreen) OnVisible

varbtnUpdateNoteMode Control Property
btnNewNote (NotesEntryScreen) OnSelect
btnNotesLoad (NotesEntryScreen) OnSelect
btnUpdateNote (NotesEntryScreen) Visible
iconDeleteNote (NotesEntryScreen) OnSelect
iconEditNote (NotesEntryScreen) OnSelect
NotesEntryScreen (NotesEntryScreen) OnVisible

varCheckProjectID Control Property
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect

varCompChanged Control Property
ddCompetitorProduct (CompetitorEntryScreen) OnChange
ddPayor (CompetitorEntryScreen) OnChange

varCompGalEmpty Control Property
CompetitorEntryScreen (CompetitorEntryScreen) OnVisible
lblCS (CompetitorEntryScreen) Text
lblEI (CompetitorEntryScreen) Text
lblMR (CompetitorEntryScreen) Text
lblSPC (CompetitorEntryScreen) Text

varConfirmPopup Control Property
btnComplete (EditServiceAreaScreen) OnSelect
btnLoadDataTable (EditServiceAreaScreen) OnSelect
btnPopCancel (EditServiceAreaScreen) OnSelect
btnPopCancel (EditServiceAreaScreen) Visible
btnPopSubmit (EditServiceAreaScreen) OnSelect
btnPopSubmit (EditServiceAreaScreen) Visible
Label10 (EditServiceAreaScreen) Visible
Label11 (EditServiceAreaScreen) Visible
Rectangle2 (EditServiceAreaScreen) Visible
Rectangle3 (EditServiceAreaScreen) Visible

varCurrentAnalyst Control Property
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect
btnMenuButton (EditProjectScreen) OnSelect
btnPopSubmit (EditServiceAreaScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
Timer1 (HomeScreen) OnTimerEnd

varCurrentBenchmarkFileID Control Property
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect
btnMenuButton (EditProjectScreen) OnSelect
btnPopSubmit (EditServiceAreaScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
Timer1 (HomeScreen) OnTimerEnd

varCurrentGoLiveDate	Control	Property
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		OnSelect
btnMenuButton (EditProjectScreen)		OnSelect
btnPopSubmit (EditServiceAreaScreen)		OnSelect
IconDelete (EditProjectScreen)		OnSelect
iconEdit (EditProjectScreen)		OnSelect
Timer1 (HomeScreen)		OnTimerEnd

varCurrentLastEditDate	Control	Property
btnAddPostYLine (YLineScreen)		OnSelect
btnAddPostYLine_1 (OptionalYLineScreen)		OnSelect
btnAddPreYLine (YLineScreen)		OnSelect
btnAddPreYLine_1 (OptionalYLineScreen)		OnSelect
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		OnSelect
btnMenuButton (EditProjectScreen)		OnSelect
btnPopSubmit (EditServiceAreaScreen)		OnSelect
IconDelete (EditProjectScreen)		OnSelect
iconEdit (EditProjectScreen)		OnSelect
Timer1 (HomeScreen)		OnTimerEnd

varCurrentLastEditMSID	Control	Property
btnAdd (CompetitorEntryScreen)		OnSelect
btnAddPostYLine (YLineScreen)		OnSelect
btnAddPostYLine_1 (OptionalYLineScreen)		OnSelect
btnAddPreYLine (YLineScreen)		OnSelect
btnAddPreYLine_1 (OptionalYLineScreen)		OnSelect
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		OnSelect
btnFinished (CompetitorEntryScreen)		OnSelect
btnMenuButton (EditProjectScreen)		OnSelect
btnPopSubmit (EditServiceAreaScreen)		OnSelect
cbSelectLOB (CSPLOBMappingScreen)		OnCheck
iconBack_2 (CompetitorEntryScreen)		OnSelect
IconDelete (EditProjectScreen)		OnSelect
iconEdit (EditProjectScreen)		OnSelect
Timer1 (HomeScreen)		OnTimerEnd

varCurrentMileage	Control	Property
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		OnSelect
btnMenuButton (EditProjectScreen)		OnSelect
btnPopContinueEEP (EditProjectScreen)		OnSelect
btnPopSubmit (EditServiceAreaScreen)		OnSelect
btnSubmitUpdates (EditProjectScreen)		OnSelect
EditProjectScreen (EditProjectScreen)		OnVisible
IconDelete (EditProjectScreen)		OnSelect
iconEdit (EditProjectScreen)		OnSelect
Timer1 (HomeScreen)		OnTimerEnd

varCurrentNDBLOB	Control	Property
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		OnSelect

btnMenuButton (EditProjectScreen) OnSelect
btnPopSubmit (EditServiceAreaScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
Timer1 (HomeScreen) OnTimerEnd

varCurrentProjectDesc Control Property
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect
btnMenuButton (EditProjectScreen) OnSelect
btnPopSubmit (EditServiceAreaScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
Timer1 (HomeScreen) OnTimerEnd

varCurrentProjectID Control Property
btnAdd (CompetitorEntryScreen) OnSelect
btnAddPostYLine (YLineScreen) OnSelect
btnAddPostYLine_1 (OptionalYLineScreen) OnSelect
btnAddPreYLine (YLineScreen) OnSelect
btnAddPreYLine_1 (OptionalYLineScreen) OnSelect
btnCompLoad (CompetitorEntryScreen) OnSelect
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect
btnDelPostYLine (YLineScreen) OnSelect
btnDelPreYLine (YLineScreen) OnSelect
btnFinished (CompetitorEntryScreen) OnSelect
btnLoadLOB (CSPLOBMappingScreen) OnSelect
btnMenuButton (EditProjectScreen) OnSelect
btnNotesLoad (NotesEntryScreen) OnSelect
btnOptDelPostYLine (OptionalYLineScreen) OnSelect
btnOptDelPreYLine (OptionalYLineScreen) OnSelect
btnPopContinueEEP (EditProjectScreen) OnSelect
btnPopSubmit (EditServiceAreaScreen) OnSelect
btnSubmitNote (NotesEntryScreen) OnSelect
btnSubmitUpdates (EditProjectScreen) OnSelect
btnUpdateNote (NotesEntryScreen) OnSelect
btnYesDelete (EditProjectScreen) OnSelect
cbSelectLOB (CSPLOBMappingScreen) Default
cbSelectLOB (CSPLOBMappingScreen) OnCheck
cbSelectLOB (CSPLOBMappingScreen) OnUncheck
iconBack_2 (CompetitorEntryScreen) OnSelect
iconDelete (CompetitorEntryScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
StatusIcon (EditProjectScreen) OnSelect
Timer1 (HomeScreen) OnTimerEnd
txtNewProjectIDEditServiceArea (EditServiceAreaScreen) Text
txtOptPreIPANbr (OptionalYLineScreen) Default
txtPostIPANbr (YLineScreen) Default
txtPostMktNbr (YLineScreen) Default
txtPostProdCd (YLineScreen) Default
txtPreIPANbr (YLineScreen) Default
txtPreMktNbr (YLineScreen) Default
txtPreProdCd (YLineScreen) Default

txtProjectID (YLineScreen) Text
txtProjectID_1 (OptionalYLineScreen) Text
txtProjectID_2 (CSPLOBMappingScreen) Text
txtProjectID_3 (CompetitorEntryScreen) Text
txtProjectID_4 (NotesEntryScreen) Text

varCurrentProjectManager	Control	Property
btnCreateLEP (NewProjectScreen)	OnSelect	
btnCreateProject (NewProjectScreen)	OnSelect	
btnMenuButton (EditProjectScreen)	OnSelect	
btnPopSubmit (EditServiceAreaScreen)	OnSelect	
IconDelete (EditProjectScreen)	OnSelect	
iconEdit (EditProjectScreen)	OnSelect	
Timer1 (HomeScreen)	OnTimerEnd	

varCurrentProjectStatus	Control	Property
btnAdd (CompetitorEntryScreen)	OnSelect	
btnCreateLEP (NewProjectScreen)	OnSelect	
btnCreateProject (NewProjectScreen)	OnSelect	
btnMenuButton (EditProjectScreen)	OnSelect	
btnPopSubmit (EditServiceAreaScreen)	OnSelect	
IconDelete (EditProjectScreen)	OnSelect	
iconEdit (EditProjectScreen)	OnSelect	
StatusIcon (EditProjectScreen)	OnSelect	

varCurrentProjectType	Control	Property
btnCreateLEP (NewProjectScreen)	OnSelect	
btnCreateProject (NewProjectScreen)	OnSelect	
btnMenuButton (EditProjectScreen)	OnSelect	
btnPopSubmit (EditServiceAreaScreen)	OnSelect	
btnSubmitUpdates (EditProjectScreen)	OnSelect	
IconDelete (EditProjectScreen)	OnSelect	
iconEdit (EditProjectScreen)	OnSelect	
MaxMileage_DataCard1 (EditProjectScreen)	Visible	

varCurrentScreen	Control	Property
Timer1 (HomeScreen)	OnTimerEnd	

varCurrentUser	Control	Property
App ()	OnStart	
tglAdmin (HomeScreen)	OnCheck	

varEditProject	Control	Property
App ()	OnStart	
btnExistingProject (HomeScreen)	OnSelect	
btnGoBack (EditServiceAreaScreen)	OnSelect	
btnGoBack_1 (EditProjectScreen)	OnSelect	
btnLoadDataTable (EditServiceAreaScreen)	OnSelect	
btnMenuButton (EditProjectScreen)	OnSelect	
btnPopContinue (EditServiceAreaScreen)	OnSelect	
btnResetGallery (EditProjectScreen)	OnSelect	
iconBack (OptionalYLineScreen)	OnSelect	
iconBack_1 (CSPLOBMappingScreen)	OnSelect	
iconBack_2 (CompetitorEntryScreen)	OnSelect	
iconBack_3 (NotesEntryScreen)	OnSelect	

IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
iconYLineBack (YLineScreen) OnSelect

varEEPChanged Control Property
btnExistingProject (HomeScreen) OnSelect
btnGoBack (EditServiceAreaScreen) OnSelect
btnNewProject (HomeScreen) OnSelect
btnPopContinue (EditServiceAreaScreen) OnSelect
btnPopContinueEEP (EditProjectScreen) OnSelect
btnResetGallery (EditProjectScreen) OnSelect
btnSubmitUpdates (EditProjectScreen) OnSelect
txtEEPLastEditDate (EditProjectScreen) DefaultDate
txtEEPLastEditMSID (EditProjectScreen) Default

varExistingNotesData Control Property
ddNotesFormCategory (NotesEntryScreen) Default
iconEditNote (NotesEntryScreen) OnSelect
NotesForm (NotesEntryScreen) Item

varExistingProject Control Property
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect
btnExistingProject (HomeScreen) OnSelect
btnFormLoad (EditProjectScreen) OnSelect
btnGoBack_1 (EditProjectScreen) OnSelect
btnNewProject (HomeScreen) OnSelect
btnPopContinue (EditServiceAreaScreen) OnSelect
btnResetGallery (EditProjectScreen) OnSelect

varExistingProjectsScreenFormData Control Property
App () OnStart
BasicInfoForm (EditProjectScreen) Item
btnPopContinueEEP (EditProjectScreen) OnSelect
btnSubmitUpdates (EditProjectScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect

varExistingRecord Control Property
btnAddPostYLine (YLineScreen) OnSelect
btnAddPostYLine_1 (OptionalYLineScreen) OnSelect
btnAddPreYLine (YLineScreen) OnSelect
btnAddPreYLine_1 (OptionalYLineScreen) OnSelect

varFormCoverMode Control Property
btnCreateLEP (NewProjectScreen) OnSelect
btnCreateProject (NewProjectScreen) OnSelect
btnGoBack (EditServiceAreaScreen) OnSelect
btnGoBack_1 (EditProjectScreen) OnSelect
btnPopContinueEEP (EditProjectScreen) OnSelect
btnResetGallery (EditProjectScreen) OnSelect
EditProjectScreen (EditProjectScreen) OnVisible
FormCoverBackground (EditProjectScreen) Visible
Icon2 (EditProjectScreen) Visible
iconBack_1 (CSPLOBMappingScreen) OnSelect

iconBack_2 (CompetitorEntryScreen) OnSelect
iconBack_3 (NotesEntryScreen) OnSelect
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
iconYLineBack (YLineScreen) OnSelect
Label4 (EditProjectScreen) Visible

varFormMode	Control	Property
BasicInfoForm (EditProjectScreen)		DefaultMode
btnExistingProject (HomeScreen)		OnSelect
btnGoBack_1 (EditProjectScreen)		OnSelect
btnPopContinueEEP (EditProjectScreen)		OnSelect
btnResetGallery (EditProjectScreen)		OnSelect
IconDelete (EditProjectScreen)		OnSelect
iconEdit (EditProjectScreen)		OnSelect

vargalNotesEmpty	Control	Property
btnNewNote (NotesEntryScreen)		OnSelect
ddNotesCategory (NotesEntryScreen)		DisplayMode
Icon3_1 (NotesEntryScreen)		DisplayMode
NotesEntryScreen (NotesEntryScreen)		OnVisible
txtNotesSearchBox (NotesEntryScreen)		DisplayMode

varGridEdit	Control	Property
App ()		OnStart
btnResetDataTable (EditServiceAreaScreen)		OnSelect

varLEPMode	Control	Property
btnCreateLEP (NewProjectScreen)		Visible
cbLEP (NewProjectScreen)		OnCheck
cbLEP (NewProjectScreen)		OnUncheck
NewProjectScreen (NewProjectScreen)		OnVisible
txtProjectType (NewProjectScreen)		Text

varLOBGridData	Control	Property
btnLoadLOB (CSPLOBMappingScreen)		OnSelect
galLOB (CSPLOBMappingScreen)		Items

varMileChange	Control	Property
btnComplete (EditServiceAreaScreen)		OnSelect
btnPopCancel_1 (EditProjectScreen)		OnSelect
btnPopCancel_1 (EditProjectScreen)		Visible
btnPopContinueEEP (EditProjectScreen)		Visible
ddEEPMileage (EditProjectScreen)		OnChange
Label10_2 (EditProjectScreen)		Visible
Label11_2 (EditProjectScreen)		Visible
Rectangle2_2 (EditProjectScreen)		Visible
Rectangle3_2 (EditProjectScreen)		Visible

varMiniMenu	Control	Property
btnGoBack_1 (EditProjectScreen)		OnSelect
btnPopContinueEEP (EditProjectScreen)		OnSelect
btnResetGallery (EditProjectScreen)		OnSelect
galMiniMenu (EditProjectScreen)		DisplayMode
IconDelete (EditProjectScreen)		OnSelect

iconEdit (EditProjectScreen) OnSelect

varmsid	Control	Property
App ()		OnStart
txtEEPLastEditMSID (EditProjectScreen)		Default
txtMSID (NewProjectScreen)		Text
txtMSID_1 (EditProjectScreen)		Text
txtNoteLastMSID (NotesEntryScreen)		Default
txtNoteOrigMSID (NotesEntryScreen)		Default

VarNewNoteMode	Control	Property
btnNewNote (NotesEntryScreen)		OnSelect
dtNoteEditDate (NotesEntryScreen)		DefaultDate
dtNoteLoadDate (NotesEntryScreen)		DefaultDate
iconEditNote (NotesEntryScreen)		OnSelect
Timer1 (HomeScreen)		OnTimerEnd
txtNoteLastMSID (NotesEntryScreen)		Default
txtNoteOrigMSID (NotesEntryScreen)		Default

varNewProject	Control	Property
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		FontWeight
btnCreateProject (NewProjectScreen)		OnSelect
btnExistingProject (HomeScreen)		OnSelect
btnGoBack (EditServiceAreaScreen)		OnSelect
btnMainMenu (NewProjectScreen)		OnSelect
btnNewProject (HomeScreen)		OnSelect
btnPopContinue (EditServiceAreaScreen)		OnSelect
ddIteration (NewProjectScreen)		DisplayMode
ddProduct (NewProjectScreen)		DisplayMode
ddState (NewProjectScreen)		DisplayMode
Header1_1 (NewProjectScreen)		Title

varNotesEmpty	Control	Property
btnNotesLoad (NotesEntryScreen)		OnSelect

varNotesFormMode	Control	Property
btnNewNote (NotesEntryScreen)		OnSelect
btnNotesLoad (NotesEntryScreen)		OnSelect
iconEditNote (NotesEntryScreen)		OnSelect
NotesForm (NotesEntryScreen)		DefaultMode

varNotifPop	Control	Property
btnPopContinue (EditServiceAreaScreen)		OnSelect
btnPopContinue (EditServiceAreaScreen)		Visible
btnPopSubmit (EditServiceAreaScreen)		OnSelect
Label10_1 (EditServiceAreaScreen)		Visible
Label11_1 (EditServiceAreaScreen)		Visible
Rectangle2_1 (EditServiceAreaScreen)		Visible
Rectangle3_1 (EditServiceAreaScreen)		Visible

varPDWReady	Control	Property
btnCreateLEP (NewProjectScreen)		OnSelect
btnCreateProject (NewProjectScreen)		OnSelect
btnMainMenu (NewProjectScreen)		OnSelect

btnPopContinue (EditServiceAreaScreen) OnSelect

varPreviousMileageValue **Control** **Property**
EditProjectScreen (EditProjectScreen) OnVisible

varProjectTranslation **Control** **Property**
App () OnStart

varRefreshToken **Control** **Property**
btnSubmitUpdates (EditProjectScreen) OnSelect
DataCardValue1 (EditProjectScreen) Default
EditProjectScreen (EditProjectScreen) OnVisible

varStatusActive **Control** **Property**
ddEEPStatus (EditProjectScreen) OnChange
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
StatusIcon (EditProjectScreen) OnSelect

varStatusInActive **Control** **Property**
btnStatusPopNo (EditProjectScreen) OnSelect
btnStatusPopYes (EditProjectScreen) OnSelect
ddEEPStatus (EditProjectScreen) OnChange
IconDelete (EditProjectScreen) OnSelect
iconEdit (EditProjectScreen) OnSelect
StatusIcon (EditProjectScreen) OnSelect

varStatusToUpdate **Control** **Property**
StatusIcon (EditProjectScreen) OnSelect

varUpdateResult **Control** **Property**
StatusIcon (EditProjectScreen) OnSelect

varWaitPop **Control** **Property**
btnComplete (EditServiceAreaScreen) OnSelect
btnGoBack (EditServiceAreaScreen) OnSelect
btnMenuButton (EditProjectScreen) OnSelect
btnPopContinueEEP (EditProjectScreen) OnSelect
btnTimerOk (EditServiceAreaScreen) OnSelect
btnTimerOk (EditServiceAreaScreen) Visible
EditServiceAreaScreen (EditServiceAreaScreen) OnVisible
iconRefresh (EditServiceAreaScreen) Visible
lblPopText (EditServiceAreaScreen) Visible
popBackground (EditServiceAreaScreen) Visible
popBox (EditServiceAreaScreen) Visible

Context Variables

Variable Name **Used In**
TimerGo **Control** **Property**
btnAdd (CompetitorEntryScreen) OnSelect
timerAddBtn (CompetitorEntryScreen) OnTimerEnd
timerAddBtn (CompetitorEntryScreen) Start

Collections

Collection Name	Used In	
colAuthorizedUsers	**Control**	**Property**
App	OnStart	
tglAdmin	OnCheck	

colCompGridData	**Control**	**Property**
btnAdd	OnSelect	
btnCompLoad	OnSelect	
galCompetitorSel	Items	
iconDelete	OnSelect	

colDistinctPayors	**Control**	**Property**
CompetitorEntryScreen	OnVisible	
ddPayor	Items	

colGridData	**Control**	**Property**
btnLoadDataTable	OnSelect	
btnUpdateGrid	OnSelect	
cbAll	OnCheck	
galServiceArea	Default	
galServiceArea	Items	

colMiniMenu	**Control**	**Property**
App	OnStart	
galMiniMenu	Items	

colNoteGridData	**Control**	**Property**
btnNotesLoad	OnSelect	
galNotesData	Items	
iconDeleteNote	OnSelect	

colPlatformLoadProducts	**Control**	**Property**
btnLoadLOB	OnSelect	

colProducts	**Control**	**Property**
ddProduct	Items	
NewProjectScreen	OnVisible	

colSelected	**Control**	**Property**
btnResetDataTable	OnSelect	
cbAll	OnCheck	
cbAll	OnUncheck	
cbSelect	Default	
cbSelect	OnCheck	
cbSelect	OnUncheck	

colStates	**Control**	**Property**
ddState	Items	
NewProjectScreen	OnVisible	

colTempDelete	Control	Property
btnYesDelete	OnSelect	

colTransformedProducts	Control	Property
btnLoadLOB	OnSelect	

colVariables	Control	Property
Timer1	OnTimerEnd	

ProgressStatus	Control	Property
App	OnStart	
Timer2	OnTimerEnd	

DataSources

A total of 23 DataSources are located in the app:

CheckProjectID

Name	CheckProjectID
Type	ServiceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_logicflows
FlowNameId	0188cb21-83ef-4477-90d0-65f34651abd9
ServiceKind	ConnectedWadl
WadlMetadata	WadlXml

<application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="CheckProjectID" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="CheckProjectID" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <string name="ManualTriggerInput_text_def" /> <object name="ManualTriggerInput"> <property name="text" type="string" /> </object> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="text" path="/text" type="xs:string" required="true"> <doc title="ProjectID" /> </param> </representation> </request> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId	b88dffb3-5255-ef11-a317-000d3a114ae5

CS_EXP_Competitor_Translation

Name CS_EXP_Competitor_Translation
Type ConnectedDataSourceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_sql
CdpRevision BaseUrl /v2
LastChangedTimeString 8/21/2024 5:46:05 PM
RevisionNumber 2

ConnectedDataSourceInfoNameMapping CS CS
DataLoadDate DataLoadDate
EI EI
LastEditMSID LastEditMSID
MR MR
Payor Payor
Product Product
ProjectID ProjectID
ProjectStatus ProjectStatus
RecordID RecordID
StrenuusProductCode StrenuusProductCode

DataEntityMetadataJson [dbo].[CS_EXP_Competitor_Translation]
{"name":"[dbo].[CS_EXP_Competitor_Translation]","title":"[dbo].[CS_EXP_Competitor_Translation]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":[],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"},"StrenuusProductCode":{"title":"StrenuusProductCode","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"Payor":{"title":"Payor","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"Product":{"title":"Product","x-ms-

capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":60,"x-ms-permission":"read-write","x-ms-sort":"none"},"EI":{"title":"EI","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","not","and","or"]},"type":"boolean","x-ms-permission":"read-write","x-ms-sort":"none"},"CS":{"title":"CS","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","not","and","or"]},"type":"boolean","x-ms-permission":"read-write","x-ms-sort":"none"},"MR":{"title":"MR","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","not","and","or"]},"type":"boolean","x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditMSID":{"title":"LastEditMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_Competitor_Translation]

CS_EXP_PlatformLoadProducts

Name CS_EXP_PlatformLoadProducts
Type ConnectedDataSourceInfo
DataSource Properties

ApiId	/providers/microsoft.powerapps/apis/shared_sql		
CdpRevision	BaseUrl	/v2	
LastChangedTimeString	8/21/2024 5:46:05 PM		
RevisionNumber	2		

ConnectedDataSourceInfoNameMapping	DataLoadDate DataLoadDate
GRGR_ID	GRGR_ID
GRGR_NAME	GRGR_NAME
NWNW_ID	NWNW_ID
NWPR_PFX	NWPR_PFX
RECORD_ID	RECORD_ID

DataEntityMetadataJson [dbo].[CS_EXP_PlatformLoadProducts]

{"name":"[dbo].[CS_EXP_PlatformLoadProducts]","title":"[dbo].[CS_EXP_PlatformLoadProducts]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":["NWNW_ID","NWPR_PFX","DataLoadDate"],"properties":{"RECORD_ID":{"title":"RECORD_ID","x-ms-

capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"NWNW_ID":{"title":"NWNW_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"NWPR_PFX":{"title":"NWPR_PFX","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":4,"x-ms-permission":"read-write","x-ms-sort":"none"},"GRGR_ID":{"title":"GRGR_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":8,"x-ms-permission":"read-write","x-ms-sort":"none"},"GRGR_NAME":{"title":"GRGR_NAME","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_PlatformLoadProducts]

CS_EXP_Project_Translation

Name	CS_EXP_Project_Translation
Type	ConnectedDataSourceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_sql
CdpRevision	BaseUrl /v2
LastChangedTimeString	8/21/2024 5:46:05 PM
RevisionNumber	2

ConnectedDataSourceInfoNameMapping	AnalystAnalyst
BenchmarkFileID	BenchmarkFileID
DataLoadDate	DataLoadDate
GoLiveDate	GoLiveDate
LastEditDate	LastEditDate
LastEditMSID	LastEditMSID
MaxMileage	MaxMileage
NDB_LOB	NDB_LOB
NewMarket	NewMarket
PM	PM
ProjectDesc	ProjectDesc
ProjectID	ProjectID
ProjectType	ProjectType

ProvRef	ProvRef
RecordID	RecordID
RefreshInd	RefreshInd
Status	Status

DataEntityMetadataJson [dbo].[CS_EXP_Project_Translation]

{"name":"[dbo].[CS_EXP_Project_Translation]","title":"[dbo].[CS_EXP_Project_Translation]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":["RefreshInd"],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"BenchmarkFileID":{"title":"BenchmarkFileID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":100,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectType":{"title":"ProjectType","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":1,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectDesc":{"title":"ProjectDesc","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":100,"x-ms-permission":"read-write","x-ms-sort":"none"},"Analyst":{"title":"Analyst","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":30,"x-ms-permission":"read-write","x-ms-sort":"none"},"PM":{"title":"PM","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":30,"x-ms-permission":"read-write","x-ms-sort":"none"},"GoLiveDate":{"title":"GoLiveDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"},"MaxMileage":{"title":"MaxMileage","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"},"Status":{"title":"Status","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"},"NewMarket":{"title":"NewMarket","x-ms-

capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":1,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProvRef":{"title":"ProvRef","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":1,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditDate":{"title":"LastEditDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditMSID":{"title":"LastEditMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"},"NDB_LOB":{"title":"NDB_LOB","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"RefreshInd":{"title":"RefreshInd","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_Project_Translation]

CS_EXP_ProjectNotes

Name	CS_EXP_ProjectNotes
Type	ConnectedDataSourceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_sql
CdpRevision	BaseUrl /v2
LastChangedTimeString	8/21/2024 5:46:05 PM
RevisionNumber	2

ConnectedDataSourceInfoNameMapping	ActionItem	ActionItem
DataLoadDate	DataLoadDate	
LastEditDate	LastEditDate	
LastEditMSID	LastEditMSID	
Notes	Notes	
OrigNoteMSID	OrigNoteMSID	
ProjectCategory	ProjectCategory	
ProjectID	ProjectID	
ProjectStatus	ProjectStatus	
RecordID	RecordID	

DataEntityMetadataJson [dbo].[CS_EXP_ProjectNotes]

{"name":"[dbo].[CS_EXP_ProjectNotes]","title":"[dbo].[CS_EXP_ProjectNotes]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":[],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"Notes":{"title":"Notes","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","x-ms-permission":"read-write","x-ms-sort":"none"},"ActionItem":{"title":"ActionItem","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":3,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":8,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditDate":{"title":"LastEditDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"OrigNoteMSID":{"title":"OrigNoteMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditMSID":{"title":"LastEditMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectCategory":{"title":"ProjectCategory","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset False
IsSampleData False
IsWritable True
TableName [dbo].[CS_EXP_ProjectNotes]

CS_EXP_ProjectNotes_Categories

Name CS_EXP_ProjectNotes_Categories
Type ConnectedDataSourceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_sql
CdpRevision BaseUrl /v2
LastChangedTimeString 8/21/2024 5:46:05 PM
RevisionNumber 2

ConnectedDataSourceInfoNameMapping ProjectCategory ProjectCategory
RecordID RecordID

DataEntityMetadataJson [dbo].[CS_EXP_ProjectNotes_Categories]
{"name":"[dbo].[CS_EXP_ProjectNotes_Categories]","title":"[dbo].[CS_EXP_ProjectNotes_Categories]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":[],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectCategory":{"title":"ProjectCategory","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset False
IsSampleData False
IsWritable True
TableName [dbo].[CS_EXP_ProjectNotes_Categories]

CS_EXP_Sel_PLProducts

Name CS_EXP_Sel_PLProducts
Type ConnectedDataSourceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_sql
CdpRevision BaseUrl /v2
LastChangedTimeString 8/21/2024 5:46:05 PM
RevisionNumber 2

ConnectedDataSourceInfoNameMapping DataLoadDate DataLoadDate
GRGR_ID GRGR_ID
GRGR_NAME GRGR_NAME

LastEditMSID	LastEditMSID
NWNW_ID	NWNW_ID
NWPR_PFX	NWPR_PFX
ProjectID	ProjectID
ProjectStatus	ProjectStatus
RECORD_ID	RECORD_ID

DataEntityMetadataJson [dbo].[CS_EXP_Sel_PLProducts]

{"name":"[dbo].[CS_EXP_Sel_PLProducts]","title":"[dbo].[CS_EXP_Sel_PLProducts]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":["ProjectID","ProjectStatus","NWNW_ID","NWPR_PFX","DataLoadDate"],"properties":{"RECORD_ID":{"title":"RECORD_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"},"NWNW_ID":{"title":"NWNW_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"NWPR_PFX":{"title":"NWPR_PFX","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":4,"x-ms-permission":"read-write","x-ms-sort":"none"},"GRGR_ID":{"title":"GRGR_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":8,"x-ms-permission":"read-write","x-ms-sort":"none"},"GRGR_NAME":{"title":"GRGR_NAME","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditMSID":{"title":"LastEditMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName wn000059834.ms.ds.uhc.com,NDAR

EncodeDataset False
IsSampleData False
IsWritable True
TableName [dbo].[CS_EXP_Sel_PLProducts]

CS_EXP_Sel_PLProducts_STAGE

Name CS_EXP_Sel_PLProducts_STAGE
Type ConnectedDataSourceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_sql
CdpRevision BaseUrl /v2
LastChangedTimeString 8/21/2024 5:46:05 PM
RevisionNumber 2

ConnectedDataSourceInfoNameMapping DataLoadDate DataLoadDate
GRGR_ID GRGR_ID
GRGR_NAME GRGR_NAME
LastEditMSID LastEditMSID
NWNW_ID NWNW_ID
NWPR_PFX NWPR_PFX
ProjectID ProjectID
ProjectStatus ProjectStatus
RECORD_ID RECORD_ID

DataEntityMetadataJson [dbo].[CS_EXP_Sel_PLProducts_STAGE]
{"name":"[dbo].[CS_EXP_Sel_PLProducts_STAGE]","title":"[dbo].[CS_EXP_Sel_PLProducts_STAGE]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":["ProjectID","ProjectStatus","NWNW_ID","NWPR_PFX","DataLoadDate"],"properties":{"RECORD_ID":{"title":"RECORD_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"},"NWNW_ID":{"title":"NWNW_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"NWPR_PFX":{"title":"NWPR_PFX","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","star

tswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":4,"x-ms-permission":"read-write","x-ms-sort":"none"},"GRGR_ID":{"title":"GRGR_ID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":8,"x-ms-permission":"read-write","x-ms-sort":"none"},"GRGR_NAME":{"title":"GRGR_NAME","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditMSID":{"title":"LastEditMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_Sel_PLProducts_STAGE]

CS_EXP_YLine_Translation

Name	CS_EXP_YLine_Translation
Type	ConnectedDataSourceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_sql
CdpRevision	BaseUrl /v2
LastChangedTimeString	8/21/2024 5:46:05 PM
RevisionNumber	2

ConnectedDataSourceInfoNameMapping	DataLoadDate DataLoadDate
LastEditDate	LastEditDate
LastEditMSID	LastEditMSID
NDB_Yline_IPA	NDB_Yline_IPA
NDB_Yline_MktNum	NDB_Yline_MktNum
NDB_Yline_ProdCd	NDB_Yline_ProdCd
PreAward	PreAward
ProjectID	ProjectID
ProjectStatus	ProjectStatus
RecordID	RecordID

DataEntityMetadataJson [dbo].[CS_EXP_YLine_Translation]

{"name":"[dbo].[CS_EXP_YLine_Translation]","title":"[dbo].[CS_EXP_YLine_Translation]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswit

h","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":["PreAward"],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"},"NDB_Yline_ProdCd":{"title":"NDB_Yline_ProdCd","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":2,"x-ms-permission":"read-write","x-ms-sort":"none"},"NDB_Yline_IPA":{"title":"NDB_Yline_IPA","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"},"NDB_Yline_MktNum":{"title":"NDB_Yline_MktNum","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditDate":{"title":"LastEditDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"LastEditMSID":{"title":"LastEditMSID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":15,"x-ms-permission":"read-write","x-ms-sort":"none"},"PreAward":{"title":"PreAward","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_YLine_Translation]

CS_EXP_zTrxServiceArea

Name	CS_EXP_zTrxServiceArea
Type	ConnectedDataSourceInfo

DataSource Properties

ApiId /providers/microsoft.powerapps/apis/shared_sql
CdpRevision BaseUrl /v2
LastChangedTimeString 8/21/2024 5:46:05 PM
RevisionNumber 2

ConnectedDataSourceInfoNameMapping County County
DataLoadDate DataLoadDate
MaxMileage MaxMileage
ProjectID ProjectID
ProjectStatus ProjectStatus
RecordID RecordID
Region Region
ReportInclude ReportInclude
State State

DataEntityMetadataJson [dbo].[CS_EXP_zTrxServiceArea]
{"name":"[dbo].[CS_EXP_zTrxServiceArea]","title":"[dbo].[CS_EXP_zTrxServiceArea]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":[],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"Region":{"title":"Region","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":30,"x-ms-permission":"read-write","x-ms-sort":"none"},"State":{"title":"State","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":2,"x-ms-permission":"read-write","x-ms-sort":"none"},"County":{"title":"County","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":75,"x-ms-permission":"read-write","x-ms-sort":"none"},"ReportInclude":{"title":"ReportInclude","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":1,"x-ms-permission":"read-write","x-ms-sort":"none"},"MaxMileage":{"title":"MaxMileage","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-

permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_zTrxServiceArea]

CS_EXP_zTrxServiceArea_Stage

Name	CS_EXP_zTrxServiceArea_Stage
Type	ConnectedDataSourceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_sql
CdpRevision	BaseUrl /v2
LastChangedTimeString	8/21/2024 5:46:05 PM
RevisionNumber	2

ConnectedDataSourceInfoNameMapping	County County
DataLoadDate	DataLoadDate
MaxMileage	MaxMileage
ProjectID	ProjectID
ProjectStatus	ProjectStatus
RecordID	RecordID
Region	Region
ReportInclude	ReportInclude
State	State

DataEntityMetadataJson [dbo].[CS_EXP_zTrxServiceArea_Stage]

{"name":"[dbo].[CS_EXP_zTrxServiceArea_Stage]","title":"[dbo].[CS_EXP_zTrxServiceArea_Stage]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":[],"properties":{"RecordID":{"title":"RecordID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-keyOrder":1,"x-ms-keyType":"primary","x-ms-permission":"read-only","x-ms-sort":"none"},"ProjectID":{"title":"ProjectID","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":12,"x-ms-permission":"read-write","x-ms-sort":"none"},"Region":{"title":"Region","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":30,"x-ms-permission":"read-write","x-ms-

sort":"none"},"State":{"title":"State","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":2,"x-ms-permission":"read-write","x-ms-sort":"none"},"County":{"title":"County","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":75,"x-ms-permission":"read-write","x-ms-sort":"none"},"ReportInclude":{"title":"ReportInclude","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":1,"x-ms-permission":"read-write","x-ms-sort":"none"},"MaxMileage":{"title":"MaxMileage","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"},"DataLoadDate":{"title":"DataLoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"ProjectStatus":{"title":"ProjectStatus","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":10,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	True
TableName	[dbo].[CS_EXP_zTrxServiceArea_Stage]

CustomGallerySample

Name	CustomGallerySample
Type	StaticDataSourceInfo
DataSource Properties	
Data	[{"SampleHeading":"Lorem ipsum 1","SampleImage":"/ctrllib/image/images/SampleImage.svg","SampleText":"Lorem ipsum dolor sit amet, consectetur adipiscing elit."},{"SampleHeading":"Lorem ipsum 2","SampleImage":"/ctrllib/image/images/SampleImage.svg","SampleText":"Suspendisse enim metus, tincidunt quis lobortis a, fringilla dignissim neque."},{"SampleHeading":"Lorem ipsum 3","SampleImage":"/ctrllib/image/images/SampleImage.svg","SampleText":"Ut pharetra a dolor ac vehicula."},{"SampleHeading":"Lorem ipsum 4","SampleImage":"/ctrllib/image/images/SampleImage.svg","SampleText":"Vestibulum dui felis, fringilla nec mi sed, tristique dictum nisi."}]
IsSampleData	True
IsWritable	False
OrderedColumnNames	SampleImage SampleHeading SampleText
OriginalName	CustomGallerySample
OriginalSchema	*[SampleHeading:s, SampleImage:i, SampleText:s]
Schema	*[SampleHeading:s, SampleImage:i, SampleText:s]

DropDownSample

Name	DropDownSample
Type	StaticDataSourceInfo
DataSource Properties	
Data	[{"Value":"1"},{"Value":"2"},{"Value":"3"}]
IsSampleData	True
IsWritable	False
OrderedColumnNames	Value
OriginalName	DropDownSample
OriginalSchema	*[Value:s]
Schema	*[Value:s]

GetMSID

Name	GetMSID
Type	ServiceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_logicflows
FlowNameId	edea2b86-b8dc-4f2f-bef0-b448eded8675
ServiceKind	ConnectedWadl
WadlMetadata	WadlXml

<application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="GetMSID" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="GetMSID" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <string name="ManualTriggerInput_email_def" /> <object name="ManualTriggerInput"> <property name="email" type="string" /> </object> <string name="ResponseActionOutput_varmsid_def" /> <object name="ResponseActionOutput"> <property name="varmsid" type="string" /> </object> <object name="Run_responses_default_def" /> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="email" path="/email" type="xs:string" required="true"> <doc title="UserEmail" /> </param> </representation> </request> <response> <representation mediaType="application/json" element="service:ResponseActionOutput" /> </response> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId 9bea058f-b655-ef11-a317-000d3a114ae5

ListboxSample

Name	ListboxSample
Type	StaticDataSourceInfo
DataSource Properties	
Data	[{"Value":"1"},{"Value":"2"},{"Value":"3"}]
IsSampleData	True
IsWritable	False
OrderedColumnNames	Value
OriginalName	ListboxSample
OriginalSchema	*[Value:s]
Schema	*[Value:s]

Office365Outlook

NameOffice365Outlook
Type ServiceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_office365
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://usa002-004.azure-apihub.net/apim/office365" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="Office365Outlook" xmlns="http://wadl.dev.java.net/2009/02"><doc title="Office 365 Outlook">Microsoft Office 365 is a cloud-based service that is designed to help meet your organization's needs for robust security, reliability, and user productivity.</doc><grammars><jsonTypes targetNamespace="https://usa002-004.azure-apihub.net/apim/office365" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"><string name="TableMetadata_name_def" /><string name="TableMetadata_title_def" /><string name="TableMetadata_x-ms-permission_def" /><string name="TableMetadata_webUrl_def" /><object name="TableMetadata"><property name="name" type="string" /><property name="title" type="string" /><property name="x-ms-permission" type="string" /><property name="x-ms-capabilities" typeRef="TableCapabilitiesMetadata" /><property name="schema" typeRef="Object" /><property name="referencedEntities" typeRef="Object" /><property name="webUrl" type="string" /></object><boolean name="TableCapabilitiesMetadata_isOnlyServerPagable_def" /><string name="TableCapabilitiesMetadata_filterFunctionSupport_def_items_def" /><array type="string" name="TableCapabilitiesMetadata_filterFunctionSupport_def" /><string name="TableCapabilitiesMetadata_serverPagingOptions_def_items_def" /><array type="string" name="TableCapabilitiesMetadata_serverPagingOptions_def" /><object name="TableCapabilitiesMetadata"><property name="sortRestrictions" typeRef="TableSortRestrictionsMetadata" /><property name="filterRestrictions" typeRef="TableFilterRestrictionsMetadata" /><property name="selectRestrictions" typeRef="TableSelectRestrictionsMetadata" /><property name="isOnlyServerPagable" type="boolean" /><property name="filterFunctionSupport" typeRef="TableCapabilitiesMetadata_filterFunctionSupport_def" /><property name="serverPagingOptions" typeRef="TableCapabilitiesMetadata_serverPagingOptions_def"

/></object><untypedObject name="Object" /><boolean
name="TableSortRestrictionsMetadata_sortable_def" /><string
name="TableSortRestrictionsMetadata_unsortableProperties_def_items_def" /><array type="string"
name="TableSortRestrictionsMetadata_unsortableProperties_def" /><string
name="TableSortRestrictionsMetadata_ascendingOnlyProperties_def_items_def" /><array
type="string" name="TableSortRestrictionsMetadata_ascendingOnlyProperties_def" /><object
name="TableSortRestrictionsMetadata"><property name="sortable" type="boolean" /><property
name="unsortableProperties" typeRef="TableSortRestrictionsMetadata_unsortableProperties_def"
/><property name="ascendingOnlyProperties"
typeRef="TableSortRestrictionsMetadata_ascendingOnlyProperties_def" /></object><boolean
name="TableFilterRestrictionsMetadata_filterable_def" /><string
name="TableFilterRestrictionsMetadata_nonFilterableProperties_def_items_def" /><array type="string"
name="TableFilterRestrictionsMetadata_nonFilterableProperties_def" /><string
name="TableFilterRestrictionsMetadata_requiredProperties_def_items_def" /><array type="string"
name="TableFilterRestrictionsMetadata_requiredProperties_def" /><object
name="TableFilterRestrictionsMetadata"><property name="filterable" type="boolean" /><property
name="nonFilterableProperties"
typeRef="TableFilterRestrictionsMetadata_nonFilterableProperties_def" /><property
name="requiredProperties" typeRef="TableFilterRestrictionsMetadata_requiredProperties_def"
/></object><boolean name="TableSelectRestrictionsMetadata_selectable_def" /><object
name="TableSelectRestrictionsMetadata"><property name="selectable" type="boolean"
/></object><array typeRef="CalendarEventBackend" name="CalendarEventList_value_def" /><object
name="CalendarEventList"><property name="value" typeRef="CalendarEventList_value_def"
/></object><string name="CalendarEventBackend_Id_def" /><array typeRef="Attendee"
name="CalendarEventBackend_Attendees_def" /><string
name="CalendarEventBackend_BodyPreview_def" /><string
name="CalendarEventBackend_Categories_def_items_def" /><array type="string"
name="CalendarEventBackend_Categories_def" /><string
name="CalendarEventBackend_ChangeKey_def" /><dateTimeString
name="CalendarEventBackend_DateTimeCreated_def" /><dateTimeString
name="CalendarEventBackend_DateTimeLastModified_def" /><dateTimeString
name="CalendarEventBackend_End_def" /><string name="CalendarEventBackend_EndTimeZone_def"
/><boolean name="CalendarEventBackend_HasAttachments_def" /><string
name="CalendarEventBackend_ICalUId_def" /><string
name="CalendarEventBackend_Importance_def" /><boolean
name="CalendarEventBackend_IsAllDay_def" /><boolean
name="CalendarEventBackend_IsCancelled_def" /><boolean
name="CalendarEventBackend_IsOrganizer_def" /><integer
name="CalendarEventBackend_Reminder_def" /><boolean
name="CalendarEventBackend_ResponseRequested_def" /><string
name="CalendarEventBackend_SeriesMasterId_def" /><string
name="CalendarEventBackend_ShowAs_def" /><dateTimeString
name="CalendarEventBackend_Start_def" /><string
name="CalendarEventBackend_StartTimeZone_def" /><string
name="CalendarEventBackend_Subject_def" /><string name="CalendarEventBackend_Type_def"
/><string dtype="hyperlink" name="CalendarEventBackend_WebLink_def" /><string
name="CalendarEventBackend_Reason_def" /><object name="CalendarEventBackend"><property
name="Id" type="string" /><property name="Attendees"
typeRef="CalendarEventBackend_Attendees_def" /><property name="Body" typeRef="ItemBody"
/><property name="BodyPreview" type="string" /><property name="Categories"
typeRef="CalendarEventBackend_Categories_def" /><property name="ChangeKey" type="string"
/><property name="DateTimeCreated" typeRef="CalendarEventBackend_DateTimeCreated_def"
/><property name="DateTimeLastModified"
typeRef="CalendarEventBackend_DateTimeLastModified_def" /><property name="End"
typeRef="CalendarEventBackend_End_def" /><property name="EndTimeZone" type="string"

/><property name="HasAttachments" type="boolean" /><property name="ICalUId" type="string" /><property name="Importance" type="string" /><property name="IsAllDay" type="boolean" /><property name="IsCancelled" type="boolean" /><property name="IsOrganizer" type="boolean" /><property name="Location" typeRef="Location" /><property name="Organizer" typeRef="Recipient" /><property name="Recurrence" typeRef="PatternedRecurrence" /><property name="Reminder" type="integer" /><property name="ResponseRequested" type="boolean" /><property name="ResponseStatus" typeRef="ResponseStatus" /><property name="SeriesMasterId" type="string" /><property name="ShowAs" type="string" /><property name="Start" typeRef="CalendarEventBackend_Start_def" /><property name="StartTimeZone" type="string" /><property name="Subject" type="string" /><property name="Type" type="string" /><property name="WebLink" type="string" dtype="hyperlink" /><property name="Reason" type="string" /></object><string name="Attendee_Type_def" /><object name="Attendee"><property name="Status" typeRef="ResponseStatus" /><property name="Type" type="string" /><property name="EmailAddress" typeRef="EmailAddress" /></object><string name="ItemBody_ContentType_def" /><string name="ItemBody_Content_def" /><object name="ItemBody"><property name="ContentType" type="string" /><property name="Content" type="string" /></object><string name="Location_DisplayName_def" /><object name="Location"><property name="DisplayName" type="string" /><property name="Address" typeRef="PhysicalAddress" /><property name="Coordinates" typeRef="GeoCoordinates" /></object><object name="Recipient"><property name="EmailAddress" typeRef="EmailAddress" /></object><object name="PatternedRecurrence"><property name="Pattern" typeRef="RecurrencePattern" /><property name="Range" typeRef="RecurrenceRange" /></object><string name="ResponseStatus_Response_def" /><dateTimeString name="ResponseStatus_Time_def" /><object name="ResponseStatus"><property name="Response" type="string" /><property name="Time" typeRef="ResponseStatus_Time_def" /></object><string name="EmailAddress_Name_def" /><string name="EmailAddress_Address_def" /><object name="EmailAddress"><property name="Name" type="string" /><property name="Address" type="string" /></object><string name="PhysicalAddress_Street_def" /><string name="PhysicalAddress_City_def" /><string name="PhysicalAddress_State_def" /><string name="PhysicalAddress_CountryOrRegion_def" /><string name="PhysicalAddress_PostalCode_def" /><object name="PhysicalAddress"><property name="Street" type="string" /><property name="City" type="string" /><property name="State" type="string" /><property name="CountryOrRegion" type="string" /><property name="PostalCode" type="string" /></object><number name="GeoCoordinates_Altitude_def" /><number name="GeoCoordinates_Latitude_def" /><number name="GeoCoordinates_Longitude_def" /><number name="GeoCoordinates_Accuracy_def" /><number name="GeoCoordinates_AltitudeAccuracy_def" /><object name="GeoCoordinates"><property name="Altitude" type="number" /><property name="Latitude" type="number" /><property name="Longitude" type="number" /><property name="Accuracy" type="number" /><property name="AltitudeAccuracy" type="number" /></object><string name="RecurrencePattern_Type_def" /><integer name="RecurrencePattern_Interval_def" /><integer name="RecurrencePattern_Month_def" /><integer name="RecurrencePattern_DayOfMonth_def" /><string name="RecurrencePattern_DaysOfWeek_def_items_def" /><array type="string" name="RecurrencePattern_DaysOfWeek_def" /><string name="RecurrencePattern_FirstDayOfWeek_def" /><string name="RecurrencePattern_Index_def" /><object name="RecurrencePattern"><property name="Type" type="string" /><property name="Interval" type="integer" /><property name="Month" type="integer" /><property name="DayOfMonth" type="integer" /><property name="DaysOfWeek" typeRef="RecurrencePattern_DaysOfWeek_def" /><property name="FirstDayOfWeek" type="string" /><property name="Index" type="string" /></object><string name="RecurrenceRange_Type_def" /><dateTimeString name="RecurrenceRange_StartDate_def" /><dateTimeString name="RecurrenceRange_EndDate_def" /><integer name="RecurrenceRange_NumberOfOccurrences_def" /><object name="RecurrenceRange"><property name="Type" type="string" /><property name="StartDate" typeRef="RecurrenceRange_StartDate_def" /><property name="EndDate" typeRef="RecurrenceRange_EndDate_def" /><property name="NumberOfOccurrences" type="integer"

/></object><array typeRef="CalendarEventClientReceive"
name="CalendarEventListClientReceive_value_def" /><object
name="CalendarEventListClientReceive"><property name="value"
typeRef="CalendarEventListClientReceive_value_def" /></object><string
name="CalendarEventClientReceive_Subject_def" /><dateTimeString
name="CalendarEventClientReceive_Start_def" /><dateTimeString
name="CalendarEventClientReceive_End_def" /><integer
name="CalendarEventClientReceive_ShowAs_def" /><integer
name="CalendarEventClientReceive_Recurrence_def" /><integer
name="CalendarEventClientReceive_ResponseType_def" /><dateTimeString
name="CalendarEventClientReceive_ResponseTime_def" /><string
name="CalendarEventClientReceive_ICalUId_def" /><integer
name="CalendarEventClientReceive_Importance_def" /><string
name="CalendarEventClientReceive_Id_def" /><dateTimeString
name="CalendarEventClientReceive_DateTimeCreated_def" /><dateTimeString
name="CalendarEventClientReceive_DateTimeLastModified_def" /><string
name="CalendarEventClientReceive_Organizer_def" /><string
name="CalendarEventClientReceive_TimeZone_def" /><string
name="CalendarEventClientReceive_SeriesMasterId_def" /><string
name="CalendarEventClientReceive_Categories_def_items_def" /><array type="string"
name="CalendarEventClientReceive_Categories_def" /><string dtype="hyperlink"
name="CalendarEventClientReceive_WebLink_def" /><string
name="CalendarEventClientReceive_RequiredAttendees_def" /><string
name="CalendarEventClientReceive_OptionalAttendees_def" /><string
name="CalendarEventClientReceive_ResourceAttendees_def" /><string
name="CalendarEventClientReceive_Body_def" /><boolean
name="CalendarEventClientReceive_IsHtml_def" /><string
name="CalendarEventClientReceive_Location_def" /><boolean
name="CalendarEventClientReceive_IsAllDay_def" /><dateTimeString
name="CalendarEventClientReceive_RecurrenceEnd_def" /><integer
name="CalendarEventClientReceive_NumberOfOccurrences_def" /><integer
name="CalendarEventClientReceive_Reminder_def" /><boolean
name="CalendarEventClientReceive_ResponseRequested_def" /><object
name="CalendarEventClientReceive"><property name="Subject" type="string" /><property
name="Start" typeRef="CalendarEventClientReceive_Start_def" /><property name="End"
typeRef="CalendarEventClientReceive_End_def" /><property name="ShowAs" type="integer"
/><property name="Recurrence" type="integer" /><property name="ResponseType" type="integer"
/><property name="ResponseTime" typeRef="CalendarEventClientReceive_ResponseTime_def"
/><property name="ICalUId" type="string" /><property name="Importance" type="integer" /><property
name="Id" type="string" /><property name="DateTimeCreated"
typeRef="CalendarEventClientReceive_DateTimeCreated_def" /><property
name="DateTimeLastModified" typeRef="CalendarEventClientReceive_DateTimeLastModified_def"
/><property name="Organizer" type="string" /><property name="TimeZone" type="string" /><property
name="SeriesMasterId" type="string" /><property name="Categories"
typeRef="CalendarEventClientReceive_Categories_def" /><property name="WebLink" type="string"
dtype="hyperlink" /><property name="RequiredAttendees" type="string" /><property
name="OptionalAttendees" type="string" /><property name="ResourceAttendees" type="string"
/><property name="Body" type="string" /><property name="IsHtml" type="boolean" /><property
name="Location" type="string" /><property name="IsAllDay" type="boolean" /><property
name="RecurrenceEnd" typeRef="CalendarEventClientReceive_RecurrenceEnd_def" /><property
name="NumberOfOccurrences" type="integer" /><property name="Reminder" type="integer"
/><property name="ResponseRequested" type="boolean" /></object><array
typeRef="GraphCalendarEventClientReceive"
name="GraphCalendarEventListClientReceive_value_def" /><object
name="GraphCalendarEventListClientReceive"><property name="value"

typeRef="GraphCalendarEventListClientReceive_value_def" /></object><string
name="GraphCalendarEventClientReceive_subject_def" /><string
name="GraphCalendarEventClientReceive_start_def" /><string
name="GraphCalendarEventClientReceive_end_def" /><dateTimeString
name="GraphCalendarEventClientReceive_startWithTimeZone_def" /><dateTimeString
name="GraphCalendarEventClientReceive_endWithTimeZone_def" /><string
name="GraphCalendarEventClientReceive_body_def" /><boolean
name="GraphCalendarEventClientReceive_isHtml_def" /><string
name="GraphCalendarEventClientReceive_responseType_def" /><dateTimeString
name="GraphCalendarEventClientReceive_responseTime_def" /><string
name="GraphCalendarEventClientReceive_id_def" /><dateTimeString
name="GraphCalendarEventClientReceive_createdDateTime_def" /><dateTimeString
name="GraphCalendarEventClientReceive_lastModifiedDateTime_def" /><string
name="GraphCalendarEventClientReceive_organizer_def" /><string
name="GraphCalendarEventClientReceive_timeZone_def" /><string
name="GraphCalendarEventClientReceive_seriesMasterId_def" /><string
name="GraphCalendarEventClientReceive_iCalUId_def" /><string
name="GraphCalendarEventClientReceive_categories_def_items_def" /><array type="string"
name="GraphCalendarEventClientReceive_categories_def" /><string dtype="hyperlink"
name="GraphCalendarEventClientReceive_webLink_def" /><string
name="GraphCalendarEventClientReceive_requiredAttendees_def" /><string
name="GraphCalendarEventClientReceive_optionalAttendees_def" /><string
name="GraphCalendarEventClientReceive_resourceAttendees_def" /><string
name="GraphCalendarEventClientReceive_location_def" /><string
name="GraphCalendarEventClientReceive_importance_def" /><boolean
name="GraphCalendarEventClientReceive_isAllDay_def" /><string
name="GraphCalendarEventClientReceive_recurrence_def" /><string
name="GraphCalendarEventClientReceive_recurrenceEnd_def" /><integer
name="GraphCalendarEventClientReceive_numberOfOccurences_def" /><integer
name="GraphCalendarEventClientReceive_reminderMinutesBeforeStart_def" /><boolean
name="GraphCalendarEventClientReceive_isReminderOn_def" /><string
name="GraphCalendarEventClientReceive_showAs_def" /><boolean
name="GraphCalendarEventClientReceive_responseRequested_def" /><string
name="GraphCalendarEventClientReceive_sensitivity_def" /><object
name="GraphCalendarEventClientReceive"><property name="subject" type="string" /><property
name="start" type="string" /><property name="end" type="string" /><property
name="startWithTimeZone" typeRef="GraphCalendarEventClientReceive_startWithTimeZone_def"
/><property name="endWithTimeZone"
typeRef="GraphCalendarEventClientReceive_endWithTimeZone_def" /><property name="body"
type="string" /><property name="isHtml" type="boolean" /><property name="responseType"
type="string" /><property name="responseTime"
typeRef="GraphCalendarEventClientReceive_responseTime_def" /><property name="id" type="string"
/><property name="createdDateTime"
typeRef="GraphCalendarEventClientReceive_createdDateTime_def" /><property
name="lastModifiedDateTime"
typeRef="GraphCalendarEventClientReceive_lastModifiedDateTime_def" /><property
name="organizer" type="string" /><property name="timeZone" type="string" /><property
name="seriesMasterId" type="string" /><property name="iCalUId" type="string" /><property
name="categories" typeRef="GraphCalendarEventClientReceive_categories_def" /><property
name="webLink" type="string" dtype="hyperlink" /><property name="requiredAttendees" type="string"
/><property name="optionalAttendees" type="string" /><property name="resourceAttendees"
type="string" /><property name="location" type="string" /><property name="importance" type="string"
/><property name="isAllDay" type="boolean" /><property name="recurrence" type="string" /><property
name="recurrenceEnd" type="string" /><property name="numberOfOccurences" type="integer"
/><property name="reminderMinutesBeforeStart" type="integer" /><property name="isReminderOn"

type="boolean" /><property name="showAs" type="string" /><property name="responseRequested" type="boolean" /><property name="sensitivity" type="string" /></object><array typeRef="CalendarEventClientReceiveStringEnums" name="PaginatedListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D__Values_def" /><object name="PaginatedListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D_"><property name="Values" typeRef="PaginatedListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D__Values_def" /></object><string name="CalendarEventClientReceiveStringEnums_Importance_def" /><string name="CalendarEventClientReceiveStringEnums_ResponseType_def" /><string name="CalendarEventClientReceiveStringEnums_Recurrence_def" /><string name="CalendarEventClientReceiveStringEnums_ShowAs_def" /><string name="CalendarEventClientReceiveStringEnums_Subject_def" /><dateTimeString name="CalendarEventClientReceiveStringEnums_Start_def" /><dateTimeString name="CalendarEventClientReceiveStringEnums_End_def" /><dateTimeString name="CalendarEventClientReceiveStringEnums_ResponseTime_def" /><string name="CalendarEventClientReceiveStringEnums_ICalUId_def" /><string name="CalendarEventClientReceiveStringEnums_Id_def" /><dateTimeString name="CalendarEventClientReceiveStringEnums_DateTimeCreated_def" /><dateTimeString name="CalendarEventClientReceiveStringEnums_DateTimeLastModified_def" /><string name="CalendarEventClientReceiveStringEnums_Organizer_def" /><string name="CalendarEventClientReceiveStringEnums_TimeZone_def" /><string name="CalendarEventClientReceiveStringEnums_SeriesMasterId_def" /><string name="CalendarEventClientReceiveStringEnums_Categories_def_items_def" /><array type="string" name="CalendarEventClientReceiveStringEnums_Categories_def" /><string dtype="hyperlink" name="CalendarEventClientReceiveStringEnums_WebLink_def" /><string name="CalendarEventClientReceiveStringEnums_RequiredAttendees_def" /><string name="CalendarEventClientReceiveStringEnums_OptionalAttendees_def" /><string name="CalendarEventClientReceiveStringEnums_ResourceAttendees_def" /><string name="CalendarEventClientReceiveStringEnums_Body_def" /><boolean name="CalendarEventClientReceiveStringEnums_IsHtml_def" /><string name="CalendarEventClientReceiveStringEnums_Location_def" /><boolean name="CalendarEventClientReceiveStringEnums_IsAllDay_def" /><dateTimeString name="CalendarEventClientReceiveStringEnums_RecurrenceEnd_def" /><integer name="CalendarEventClientReceiveStringEnums_NumberOfOccurrences_def" /><integer name="CalendarEventClientReceiveStringEnums_Reminder_def" /><boolean name="CalendarEventClientReceiveStringEnums_ResponseRequested_def" /><object name="CalendarEventClientReceiveStringEnums"><property name="Importance" type="string" /><property name="ResponseType" type="string" /><property name="Recurrence" type="string" /><property name="ShowAs" type="string" /><property name="Subject" type="string" /><property name="Start" typeRef="CalendarEventClientReceiveStringEnums_Start_def" /><property name="End" typeRef="CalendarEventClientReceiveStringEnums_End_def" /><property name="ResponseTime" typeRef="CalendarEventClientReceiveStringEnums_ResponseTime_def" /><property name="ICalUId" type="string" /><property name="Id" type="string" /><property name="DateTimeCreated" typeRef="CalendarEventClientReceiveStringEnums_DateTimeCreated_def" /><property name="DateTimeLastModified" typeRef="CalendarEventClientReceiveStringEnums_DateTimeLastModified_def" /><property name="Organizer" type="string" /><property name="TimeZone" type="string" /><property name="SeriesMasterId" type="string" /><property name="Categories" typeRef="CalendarEventClientReceiveStringEnums_Categories_def" /><property name="WebLink" type="string" dtype="hyperlink" /><property name="RequiredAttendees" type="string" /><property name="OptionalAttendees" type="string" /><property name="ResourceAttendees" type="string" /><property name="Body" type="string" /><property name="IsHtml" type="boolean" /><property name="Location" type="string" /><property name="IsAllDay" type="boolean" /><property name="RecurrenceEnd" typeRef="CalendarEventClientReceiveStringEnums_RecurrenceEnd_def"

/><property name="NumberOfOccurrences" type="integer" /><property name="Reminder"
type="integer" /><property name="ResponseRequested" type="boolean" /></object><string
name="ClientSubscription_NotificationUrl_def" /><object name="ClientSubscription"><property
name="NotificationUrl" type="string" /></object><string name="SubscriptionResponse_id_def"
/><string name="SubscriptionResponse_resource_def" /><string
name="SubscriptionResponse_notificationType_def" /><string
name="SubscriptionResponse_notificationUrl_def" /><object
name="SubscriptionResponse"><property name="id" type="string" /><property name="resource"
type="string" /><property name="notificationType" type="string" /><property name="notificationUrl"
type="string" /></object><array typeRef="FilePickerFile"
name="EntityListResponse_ux5B_FilePickerFile_ux5D__value_def" /><object
name="EntityListResponse_ux5B_FilePickerFile_ux5D_"><property name="value"
typeRef="EntityListResponse_ux5B_FilePickerFile_ux5D__value_def" /></object><string
name="FilePickerFile_Id_def" /><string name="FilePickerFile_DisplayName_def" /><boolean
name="FilePickerFile_IsFolder_def" /><string name="FilePickerFile_Path_def" /><object
name="FilePickerFile"><property name="Id" type="string" /><property name="DisplayName"
type="string" /><property name="IsFolder" type="boolean" /><property name="Path" type="string"
/></object><string name="ClientSendMessage_From_def" /><string
name="ClientSendMessage_Cc_def" /><string name="ClientSendMessage_Bcc_def" /><string
name="ClientSendMessage_To_def" /><string name="ClientSendMessage_Subject_def" /><string
name="ClientSendMessage_Body_def" /><array typeRef="ClientSendAttachment"
name="ClientSendMessage_Attachments_def" /><string name="ClientSendMessage_Sensitivity_def"
/><string name="ClientSendMessage_ReplyTo_def" /><string
name="ClientSendMessage_Importance_def" /><boolean name="ClientSendMessage_IsHtml_def"
/><object name="ClientSendMessage"><property name="From" type="string" /><property name="Cc"
type="string" /><property name="Bcc" type="string" /><property name="To" type="string" /><property
name="Subject" type="string" /><property name="Body" type="string" /><property
name="Attachments" typeRef="ClientSendMessage_Attachments_def" /><property name="Sensitivity"
type="string" /><property name="ReplyTo" type="string" /><property name="Importance" type="string"
/><property name="IsHtml" type="boolean" /></object><string
name="ClientSendAttachment_Name_def" /><base64Binary
name="ClientSendAttachment_ContentBytes_def" /><object
name="ClientSendAttachment"><property name="Name" type="string" /><property
name="ContentBytes" typeRef="ClientSendAttachment_ContentBytes_def" /></object><string
name="ClientReceiveMessageStringEnums_Importance_def" /><string
name="ClientReceiveMessageStringEnums_From_def" /><string
name="ClientReceiveMessageStringEnums_To_def" /><string
name="ClientReceiveMessageStringEnums_Cc_def" /><string
name="ClientReceiveMessageStringEnums_Bcc_def" /><string
name="ClientReceiveMessageStringEnums_ReplyTo_def" /><string
name="ClientReceiveMessageStringEnums_Subject_def" /><string
name="ClientReceiveMessageStringEnums_Body_def" /><string
name="ClientReceiveMessageStringEnums_BodyPreview_def" /><boolean
name="ClientReceiveMessageStringEnums_HasAttachment_def" /><string
name="ClientReceiveMessageStringEnums_Id_def" /><string
name="ClientReceiveMessageStringEnums_InternetMessageId_def" /><string
name="ClientReceiveMessageStringEnums_ConversationId_def" /><dateTimeString
name="ClientReceiveMessageStringEnums_DateTimeReceived_def" /><boolean
name="ClientReceiveMessageStringEnums_IsRead_def" /><array
typeRef="ClientReceiveFileAttachment" name="ClientReceiveMessageStringEnums_Attachments_def"
/><boolean name="ClientReceiveMessageStringEnums_IsHtml_def" /><object
name="ClientReceiveMessageStringEnums"><property name="Importance" type="string" /><property
name="From" type="string" /><property name="To" type="string" /><property name="Cc" type="string"
/><property name="Bcc" type="string" /><property name="ReplyTo" type="string" /><property
name="Subject" type="string" /><property name="Body" type="string" /><property

name="BodyPreview" type="string" /><property name="HasAttachment" type="boolean" /><property name="Id" type="string" /><property name="InternetMessageId" type="string" /><property name="ConversationId" type="string" /><property name="DateTimeReceived" typeRef="ClientReceiveMessageStringEnums_DateTimeReceived_def" /><property name="IsRead" type="boolean" /><property name="Attachments" typeRef="ClientReceiveMessageStringEnums_Attachments_def" /><property name="IsHtml" type="boolean" /></object><string name="ClientReceiveFileAttachment_Id_def" /><string name="ClientReceiveFileAttachment_Name_def" /><base64Binary name="ClientReceiveFileAttachment_ContentBytes_def" /><string name="ClientReceiveFileAttachment_ContentType_def" /><integer name="ClientReceiveFileAttachment_Size_def" /><boolean name="ClientReceiveFileAttachment_IsInline_def" /><dateTimeString name="ClientReceiveFileAttachment_LastModifiedDateTime_def" /><string name="ClientReceiveFileAttachment_ContentId_def" /><object name="ClientReceiveFileAttachment"><property name="Id" type="string" /><property name="Name" type="string" /><property name="ContentBytes" typeRef="ClientReceiveFileAttachment_ContentBytes_def" /><property name="ContentType" type="string" /><property name="Size" type="integer" /><property name="IsInline" type="boolean" /><property name="LastModifiedDateTime" typeRef="ClientReceiveFileAttachment_LastModifiedDateTime_def" /><property name="ContentId" type="string" /></object><string name="ClientSendHtmlMessage_To_def" /><string name="ClientSendHtmlMessage_Subject_def" /><string name="ClientSendHtmlMessage_Body_def" /><string name="ClientSendHtmlMessage_From_def" /><string name="ClientSendHtmlMessage_Cc_def" /><string name="ClientSendHtmlMessage_Bcc_def" /><array typeRef="ClientSendAttachment" name="ClientSendHtmlMessage_Attachments_def" /><string name="ClientSendHtmlMessage_Sensitivity_def" /><string name="ClientSendHtmlMessage_ReplyTo_def" /><string name="ClientSendHtmlMessage_Importance_def" /><object name="ClientSendHtmlMessage"><property name="To" type="string" /><property name="Subject" type="string" /><property name="Body" type="string" /><property name="From" type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string" /><property name="Attachments" typeRef="ClientSendHtmlMessage_Attachments_def" /><property name="Sensitivity" type="string" /><property name="ReplyTo" type="string" /><property name="Importance" type="string" /></object><array typeRef="ClientReceiveMessage" name="BatchResponse_ux5B_ClientReceiveMessage_ux5D__value_def" /><object name="BatchResponse_ux5B_ClientReceiveMessage_ux5D_"><property name="value" typeRef="BatchResponse_ux5B_ClientReceiveMessage_ux5D__value_def" /></object><string name="ClientReceiveMessage_From_def" /><string name="ClientReceiveMessage_To_def" /><string name="ClientReceiveMessage_Cc_def" /><string name="ClientReceiveMessage_Bcc_def" /><string name="ClientReceiveMessage_ReplyTo_def" /><string name="ClientReceiveMessage_Subject_def" /><string name="ClientReceiveMessage_Body_def" /><integer name="ClientReceiveMessage_Importance_def" /><string name="ClientReceiveMessage_BodyPreview_def" /><boolean name="ClientReceiveMessage_HasAttachment_def" /><string name="ClientReceiveMessage_Id_def" /><string name="ClientReceiveMessage_InternetMessageId_def" /><string name="ClientReceiveMessage_ConversationId_def" /><dateTimeString name="ClientReceiveMessage_DateTimeReceived_def" /><boolean name="ClientReceiveMessage_IsRead_def" /><array typeRef="ClientReceiveFileAttachment" name="ClientReceiveMessage_Attachments_def" /><boolean name="ClientReceiveMessage_IsHtml_def" /><object name="ClientReceiveMessage"><property name="From" type="string" /><property name="To" type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string" /><property name="ReplyTo" type="string" /><property name="Subject" type="string" /><property name="Body" type="string" /><property name="Importance" type="integer" /><property name="BodyPreview" type="string" /><property name="HasAttachment" type="boolean" /><property name="Id" type="string" /><property name="InternetMessageId"

type="string" /><property name="ConversationId" type="string" /><property name="DateTimeReceived" typeRef="ClientReceiveMessage_DateTimeReceived_def" /><property name="IsRead" type="boolean" /><property name="Attachments" typeRef="ClientReceiveMessage_Attachments_def" /><property name="IsHtml" type="boolean" /></object><string name="GraphClientReceiveMessage_from_def" /><string name="GraphClientReceiveMessage_toRecipients_def" /><string name="GraphClientReceiveMessage_ccRecipients_def" /><string name="GraphClientReceiveMessage_bccRecipients_def" /><string name="GraphClientReceiveMessage_replyTo_def" /><string name="GraphClientReceiveMessage_subject_def" /><string name="GraphClientReceiveMessage_body_def" /><string name="GraphClientReceiveMessage_importance_def" /><string name="GraphClientReceiveMessage_bodyPreview_def" /><boolean name="GraphClientReceiveMessage_hasAttachments_def" /><string name="GraphClientReceiveMessage_id_def" /><string name="GraphClientReceiveMessage_internetMessageId_def" /><string name="GraphClientReceiveMessage_conversationId_def" /><dateTimeString name="GraphClientReceiveMessage_receivedDateTime_def" /><boolean name="GraphClientReceiveMessage_isRead_def" /><array typeRef="GraphClientReceiveFileAttachment" name="GraphClientReceiveMessage_attachments_def" /><boolean name="GraphClientReceiveMessage_isHtml_def" /><object name="GraphClientReceiveMessage"><property name="from" type="string" /><property name="toRecipients" type="string" /><property name="ccRecipients" type="string" /><property name="bccRecipients" type="string" /><property name="replyTo" type="string" /><property name="subject" type="string" /><property name="body" type="string" /><property name="importance" type="string" /><property name="bodyPreview" type="string" /><property name="hasAttachments" type="boolean" /><property name="id" type="string" /><property name="internetMessageId" type="string" /><property name="conversationId" type="string" /><property name="receivedDateTime" typeRef="GraphClientReceiveMessage_receivedDateTime_def" /><property name="isRead" type="boolean" /><property name="attachments" typeRef="GraphClientReceiveMessage_attachments_def" /><property name="isHtml" type="boolean" /></object><string name="GraphClientReceiveFileAttachment_id_def" /><string name="GraphClientReceiveFileAttachment_name_def" /><base64Binary name="GraphClientReceiveFileAttachment_contentBytes_def" /><string name="GraphClientReceiveFileAttachment_contentType_def" /><integer name="GraphClientReceiveFileAttachment_size_def" /><boolean name="GraphClientReceiveFileAttachment_isInline_def" /><dateTimeString name="GraphClientReceiveFileAttachment_lastModifiedDateTime_def" /><string name="GraphClientReceiveFileAttachment_contentId_def" /><object name="GraphClientReceiveFileAttachment"><property name="id" type="string" /><property name="name" type="string" /><property name="contentBytes" typeRef="GraphClientReceiveFileAttachment_contentBytes_def" /><property name="contentType" type="string" /><property name="size" type="integer" /><property name="isInline" type="boolean" /><property name="lastModifiedDateTime" typeRef="GraphClientReceiveFileAttachment_lastModifiedDateTime_def" /><property name="contentId" type="string" /></object><array typeRef="GraphClientReceiveMessage" name="BatchResponse_ux5B_GraphClientReceiveMessage_ux5D__value_def" /><object name="BatchResponse_ux5B_GraphClientReceiveMessage_ux5D_"><property name="value" typeRef="BatchResponse_ux5B_GraphClientReceiveMessage_ux5D__value_def" /></object><string name="ReplyMessage_To_def" /><string name="ReplyMessage_Cc_def" /><string name="ReplyMessage_Bcc_def" /><string name="ReplyMessage_Subject_def" /><string name="ReplyMessage_Body_def" /><boolean name="ReplyMessage_ReplyAll_def" /><boolean name="ReplyMessage_IsHtml_def" /><string name="ReplyMessage_Importance_def" /><array typeRef="ClientSendAttachment" name="ReplyMessage_Attachments_def" /><object name="ReplyMessage"><property name="To" type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string" /><property name="Subject" type="string" /><property

name="Body" type="string" /><property name="ReplyAll" type="boolean" /><property name="IsHtml" type="boolean" /><property name="Importance" type="string" /><property name="Attachments" typeRef="ReplyMessage_Attachments_def" /></object><string name="ReplyHtmlMessage_To_def" /><string name="ReplyHtmlMessage_Cc_def" /><string name="ReplyHtmlMessage_Bcc_def" /><string name="ReplyHtmlMessage_Subject_def" /><string name="ReplyHtmlMessage_Body_def" /><boolean name="ReplyHtmlMessage_ReplyAll_def" /><string name="ReplyHtmlMessage_Importance_def" /><array typeRef="ClientSendAttachment" name="ReplyHtmlMessage_Attachments_def" /><object name="ReplyHtmlMessage"><property name="To" type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string" /><property name="Subject" type="string" /><property name="Body" type="string" /><property name="ReplyAll" type="boolean" /><property name="Importance" type="string" /><property name="Attachments" typeRef="ReplyHtmlMessage_Attachments_def" /></object><array typeRef="ClientReceiveMessage" name="TriggerBatchResponse_ux5B_ClientReceiveMessage_ux5D__value_def" /><object name="TriggerBatchResponse_ux5B_ClientReceiveMessage_ux5D_"><property name="value" typeRef="TriggerBatchResponse_ux5B_ClientReceiveMessage_ux5D__value_def" /></object><array typeRef="GraphClientReceiveMessage" name="TriggerBatchResponse_ux5B_GraphClientReceiveMessage_ux5D__value_def" /><object name="TriggerBatchResponse_ux5B_GraphClientReceiveMessage_ux5D_"><property name="value" typeRef="TriggerBatchResponse_ux5B_GraphClientReceiveMessage_ux5D__value_def" /></object><string name="AutomaticRepliesSettingClient_Status_def" /><string name="AutomaticRepliesSettingClient_ExternalAudience_def" /><string name="AutomaticRepliesSettingClient_ScheduledStartDateTimeOffset_def" /><string name="AutomaticRepliesSettingClient_ScheduledEndDateTimeOffset_def" /><string name="AutomaticRepliesSettingClient_InternalReplyMessage_def" /><string name="AutomaticRepliesSettingClient_ExternalReplyMessage_def" /><object name="AutomaticRepliesSettingClient"><property name="Status" type="string" /><property name="ExternalAudience" type="string" /><property name="ScheduledStartDateTimeOffset" type="string" /><property name="ScheduledEndDateTimeOffset" type="string" /><property name="InternalReplyMessage" type="string" /><property name="ExternalReplyMessage" type="string" /></object><boolean name="MailTipsClientReceive_DeliveryRestricted_def" /><integer name="MailTipsClientReceive_ExternalMemberCount_def" /><boolean name="MailTipsClientReceive_IsModerated_def" /><boolean name="MailTipsClientReceive_MailboxFull_def" /><integer name="MailTipsClientReceive_MaxMessageSize_def" /><integer name="MailTipsClientReceive_TotalMemberCount_def" /><object name="MailTipsClientReceive"><property name="AutomaticReplies" typeRef="MailTipsAutomaticReplies" /><property name="DeliveryRestricted" type="boolean" /><property name="ExternalMemberCount" type="integer" /><property name="IsModerated" type="boolean" /><property name="MailboxFull" type="boolean" /><property name="MaxMessageSize" type="integer" /><property name="TotalMemberCount" type="integer" /></object><string name="MailTipsAutomaticReplies_Message_def" /><object name="MailTipsAutomaticReplies"><property name="Message" type="string" /></object><array typeRef="SensitivityLabel" name="BatchResponse_ux5B_SensitivityLabel_ux5D__value_def" /><object name="BatchResponse_ux5B_SensitivityLabel_ux5D_"><property name="value" typeRef="BatchResponse_ux5B_SensitivityLabel_ux5D__value_def" /></object><string name="SensitivityLabel_Id_def" /><string name="SensitivityLabel_DisplayName_def" /><string name="SensitivityLabel_ApplicableTo_def" /><array typeRef="SensitivityLabel" name="SensitivityLabel_SubLabels_def" /><object name="SensitivityLabel"><property name="Id" type="string" /><property name="DisplayName" type="string" /><property name="ApplicableTo" type="string" /><property name="SubLabels" typeRef="SensitivityLabel_SubLabels_def" /></object><array typeRef="ReceiveMessageMetadata" name="TriggerBatchResponse_ux5B_ReceiveMessageMetadata_ux5D__value_def" /><object name="TriggerBatchResponse_ux5B_ReceiveMessageMetadata_ux5D_"><property name="value" typeRef="TriggerBatchResponse_ux5B_ReceiveMessageMetadata_ux5D__value_def" /></object><string name="ReceiveMessageMetadata_From_def" /><string

name="ReceiveMessageMetadata_To_def" /><string name="ReceiveMessageMetadata_Cc_def"
/><string name="ReceiveMessageMetadata_Bcc_def" /><string
name="ReceiveMessageMetadata_ReplyTo_def" /><string
name="ReceiveMessageMetadata_Subject_def" /><integer
name="ReceiveMessageMetadata_Importance_def" /><boolean
name="ReceiveMessageMetadata_HasAttachment_def" /><string
name="ReceiveMessageMetadata_Id_def" /><dateTimeString
name="ReceiveMessageMetadata_DateTimeReceived_def" /><boolean
name="ReceiveMessageMetadata_IsRead_def" /><object
name="ReceiveMessageMetadata"><property name="From" type="string" /><property name="To"
type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string" /><property
name="ReplyTo" type="string" /><property name="Subject" type="string" /><property
name="Importance" type="integer" /><property name="HasAttachment" type="boolean" /><property
name="Id" type="string" /><property name="DateTimeReceived"
typeRef="ReceiveMessageMetadata_DateTimeReceived_def" /><property name="IsRead"
type="boolean" /></object><object name="DataSetsMetadata"><property name="tabular"
typeRef="TabularDataSetsMetadata" /><property name="blob" typeRef="BlobDataSetsMetadata"
/></object><string name="TabularDataSetsMetadata_source_def" /><string
name="TabularDataSetsMetadata_displayName_def" /><string
name="TabularDataSetsMetadata_urlEncoding_def" /><string
name="TabularDataSetsMetadata_tableDisplayName_def" /><string
name="TabularDataSetsMetadata_tablePluralName_def" /><object
name="TabularDataSetsMetadata"><property name="source" type="string" /><property
name="displayName" type="string" /><property name="urlEncoding" type="string" /><property
name="tableDisplayName" type="string" /><property name="tablePluralName" type="string"
/></object><string name="BlobDataSetsMetadata_source_def" /><string
name="BlobDataSetsMetadata_displayName_def" /><string
name="BlobDataSetsMetadata_urlEncoding_def" /><object name="BlobDataSetsMetadata"><property
name="source" type="string" /><property name="displayName" type="string" /><property
name="urlEncoding" type="string" /></object><string
name="OptionsEmailSubscription_NotificationUrl_def" /><object
name="OptionsEmailSubscription"><property name="NotificationUrl" type="string" /><property
name="Message" typeRef="MessageWithOptions" /></object><string
name="MessageWithOptions_To_def" /><string name="MessageWithOptions_Subject_def" /><string
name="MessageWithOptions_Options_def" /><string name="MessageWithOptions_HeaderText_def"
/><string name="MessageWithOptions_SelectionText_def" /><string
name="MessageWithOptions_Body_def" /><string name="MessageWithOptions_Importance_def"
/><array typeRef="ClientSendAttachment" name="MessageWithOptions_Attachments_def"
/><boolean name="MessageWithOptions_UseOnlyHTMLMessage_def" /><boolean
name="MessageWithOptions_HideHTMLMessage_def" /><boolean
name="MessageWithOptions_ShowHTMLConfirmationDialog_def" /><boolean
name="MessageWithOptions_HideMicrosoftFooter_def" /><object
name="MessageWithOptions"><property name="To" type="string" /><property name="Subject"
type="string" /><property name="Options" type="string" /><property name="HeaderText" type="string"
/><property name="SelectionText" type="string" /><property name="Body" type="string" /><property
name="Importance" type="string" /><property name="Attachments"
typeRef="MessageWithOptions_Attachments_def" /><property name="UseOnlyHTMLMessage"
type="boolean" /><property name="HideHTMLMessage" type="boolean" /><property
name="ShowHTMLConfirmationDialog" type="boolean" /><property name="HideMicrosoftFooter"
type="boolean" /></object><string name="ApprovalEmailResponse_SelectedOption_def" /><string
name="ApprovalEmailResponse_UserEmailAddress_def" /><string
name="ApprovalEmailResponse_UserTenantId_def" /><string
name="ApprovalEmailResponse_UserId_def" /><object name="ApprovalEmailResponse"><property
name="SelectedOption" type="string" /><property name="UserEmailAddress" type="string"
/><property name="UserTenantId" type="string" /><property name="UserId" type="string"

/></object><string name="ApprovalEmailSubscription_NotificationUrl_def" /><object
name="ApprovalEmailSubscription"><property name="NotificationUrl" type="string" /><property
name="Message" typeRef="ApprovalMessage" /></object><string name="ApprovalMessage_To_def"
/><string name="ApprovalMessage_Subject_def" /><string name="ApprovalMessage_Options_def"
/><string name="ApprovalMessage_HeaderText_def" /><string
name="ApprovalMessage_SelectionText_def" /><string name="ApprovalMessage_Body_def" /><string
name="ApprovalMessage_Importance_def" /><array typeRef="ClientSendAttachment"
name="ApprovalMessage_Attachments_def" /><boolean
name="ApprovalMessage_UseOnlyHTMLMessage_def" /><boolean
name="ApprovalMessage_HideHTMLMessage_def" /><boolean
name="ApprovalMessage_ShowHTMLConfirmationDialog_def" /><object
name="ApprovalMessage"><property name="To" type="string" /><property name="Subject"
type="string" /><property name="Options" type="string" /><property name="HeaderText" type="string"
/><property name="SelectionText" type="string" /><property name="Body" type="string" /><property
name="Importance" type="string" /><property name="Attachments"
typeRef="ApprovalMessage_Attachments_def" /><property name="UseOnlyHTMLMessage"
type="boolean" /><property name="HideHTMLMessage" type="boolean" /><property
name="ShowHTMLConfirmationDialog" type="boolean" /></object><string
name="SharedMailboxClientSendMessage_MailboxAddress_def" /><string
name="SharedMailboxClientSendMessage_To_def" /><string
name="SharedMailboxClientSendMessage_Subject_def" /><string
name="SharedMailboxClientSendMessage_Body_def" /><string
name="SharedMailboxClientSendMessage_Cc_def" /><string
name="SharedMailboxClientSendMessage_Bcc_def" /><array typeRef="ClientSendAttachment"
name="SharedMailboxClientSendMessage_Attachments_def" /><string
name="SharedMailboxClientSendMessage_Sensitivity_def" /><string
name="SharedMailboxClientSendMessage_ReplyTo_def" /><string
name="SharedMailboxClientSendMessage_Importance_def" /><boolean
name="SharedMailboxClientSendMessage_IsHtml_def" /><object
name="SharedMailboxClientSendMessage"><property name="MailboxAddress" type="string"
/><property name="To" type="string" /><property name="Subject" type="string" /><property
name="Body" type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string"
/><property name="Attachments" typeRef="SharedMailboxClientSendMessage_Attachments_def"
/><property name="Sensitivity" type="string" /><property name="ReplyTo" type="string" /><property
name="Importance" type="string" /><property name="IsHtml" type="boolean" /></object><string
name="SharedMailboxClientSendHtmlMessage_MailboxAddress_def" /><string
name="SharedMailboxClientSendHtmlMessage_To_def" /><string
name="SharedMailboxClientSendHtmlMessage_Subject_def" /><string
name="SharedMailboxClientSendHtmlMessage_Body_def" /><string
name="SharedMailboxClientSendHtmlMessage_Cc_def" /><string
name="SharedMailboxClientSendHtmlMessage_Bcc_def" /><array typeRef="ClientSendAttachment"
name="SharedMailboxClientSendHtmlMessage_Attachments_def" /><string
name="SharedMailboxClientSendHtmlMessage_Sensitivity_def" /><string
name="SharedMailboxClientSendHtmlMessage_ReplyTo_def" /><string
name="SharedMailboxClientSendHtmlMessage_Importance_def" /><object
name="SharedMailboxClientSendHtmlMessage"><property name="MailboxAddress" type="string"
/><property name="To" type="string" /><property name="Subject" type="string" /><property
name="Body" type="string" /><property name="Cc" type="string" /><property name="Bcc" type="string"
/><property name="Attachments" typeRef="SharedMailboxClientSendHtmlMessage_Attachments_def"
/><property name="Sensitivity" type="string" /><property name="ReplyTo" type="string" /><property
name="Importance" type="string" /></object><array
typeRef="SubscriptionPayloadEntity_ux5B_OutlookReceiveMessage_ux5D_"
name="SubscriptionPayload_ux5B_OutlookReceiveMessage_ux5D__value_def" /><object
name="SubscriptionPayload_ux5B_OutlookReceiveMessage_ux5D_"><property name="value"
typeRef="SubscriptionPayload_ux5B_OutlookReceiveMessage_ux5D__value_def" /></object><integer

name="SubscriptionPayloadEntity_ux5B_OutlookReceiveMessage_ux5D__SequenceNumber_def" /><string name="SubscriptionPayloadEntity_ux5B_OutlookReceiveMessage_ux5D__ChangeType_def" /><string name="SubscriptionPayloadEntity_ux5B_OutlookReceiveMessage_ux5D__ClientState_def" /><string name="SubscriptionPayloadEntity_ux5B_OutlookReceiveMessage_ux5D__Resource_def" /><object name="SubscriptionPayloadEntity_ux5B_OutlookReceiveMessage_ux5D_"><property name="SequenceNumber" type="integer" /><property name="ChangeType" type="string" /><property name="ClientState" type="string" /><property name="Resource" type="string" /><property name="ResourceData" typeRef="OutlookReceiveMessage" /></object><string name="OutlookReceiveMessage_InternetMessageId_def" /><string name="OutlookReceiveMessage_BodyPreview_def" /><string name="OutlookReceiveMessage_Id_def" /><string name="OutlookReceiveMessage_ConversationId_def" /><boolean name="OutlookReceiveMessage_HasAttachments_def" /><boolean name="OutlookReceiveMessage_IsRead_def" /><dateTimeString name="OutlookReceiveMessage_CreatedDateTime_def" /><dateTimeString name="OutlookReceiveMessage_ReceivedDateTime_def" /><dateTimeString name="OutlookReceiveMessage_LastModifiedDateTime_def" /><array typeRef="OutlookReceiveAttachment" name="OutlookReceiveMessage_Attachments_def" /><array typeRef="Recipient" name="OutlookReceiveMessage_ToRecipients_def" /><array typeRef="Recipient" name="OutlookReceiveMessage_CcRecipients_def" /><array typeRef="Recipient" name="OutlookReceiveMessage_BccRecipients_def" /><array typeRef="Recipient" name="OutlookReceiveMessage_ReplyTo_def" /><string name="OutlookReceiveMessage_Subject_def" /><string name="OutlookReceiveMessage_Importance_def" /><array typeRef="InternetMessageHeader" name="OutlookReceiveMessage_InternetMessageHeaders_def" /><object name="OutlookReceiveMessage"><property name="InternetMessageId" type="string" /><property name="BodyPreview" type="string" /><property name="Id" type="string" /><property name="ConversationId" type="string" /><property name="HasAttachments" type="boolean" /><property name="IsRead" type="boolean" /><property name="CreatedDateTime" typeRef="OutlookReceiveMessage_CreatedDateTime_def" /><property name="ReceivedDateTime" typeRef="OutlookReceiveMessage_ReceivedDateTime_def" /><property name="LastModifiedDateTime" typeRef="OutlookReceiveMessage_LastModifiedDateTime_def" /><property name="Attachments" typeRef="OutlookReceiveMessage_Attachments_def" /><property name="ToRecipients" typeRef="OutlookReceiveMessage_ToRecipients_def" /><property name="CcRecipients" typeRef="OutlookReceiveMessage_CcRecipients_def" /><property name="BccRecipients" typeRef="OutlookReceiveMessage_BccRecipients_def" /><property name="ReplyTo" typeRef="OutlookReceiveMessage_ReplyTo_def" /><property name="Subject" type="string" /><property name="Body" typeRef="ItemBody" /><property name="From" typeRef="Recipient" /><property name="Importance" type="string" /><property name="InternetMessageHeaders" typeRef="OutlookReceiveMessage_InternetMessageHeaders_def" /></object><string name="OutlookReceiveAttachment__ux40_odata_type_def" /><string name="OutlookReceiveAttachment_Id_def" /><string name="OutlookReceiveAttachment_Name_def" /><string name="OutlookReceiveAttachment_ContentBytes_def" /><string name="OutlookReceiveAttachment_ContentType_def" /><integer name="OutlookReceiveAttachment_Size_def" /><string name="OutlookReceiveAttachment_Permission_def" /><string name="OutlookReceiveAttachment_ProviderType_def" /><string name="OutlookReceiveAttachment_SourceUrl_def" /><boolean name="OutlookReceiveAttachment_IsInline_def" /><dateTimeString name="OutlookReceiveAttachment_LastModifiedDateTime_def" /><string name="OutlookReceiveAttachment_ContentId_def" /><object name="OutlookReceiveAttachment"><property name="@odata.type" type="string" /><property name="Id" type="string" /><property name="Name" type="string" /><property name="ContentBytes" type="string" /><property name="ContentType" type="string" /><property name="Size" type="integer" /><property name="Permission" type="string" /><property name="ProviderType" type="string" /><property name="SourceUrl" type="string" /><property name="IsInline" type="boolean" /><property name="LastModifiedDateTime" typeRef="OutlookReceiveAttachment_LastModifiedDateTime_def"

/><property name="ContentId" type="string" /></object><string
name="InternetMessageHeader_Name_def" /><string name="InternetMessageHeader_Value_def"
/><object name="InternetMessageHeader"><property name="Name" type="string" /><property
name="Value" type="string" /></object><array
typeRef="SubscriptionPayloadEntity_ux5B_SubscriptionEvent_ux5D_"
name="SubscriptionPayload_ux5B_SubscriptionEvent_ux5D__value_def" /><object
name="SubscriptionPayload_ux5B_SubscriptionEvent_ux5D_"><property name="value"
typeRef="SubscriptionPayload_ux5B_SubscriptionEvent_ux5D__value_def" /></object><integer
name="SubscriptionPayloadEntity_ux5B_SubscriptionEvent_ux5D__SequenceNumber_def" /><string
name="SubscriptionPayloadEntity_ux5B_SubscriptionEvent_ux5D__ChangeType_def" /><string
name="SubscriptionPayloadEntity_ux5B_SubscriptionEvent_ux5D__ClientState_def" /><string
name="SubscriptionPayloadEntity_ux5B_SubscriptionEvent_ux5D__Resource_def" /><object
name="SubscriptionPayloadEntity_ux5B_SubscriptionEvent_ux5D_"><property
name="SequenceNumber" type="integer" /><property name="ChangeType" type="string" /><property
name="ClientState" type="string" /><property name="Resource" type="string" /><property
name="ResourceData" typeRef="SubscriptionEvent" /></object><string
name="SubscriptionEvent_Id_def" /><object name="SubscriptionEvent"><property name="Id"
type="string" /></object><array typeRef="Table"
name="EntityListResponse_ux5B_Table_ux5D__value_def" /><object
name="EntityListResponse_ux5B_Table_ux5D_"><property name="value"
typeRef="EntityListResponse_ux5B_Table_ux5D__value_def" /></object><string
name="Table_Name_def" /><string name="Table_DisplayName_def" /><mapObject
name="Table_DynamicProperties_def"><values typeRef="Object" /></mapObject><object
name="Table"><property name="Name" type="string" /><property name="DisplayName" type="string"
/><property name="DynamicProperties" typeRef="Table_DynamicProperties_def" /></object><array
typeRef="CalendarEventBackend"
name="EntityListResponse_ux5B_CalendarEventBackend_ux5D__value_def" /><object
name="EntityListResponse_ux5B_CalendarEventBackend_ux5D_"><property name="value"
typeRef="EntityListResponse_ux5B_CalendarEventBackend_ux5D__value_def" /></object><array
typeRef="CalendarEventClientReceiveStringEnums"
name="EntityListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D__value_def"
/><object
name="EntityListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D_"><property
name="value"
typeRef="EntityListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D__value_def"
/></object><array typeRef="GraphCalendarEventClientReceive"
name="EntityListResponse_ux5B_GraphCalendarEventClientReceive_ux5D__value_def" /><object
name="EntityListResponse_ux5B_GraphCalendarEventClientReceive_ux5D_"><property name="value"
typeRef="EntityListResponse_ux5B_GraphCalendarEventClientReceive_ux5D__value_def"
/></object><string name="CalendarEventClient_Subject_def" /><dateTimeString
name="CalendarEventClient_Start_def" /><dateTimeString name="CalendarEventClient_End_def"
/><string name="CalendarEventClient_TimeZone_def" /><string
name="CalendarEventClient_RequiredAttendees_def" /><string
name="CalendarEventClient_OptionalAttendees_def" /><string
name="CalendarEventClient_ResourceAttendees_def" /><string
name="CalendarEventClient_Body_def" /><boolean name="CalendarEventClient_IsHtml_def"
/><string name="CalendarEventClient_Location_def" /><string
name="CalendarEventClient_Importance_def" /><boolean name="CalendarEventClient_IsAllDay_def"
/><string name="CalendarEventClient_Recurrence_def" /><dateTimeString
name="CalendarEventClient_RecurrenceEnd_def" /><integer
name="CalendarEventClient_NumberOfOccurrences_def" /><integer
name="CalendarEventClient_Reminder_def" /><string name="CalendarEventClient_ShowAs_def"
/><boolean name="CalendarEventClient_ResponseRequested_def" /><object
name="CalendarEventClient"><property name="Subject" type="string" /><property name="Start"
typeRef="CalendarEventClient_Start_def" /><property name="End"

typeRef="CalendarEventClient_End_def" /><property name="TimeZone" type="string" /><property name="RequiredAttendees" type="string" /><property name="OptionalAttendees" type="string" /><property name="ResourceAttendees" type="string" /><property name="Body" type="string" /><property name="IsHtml" type="boolean" /><property name="Location" type="string" /><property name="Importance" type="string" /><property name="IsAllDay" type="boolean" /><property name="Recurrence" type="string" /><property name="RecurrenceEnd" typeRef="CalendarEventClient_RecurrenceEnd_def" /><property name="NumberOfOccurrences" type="integer" /><property name="Reminder" type="integer" /><property name="ShowAs" type="string" /><property name="ResponseRequested" type="boolean" /></object><string name="CalendarEventHtmlClient_Subject_def" /><dateTimeString name="CalendarEventHtmlClient_Start_def" /><dateTimeString name="CalendarEventHtmlClient_End_def" /><string name="CalendarEventHtmlClient_TimeZone_def" /><string name="CalendarEventHtmlClient_RequiredAttendees_def" /><string name="CalendarEventHtmlClient_OptionalAttendees_def" /><string name="CalendarEventHtmlClient_ResourceAttendees_def" /><string name="CalendarEventHtmlClient_Body_def" /><string name="CalendarEventHtmlClient_Location_def" /><string name="CalendarEventHtmlClient_Importance_def" /><boolean name="CalendarEventHtmlClient_IsAllDay_def" /><string name="CalendarEventHtmlClient_Recurrence_def" /><dateTimeString name="CalendarEventHtmlClient_RecurrenceEnd_def" /><integer name="CalendarEventHtmlClient_NumberOfOccurrences_def" /><integer name="CalendarEventHtmlClient_Reminder_def" /><string name="CalendarEventHtmlClient_ShowAs_def" /><boolean name="CalendarEventHtmlClient_ResponseRequested_def" /><object name="CalendarEventHtmlClient"><property name="Subject" type="string" /><property name="Start" typeRef="CalendarEventHtmlClient_Start_def" /><property name="End" typeRef="CalendarEventHtmlClient_End_def" /><property name="TimeZone" type="string" /><property name="RequiredAttendees" type="string" /><property name="OptionalAttendees" type="string" /><property name="ResourceAttendees" type="string" /><property name="Body" type="string" /><property name="Location" type="string" /><property name="Importance" type="string" /><property name="IsAllDay" type="boolean" /><property name="Recurrence" type="string" /><property name="RecurrenceEnd" typeRef="CalendarEventHtmlClient_RecurrenceEnd_def" /><property name="NumberOfOccurrences" type="integer" /><property name="Reminder" type="integer" /><property name="ShowAs" type="string" /><property name="ResponseRequested" type="boolean" /></object><string name="GraphCalendarEventClient_subject_def" /><string name="GraphCalendarEventClient_start_def" /><string name="GraphCalendarEventClient_end_def" /><string name="GraphCalendarEventClient_timeZone_def" /><string name="GraphCalendarEventClient_requiredAttendees_def" /><string name="GraphCalendarEventClient_optionalAttendees_def" /><string name="GraphCalendarEventClient_resourceAttendees_def" /><string name="GraphCalendarEventClient_body_def" /><string name="GraphCalendarEventClient_categories_def_items_def" /><array type="string" name="GraphCalendarEventClient_categories_def" /><string name="GraphCalendarEventClient_location_def" /><string name="GraphCalendarEventClient_importance_def" /><boolean name="GraphCalendarEventClient_isAllDay_def" /><string name="GraphCalendarEventClient_recurrence_def" /><string name="GraphCalendarEventClient_selectedDaysOfWeek_def_items_def" /><array type="string" name="GraphCalendarEventClient_selectedDaysOfWeek_def" /><string name="GraphCalendarEventClient_recurrenceEnd_def" /><integer name="GraphCalendarEventClient_numberOfOccurences_def" /><integer name="GraphCalendarEventClient_reminderMinutesBeforeStart_def" /><boolean name="GraphCalendarEventClient_isReminderOn_def" /><string

name="GraphCalendarEventClient_showAs_def" /><boolean
name="GraphCalendarEventClient_responseRequested_def" /><string
name="GraphCalendarEventClient_sensitivity_def" /><object
name="GraphCalendarEventClient"><property name="subject" type="string" /><property name="start"
type="string" /><property name="end" type="string" /><property name="timeZone" type="string"
/><property name="requiredAttendees" type="string" /><property name="optionalAttendees"
type="string" /><property name="resourceAttendees" type="string" /><property name="body"
type="string" /><property name="categories" typeRef="GraphCalendarEventClient_categories_def"
/><property name="location" type="string" /><property name="importance" type="string" /><property
name="isAllDay" type="boolean" /><property name="recurrence" type="string" /><property
name="selectedDaysOfWeek" typeRef="GraphCalendarEventClient_selectedDaysOfWeek_def"
/><property name="recurrenceEnd" type="string" /><property name="numberOfOccurences"
type="integer" /><property name="reminderMinutesBeforeStart" type="integer" /><property
name="isReminderOn" type="boolean" /><property name="showAs" type="string" /><property
name="responseRequested" type="boolean" /><property name="sensitivity" type="string"
/></object><array typeRef="CalendarEventClientWithActionType"
name="CalendarEventListWithActionType_value_def" /><object
name="CalendarEventListWithActionType"><property name="value"
typeRef="CalendarEventListWithActionType_value_def" /></object><string
name="CalendarEventClientWithActionType_ActionType_def" /><boolean
name="CalendarEventClientWithActionType_IsAdded_def" /><boolean
name="CalendarEventClientWithActionType_IsUpdated_def" /><string
name="CalendarEventClientWithActionType_Subject_def" /><dateTimeString
name="CalendarEventClientWithActionType_Start_def" /><dateTimeString
name="CalendarEventClientWithActionType_End_def" /><integer
name="CalendarEventClientWithActionType_ShowAs_def" /><integer
name="CalendarEventClientWithActionType_Recurrence_def" /><integer
name="CalendarEventClientWithActionType_ResponseType_def" /><dateTimeString
name="CalendarEventClientWithActionType_ResponseTime_def" /><string
name="CalendarEventClientWithActionType_ICalUId_def" /><integer
name="CalendarEventClientWithActionType_Importance_def" /><string
name="CalendarEventClientWithActionType_Id_def" /><dateTimeString
name="CalendarEventClientWithActionType_DateTimeCreated_def" /><dateTimeString
name="CalendarEventClientWithActionType_DateTimeLastModified_def" /><string
name="CalendarEventClientWithActionType_Organizer_def" /><string
name="CalendarEventClientWithActionType_TimeZone_def" /><string
name="CalendarEventClientWithActionType_SeriesMasterId_def" /><string
name="CalendarEventClientWithActionType_Categories_def_items_def" /><array type="string"
name="CalendarEventClientWithActionType_Categories_def" /><string dtype="hyperlink"
name="CalendarEventClientWithActionType_WebLink_def" /><string
name="CalendarEventClientWithActionType_RequiredAttendees_def" /><string
name="CalendarEventClientWithActionType_OptionalAttendees_def" /><string
name="CalendarEventClientWithActionType_ResourceAttendees_def" /><string
name="CalendarEventClientWithActionType_Body_def" /><boolean
name="CalendarEventClientWithActionType_IsHtml_def" /><string
name="CalendarEventClientWithActionType_Location_def" /><boolean
name="CalendarEventClientWithActionType_IsAllDay_def" /><dateTimeString
name="CalendarEventClientWithActionType_RecurrenceEnd_def" /><integer
name="CalendarEventClientWithActionType_NumberOfOccurrences_def" /><integer
name="CalendarEventClientWithActionType_Reminder_def" /><boolean
name="CalendarEventClientWithActionType_ResponseRequested_def" /><object
name="CalendarEventClientWithActionType"><property name="ActionType" type="string" /><property
name="IsAdded" type="boolean" /><property name="IsUpdated" type="boolean" /><property
name="Subject" type="string" /><property name="Start"
typeRef="CalendarEventClientWithActionType_Start_def" /><property name="End"

typeRef="CalendarEventClientWithActionType_End_def" /><property name="ShowAs" type="integer" /><property name="Recurrence" type="integer" /><property name="ResponseType" type="integer" /><property name="ResponseTime" typeRef="CalendarEventClientWithActionType_ResponseTime_def" /><property name="ICalUId" type="string" /><property name="Importance" type="integer" /><property name="Id" type="string" /><property name="DateTimeCreated" typeRef="CalendarEventClientWithActionType_DateTimeCreated_def" /><property name="DateTimeLastModified" typeRef="CalendarEventClientWithActionType_DateTimeLastModified_def" /><property name="Organizer" type="string" /><property name="TimeZone" type="string" /><property name="SeriesMasterId" type="string" /><property name="Categories" typeRef="CalendarEventClientWithActionType_Categories_def" /><property name="WebLink" type="string" dtype="hyperlink" /><property name="RequiredAttendees" type="string" /><property name="OptionalAttendees" type="string" /><property name="ResourceAttendees" type="string" /><property name="Body" type="string" /><property name="IsHtml" type="boolean" /><property name="Location" type="string" /><property name="IsAllDay" type="boolean" /><property name="RecurrenceEnd" typeRef="CalendarEventClientWithActionType_RecurrenceEnd_def" /><property name="NumberOfOccurrences" type="integer" /><property name="Reminder" type="integer" /><property name="ResponseRequested" type="boolean" /></object><array typeRef="GraphCalendarEventClientWithActionType" name="GraphCalendarEventListWithActionType_value_def" /><object name="GraphCalendarEventListWithActionType"><property name="value" typeRef="GraphCalendarEventListWithActionType_value_def" /></object><string name="GraphCalendarEventClientWithActionType_ActionType_def" /><boolean name="GraphCalendarEventClientWithActionType_IsAdded_def" /><boolean name="GraphCalendarEventClientWithActionType_IsUpdated_def" /><string name="GraphCalendarEventClientWithActionType_subject_def" /><string name="GraphCalendarEventClientWithActionType_start_def" /><string name="GraphCalendarEventClientWithActionType_end_def" /><dateTimeString name="GraphCalendarEventClientWithActionType_startWithTimeZone_def" /><dateTimeString name="GraphCalendarEventClientWithActionType_endWithTimeZone_def" /><string name="GraphCalendarEventClientWithActionType_body_def" /><boolean name="GraphCalendarEventClientWithActionType_isHtml_def" /><string name="GraphCalendarEventClientWithActionType_responseType_def" /><dateTimeString name="GraphCalendarEventClientWithActionType_responseTime_def" /><string name="GraphCalendarEventClientWithActionType_id_def" /><dateTimeString name="GraphCalendarEventClientWithActionType_createdDateTime_def" /><dateTimeString name="GraphCalendarEventClientWithActionType_lastModifiedDateTime_def" /><string name="GraphCalendarEventClientWithActionType_organizer_def" /><string name="GraphCalendarEventClientWithActionType_timeZone_def" /><string name="GraphCalendarEventClientWithActionType_seriesMasterId_def" /><string name="GraphCalendarEventClientWithActionType_iCalUId_def" /><string name="GraphCalendarEventClientWithActionType_categories_def_items_def" /><array type="string" name="GraphCalendarEventClientWithActionType_categories_def" /><string dtype="hyperlink" name="GraphCalendarEventClientWithActionType_webLink_def" /><string name="GraphCalendarEventClientWithActionType_requiredAttendees_def" /><string name="GraphCalendarEventClientWithActionType_optionalAttendees_def" /><string name="GraphCalendarEventClientWithActionType_resourceAttendees_def" /><string name="GraphCalendarEventClientWithActionType_location_def" /><string name="GraphCalendarEventClientWithActionType_importance_def" /><boolean name="GraphCalendarEventClientWithActionType_isAllDay_def" /><string name="GraphCalendarEventClientWithActionType_recurrence_def" /><string name="GraphCalendarEventClientWithActionType_recurrenceEnd_def" /><integer name="GraphCalendarEventClientWithActionType_numberOfOccurences_def" /><integer name="GraphCalendarEventClientWithActionType_reminderMinutesBeforeStart_def" /><boolean

name="GraphCalendarEventClientWithActionType_isReminderOn_def" /><string
name="GraphCalendarEventClientWithActionType_showAs_def" /><boolean
name="GraphCalendarEventClientWithActionType_responseRequested_def" /><string
name="GraphCalendarEventClientWithActionType_sensitivity_def" /><object
name="GraphCalendarEventClientWithActionType"><property name="ActionType" type="string"
/><property name="IsAdded" type="boolean" /><property name="IsUpdated" type="boolean"
/><property name="subject" type="string" /><property name="start" type="string" /><property
name="end" type="string" /><property name="startWithTimeZone"
typeRef="GraphCalendarEventClientWithActionType_startWithTimeZone_def" /><property
name="endWithTimeZone"
typeRef="GraphCalendarEventClientWithActionType_endWithTimeZone_def" /><property
name="body" type="string" /><property name="isHtml" type="boolean" /><property
name="responseType" type="string" /><property name="responseTime"
typeRef="GraphCalendarEventClientWithActionType_responseTime_def" /><property name="id"
type="string" /><property name="createdDateTime"
typeRef="GraphCalendarEventClientWithActionType_createdDateTime_def" /><property
name="lastModifiedDateTime"
typeRef="GraphCalendarEventClientWithActionType_lastModifiedDateTime_def" /><property
name="organizer" type="string" /><property name="timeZone" type="string" /><property
name="seriesMasterId" type="string" /><property name="iCalUId" type="string" /><property
name="categories" typeRef="GraphCalendarEventClientWithActionType_categories_def" /><property
name="webLink" type="string" dtype="hyperlink" /><property name="requiredAttendees" type="string"
/><property name="optionalAttendees" type="string" /><property name="resourceAttendees"
type="string" /><property name="location" type="string" /><property name="importance" type="string"
/><property name="isAllDay" type="boolean" /><property name="recurrence" type="string" /><property
name="recurrenceEnd" type="string" /><property name="numberOfOccurences" type="integer"
/><property name="reminderMinutesBeforeStart" type="integer" /><property name="isReminderOn"
type="boolean" /><property name="showAs" type="string" /><property name="responseRequested"
type="boolean" /><property name="sensitivity" type="string" /></object><array
typeRef="GraphContactFolder"
name="EntityListResponse_ux5B_GraphContactFolder_ux5D__value_def" /><object
name="EntityListResponse_ux5B_GraphContactFolder_ux5D_"><property name="value"
typeRef="EntityListResponse_ux5B_GraphContactFolder_ux5D__value_def" /></object><string
name="GraphContactFolder_id_def" /><string name="GraphContactFolder_displayName_def"
/><string name="GraphContactFolder_parentFolderId_def" /><object
name="GraphContactFolder"><property name="id" type="string" /><property name="displayName"
type="string" /><property name="parentFolderId" type="string" /></object><array
typeRef="ContactResponse" name="EntityListResponse_ux5B_ContactResponse_ux5D__value_def"
/><object name="EntityListResponse_ux5B_ContactResponse_ux5D_"><property name="value"
typeRef="EntityListResponse_ux5B_ContactResponse_ux5D__value_def" /></object><string
name="ContactResponse_GivenName_def" /><string
name="ContactResponse_HomePhones_def_items_def" /><array type="string"
name="ContactResponse_HomePhones_def" /><string name="ContactResponse_Id_def" /><string
name="ContactResponse_ParentFolderId_def" /><dateTimeString
name="ContactResponse_Birthday_def" /><string name="ContactResponse_FileAs_def" /><string
name="ContactResponse_DisplayName_def" /><string name="ContactResponse_Initials_def"
/><string name="ContactResponse_MiddleName_def" /><string
name="ContactResponse_NickName_def" /><string name="ContactResponse_Surname_def" /><string
name="ContactResponse_Title_def" /><string name="ContactResponse_Generation_def" /><array
typeRef="EmailAddress" name="ContactResponse_EmailAddresses_def" /><string
name="ContactResponse_ImAddresses_def_items_def" /><array type="string"
name="ContactResponse_ImAddresses_def" /><string name="ContactResponse_JobTitle_def"
/><string name="ContactResponse_CompanyName_def" /><string
name="ContactResponse_Department_def" /><string name="ContactResponse_OfficeLocation_def"
/><string name="ContactResponse_Profession_def" /><string

name="ContactResponse_BusinessHomePage_def" /><string
name="ContactResponse_AssistantName_def" /><string name="ContactResponse_Manager_def"
/><string name="ContactResponse_BusinessPhones_def_items_def" /><array type="string"
name="ContactResponse_BusinessPhones_def" /><string
name="ContactResponse_MobilePhone1_def" /><string
name="ContactResponse_YomiCompanyName_def" /><string
name="ContactResponse_YomiGivenName_def" /><string
name="ContactResponse_YomiSurname_def" /><string
name="ContactResponse_Categories_def_items_def" /><array type="string"
name="ContactResponse_Categories_def" /><string name="ContactResponse_ChangeKey_def"
/><dateTimeString name="ContactResponse_DateTimeCreated_def" /><dateTimeString
name="ContactResponse_DateTimeLastModified_def" /><object name="ContactResponse"><property
name="GivenName" type="string" /><property name="HomePhones"
typeRef="ContactResponse_HomePhones_def" /><property name="Id" type="string" /><property
name="ParentFolderId" type="string" /><property name="Birthday"
typeRef="ContactResponse_Birthday_def" /><property name="FileAs" type="string" /><property
name="DisplayName" type="string" /><property name="Initials" type="string" /><property
name="MiddleName" type="string" /><property name="NickName" type="string" /><property
name="Surname" type="string" /><property name="Title" type="string" /><property name="Generation"
type="string" /><property name="EmailAddresses" typeRef="ContactResponse_EmailAddresses_def"
/><property name="ImAddresses" typeRef="ContactResponse_ImAddresses_def" /><property
name="JobTitle" type="string" /><property name="CompanyName" type="string" /><property
name="Department" type="string" /><property name="OfficeLocation" type="string" /><property
name="Profession" type="string" /><property name="BusinessHomePage" type="string" /><property
name="AssistantName" type="string" /><property name="Manager" type="string" /><property
name="BusinessPhones" typeRef="ContactResponse_BusinessPhones_def" /><property
name="MobilePhone1" type="string" /><property name="HomeAddress" typeRef="PhysicalAddress"
/><property name="BusinessAddress" typeRef="PhysicalAddress" /><property name="OtherAddress"
typeRef="PhysicalAddress" /><property name="YomiCompanyName" type="string" /><property
name="YomiGivenName" type="string" /><property name="YomiSurname" type="string" /><property
name="Categories" typeRef="ContactResponse_Categories_def" /><property name="ChangeKey"
type="string" /><property name="DateTimeCreated"
typeRef="ContactResponse_DateTimeCreated_def" /><property name="DateTimeLastModified"
typeRef="ContactResponse_DateTimeLastModified_def" /></object><string name="Contact_Id_def"
/><string name="Contact_ParentFolderId_def" /><dateTimeString name="Contact_Birthday_def"
/><string name="Contact_FileAs_def" /><string name="Contact_DisplayName_def" /><string
name="Contact_GivenName_def" /><string name="Contact_Initials_def" /><string
name="Contact_MiddleName_def" /><string name="Contact_NickName_def" /><string
name="Contact_Surname_def" /><string name="Contact_Title_def" /><string
name="Contact_Generation_def" /><array typeRef="EmailAddress"
name="Contact_EmailAddresses_def" /><string name="Contact_ImAddresses_def_items_def"
/><array type="string" name="Contact_ImAddresses_def" /><string name="Contact_JobTitle_def"
/><string name="Contact_CompanyName_def" /><string name="Contact_Department_def" /><string
name="Contact_OfficeLocation_def" /><string name="Contact_Profession_def" /><string
name="Contact_BusinessHomePage_def" /><string name="Contact_AssistantName_def" /><string
name="Contact_Manager_def" /><string name="Contact_HomePhones_def_items_def" /><array
type="string" name="Contact_HomePhones_def" /><string
name="Contact_BusinessPhones_def_items_def" /><array type="string"
name="Contact_BusinessPhones_def" /><string name="Contact_MobilePhone1_def" /><string
name="Contact_YomiCompanyName_def" /><string name="Contact_YomiGivenName_def" /><string
name="Contact_YomiSurname_def" /><string name="Contact_Categories_def_items_def" /><array
type="string" name="Contact_Categories_def" /><string name="Contact_ChangeKey_def"
/><dateTimeString name="Contact_DateTimeCreated_def" /><dateTimeString
name="Contact_DateTimeLastModified_def" /><object name="Contact"><property name="Id"
type="string" /><property name="ParentFolderId" type="string" /><property name="Birthday"

typeRef="Contact_Birthday_def" /><property name="FileAs" type="string" /><property
name="DisplayName" type="string" /><property name="GivenName" type="string" /><property
name="Initials" type="string" /><property name="MiddleName" type="string" /><property
name="NickName" type="string" /><property name="Surname" type="string" /><property name="Title"
type="string" /><property name="Generation" type="string" /><property name="EmailAddresses"
typeRef="Contact_EmailAddresses_def" /><property name="ImAddresses"
typeRef="Contact_ImAddresses_def" /><property name="JobTitle" type="string" /><property
name="CompanyName" type="string" /><property name="Department" type="string" /><property
name="OfficeLocation" type="string" /><property name="Profession" type="string" /><property
name="BusinessHomePage" type="string" /><property name="AssistantName" type="string"
/><property name="Manager" type="string" /><property name="HomePhones"
typeRef="Contact_HomePhones_def" /><property name="BusinessPhones"
typeRef="Contact_BusinessPhones_def" /><property name="MobilePhone1" type="string" /><property
name="HomeAddress" typeRef="PhysicalAddress" /><property name="BusinessAddress"
typeRef="PhysicalAddress" /><property name="OtherAddress" typeRef="PhysicalAddress" /><property
name="YomiCompanyName" type="string" /><property name="YomiGivenName" type="string"
/><property name="YomiSurname" type="string" /><property name="Categories"
typeRef="Contact_Categories_def" /><property name="ChangeKey" type="string" /><property
name="DateTimeCreated" typeRef="Contact_DateTimeCreated_def" /><property
name="DateTimeLastModified" typeRef="Contact_DateTimeLastModified_def" /></object><array
typeRef="DataSet" name="DataSetsList_value_def" /><object name="DataSetsList"><property
name="value" typeRef="DataSetsList_value_def" /></object><string name="DataSet_Name_def"
/><string name="DataSet_DisplayName_def" /><array typeRef="PassThroughNativeQuery"
name="DataSet_query_def" /><object name="DataSet"><property name="Name" type="string"
/><property name="DisplayName" type="string" /><property name="query"
typeRef="DataSet_query_def" /></object><string name="Procedure_Name_def" /><string
name="Procedure_DisplayName_def" /><object name="Procedure"><property name="Name"
type="string" /><property name="DisplayName" type="string" /></object><string
name="PassThroughNativeQuery_Language_def" /><object
name="PassThroughNativeQuery"><property name="Language" type="string" /></object><string
name="AutomaticRepliesSettingClient_V2_status_def" /><string
name="AutomaticRepliesSettingClient_V2_externalAudience_def" /><string
name="AutomaticRepliesSettingClient_V2_scheduledStartDateTime_def_dateTime_def" /><string
name="AutomaticRepliesSettingClient_V2_scheduledStartDateTime_def_timeZone_def" /><object
name="AutomaticRepliesSettingClient_V2_scheduledStartDateTime_def"><property name="dateTime"
type="string" /><property name="timeZone" type="string" /></object><string
name="AutomaticRepliesSettingClient_V2_scheduledEndDateTime_def_dateTime_def" /><string
name="AutomaticRepliesSettingClient_V2_scheduledEndDateTime_def_timeZone_def" /><object
name="AutomaticRepliesSettingClient_V2_scheduledEndDateTime_def"><property name="dateTime"
type="string" /><property name="timeZone" type="string" /></object><string
name="AutomaticRepliesSettingClient_V2_internalReplyMessage_def" /><string
name="AutomaticRepliesSettingClient_V2_externalReplyMessage_def" /><object
name="AutomaticRepliesSettingClient_V2"><property name="status" type="string" /><property
name="externalAudience" type="string" /><property name="scheduledStartDateTime"
typeRef="AutomaticRepliesSettingClient_V2_scheduledStartDateTime_def" /><property
name="scheduledEndDateTime"
typeRef="AutomaticRepliesSettingClient_V2_scheduledEndDateTime_def" /><property
name="internalReplyMessage" type="string" /><property name="externalReplyMessage" type="string"
/></object><boolean name="MailTipsClientReceive_V2_deliveryRestricted_def" /><integer
name="MailTipsClientReceive_V2_externalMemberCount_def" /><boolean
name="MailTipsClientReceive_V2_isModerated_def" /><boolean
name="MailTipsClientReceive_V2_mailboxFull_def" /><integer
name="MailTipsClientReceive_V2_maxMessageSize_def" /><integer
name="MailTipsClientReceive_V2_totalMemberCount_def" /><object
name="MailTipsClientReceive_V2"><property name="automaticReplies"

typeRef="MailTipsAutomaticReplies_V2" /><property name="deliveryRestricted" type="boolean" /><property name="externalMemberCount" type="integer" /><property name="isModerated" type="boolean" /><property name="mailboxFull" type="boolean" /><property name="maxMessageSize" type="integer" /><property name="totalMemberCount" type="integer" /></object><string name="MailTipsAutomaticReplies_V2_message_def" /><object name="MailTipsAutomaticReplies_V2"><property name="message" type="string" /></object><string name="UpdateEmailFlag_flag_def_flagStatus_def" /><object name="UpdateEmailFlag_flag_def"><property name="flagStatus" type="string" /></object><object name="UpdateEmailFlag"><property name="flag" typeRef="UpdateEmailFlag_flag_def" /></object><string name="ResponseToEventInvite_Comment_def" /><boolean name="ResponseToEventInvite_SendResponse_def" /><object name="ResponseToEventInvite"><property name="Comment" type="string" /><property name="SendResponse" type="boolean" /></object><string name="DirectForwardMessage_Comment_def" /><string name="DirectForwardMessage_ToRecipients_def" /><object name="DirectForwardMessage"><property name="Comment" type="string" /><property name="ToRecipients" type="string" /></object><number name="MeetingTimeSuggestions_items_def_Confidence_def" /><string name="MeetingTimeSuggestions_items_def_OrganizerAvailability_def" /><string name="MeetingTimeSuggestions_items_def_SuggestionReason_def" /><object name="MeetingTimeSuggestions_items_def_MeetingTimeSlot_def"><property name="Start" typeRef="DateTimeTimeZone" /><property name="End" typeRef="DateTimeTimeZone" /></object><string name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Availability_def" /><string name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Attendee_def_Type_def" /><string name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Attendee_def_EmailAddress_def_Address_def" /><object name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Attendee_def_EmailAddress_def"><property name="Address" type="string" /></object><object name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Attendee_def"><property name="Type" type="string" /><property name="EmailAddress" typeRef="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Attendee_def_EmailAddress_def" /></object><object name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def"><property name="Availability" type="string" /><property name="Attendee" typeRef="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def_Attendee_def" /></object><array typeRef="MeetingTimeSuggestions_items_def_AttendeeAvailability_def_items_def" name="MeetingTimeSuggestions_items_def_AttendeeAvailability_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_DisplayName_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_LocationEmailAddress_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def_Type_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def_Street_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def_City_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def_State_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def_CountryOrRegion_def" /><string name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def_PostalCode_def" /><object name="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def"><property

name="Type" type="string" /><property name="Street" type="string" /><property name="City" type="string" /><property name="State" type="string" /><property name="CountryOrRegion" type="string" /><property name="PostalCode" type="string" /></object><object name="MeetingTimeSuggestions_items_def_Locations_def_items_def"><property name="DisplayName" type="string" /><property name="LocationEmailAddress" type="string" /><property name="Address" typeRef="MeetingTimeSuggestions_items_def_Locations_def_items_def_Address_def" /></object><array typeRef="MeetingTimeSuggestions_items_def_Locations_def_items_def" name="MeetingTimeSuggestions_items_def_Locations_def" /><object name="MeetingTimeSuggestions_items_def"><property name="Confidence" type="number" /><property name="OrganizerAvailability" type="string" /><property name="SuggestionReason" type="string" /><property name="MeetingTimeSlot" typeRef="MeetingTimeSuggestions_items_def_MeetingTimeSlot_def" /><property name="AttendeeAvailability" typeRef="MeetingTimeSuggestions_items_def_AttendeeAvailability_def" /><property name="Locations" typeRef="MeetingTimeSuggestions_items_def_Locations_def" /></object><array typeRef="MeetingTimeSuggestions_items_def" name="MeetingTimeSuggestions" /><number name="MeetingTimeSuggestions_V2_items_def_confidence_def" /><string name="MeetingTimeSuggestions_V2_items_def_organizerAvailability_def" /><string name="MeetingTimeSuggestions_V2_items_def_suggestionReason_def" /><object name="MeetingTimeSuggestions_V2_items_def_meetingTimeSlot_def"><property name="start" typeRef="DateTimeTimeZone_V2" /><property name="end" typeRef="DateTimeTimeZone_V2" /></object><string name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_availability_def" /><string name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_attendee_def_type_def" /><string name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_attendee_def_emailAddress_def_address_def" /><object name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_attendee_def_emailAddress_def"><property name="address" type="string" /></object><object name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_attendee_def"><property name="type" type="string" /><property name="emailAddress" typeRef="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_attendee_def_emailAddress_def" /></object><object name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def"><property name="availability" type="string" /><property name="attendee" typeRef="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def_attendee_def" /></object><array typeRef="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def_items_def" name="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_displayName_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_locationEmailAddress_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def_street_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def_city_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def_state_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def_countryOrRegion_def" /><string name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def_postalCode_def" /><object name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def"><property name="street" type="string" /><property name="city" type="string" /><property name="state"

type="string" /><property name="countryOrRegion" type="string" /><property name="postalCode" type="string" /></object><object name="MeetingTimeSuggestions_V2_items_def_locations_def_items_def"><property name="displayName" type="string" /><property name="locationEmailAddress" type="string" /><property name="address" typeRef="MeetingTimeSuggestions_V2_items_def_locations_def_items_def_address_def" /></object><array typeRef="MeetingTimeSuggestions_V2_items_def_locations_def_items_def" name="MeetingTimeSuggestions_V2_items_def_locations_def" /><object name="MeetingTimeSuggestions_V2_items_def"><property name="confidence" type="number" /><property name="organizerAvailability" type="string" /><property name="suggestionReason" type="string" /><property name="meetingTimeSlot" typeRef="MeetingTimeSuggestions_V2_items_def_meetingTimeSlot_def" /><property name="attendeeAvailability" typeRef="MeetingTimeSuggestions_V2_items_def_attendeeAvailability_def" /><property name="locations" typeRef="MeetingTimeSuggestions_V2_items_def_locations_def" /></object><array typeRef="MeetingTimeSuggestions_V2_items_def" name="MeetingTimeSuggestions_V2" /><boolean name="LocationConstraint_IsRequired_def" /><boolean name="LocationConstraint_SuggestLocation_def" /><boolean name="LocationConstraint_Locations_def_items_def_ResolveAvailability_def" /><string name="LocationConstraint_Locations_def_items_def_DisplayName_def" /><object name="LocationConstraint_Locations_def_items_def"><property name="ResolveAvailability" type="boolean" /><property name="DisplayName" type="string" /></object><array typeRef="LocationConstraint_Locations_def_items_def" name="LocationConstraint_Locations_def" /><object name="LocationConstraint"><property name="IsRequired" type="boolean" /><property name="SuggestLocation" type="boolean" /><property name="Locations" typeRef="LocationConstraint_Locations_def" /></object><string name="DateTimeTimeZone_DateTime_def" /><string name="DateTimeTimeZone_TimeZone_def" /><object name="DateTimeTimeZone"><property name="DateTime" type="string" /><property name="TimeZone" type="string" /></object><string name="DateTimeTimeZone_V2_dateTime_def" /><string name="DateTimeTimeZone_V2_timeZone_def" /><object name="DateTimeTimeZone_V2"><property name="dateTime" type="string" /><property name="timeZone" type="string" /></object><array typeRef="ContactResponse_V2" name="EntityListResponse_ux5B_ContactResponse_ux5D__V2_value_def" /><object name="EntityListResponse_ux5B_ContactResponse_ux5D__V2"><property name="value" typeRef="EntityListResponse_ux5B_ContactResponse_ux5D__V2_value_def" /></object><string name="EmailAddress_V2_name_def" /><string name="EmailAddress_V2_address_def" /><object name="EmailAddress_V2"><property name="name" type="string" /><property name="address" type="string" /></object><string name="PhysicalAddress_V2_street_def" /><string name="PhysicalAddress_V2_city_def" /><string name="PhysicalAddress_V2_state_def" /><string name="PhysicalAddress_V2_countryOrRegion_def" /><string name="PhysicalAddress_V2_postalCode_def" /><object name="PhysicalAddress_V2"><property name="street" type="string" /><property name="city" type="string" /><property name="state" type="string" /><property name="countryOrRegion" type="string" /><property name="postalCode" type="string" /></object><string name="Contact_V2_id_def" /><string name="Contact_V2_parentFolderId_def" /><dateTimeString name="Contact_V2_birthday_def" /><string name="Contact_V2_fileAs_def" /><string name="Contact_V2_displayName_def" /><string name="Contact_V2_givenName_def" /><string name="Contact_V2_initials_def" /><string name="Contact_V2_middleName_def" /><string name="Contact_V2_nickName_def" /><string name="Contact_V2_surname_def" /><string name="Contact_V2_title_def" /><string name="Contact_V2_generation_def" /><array typeRef="EmailAddress_V2" name="Contact_V2_emailAddresses_def" /><string name="Contact_V2_imAddresses_def_items_def" /><array type="string" name="Contact_V2_imAddresses_def" /><string name="Contact_V2_jobTitle_def" /><string name="Contact_V2_companyName_def" /><string name="Contact_V2_department_def" /><string name="Contact_V2_officeLocation_def" /><string name="Contact_V2_profession_def" /><string name="Contact_V2_businessHomePage_def" /><string

name="Contact_V2_assistantName_def" /><string name="Contact_V2_manager_def" /><string
name="Contact_V2_homePhones_def_items_def" /><array type="string"
name="Contact_V2_homePhones_def" /><string name="Contact_V2_businessPhones_def_items_def"
/><array type="string" name="Contact_V2_businessPhones_def" /><string
name="Contact_V2_mobilePhone_def" /><string name="Contact_V2_yomiCompanyName_def"
/><string name="Contact_V2_yomiGivenName_def" /><string name="Contact_V2_yomiSurname_def"
/><string name="Contact_V2_categories_def_items_def" /><array type="string"
name="Contact_V2_categories_def" /><string name="Contact_V2_changeKey_def" /><dateTimeString
name="Contact_V2_createdDateTime_def" /><dateTimeString
name="Contact_V2_lastModifiedDateTime_def" /><object name="Contact_V2"><property name="id"
type="string" /><property name="parentFolderId" type="string" /><property name="birthday"
typeRef="Contact_V2_birthday_def" /><property name="fileAs" type="string" /><property
name="displayName" type="string" /><property name="givenName" type="string" /><property
name="initials" type="string" /><property name="middleName" type="string" /><property
name="nickName" type="string" /><property name="surname" type="string" /><property name="title"
type="string" /><property name="generation" type="string" /><property name="emailAddresses"
typeRef="Contact_V2_emailAddresses_def" /><property name="imAddresses"
typeRef="Contact_V2_imAddresses_def" /><property name="jobTitle" type="string" /><property
name="companyName" type="string" /><property name="department" type="string" /><property
name="officeLocation" type="string" /><property name="profession" type="string" /><property
name="businessHomePage" type="string" /><property name="assistantName" type="string"
/><property name="manager" type="string" /><property name="homePhones"
typeRef="Contact_V2_homePhones_def" /><property name="businessPhones"
typeRef="Contact_V2_businessPhones_def" /><property name="mobilePhone" type="string"
/><property name="homeAddress" typeRef="PhysicalAddress_V2" /><property
name="businessAddress" typeRef="PhysicalAddress_V2" /><property name="otherAddress"
typeRef="PhysicalAddress_V2" /><property name="yomiCompanyName" type="string" /><property
name="yomiGivenName" type="string" /><property name="yomiSurname" type="string" /><property
name="categories" typeRef="Contact_V2_categories_def" /><property name="changeKey"
type="string" /><property name="createdDateTime" typeRef="Contact_V2_createdDateTime_def"
/><property name="lastModifiedDateTime" typeRef="Contact_V2_lastModifiedDateTime_def"
/></object><string name="ContactResponse_V2_id_def" /><string
name="ContactResponse_V2_parentFolderId_def" /><dateTimeString
name="ContactResponse_V2_birthday_def" /><string name="ContactResponse_V2_fileAs_def"
/><string name="ContactResponse_V2_displayName_def" /><string
name="ContactResponse_V2_givenName_def" /><string name="ContactResponse_V2_initials_def"
/><string name="ContactResponse_V2_middleName_def" /><string
name="ContactResponse_V2_nickName_def" /><string name="ContactResponse_V2_surname_def"
/><string name="ContactResponse_V2_title_def" /><string
name="ContactResponse_V2_generation_def" /><array typeRef="EmailAddress_V2"
name="ContactResponse_V2_emailAddresses_def" /><string
name="ContactResponse_V2_imAddresses_def_items_def" /><array type="string"
name="ContactResponse_V2_imAddresses_def" /><string name="ContactResponse_V2_jobTitle_def"
/><string name="ContactResponse_V2_companyName_def" /><string
name="ContactResponse_V2_department_def" /><string
name="ContactResponse_V2_officeLocation_def" /><string
name="ContactResponse_V2_profession_def" /><string
name="ContactResponse_V2_businessHomePage_def" /><string
name="ContactResponse_V2_assistantName_def" /><string
name="ContactResponse_V2_manager_def" /><string
name="ContactResponse_V2_homePhones_def_items_def" /><array type="string"
name="ContactResponse_V2_homePhones_def" /><string
name="ContactResponse_V2_businessPhones_def_items_def" /><array type="string"
name="ContactResponse_V2_businessPhones_def" /><string
name="ContactResponse_V2_mobilePhone_def" /><string

name="ContactResponse_V2_yomiCompanyName_def" /><string
name="ContactResponse_V2_yomiGivenName_def" /><string
name="ContactResponse_V2_yomiSurname_def" /><string
name="ContactResponse_V2_categories_def_items_def" /><array type="string"
name="ContactResponse_V2_categories_def" /><string name="ContactResponse_V2_changeKey_def"
/><dateTimeString name="ContactResponse_V2_createdDateTime_def" /><dateTimeString
name="ContactResponse_V2_lastModifiedDateTime_def" /><object
name="ContactResponse_V2"><property name="id" type="string" /><property name="parentFolderId"
type="string" /><property name="birthday" typeRef="ContactResponse_V2_birthday_def" /><property
name="fileAs" type="string" /><property name="displayName" type="string" /><property
name="givenName" type="string" /><property name="initials" type="string" /><property
name="middleName" type="string" /><property name="nickName" type="string" /><property
name="surname" type="string" /><property name="title" type="string" /><property name="generation"
type="string" /><property name="emailAddresses"
typeRef="ContactResponse_V2_emailAddresses_def" /><property name="imAddresses"
typeRef="ContactResponse_V2_imAddresses_def" /><property name="jobTitle" type="string"
/><property name="companyName" type="string" /><property name="department" type="string"
/><property name="officeLocation" type="string" /><property name="profession" type="string"
/><property name="businessHomePage" type="string" /><property name="assistantName"
type="string" /><property name="manager" type="string" /><property name="homePhones"
typeRef="ContactResponse_V2_homePhones_def" /><property name="businessPhones"
typeRef="ContactResponse_V2_businessPhones_def" /><property name="mobilePhone" type="string"
/><property name="homeAddress" typeRef="PhysicalAddress_V2" /><property
name="businessAddress" typeRef="PhysicalAddress_V2" /><property name="otherAddress"
typeRef="PhysicalAddress_V2" /><property name="yomiCompanyName" type="string" /><property
name="yomiGivenName" type="string" /><property name="yomiSurname" type="string" /><property
name="categories" typeRef="ContactResponse_V2_categories_def" /><property name="changeKey"
type="string" /><property name="createdDateTime"
typeRef="ContactResponse_V2_createdDateTime_def" /><property name="lastModifiedDateTime"
typeRef="ContactResponse_V2_lastModifiedDateTime_def" /></object><untypedObject
name="ObjectWithoutType" /><array typeRef="ClientReceiveMessageStringEnums"
name="GetEmails_responses_200_def" /><string name="GetAttachment_responses_200_def"
/><string name="ExportEmail_responses_200_def" /><string
name="ExportEmail_V2_responses_200_def" /><boolean
name="MarkAsRead_V2_param_body_def_isRead_def" /><object
name="MarkAsRead_V2_param_body_def"><property name="isRead" type="boolean"
/></object><boolean name="MarkAsRead_V3_param_body_def_isRead_def" /><object
name="MarkAsRead_V3_param_body_def"><property name="isRead" type="boolean"
/></object><string name="GetAttachment_V2_responses_200_def_id_def" /><string
name="GetAttachment_V2_responses_200_def_name_def" /><string
name="GetAttachment_V2_responses_200_def_contentType_def" /><integer
name="GetAttachment_V2_responses_200_def_size_def" /><base64Binary
name="GetAttachment_V2_responses_200_def_contentBytes_def" /><boolean
name="GetAttachment_V2_responses_200_def_isInline_def" /><dateTimeString
name="GetAttachment_V2_responses_200_def_lastModifiedDateTime_def" /><string
name="GetAttachment_V2_responses_200_def_contentId_def" /><object
name="GetAttachment_V2_responses_200_def"><property name="id" type="string" /><property
name="name" type="string" /><property name="contentType" type="string" /><property name="size"
type="integer" /><property name="contentBytes"
typeRef="GetAttachment_V2_responses_200_def_contentBytes_def" /><property name="isInline"
type="boolean" /><property name="lastModifiedDateTime"
typeRef="GetAttachment_V2_responses_200_def_lastModifiedDateTime_def" /><property
name="contentId" type="string" /></object><string
name="GetRoomLists_responses_200_def_value_def_items_def_Name_def" /><string
name="GetRoomLists_responses_200_def_value_def_items_def_Address_def" /><object

name="GetRoomLists_responses_200_def_value_def_items_def"><property name="Name"
type="string" /><property name="Address" type="string" /></object><array
typeRef="GetRoomLists_responses_200_def_value_def_items_def"
name="GetRoomLists_responses_200_def_value_def" /><object
name="GetRoomLists_responses_200_def"><property name="value"
typeRef="GetRoomLists_responses_200_def_value_def" /></object><string
name="GetRoomLists_V2_responses_200_def_value_def_items_def_name_def" /><string
name="GetRoomLists_V2_responses_200_def_value_def_items_def_address_def" /><object
name="GetRoomLists_V2_responses_200_def_value_def_items_def"><property name="name"
type="string" /><property name="address" type="string" /></object><array
typeRef="GetRoomLists_V2_responses_200_def_value_def_items_def"
name="GetRoomLists_V2_responses_200_def_value_def" /><object
name="GetRoomLists_V2_responses_200_def"><property name="value"
typeRef="GetRoomLists_V2_responses_200_def_value_def" /></object><string
name="GetRooms_responses_200_def_value_def_items_def_Name_def" /><string
name="GetRooms_responses_200_def_value_def_items_def_Address_def" /><object
name="GetRooms_responses_200_def_value_def_items_def"><property name="Name" type="string"
/><property name="Address" type="string" /></object><array
typeRef="GetRooms_responses_200_def_value_def_items_def"
name="GetRooms_responses_200_def_value_def" /><object
name="GetRooms_responses_200_def"><property name="value"
typeRef="GetRooms_responses_200_def_value_def" /></object><string
name="GetRooms_V2_responses_200_def_value_def_items_def_name_def" /><string
name="GetRooms_V2_responses_200_def_value_def_items_def_address_def" /><object
name="GetRooms_V2_responses_200_def_value_def_items_def"><property name="name"
type="string" /><property name="address" type="string" /></object><array
typeRef="GetRooms_V2_responses_200_def_value_def_items_def"
name="GetRooms_V2_responses_200_def_value_def" /><object
name="GetRooms_V2_responses_200_def"><property name="value"
typeRef="GetRooms_V2_responses_200_def_value_def" /></object><string
name="GetRoomsInRoomList_responses_200_def_value_def_items_def_Name_def" /><string
name="GetRoomsInRoomList_responses_200_def_value_def_items_def_Address_def" /><object
name="GetRoomsInRoomList_responses_200_def_value_def_items_def"><property name="Name"
type="string" /><property name="Address" type="string" /></object><array
typeRef="GetRoomsInRoomList_responses_200_def_value_def_items_def"
name="GetRoomsInRoomList_responses_200_def_value_def" /><object
name="GetRoomsInRoomList_responses_200_def"><property name="value"
typeRef="GetRoomsInRoomList_responses_200_def_value_def" /></object><string
name="GetRoomsInRoomList_V2_responses_200_def_value_def_items_def_name_def" /><string
name="GetRoomsInRoomList_V2_responses_200_def_value_def_items_def_address_def" /><object
name="GetRoomsInRoomList_V2_responses_200_def_value_def_items_def"><property name="name"
type="string" /><property name="address" type="string" /></object><array
typeRef="GetRoomsInRoomList_V2_responses_200_def_value_def_items_def"
name="GetRoomsInRoomList_V2_responses_200_def_value_def" /><object
name="GetRoomsInRoomList_V2_responses_200_def"><property name="value"
typeRef="GetRoomsInRoomList_V2_responses_200_def_value_def" /></object><string
name="FindMeetingTimes_param_body_def_RequiredAttendees_def" /><string
name="FindMeetingTimes_param_body_def_OptionalAttendees_def" /><string
name="FindMeetingTimes_param_body_def_ResourceAttendees_def" /><integer
name="FindMeetingTimes_param_body_def_MeetingDuration_def" /><dateTimeString
name="FindMeetingTimes_param_body_def_Start_def" /><dateTimeString
name="FindMeetingTimes_param_body_def_End_def" /><integer
name="FindMeetingTimes_param_body_def_MaxCandidates_def" /><string
name="FindMeetingTimes_param_body_def_MinimumAttendeePercentage_def" /><boolean
name="FindMeetingTimes_param_body_def_IsOrganizerOptional_def" /><string

name="FindMeetingTimes_param_body_def_ActivityDomain_def" /><object
name="FindMeetingTimes_param_body_def"><property name="RequiredAttendees" type="string"
/><property name="OptionalAttendees" type="string" /><property name="ResourceAttendees"
type="string" /><property name="MeetingDuration" type="integer" /><property name="Start"
typeRef="FindMeetingTimes_param_body_def_Start_def" /><property name="End"
typeRef="FindMeetingTimes_param_body_def_End_def" /><property name="MaxCandidates"
type="integer" /><property name="MinimumAttendeePercentage" type="string" /><property
name="IsOrganizerOptional" type="boolean" /><property name="ActivityDomain" type="string"
/></object><string name="FindMeetingTimes_responses_200_def_EmptySuggestionsReason_def"
/><object name="FindMeetingTimes_responses_200_def"><property
name="EmptySuggestionsReason" type="string" /><property name="MeetingTimeSuggestions"
typeRef="MeetingTimeSuggestions" /></object><string
name="FindMeetingTimes_V2_param_body_def_RequiredAttendees_def" /><string
name="FindMeetingTimes_V2_param_body_def_OptionalAttendees_def" /><string
name="FindMeetingTimes_V2_param_body_def_ResourceAttendees_def" /><integer
name="FindMeetingTimes_V2_param_body_def_MeetingDuration_def" /><dateTimeString
name="FindMeetingTimes_V2_param_body_def_Start_def" /><dateTimeString
name="FindMeetingTimes_V2_param_body_def_End_def" /><integer
name="FindMeetingTimes_V2_param_body_def_MaxCandidates_def" /><string
name="FindMeetingTimes_V2_param_body_def_MinimumAttendeePercentage_def" /><boolean
name="FindMeetingTimes_V2_param_body_def_IsOrganizerOptional_def" /><string
name="FindMeetingTimes_V2_param_body_def_ActivityDomain_def" /><object
name="FindMeetingTimes_V2_param_body_def"><property name="RequiredAttendees" type="string"
/><property name="OptionalAttendees" type="string" /><property name="ResourceAttendees"
type="string" /><property name="MeetingDuration" type="integer" /><property name="Start"
typeRef="FindMeetingTimes_V2_param_body_def_Start_def" /><property name="End"
typeRef="FindMeetingTimes_V2_param_body_def_End_def" /><property name="MaxCandidates"
type="integer" /><property name="MinimumAttendeePercentage" type="string" /><property
name="IsOrganizerOptional" type="boolean" /><property name="ActivityDomain" type="string"
/></object><string name="FindMeetingTimes_V2_responses_200_def_emptySuggestionsReason_def"
/><object name="FindMeetingTimes_V2_responses_200_def"><property
name="emptySuggestionsReason" type="string" /><property name="meetingTimeSuggestions"
typeRef="MeetingTimeSuggestions_V2" /></object><object
name="SetAutomaticRepliesSetting_V2_param_body_def"><property name="automaticRepliesSetting"
typeRef="AutomaticRepliesSettingClient_V2" /></object><object
name="SetAutomaticRepliesSetting_V2_responses_200_def"><property
name="automaticRepliesSetting" typeRef="AutomaticRepliesSettingClient_V2" /></object><string
name="GetMailTips_V2_param_body_def_MailTipsOptions_def" /><string
name="GetMailTips_V2_param_body_def_EmailAddresses_def_items_def" /><array type="string"
name="GetMailTips_V2_param_body_def_EmailAddresses_def" /><object
name="GetMailTips_V2_param_body_def"><property name="MailTipsOptions" type="string"
/><property name="EmailAddresses"
typeRef="GetMailTips_V2_param_body_def_EmailAddresses_def" /></object><array
typeRef="MailTipsClientReceive_V2" name="GetMailTips_V2_responses_200_def_value_def" /><object
name="GetMailTips_V2_responses_200_def"><property name="value"
typeRef="GetMailTips_V2_responses_200_def_value_def" /></object><string
name="CalendarGetTables_V2_responses_200_def_value_def_items_def_id_def" /><string
name="CalendarGetTables_V2_responses_200_def_value_def_items_def_name_def" /><object
name="CalendarGetTables_V2_responses_200_def_value_def_items_def"><property name="id"
type="string" /><property name="name" type="string" /><property name="owner"
typeRef="EmailAddress_V2" /></object><array
typeRef="CalendarGetTables_V2_responses_200_def_value_def_items_def"
name="CalendarGetTables_V2_responses_200_def_value_def" /><object
name="CalendarGetTables_V2_responses_200_def"><property name="value"
typeRef="CalendarGetTables_V2_responses_200_def_value_def" /></object><string

name="UpdateMyContactPhoto_param_body_def" /><string name="HttpRequest_param_Body_def" /></jsonTypes></grammars><resources siena:authenticationProviderHref="#PowerAppAuth" base="https://usa002-004.azure-apihub.net/apim/office365"><resource path="/{connectionId}/Events/CalendarView"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetEventsCalendarView" actionName="GetEventsCalendarView" siena:isDeprecated="true" siena:family="GetEventsCalendarView" siena:revision="1" siena:status="Production"><doc title="Get calendar view of events
Get calendar view of events." /><request><param style="query" name="calendarId" type="xs:string" required="true"><doc title="Select a calendar." /></param><param style="query" name="startDateTimeOffset" type="xs:string" required="true"><doc title="Start time (example: '2017-01-01T08:00:00-07:00')." /></param><param style="query" name="endDateTimeOffset" type="xs:string" required="true"><doc title="End time (example: '2017-02-01T08:00:00-07:00')." /></param></request><response><representation mediaType="application/json" element="service:PaginatedListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D_" /></response></method></resource><resource path="/{connectionId}/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetEmails" actionName="GetEmails" visibility="advanced" siena:isDeprecated="true" siena:family="GetEmails" siena:revision="1" siena:status="Production"><doc title="Get emails
This operation gets emails from a folder." /><request><param style="query" name="folderPath" type="xs:string" default="Inbox"><doc title="Mail folder to retrieve emails from (default: 'Inbox')." /></param><param style="query" name="fetchOnlyUnread" type="xs:boolean" default="true"><doc title="Retrieve only unread emails?." /></param><param style="query" name="includeAttachments" type="xs:boolean" default="false"><doc title="If set to true, attachments content will also be retrieved along with the email." /></param><param style="query" name="searchQuery" type="xs:string"><doc title="Search query (like in the Outlook client) to filter emails." /></param><param style="query" name="top" type="xs:int" default="10"><doc title="Number of emails to retrieve (default: 10)." /></param><param style="query" name="skip" type="xs:int" default="0"><doc title="Number of emails to skip (default: 0)." /></param></request><response><representation mediaType="application/json" element="service:GetEmails_responses_200_def" /></response></method></resource><resource path="/{connectionId}/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SendEmail" actionName="SendEmail" visibility="important" siena:isDeprecated="true" siena:family="SendEmail" siena:revision="1" siena:status="Production"><doc title="Send an email
This operation sends an email message." /><request><representation mediaType="application/json"><param style="plain" name="From" path="/From" type="xs:string" /><param style="plain" name="Cc" path="/Cc" type="xs:string" /><param style="plain" name="Bcc" path="/Bcc" type="xs:string" /><param style="plain" name="To" path="/To" type="xs:string" required="true" /><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Body" path="/Body" type="xs:string" required="true" /><param style="plain" name="Attachments" path="/Attachments" type="service:ClientSendMessage_Attachments_def" /><param style="plain" name="Sensitivity" path="/Sensitivity" type="xs:string" /><param style="plain" name="ReplyTo" path="/ReplyTo" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string" default="Normal"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsHtml" path="/IsHtml" type="xs:boolean" /></representation></request></method></resource><resource path="/{connectionId}/v2/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetEmailsV2" actionName="GetEmailsV2" visibility="advanced" siena:isDeprecated="true" siena:family="GetEmails" siena:revision="2" siena:status="Preview"><doc title="Get emails (V2)
This operation gets emails from a folder." /><request><param style="query" name="folderPath" type="xs:string" default="Inbox"><doc title="Mail folder to retrieve emails from (default: 'Inbox')." /></param><param style="query" name="to" type="xs:string"><doc title="Recipient email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="cc"

type="xs:string"><doc title="CC recipient email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="toOrCc" type="xs:string"><doc title="To or CC recipient email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="from" type="xs:string"><doc title="Sender email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="importance" type="xs:string" default="Any"><doc title="Importance of the email (Any, High, Normal, Low)." /><option value="Any" /><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="query" name="fetchOnlyWithAttachment" type="xs:boolean" default="false"><doc title="If set to true, only emails with an attachment will be retrieved. Emails without any attachments will be skipped. If set to false, all emails will be retrieved." /></param><param style="query" name="subjectFilter" type="xs:string"><doc title="String to look for in the subject line." /></param><param style="query" name="fetchOnlyUnread" type="xs:boolean" default="true"><doc title="Retrieve only unread emails?." /></param><param style="query" name="fetchOnlyFlagged" type="xs:boolean" default="false"><doc title="Retrieve only flagged emails?." /></param><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to retrieve mails from." /></param><param style="query" name="includeAttachments" type="xs:boolean" default="false"><doc title="If set to true, attachments content will also be retrieved along with the email." /></param><param style="query" name="searchQuery" type="xs:string"><doc title="Search query (like in the Outlook client) to filter emails." /></param><param style="query" name="top" type="xs:int" default="10"><doc title="Number of emails to retrieve (default: 10)." /></param></request><response><representation mediaType="application/json" element="service:BatchResponse_ux5B_ClientReceiveMessage_ux5D_" /></response></method></resource><resource path="/{connectionId}/v2/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SendEmailV2" actionName="SendEmailV2" visibility="important" siena:isDeprecated="false" siena:family="SendEmail" siena:revision="2" siena:status="Production"><doc title="Send an email (V2)
This operation sends an email message." /><request><representation mediaType="application/json"><param style="plain" name="To" path="/To" type="xs:string" required="true" /><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Body" path="/Body" type="xs:string" required="true" /><param style="plain" name="From" path="/From" type="xs:string" /><param style="plain" name="Cc" path="/Cc" type="xs:string" /><param style="plain" name="Bcc" path="/Bcc" type="xs:string" /><param style="plain" name="Attachments" path="/Attachments" type="service:ClientSendHtmlMessage_Attachments_def" /><param style="plain" name="Sensitivity" path="/Sensitivity" type="xs:string" /><param style="plain" name="ReplyTo" path="/ReplyTo" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string" default="Normal"><option value="Low" /><option value="Normal" /><option value="High" /></param></representation></request></method></resource><resource path="/{connectionId}/Mail/{messageId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email." /></param><method siena:requiresAuthentication="true" name="GET" id="GetEmail" actionName="GetEmail" visibility="advanced" siena:isDeprecated="true" siena:family="GetEmail" siena:revision="1" siena:status="Production"><doc title="Get email
This operation gets an email by id." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to retrieve mail from." /></param><param style="query" name="includeAttachments" type="xs:boolean" default="false"><doc title="If set to true, attachments content will also be retrieved along with the email." /></param><param style="query" name="internetMessageId" type="xs:string"><doc title="Internet Message Id." /></param></request><response><representation mediaType="application/json" element="service:ClientReceiveMessage" /></response></method></resource><resource path="/{connectionId}/Mail/{messageId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to delete." /></param><method siena:requiresAuthentication="true" name="DELETE" id="DeleteEmail" actionName="DeleteEmail" visibility="advanced" siena:isDeprecated="true" siena:family="DeleteEmail" siena:revision="1"

siena:status="Production"><doc title="Delete email
This operation deletes an email by id." /><request /></method></resource><resource path="/{connectionId}/v2/Mail/{messageId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email." /></param><method siena:requiresAuthentication="true" name="GET" id="GetEmailV2" actionName="GetEmailV2" visibility="advanced" siena:isDeprecated="false" siena:family="GetEmail" siena:revision="2" siena:status="Production"><doc title="Get email (V2)
This operation gets an email by id." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to retrieve mail from." /></param><param style="query" name="includeAttachments" type="xs:boolean" default="false"><doc title="If set to true, attachments content will also be retrieved along with the email." /></param><param style="query" name="internetMessageId" type="xs:string"><doc title="Internet Message Id." /></param></request><response><representation mediaType="application/json" element="service:GraphClientReceiveMessage" /></response></method></resource><resource path="/{connectionId}/v3/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetEmailsV3" actionName="GetEmailsV3" visibility="advanced" siena:isDeprecated="false" siena:family="GetEmails" siena:revision="3" siena:status="Production"><doc title="Get emails (V3)
This operation gets emails from a folder via graph apis. Please note that filtering related to these fields: To, Cc, To Or Cc, From, Importance, Fetch Only With Attachments, Subject Filter, is performed using first 250 items in a given mail folder. To avoid that limitation you can use 'Search Query' field." /><request><param style="query" name="folderPath" type="xs:string" default="Inbox"><doc title="Mail folder to retrieve emails from (default: 'Inbox')." /></param><param style="query" name="to" type="xs:string"><doc title="Recipient email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="cc" type="xs:string"><doc title="CC recipient email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="toOrCc" type="xs:string"><doc title="To or CC recipient email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="from" type="xs:string"><doc title="Sender email addresses separated by semicolons (If any match, the trigger will run)." /></param><param style="query" name="importance" type="xs:string" default="Any"><doc title="Importance of the email (Any, High, Normal, Low)." /><option value="Any" /><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="query" name="fetchOnlyWithAttachment" type="xs:boolean" default="false"><doc title="If set to true, only emails with an attachment will be retrieved. Emails without any attachments will be skipped. If set to false, all emails will be retrieved." /></param><param style="query" name="subjectFilter" type="xs:string"><doc title="String to look for in the subject line." /></param><param style="query" name="fetchOnlyUnread" type="xs:boolean" default="true"><doc title="Retrieve only unread emails?." /></param><param style="query" name="fetchOnlyFlagged" type="xs:boolean" default="false"><doc title="Retrieve only flagged emails?." /></param><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to retrieve mails from." /></param><param style="query" name="includeAttachments" type="xs:boolean" default="false"><doc title="If set to true, attachments content will also be retrieved along with the email." /></param><param style="query" name="searchQuery" type="xs:string"><doc title="Search query to filter emails. How to use '$search' parameter please refer to: https://docs.microsoft.com/graph/query-parameters#search-parameter." /></param><param style="query" name="top" type="xs:int" default="10"><doc title="Number of emails to retrieve (default: 10, max: 25)." /></param></request><response><representation mediaType="application/json" element="service:BatchResponse_ux5B_GraphClientReceiveMessage_ux5D_" /></response></method></resource><resource path="/{connectionId}/Mail/Move/{messageId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to be moved." /></param><method siena:requiresAuthentication="true" name="POST" id="Move" actionName="Move" visibility="advanced" siena:isDeprecated="true" siena:family="Move" siena:revision="1" siena:status="Preview"><doc title="Move email
This operation moves an email to the specified folder within the same mailbox." /><request><param style="query" name="folderPath" type="xs:string"

required="true"><doc title="Mail folder to move the email to."
/></param></request><response><representation mediaType="application/json"
element="service:ClientReceiveMessageStringEnums" /></response></method></resource><resource
path="/{connectionId}/v2/Mail/Move/{messageId}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string"
required="true"><doc title="Id of the email to be moved." /></param><method
siena:requiresAuthentication="true" name="POST" id="MoveV2" actionName="MoveV2"
visibility="advanced" siena:isDeprecated="false" siena:family="Move" siena:revision="2"
siena:status="Production"><doc title="Move email (V2)
This operation moves an email to the
specified folder within the same mailbox." /><request><param style="query" name="folderPath"
type="xs:string" required="true"><doc title="Mail folder to move the email to." /></param><param
style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to
move mail from." /></param></request><response><representation mediaType="application/json"
element="service:GraphClientReceiveMessage" /></response></method></resource><resource
path="/{connectionId}/Mail/Flag/{messageId}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string"
required="true"><doc title="Id of the email to be flagged." /></param><method
siena:requiresAuthentication="true" name="POST" id="Flag" actionName="Flag" visibility="advanced"
siena:isDeprecated="true" siena:family="Flag" siena:revision="1" siena:status="Preview"><doc
title="Flag email
This operation flags an email." /><request /></method></resource><resource
path="/{connectionId}/Mail/MarkAsRead/{messageId}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string"
required="true"><doc title="Id of the email to be marked as read." /></param><method
siena:requiresAuthentication="true" name="POST" id="MarkAsRead" actionName="MarkAsRead"
visibility="advanced" siena:isDeprecated="true" siena:family="MarkAsRead" siena:revision="1"
siena:status="Production"><doc title="Mark as read
This operation marks an email as having been
read." /><request /></method></resource><resource
path="/{connectionId}/Mail/ReplyTo/{messageId}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string"
required="true"><doc title="Id of the email to reply to." /></param><method
siena:requiresAuthentication="true" name="POST" id="ReplyTo" actionName="ReplyTo"
siena:isDeprecated="true" siena:family="ReplyTo" siena:revision="1" siena:status="Production"><doc
title="Reply to email
This operation replies to an email." /><request><param style="query"
name="comment" type="xs:string" required="true"><doc title="Reply comment." /></param><param
style="query" name="replyAll" type="xs:boolean" default="false"><doc title="Reply to all recipients."
/></param></request></method></resource><resource
path="/{connectionId}/v2/Mail/ReplyTo/{messageId}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string"
required="true"><doc title="Id of the email to reply to." /></param><method
siena:requiresAuthentication="true" name="POST" id="ReplyToV2" actionName="ReplyToV2"
siena:isDeprecated="true" siena:family="ReplyTo" siena:revision="2" siena:status="Production"><doc
title="Reply to email (V2)
This operation replies to an email." /><request><param style="query"
name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to reply from."
/></param><representation mediaType="application/json"><param style="plain" name="To"
path="/To" type="xs:string" /><param style="plain" name="Cc" path="/Cc" type="xs:string" /><param
style="plain" name="Bcc" path="/Bcc" type="xs:string" /><param style="plain" name="Subject"
path="/Subject" type="xs:string" /><param style="plain" name="Body" path="/Body" type="xs:string"
/><param style="plain" name="ReplyAll" path="/ReplyAll" type="xs:boolean" /><param style="plain"
name="IsHtml" path="/IsHtml" type="xs:boolean" /><param style="plain" name="Importance"
path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option
value="High" /></param><param style="plain" name="Attachments" path="/Attachments"
type="service:ReplyMessage_Attachments_def"
/></representation></request></method></resource><resource
path="/{connectionId}/v3/Mail/ReplyTo/{messageId}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string"

required="true"><doc title="Id of the email to reply to." /></param><method siena:requiresAuthentication="true" name="POST" id="ReplyToV3" actionName="ReplyToV3" siena:isDeprecated="false" siena:family="ReplyTo" siena:revision="3" siena:status="Production"><doc title="Reply to email (V3)
This operation replies to an email." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to reply from." /></param><representation mediaType="application/json"><param style="plain" name="To" path="/To" type="xs:string" /><param style="plain" name="Cc" path="/Cc" type="xs:string" /><param style="plain" name="Bcc" path="/Bcc" type="xs:string" /><param style="plain" name="Subject" path="/Subject" type="xs:string" /><param style="plain" name="Body" path="/Body" type="xs:string" /><param style="plain" name="ReplyAll" path="/ReplyAll" type="xs:boolean" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="Attachments" path="/Attachments" type="service:ReplyHtmlMessage_Attachments_def" /></representation></request></method></resource><resource path="/{connectionId}/Mail/{messageId}/Attachments/{attachmentId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email." /></param><param style="template" name="attachmentId" type="xs:string" required="true"><doc title="Id of the attachment to download." /></param><method siena:requiresAuthentication="true" name="GET" id="GetAttachment" actionName="GetAttachment" visibility="advanced" siena:isDeprecated="true" siena:family="GetAttachment" siena:revision="1" siena:status="Production"><doc title="Get attachment
This operation gets an email attachment by id." /><request /><response><representation mediaType="application/octet-stream" /></response></method></resource><resource path="/{connectionId}/AutomaticRepliesSetting"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SetAutomaticRepliesSetting" actionName="SetAutomaticRepliesSetting" siena:isDeprecated="true" siena:family="SetAutomaticRepliesSetting" siena:revision="1" siena:status="Production"><doc title="Set up automatic replies
Set the automatic replies setting for your mailbox." /><request><representation mediaType="application/json"><param style="plain" name="Status" path="/Status" type="xs:string" required="true" default="Scheduled"><option value="Disabled" /><option value="AlwaysEnabled" /><option value="Scheduled" /></param><param style="plain" name="ExternalAudience" path="/ExternalAudience" type="xs:string" required="true" default="None"><option value="None" /><option value="ContactsOnly" /><option value="All" /></param><param style="plain" name="ScheduledStartDateTimeOffset" path="/ScheduledStartDateTimeOffset" type="xs:string" /><param style="plain" name="ScheduledEndDateTimeOffset" path="/ScheduledEndDateTimeOffset" type="xs:string" /><param style="plain" name="InternalReplyMessage" path="/InternalReplyMessage" type="xs:string" /><param style="plain" name="ExternalReplyMessage" path="/ExternalReplyMessage" type="xs:string" /></representation></request></method></resource><resource path="/{connectionId}/MailTips"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetMailTips" actionName="GetMailTips" siena:isDeprecated="true" siena:family="GetMailTips" siena:revision="1" siena:status="Production"><doc title="Get mail tips for a mailbox
Get mail tips for a mailbox such as automatic replies / OOF message or if the mailbox is full." /><request><param style="query" name="mailboxAddress" type="xs:string" required="true"><doc title="Address of the mailbox to get mail tips for." /></param></request><response><representation mediaType="application/json" element="service:MailTipsClientReceive" /></response></method></resource><resource path="/{connectionId}/mailwithoptions/$subscriptions"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SendMailWithOptions" actionName="SendMailWithOptions" visibility="advanced" siena:isDeprecated="false"><doc title="Send email with options
This operation sends an email with multiple options and waits for the recipient to respond back with one of the options. Please refer to the following link regarding the support of actionable messages in different mail clients: https://docs.microsoft.com/outlook/actionable-messages/#outlook-version-requirements-for-

actionable-messages." /><request><representation mediaType="application/json"><param style="plain" name="NotificationUrl" path="/NotificationUrl" type="xs:string" required="true" /><param style="plain" name="Message" path="/Message" type="service:MessageWithOptions" required="true" /></representation></request><response><representation mediaType="application/json" element="service:SubscriptionResponse" /></response></method></resource><resource path="/{connectionId}/approvalmail/$subscriptions"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SendApprovalMail" actionName="SendApprovalMail" visibility="important" siena:isDeprecated="false"><doc title="Send approval email
This operation sends an approval email and waits for a response from the recipient. Please refer to the following link regarding the support of actionable messages in different mail clients: https://docs.microsoft.com/outlook/actionable-messages/#outlook-version-requirements-for-actionable-messages." /><request><representation mediaType="application/json"><param style="plain" name="NotificationUrl" path="/NotificationUrl" type="xs:string" required="true" /><param style="plain" name="Message" path="/Message" type="service:ApprovalMessage" required="true" /></representation></request><response><representation mediaType="application/json" element="service:SubscriptionResponse" /></response></method></resource><resource path="/{connectionId}/SharedMailbox/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SharedMailboxSendEmail" actionName="SharedMailboxSendEmail" siena:isDeprecated="true" siena:family="SharedMailboxSendEmail" siena:revision="1" siena:status="Preview"><doc title="Send an email from a shared mailbox
This operation sends an email from a shared mailbox. Your account should have permission to access the mailbox for this operation to succeed." /><request><representation mediaType="application/json"><param style="plain" name="MailboxAddress" path="/MailboxAddress" type="xs:string" required="true" /><param style="plain" name="To" path="/To" type="xs:string" required="true" /><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Body" path="/Body" type="xs:string" required="true" /><param style="plain" name="Cc" path="/Cc" type="xs:string" /><param style="plain" name="Bcc" path="/Bcc" type="xs:string" /><param style="plain" name="Attachments" path="/Attachments" type="service:SharedMailboxClientSendMessage_Attachments_def" /><param style="plain" name="Sensitivity" path="/Sensitivity" type="xs:string" /><param style="plain" name="ReplyTo" path="/ReplyTo" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string" default="Normal"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsHtml" path="/IsHtml" type="xs:boolean" /></representation></request></method></resource><resource path="/{connectionId}/v2/SharedMailbox/Mail"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="SharedMailboxSendEmailV2" actionName="SharedMailboxSendEmailV2" siena:isDeprecated="false" siena:family="SharedMailboxSendEmail" siena:revision="2" siena:status="Production"><doc title="Send an email from a shared mailbox (V2)
This operation sends an email from a shared mailbox. Your account should have permission to access the mailbox for this operation to succeed." /><request><representation mediaType="application/json"><param style="plain" name="MailboxAddress" path="/MailboxAddress" type="xs:string" required="true" /><param style="plain" name="To" path="/To" type="xs:string" required="true" /><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Body" path="/Body" type="xs:string" required="true" /><param style="plain" name="Cc" path="/Cc" type="xs:string" /><param style="plain" name="Bcc" path="/Bcc" type="xs:string" /><param style="plain" name="Attachments" path="/Attachments" type="service:SharedMailboxClientSendHtmlMessage_Attachments_def" /><param style="plain" name="Sensitivity" path="/Sensitivity" type="xs:string" /><param style="plain" name="ReplyTo" path="/ReplyTo" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string" default="Normal"><option value="Low" /><option value="Normal" /><option value="High" /></param></representation></request></method></resource><resource path="/{connectionId}/datasets/calendars/tables"><param style="template" name="connectionId"

type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="CalendarGetTables" actionName="CalendarGetTables" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarGetTables" siena:revision="1" siena:status="Production"><doc title="Get calendars
This operation lists available calendars." /><request /><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_Table_ux5D_" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="GET" id="CalendarGetItems" actionName="CalendarGetItems" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarGetItems" siena:revision="1" siena:status="Production"><doc title="Get events (V1)
This operation gets events from a calendar. (V1)" /><request><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param></request><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_CalendarEventBackend_ux5D_" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="POST" id="CalendarPostItem" actionName="CalendarPostItem" visibility="important" siena:isDeprecated="true" siena:family="CalendarPostItem" siena:revision="1" siena:status="Production"><doc title="Create event (V1)
This operation creates a new event in a calendar. (V1)" /><request><representation mediaType="application/json"><param style="plain" name="Id" path="/Id" type="xs:string" /><param style="plain" name="Attendees" path="/Attendees" type="service:CalendarEventBackend_Attendees_def" /><param style="plain" name="Body" path="/Body" type="service:ItemBody" /><param style="plain" name="BodyPreview" path="/BodyPreview" type="xs:string" /><param style="plain" name="Categories" path="/Categories" type="service:CalendarEventBackend_Categories_def" /><param style="plain" name="ChangeKey" path="/ChangeKey" type="xs:string" /><param style="plain" name="DateTimeCreated" path="/DateTimeCreated" type="service:CalendarEventBackend_DateTimeCreated_def" /><param style="plain" name="DateTimeLastModified" path="/DateTimeLastModified" type="service:CalendarEventBackend_DateTimeLastModified_def" /><param style="plain" name="End" path="/End" type="service:CalendarEventBackend_End_def" required="true" /><param style="plain" name="EndTimeZone" path="/EndTimeZone" type="xs:string" /><param style="plain" name="HasAttachments" path="/HasAttachments" type="xs:boolean" /><param style="plain" name="ICalUId" path="/ICalUId" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsAllDay" path="/IsAllDay" type="xs:boolean" /><param style="plain" name="IsCancelled" path="/IsCancelled" type="xs:boolean" /><param style="plain" name="IsOrganizer" path="/IsOrganizer" type="xs:boolean" /><param style="plain" name="Location" path="/Location" type="service:Location" /><param style="plain" name="Organizer" path="/Organizer" type="service:Recipient" /><param style="plain" name="Recurrence" path="/Recurrence" type="service:PatternedRecurrence" /><param style="plain" name="Reminder" path="/Reminder" type="xs:int" /><param style="plain" name="ResponseRequested" path="/ResponseRequested" type="xs:boolean" /><param style="plain" name="ResponseStatus" path="/ResponseStatus" type="service:ResponseStatus" /><param style="plain" name="SeriesMasterId" path="/SeriesMasterId" type="xs:string" /><param style="plain" name="ShowAs" path="/ShowAs" type="xs:string"><option value="Free" /><option value="Tentative" /><option value="Busy" /><option value="Oof" /><option value="WorkingElsewhere" /><option

value="Unknown" /></param><param style="plain" name="Start" path="/Start" type="service:CalendarEventBackend_Start_def" required="true" /><param style="plain" name="StartTimeZone" path="/StartTimeZone" type="xs:string" /><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Type" path="/Type" type="xs:string"><option value="SingleInstance" /><option value="Occurrence" /><option value="Exception" /><option value="SeriesMaster" /></param><param style="plain" name="WebLink" path="/WebLink" type="xs:anyURI" siena:dtype="hyperlink" /><param style="plain" name="Reason" path="/Reason" type="xs:string" /></representation></request><response><representation mediaType="application/json" element="service:CalendarEventBackend" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="GET" id="CalendarGetItem" actionName="CalendarGetItem" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarGetItem" siena:revision="1" siena:status="Production"><doc title="Get event (V1)
This operation gets a specific event from a calendar. (V1)" /><request /><response><representation mediaType="application/json" element="service:CalendarEventBackend" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="DELETE" id="CalendarDeleteItem" actionName="CalendarDeleteItem" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarDeleteItem" siena:revision="1" siena:status="Production"><doc title="Delete event
This operation deletes an event in a calendar." /><request /></method></resource><resource path="/{connectionId}/datasets/calendars/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="PATCH" id="CalendarPatchItem" actionName="CalendarPatchItem" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarPatchItem" siena:revision="1" siena:status="Production"><doc title="Update event (V1)
This operation updates an event in a calendar. (V1)" /><request><representation mediaType="application/json"><param style="plain" name="Id" path="/Id" type="xs:string" /><param style="plain" name="Attendees" path="/Attendees" type="service:CalendarEventBackend_Attendees_def" /><param style="plain" name="Body" path="/Body" type="service:ItemBody" /><param style="plain" name="BodyPreview" path="/BodyPreview" type="xs:string" /><param style="plain" name="Categories" path="/Categories" type="service:CalendarEventBackend_Categories_def" /><param style="plain" name="ChangeKey" path="/ChangeKey" type="xs:string" /><param style="plain" name="DateTimeCreated" path="/DateTimeCreated" type="service:CalendarEventBackend_DateTimeCreated_def" /><param style="plain" name="DateTimeLastModified" path="/DateTimeLastModified" type="service:CalendarEventBackend_DateTimeLastModified_def" /><param style="plain" name="End" path="/End" type="service:CalendarEventBackend_End_def" required="true" /><param style="plain" name="EndTimeZone" path="/EndTimeZone" type="xs:string" /><param style="plain" name="HasAttachments" path="/HasAttachments" type="xs:boolean" /><param style="plain" name="ICalUId" path="/ICalUId" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsAllDay" path="/IsAllDay" type="xs:boolean" /><param style="plain" name="IsCancelled" path="/IsCancelled" type="xs:boolean" /><param style="plain" name="IsOrganizer" path="/IsOrganizer" type="xs:boolean" /><param style="plain"

name="Location" path="/Location" type="service:Location" /><param style="plain" name="Organizer" path="/Organizer" type="service:Recipient" /><param style="plain" name="Recurrence" path="/Recurrence" type="service:PatternedRecurrence" /><param style="plain" name="Reminder" path="/Reminder" type="xs:int" /><param style="plain" name="ResponseRequested" path="/ResponseRequested" type="xs:boolean" /><param style="plain" name="ResponseStatus" path="/ResponseStatus" type="service:ResponseStatus" /><param style="plain" name="SeriesMasterId" path="/SeriesMasterId" type="xs:string" /><param style="plain" name="ShowAs" path="/ShowAs" type="xs:string"><option value="Free" /><option value="Tentative" /><option value="Busy" /><option value="Oof" /><option value="WorkingElsewhere" /><option value="Unknown" /></param><param style="plain" name="Start" path="/Start" type="service:CalendarEventBackend_Start_def" required="true" /><param style="plain" name="StartTimeZone" path="/StartTimeZone" type="xs:string" /><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Type" path="/Type" type="xs:string"><option value="SingleInstance" /><option value="Occurrence" /><option value="Exception" /><option value="SeriesMaster" /></param><param style="plain" name="WebLink" path="/WebLink" type="xs:anyURI" siena:dtype="hyperlink" /><param style="plain" name="Reason" path="/Reason" type="xs:string" /></representation></request><response><representation mediaType="application/json" element="service:CalendarEventBackend" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v3/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="GET" id="V3CalendarGetItems" actionName="V3CalendarGetItems" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarGetItems" siena:revision="3" siena:status="Production"><doc title="Get events (V3)
This operation gets events from a calendar. (V3)" /><request><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param></request><response><representation mediaType="application/json" element="service:CalendarEventListClientReceive" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v3/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="POST" id="V3CalendarPostItem" actionName="V3CalendarPostItem" visibility="important" siena:isDeprecated="true" siena:family="CalendarPostItem" siena:revision="3" siena:status="Production"><doc title="Create event (V3)
This operation creates a new event in a calendar." /><request><representation mediaType="application/json"><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Start" path="/Start" type="service:CalendarEventHtmlClient_Start_def" required="true" /><param style="plain" name="End" path="/End" type="service:CalendarEventHtmlClient_End_def" required="true" /><param style="plain" name="TimeZone" path="/TimeZone" type="xs:string"><option value="" /><option value="(UTC-12:00) International Date Line West" /><option value="(UTC-11:00) Coordinated Universal Time-11" /><option value="(UTC-10:00) Aleutian Islands" /><option value="(UTC-10:00) Hawaii" /><option value="(UTC-09:30) Marquesas Islands" /><option value="(UTC-09:00) Alaska" /><option value="(UTC-09:00) Coordinated Universal Time-09" /><option value="(UTC-08:00) Baja California" /><option value="(UTC-08:00) Coordinated Universal Time-08" /><option value="(UTC-08:00) Pacific Time (US & Canada)" /><option value="(UTC-07:00) Arizona" /><option value="(UTC-07:00) Chihuahua, La Paz, Mazatlan" /><option value="(UTC-07:00) Mountain Time (US & Canada)" /><option value="(UTC-06:00) Central America" /><option value="(UTC-06:00) Central Time (US & Canada)" /><option value="(UTC-06:00) Easter Island" /><option value="(UTC-06:00) Guadalajara,

Mexico City, Monterrey" /><option value="(UTC-06:00) Saskatchewan" /><option value="(UTC-05:00) Bogota, Lima, Quito, Rio Branco" /><option value="(UTC-05:00) Chetumal" /><option value="(UTC-05:00) Eastern Time (US & Canada)" /><option value="(UTC-05:00) Haiti" /><option value="(UTC-05:00) Havana" /><option value="(UTC-05:00) Indiana (East)" /><option value="(UTC-04:00) Asuncion" /><option value="(UTC-04:00) Atlantic Time (Canada)" /><option value="(UTC-04:00) Caracas" /><option value="(UTC-04:00) Cuiaba" /><option value="(UTC-04:00) Georgetown, La Paz, Manaus, San Juan" /><option value="(UTC-04:00) Santiago" /><option value="(UTC-04:00) Turks and Caicos" /><option value="(UTC-03:30) Newfoundland" /><option value="(UTC-03:00) Araguaina" /><option value="(UTC-03:00) Brasilia" /><option value="(UTC-03:00) Cayenne, Fortaleza" /><option value="(UTC-03:00) City of Buenos Aires" /><option value="(UTC-03:00) Greenland" /><option value="(UTC-03:00) Montevideo" /><option value="(UTC-03:00) Punta Arenas" /><option value="(UTC-03:00) Saint Pierre and Miquelon" /><option value="(UTC-03:00) Salvador" /><option value="(UTC-02:00) Coordinated Universal Time-02" /><option value="(UTC-02:00) Mid-Atlantic - Old" /><option value="(UTC-01:00) Azores" /><option value="(UTC-01:00) Cabo Verde Is." /><option value="(UTC) Coordinated Universal Time" /><option value="(UTC+00:00) Casablanca" /><option value="(UTC+00:00) Dublin, Edinburgh, Lisbon, London" /><option value="(UTC+00:00) Monrovia, Reykjavik" /><option value="(UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna" /><option value="(UTC+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague" /><option value="(UTC+01:00) Brussels, Copenhagen, Madrid, Paris" /><option value="(UTC+01:00) Sarajevo, Skopje, Warsaw, Zagreb" /><option value="(UTC+01:00) West Central Africa" /><option value="(UTC+01:00) Windhoek" /><option value="(UTC+02:00) Amman" /><option value="(UTC+02:00) Athens, Bucharest" /><option value="(UTC+02:00) Beirut" /><option value="(UTC+02:00) Cairo" /><option value="(UTC+02:00) Chisinau" /><option value="(UTC+02:00) Damascus" /><option value="(UTC+02:00) Gaza, Hebron" /><option value="(UTC+02:00) Harare, Pretoria" /><option value="(UTC+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius" /><option value="(UTC+02:00) Jerusalem" /><option value="(UTC+02:00) Kaliningrad" /><option value="(UTC+02:00) Tripoli" /><option value="(UTC+03:00) Baghdad" /><option value="(UTC+03:00) Istanbul" /><option value="(UTC+03:00) Kuwait, Riyadh" /><option value="(UTC+03:00) Minsk" /><option value="(UTC+03:00) Moscow, St. Petersburg" /><option value="(UTC+03:00) Nairobi" /><option value="(UTC+03:30) Tehran" /><option value="(UTC+04:00) Abu Dhabi, Muscat" /><option value="(UTC+04:00) Astrakhan, Ulyanovsk" /><option value="(UTC+04:00) Baku" /><option value="(UTC+04:00) Izhevsk, Samara" /><option value="(UTC+04:00) Port Louis" /><option value="(UTC+04:00) Saratov" /><option value="(UTC+04:00) Tbilisi" /><option value="(UTC+04:00) Volgograd" /><option value="(UTC+04:00) Yerevan" /><option value="(UTC+04:30) Kabul" /><option value="(UTC+05:00) Ashgabat, Tashkent" /><option value="(UTC+05:00) Ekaterinburg" /><option value="(UTC+05:00) Islamabad, Karachi" /><option value="(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi" /><option value="(UTC+05:30) Sri Jayawardenepura" /><option value="(UTC+05:45) Kathmandu" /><option value="(UTC+06:00) Astana" /><option value="(UTC+06:00) Dhaka" /><option value="(UTC+06:00) Omsk" /><option value="(UTC+06:30) Yangon (Rangoon)" /><option value="(UTC+07:00) Bangkok, Hanoi, Jakarta" /><option value="(UTC+07:00) Barnaul, Gorno-Altaysk" /><option value="(UTC+07:00) Hovd" /><option value="(UTC+07:00) Krasnoyarsk" /><option value="(UTC+07:00) Novosibirsk" /><option value="(UTC+07:00) Tomsk" /><option value="(UTC+08:00) Beijing, Chongqing, Hong Kong, Urumqi" /><option value="(UTC+08:00) Irkutsk" /><option value="(UTC+08:00) Kuala Lumpur, Singapore" /><option value="(UTC+08:00) Perth" /><option value="(UTC+08:00) Taipei" /><option value="(UTC+08:00) Ulaanbaatar" /><option value="(UTC+08:30) Pyongyang" /><option value="(UTC+08:45) Eucla" /><option value="(UTC+09:00) Chita" /><option value="(UTC+09:00) Osaka, Sapporo, Tokyo" /><option value="(UTC+09:00) Seoul" /><option value="(UTC+09:00) Yakutsk" /><option value="(UTC+09:30) Adelaide" /><option value="(UTC+09:30) Darwin" /><option value="(UTC+10:00) Brisbane" /><option value="(UTC+10:00) Canberra, Melbourne, Sydney" /><option value="(UTC+10:00) Guam, Port Moresby" /><option value="(UTC+10:00) Hobart" /><option value="(UTC+10:00) Vladivostok" /><option value="(UTC+10:30) Lord Howe Island" /><option value="(UTC+11:00) Bougainville Island" /><option value="(UTC+11:00) Chokurdakh" /><option value="(UTC+11:00) Magadan" /><option value="(UTC+11:00) Norfolk Island" /><option value="(UTC+11:00) Sakhalin" /><option value="(UTC+11:00) Solomon Is., New Caledonia" /><option value="(UTC+12:00) Anadyr, Petropavlovsk-Kamchatsky" /><option value="(UTC+12:00) Auckland,

Wellington" /><option value="(UTC+12:00) Coordinated Universal Time+12" /><option value="(UTC+12:00) Fiji" /><option value="(UTC+12:00) Petropavlovsk-Kamchatsky - Old" /><option value="(UTC+12:45) Chatham Islands" /><option value="(UTC+13:00) Coordinated Universal Time+13" /><option value="(UTC+13:00) Nuku'alofa" /><option value="(UTC+13:00) Samoa" /><option value="(UTC+14:00) Kiritimati Island" /></param><param style="plain" name="RequiredAttendees" path="/RequiredAttendees" type="xs:string" /><param style="plain" name="OptionalAttendees" path="/OptionalAttendees" type="xs:string" /><param style="plain" name="ResourceAttendees" path="/ResourceAttendees" type="xs:string" /><param style="plain" name="Body" path="/Body" type="xs:string" /><param style="plain" name="Location" path="/Location" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsAllDay" path="/IsAllDay" type="xs:boolean" /><param style="plain" name="Recurrence" path="/Recurrence" type="xs:string"><option value="None" /><option value="Daily" /><option value="Weekly" /><option value="Monthly" /><option value="Yearly" /></param><param style="plain" name="RecurrenceEnd" path="/RecurrenceEnd" type="service:CalendarEventHtmlClient_RecurrenceEnd_def" /><param style="plain" name="NumberOfOccurrences" path="/NumberOfOccurrences" type="xs:int" /><param style="plain" name="Reminder" path="/Reminder" type="xs:int" /><param style="plain" name="ShowAs" path="/ShowAs" type="xs:string"><option value="Free" /><option value="Tentative" /><option value="Busy" /><option value="Oof" /><option value="WorkingElsewhere" /><option value="Unknown" /></param><param style="plain" name="ResponseRequested" path="/ResponseRequested" type="xs:boolean" /></representation></request><response><representation mediaType="application/json" element="service:CalendarEventClientReceiveStringEnums" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v4/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="GET" id="V4CalendarGetItems" actionName="V4CalendarGetItems" visibility="advanced" siena:isDeprecated="false" siena:family="CalendarGetItems" siena:revision="4" siena:status="Production"><doc title="Get events (V4)
This operation gets events from a calendar using Graph API. (V4)" /><request><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param></request><response><representation mediaType="application/json" element="service:GraphCalendarEventListClientReceive" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v4/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="POST" id="V4CalendarPostItem" actionName="V4CalendarPostItem" visibility="important" siena:isDeprecated="false" siena:family="CalendarPostItem" siena:revision="4" siena:status="Production"><doc title="Create event (V4)
This operation creates a new event in a calendar." /><request><representation mediaType="application/json"><param style="plain" name="subject" path="/subject" type="xs:string" required="true" /><param style="plain" name="start" path="/start" type="xs:string" required="true" /><param style="plain" name="end" path="/end" type="xs:string" required="true" /><param style="plain" name="timeZone" path="/timeZone" type="xs:string" required="true"><option value="" /><option value="(UTC-12:00) International Date Line West" /><option value="(UTC-11:00) Coordinated Universal Time-11" /><option value="(UTC-10:00) Aleutian Islands" /><option value="(UTC-10:00) Hawaii" /><option value="(UTC-09:30) Marquesas Islands" /><option value="(UTC-09:00) Alaska" /><option value="(UTC-09:00) Coordinated Universal Time-09" /><option value="(UTC-08:00) Baja California" /><option value="(UTC-08:00) Coordinated Universal Time-08" /><option value="(UTC-

08:00) Pacific Time (US & Canada)" /><option value="(UTC-07:00) Arizona" /><option value="(UTC-07:00) Chihuahua, La Paz, Mazatlan" /><option value="(UTC-07:00) Mountain Time (US & Canada)" /><option value="(UTC-06:00) Central America" /><option value="(UTC-06:00) Central Time (US & Canada)" /><option value="(UTC-06:00) Easter Island" /><option value="(UTC-06:00) Guadalajara, Mexico City, Monterrey" /><option value="(UTC-06:00) Saskatchewan" /><option value="(UTC-05:00) Bogota, Lima, Quito, Rio Branco" /><option value="(UTC-05:00) Chetumal" /><option value="(UTC-05:00) Eastern Time (US & Canada)" /><option value="(UTC-05:00) Haiti" /><option value="(UTC-05:00) Havana" /><option value="(UTC-05:00) Indiana (East)" /><option value="(UTC-04:00) Asuncion" /><option value="(UTC-04:00) Atlantic Time (Canada)" /><option value="(UTC-04:00) Caracas" /><option value="(UTC-04:00) Cuiaba" /><option value="(UTC-04:00) Georgetown, La Paz, Manaus, San Juan" /><option value="(UTC-04:00) Santiago" /><option value="(UTC-04:00) Turks and Caicos" /><option value="(UTC-03:30) Newfoundland" /><option value="(UTC-03:00) Araguaina" /><option value="(UTC-03:00) Brasilia" /><option value="(UTC-03:00) Cayenne, Fortaleza" /><option value="(UTC-03:00) City of Buenos Aires" /><option value="(UTC-03:00) Greenland" /><option value="(UTC-03:00) Montevideo" /><option value="(UTC-03:00) Punta Arenas" /><option value="(UTC-03:00) Saint Pierre and Miquelon" /><option value="(UTC-03:00) Salvador" /><option value="(UTC-02:00) Coordinated Universal Time-02" /><option value="(UTC-02:00) Mid-Atlantic - Old" /><option value="(UTC-01:00) Azores" /><option value="(UTC-01:00) Cabo Verde Is." /><option value="(UTC) Coordinated Universal Time" /><option value="(UTC+00:00) Casablanca" /><option value="(UTC+00:00) Dublin, Edinburgh, Lisbon, London" /><option value="(UTC+00:00) Monrovia, Reykjavik" /><option value="(UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna" /><option value="(UTC+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague" /><option value="(UTC+01:00) Brussels, Copenhagen, Madrid, Paris" /><option value="(UTC+01:00) Sarajevo, Skopje, Warsaw, Zagreb" /><option value="(UTC+01:00) West Central Africa" /><option value="(UTC+01:00) Windhoek" /><option value="(UTC+02:00) Amman" /><option value="(UTC+02:00) Athens, Bucharest" /><option value="(UTC+02:00) Beirut" /><option value="(UTC+02:00) Cairo" /><option value="(UTC+02:00) Chisinau" /><option value="(UTC+02:00) Damascus" /><option value="(UTC+02:00) Gaza, Hebron" /><option value="(UTC+02:00) Harare, Pretoria" /><option value="(UTC+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius" /><option value="(UTC+02:00) Jerusalem" /><option value="(UTC+02:00) Kaliningrad" /><option value="(UTC+02:00) Tripoli" /><option value="(UTC+03:00) Baghdad" /><option value="(UTC+03:00) Istanbul" /><option value="(UTC+03:00) Kuwait, Riyadh" /><option value="(UTC+03:00) Minsk" /><option value="(UTC+03:00) Moscow, St. Petersburg" /><option value="(UTC+03:00) Nairobi" /><option value="(UTC+03:30) Tehran" /><option value="(UTC+04:00) Abu Dhabi, Muscat" /><option value="(UTC+04:00) Astrakhan, Ulyanovsk" /><option value="(UTC+04:00) Baku" /><option value="(UTC+04:00) Izhevsk, Samara" /><option value="(UTC+04:00) Port Louis" /><option value="(UTC+04:00) Saratov" /><option value="(UTC+04:00) Tbilisi" /><option value="(UTC+04:00) Volgograd" /><option value="(UTC+04:00) Yerevan" /><option value="(UTC+04:30) Kabul" /><option value="(UTC+05:00) Ashgabat, Tashkent" /><option value="(UTC+05:00) Ekaterinburg" /><option value="(UTC+05:00) Islamabad, Karachi" /><option value="(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi" /><option value="(UTC+05:30) Sri Jayawardenepura" /><option value="(UTC+05:45) Kathmandu" /><option value="(UTC+06:00) Astana" /><option value="(UTC+06:00) Dhaka" /><option value="(UTC+06:00) Omsk" /><option value="(UTC+06:30) Yangon (Rangoon)" /><option value="(UTC+07:00) Bangkok, Hanoi, Jakarta" /><option value="(UTC+07:00) Barnaul, Gorno-Altaysk" /><option value="(UTC+07:00) Hovd" /><option value="(UTC+07:00) Krasnoyarsk" /><option value="(UTC+07:00) Novosibirsk" /><option value="(UTC+07:00) Tomsk" /><option value="(UTC+08:00) Beijing, Chongqing, Hong Kong, Urumqi" /><option value="(UTC+08:00) Irkutsk" /><option value="(UTC+08:00) Kuala Lumpur, Singapore" /><option value="(UTC+08:00) Perth" /><option value="(UTC+08:00) Taipei" /><option value="(UTC+08:00) Ulaanbaatar" /><option value="(UTC+08:30) Pyongyang" /><option value="(UTC+08:45) Eucla" /><option value="(UTC+09:00) Chita" /><option value="(UTC+09:00) Osaka, Sapporo, Tokyo" /><option value="(UTC+09:00) Seoul" /><option value="(UTC+09:00) Yakutsk" /><option value="(UTC+09:30) Adelaide" /><option value="(UTC+09:30) Darwin" /><option value="(UTC+10:00) Brisbane" /><option value="(UTC+10:00) Canberra, Melbourne, Sydney" /><option value="(UTC+10:00) Guam, Port Moresby" /><option value="(UTC+10:00) Hobart" /><option value="(UTC+10:00) Vladivostok" /><option value="(UTC+10:30) Lord Howe Island" /><option

value="(UTC+11:00) Bougainville Island" /><option value="(UTC+11:00) Chokurdakh" /><option value="(UTC+11:00) Magadan" /><option value="(UTC+11:00) Norfolk Island" /><option value="(UTC+11:00) Sakhalin" /><option value="(UTC+11:00) Solomon Is., New Caledonia" /><option value="(UTC+12:00) Anadyr, Petropavlovsk-Kamchatsky" /><option value="(UTC+12:00) Auckland, Wellington" /><option value="(UTC+12:00) Coordinated Universal Time+12" /><option value="(UTC+12:00) Fiji" /><option value="(UTC+12:00) Petropavlovsk-Kamchatsky - Old" /><option value="(UTC+12:45) Chatham Islands" /><option value="(UTC+13:00) Coordinated Universal Time+13" /><option value="(UTC+13:00) Nuku'alofa" /><option value="(UTC+13:00) Samoa" /><option value="(UTC+14:00) Kiritimati Island" /></param><param style="plain" name="requiredAttendees" path="/requiredAttendees" type="xs:string" /><param style="plain" name="optionalAttendees" path="/optionalAttendees" type="xs:string" /><param style="plain" name="resourceAttendees" path="/resourceAttendees" type="xs:string" /><param style="plain" name="body" path="/body" type="xs:string" /><param style="plain" name="categories" path="/categories" type="service:GraphCalendarEventClient_categories_def" /><param style="plain" name="location" path="/location" type="xs:string" /><param style="plain" name="importance" path="/importance" type="xs:string"><option value="low" /><option value="normal" /><option value="high" /></param><param style="plain" name="isAllDay" path="/isAllDay" type="xs:boolean" /><param style="plain" name="recurrence" path="/recurrence" type="xs:string"><option value="none" /><option value="daily" /><option value="weekly" /><option value="monthly" /><option value="yearly" /></param><param style="plain" name="selectedDaysOfWeek" path="/selectedDaysOfWeek" type="service:GraphCalendarEventClient_selectedDaysOfWeek_def" /><param style="plain" name="recurrenceEnd" path="/recurrenceEnd" type="xs:string" /><param style="plain" name="numberOfOccurences" path="/numberOfOccurences" type="xs:int" /><param style="plain" name="reminderMinutesBeforeStart" path="/reminderMinutesBeforeStart" type="xs:int" /><param style="plain" name="isReminderOn" path="/isReminderOn" type="xs:boolean" /><param style="plain" name="showAs" path="/showAs" type="xs:string"><option value="free" /><option value="tentative" /><option value="busy" /><option value="oof" /><option value="workingElsewhere" /><option value="unknown" /></param><param style="plain" name="responseRequested" path="/responseRequested" type="xs:boolean" /><param style="plain" name="sensitivity" path="/sensitivity" type="xs:string"><option value="normal" /><option value="personal" /><option value="private" /><option value="confidential" /></param></representation></request><response><representation mediaType="application/json" element="service:GraphCalendarEventClientReceive" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v2/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="GET" id="V2CalendarGetItems" actionName="V2CalendarGetItems" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarGetItems" siena:revision="2" siena:status="Production"><doc title="Get events (V2)
This operation gets events from a calendar. (V2)" /><request><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param></request><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D_" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v2/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><method siena:requiresAuthentication="true" name="POST" id="V2CalendarPostItem" actionName="V2CalendarPostItem" visibility="important" siena:isDeprecated="true" siena:family="CalendarPostItem" siena:revision="2" siena:status="Production"><doc title="Create

event (V2)
This operation creates a new event in a calendar. (V2)" /><request><representation mediaType="application/json"><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Start" path="/Start" type="service:CalendarEventClient_Start_def" required="true" /><param style="plain" name="End" path="/End" type="service:CalendarEventClient_End_def" required="true" /><param style="plain" name="TimeZone" path="/TimeZone" type="xs:string"><option value="" /><option value="(UTC-12:00) International Date Line West" /><option value="(UTC-11:00) Coordinated Universal Time-11" /><option value="(UTC-10:00) Aleutian Islands" /><option value="(UTC-10:00) Hawaii" /><option value="(UTC-09:30) Marquesas Islands" /><option value="(UTC-09:00) Alaska" /><option value="(UTC-09:00) Coordinated Universal Time-09" /><option value="(UTC-08:00) Baja California" /><option value="(UTC-08:00) Coordinated Universal Time-08" /><option value="(UTC-08:00) Pacific Time (US & Canada)" /><option value="(UTC-07:00) Arizona" /><option value="(UTC-07:00) Chihuahua, La Paz, Mazatlan" /><option value="(UTC-07:00) Mountain Time (US & Canada)" /><option value="(UTC-06:00) Central America" /><option value="(UTC-06:00) Central Time (US & Canada)" /><option value="(UTC-06:00) Easter Island" /><option value="(UTC-06:00) Guadalajara, Mexico City, Monterrey" /><option value="(UTC-06:00) Saskatchewan" /><option value="(UTC-05:00) Bogota, Lima, Quito, Rio Branco" /><option value="(UTC-05:00) Chetumal" /><option value="(UTC-05:00) Eastern Time (US & Canada)" /><option value="(UTC-05:00) Haiti" /><option value="(UTC-05:00) Havana" /><option value="(UTC-05:00) Indiana (East)" /><option value="(UTC-04:00) Asuncion" /><option value="(UTC-04:00) Atlantic Time (Canada)" /><option value="(UTC-04:00) Caracas" /><option value="(UTC-04:00) Cuiaba" /><option value="(UTC-04:00) Georgetown, La Paz, Manaus, San Juan" /><option value="(UTC-04:00) Santiago" /><option value="(UTC-04:00) Turks and Caicos" /><option value="(UTC-03:30) Newfoundland" /><option value="(UTC-03:00) Araguaina" /><option value="(UTC-03:00) Brasilia" /><option value="(UTC-03:00) Cayenne, Fortaleza" /><option value="(UTC-03:00) City of Buenos Aires" /><option value="(UTC-03:00) Greenland" /><option value="(UTC-03:00) Montevideo" /><option value="(UTC-03:00) Punta Arenas" /><option value="(UTC-03:00) Saint Pierre and Miquelon" /><option value="(UTC-03:00) Salvador" /><option value="(UTC-02:00) Coordinated Universal Time-02" /><option value="(UTC-02:00) Mid-Atlantic - Old" /><option value="(UTC-01:00) Azores" /><option value="(UTC-01:00) Cabo Verde Is." /><option value="(UTC) Coordinated Universal Time" /><option value="(UTC+00:00) Casablanca" /><option value="(UTC+00:00) Dublin, Edinburgh, Lisbon, London" /><option value="(UTC+00:00) Monrovia, Reykjavik" /><option value="(UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna" /><option value="(UTC+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague" /><option value="(UTC+01:00) Brussels, Copenhagen, Madrid, Paris" /><option value="(UTC+01:00) Sarajevo, Skopje, Warsaw, Zagreb" /><option value="(UTC+01:00) West Central Africa" /><option value="(UTC+01:00) Windhoek" /><option value="(UTC+02:00) Amman" /><option value="(UTC+02:00) Athens, Bucharest" /><option value="(UTC+02:00) Beirut" /><option value="(UTC+02:00) Cairo" /><option value="(UTC+02:00) Chisinau" /><option value="(UTC+02:00) Damascus" /><option value="(UTC+02:00) Gaza, Hebron" /><option value="(UTC+02:00) Harare, Pretoria" /><option value="(UTC+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius" /><option value="(UTC+02:00) Jerusalem" /><option value="(UTC+02:00) Kaliningrad" /><option value="(UTC+02:00) Tripoli" /><option value="(UTC+03:00) Baghdad" /><option value="(UTC+03:00) Istanbul" /><option value="(UTC+03:00) Kuwait, Riyadh" /><option value="(UTC+03:00) Minsk" /><option value="(UTC+03:00) Moscow, St. Petersburg" /><option value="(UTC+03:00) Nairobi" /><option value="(UTC+03:30) Tehran" /><option value="(UTC+04:00) Abu Dhabi, Muscat" /><option value="(UTC+04:00) Astrakhan, Ulyanovsk" /><option value="(UTC+04:00) Baku" /><option value="(UTC+04:00) Izhevsk, Samara" /><option value="(UTC+04:00) Port Louis" /><option value="(UTC+04:00) Saratov" /><option value="(UTC+04:00) Tbilisi" /><option value="(UTC+04:00) Volgograd" /><option value="(UTC+04:00) Yerevan" /><option value="(UTC+04:30) Kabul" /><option value="(UTC+05:00) Ashgabat, Tashkent" /><option value="(UTC+05:00) Ekaterinburg" /><option value="(UTC+05:00) Islamabad, Karachi" /><option value="(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi" /><option value="(UTC+05:30) Sri Jayawardenepura" /><option value="(UTC+05:45) Kathmandu" /><option value="(UTC+06:00) Astana" /><option value="(UTC+06:00) Dhaka" /><option value="(UTC+06:00) Omsk" /><option value="(UTC+06:30) Yangon (Rangoon)" /><option value="(UTC+07:00) Bangkok, Hanoi, Jakarta" /><option value="(UTC+07:00) Barnaul, Gorno-Altaysk" /><option value="(UTC+07:00) Hovd" /><option value="(UTC+07:00) Krasnoyarsk" /><option

value="(UTC+07:00) Novosibirsk" /><option value="(UTC+07:00) Tomsk" /><option value="(UTC+08:00) Beijing, Chongqing, Hong Kong, Urumqi" /><option value="(UTC+08:00) Irkutsk" /><option value="(UTC+08:00) Kuala Lumpur, Singapore" /><option value="(UTC+08:00) Perth" /><option value="(UTC+08:00) Taipei" /><option value="(UTC+08:00) Ulaanbaatar" /><option value="(UTC+08:30) Pyongyang" /><option value="(UTC+08:45) Eucla" /><option value="(UTC+09:00) Chita" /><option value="(UTC+09:00) Osaka, Sapporo, Tokyo" /><option value="(UTC+09:00) Seoul" /><option value="(UTC+09:00) Yakutsk" /><option value="(UTC+09:30) Adelaide" /><option value="(UTC+09:30) Darwin" /><option value="(UTC+10:00) Brisbane" /><option value="(UTC+10:00) Canberra, Melbourne, Sydney" /><option value="(UTC+10:00) Guam, Port Moresby" /><option value="(UTC+10:00) Hobart" /><option value="(UTC+10:00) Vladivostok" /><option value="(UTC+10:30) Lord Howe Island" /><option value="(UTC+11:00) Bougainville Island" /><option value="(UTC+11:00) Chokurdakh" /><option value="(UTC+11:00) Magadan" /><option value="(UTC+11:00) Norfolk Island" /><option value="(UTC+11:00) Sakhalin" /><option value="(UTC+11:00) Solomon Is., New Caledonia" /><option value="(UTC+12:00) Anadyr, Petropavlovsk-Kamchatsky" /><option value="(UTC+12:00) Auckland, Wellington" /><option value="(UTC+12:00) Coordinated Universal Time+12" /><option value="(UTC+12:00) Fiji" /><option value="(UTC+12:00) Petropavlovsk-Kamchatsky - Old" /><option value="(UTC+12:45) Chatham Islands" /><option value="(UTC+13:00) Coordinated Universal Time+13" /><option value="(UTC+13:00) Nuku'alofa" /><option value="(UTC+13:00) Samoa" /><option value="(UTC+14:00) Kiritimati Island" /></param><param style="plain" name="RequiredAttendees" path="/RequiredAttendees" type="xs:string" /><param style="plain" name="OptionalAttendees" path="/OptionalAttendees" type="xs:string" /><param style="plain" name="ResourceAttendees" path="/ResourceAttendees" type="xs:string" /><param style="plain" name="Body" path="/Body" type="xs:string" /><param style="plain" name="IsHtml" path="/IsHtml" type="xs:boolean" /><param style="plain" name="Location" path="/Location" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsAllDay" path="/IsAllDay" type="xs:boolean" /><param style="plain" name="Recurrence" path="/Recurrence" type="xs:string"><option value="None" /><option value="Daily" /><option value="Weekly" /><option value="Monthly" /><option value="Yearly" /></param><param style="plain" name="RecurrenceEnd" path="/RecurrenceEnd" type="service:CalendarEventClient_RecurrenceEnd_def" /><param style="plain" name="NumberOfOccurrences" path="/NumberOfOccurrences" type="xs:int" /><param style="plain" name="Reminder" path="/Reminder" type="xs:int" /><param style="plain" name="ShowAs" path="/ShowAs" type="xs:string"><option value="Free" /><option value="Tentative" /><option value="Busy" /><option value="Oof" /><option value="WorkingElsewhere" /><option value="Unknown" /></param><param style="plain" name="ResponseRequested" path="/ResponseRequested" type="xs:boolean" /></representation></request><response><representation mediaType="application/json" element="service:CalendarEventClientReceiveStringEnums" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v2/tables/items/calendarview"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetEventsCalendarViewV2" actionName="GetEventsCalendarViewV2" visibility="advanced" siena:isDeprecated="true" siena:family="GetEventsCalendarView" siena:revision="2" siena:status="Production"><doc title="Get calendar view of events (V2)
This operation gets all events (including instances of recurrences) in a calendar. Recurrence property is null in this case." /><request><param style="query" name="calendarId" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="query" name="startDateTimeOffset" type="xs:string" required="true"><doc title="Start time (example: '2017-01-01T08:00:00-07:00')" /></param><param style="query" name="endDateTimeOffset" type="xs:string" required="true"><doc title="End time (example: '2017-02-01T08:00:00-07:00')" /></param><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc

title="The number of entries to skip (default = 0)." /></param><param style="query" name="search" type="xs:string"><doc title="Search text for matching event body and subject" /></param></request><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_CalendarEventClientReceiveStringEnums_ux5D_" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v3/tables/items/calendarview"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetEventsCalendarViewV3" actionName="GetEventsCalendarViewV3" visibility="advanced" siena:isDeprecated="false" siena:family="GetEventsCalendarView" siena:revision="3" siena:status="Production"><doc title="Get calendar view of events (V3)
This operation gets all events (including instances of recurrences) in a calendar using Graph API. Recurrence property is null in this case." /><request><param style="query" name="calendarId" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="query" name="startDateTimeUtc" type="xs:string" required="true"><doc title="Start time in UTC (example: '2017-01-01T08:00:00')" /></param><param style="query" name="endDateTimeUtc" type="xs:string" required="true"><doc title="End time in UTC (example: '2017-02-01T08:00:00')" /></param><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param><param style="query" name="search" type="xs:string"><doc title="Search text for matching event body and subject" /></param></request><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_GraphCalendarEventClientReceive_ux5D_" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v2/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="GET" id="V2CalendarGetItem" actionName="V2CalendarGetItem" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarGetItem" siena:revision="2" siena:status="Production"><doc title="Get event (V2)
This operation gets a specific event from a calendar. (V2)" /><request /><response><representation mediaType="application/json" element="service:CalendarEventClientReceiveStringEnums" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v2/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="PATCH" id="V2CalendarPatchItem" actionName="V2CalendarPatchItem" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarPatchItem" siena:revision="2" siena:status="Production"><doc title="Update event (V2)
This operation updates an event in a calendar. (V2)" /><request><representation mediaType="application/json"><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Start" path="/Start" type="service:CalendarEventClient_Start_def" required="true" /><param style="plain" name="End" path="/End" type="service:CalendarEventClient_End_def" required="true" /><param style="plain" name="TimeZone" path="/TimeZone" type="xs:string"><option value="" /><option value="(UTC-12:00) International Date Line West" /><option value="(UTC-11:00) Coordinated Universal Time-11" /><option value="(UTC-10:00) Aleutian Islands" /><option value="(UTC-10:00) Hawaii" /><option value="(UTC-09:30) Marquesas Islands" /><option value="(UTC-09:00) Alaska" /><option value="(UTC-09:00) Coordinated Universal Time-09" /><option value="(UTC-08:00) Baja California" /><option value="(UTC-08:00) Coordinated Universal Time-08" /><option value="(UTC-08:00) Pacific Time (US & Canada)"

/><option value="(UTC-07:00) Arizona" /><option value="(UTC-07:00) Chihuahua, La Paz, Mazatlan" /><option value="(UTC-07:00) Mountain Time (US & Canada)" /><option value="(UTC-06:00) Central America" /><option value="(UTC-06:00) Central Time (US & Canada)" /><option value="(UTC-06:00) Easter Island" /><option value="(UTC-06:00) Guadalajara, Mexico City, Monterrey" /><option value="(UTC-06:00) Saskatchewan" /><option value="(UTC-05:00) Bogota, Lima, Quito, Rio Branco" /><option value="(UTC-05:00) Chetumal" /><option value="(UTC-05:00) Eastern Time (US & Canada)" /><option value="(UTC-05:00) Haiti" /><option value="(UTC-05:00) Havana" /><option value="(UTC-05:00) Indiana (East)" /><option value="(UTC-04:00) Asuncion" /><option value="(UTC-04:00) Atlantic Time (Canada)" /><option value="(UTC-04:00) Caracas" /><option value="(UTC-04:00) Cuiaba" /><option value="(UTC-04:00) Georgetown, La Paz, Manaus, San Juan" /><option value="(UTC-04:00) Santiago" /><option value="(UTC-04:00) Turks and Caicos" /><option value="(UTC-03:30) Newfoundland" /><option value="(UTC-03:00) Araguaina" /><option value="(UTC-03:00) Brasilia" /><option value="(UTC-03:00) Cayenne, Fortaleza" /><option value="(UTC-03:00) City of Buenos Aires" /><option value="(UTC-03:00) Greenland" /><option value="(UTC-03:00) Montevideo" /><option value="(UTC-03:00) Punta Arenas" /><option value="(UTC-03:00) Saint Pierre and Miquelon" /><option value="(UTC-03:00) Salvador" /><option value="(UTC-02:00) Coordinated Universal Time-02" /><option value="(UTC-02:00) Mid-Atlantic - Old" /><option value="(UTC-01:00) Azores" /><option value="(UTC-01:00) Cabo Verde Is." /><option value="(UTC) Coordinated Universal Time" /><option value="(UTC+00:00) Casablanca" /><option value="(UTC+00:00) Dublin, Edinburgh, Lisbon, London" /><option value="(UTC+00:00) Monrovia, Reykjavik" /><option value="(UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna" /><option value="(UTC+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague" /><option value="(UTC+01:00) Brussels, Copenhagen, Madrid, Paris" /><option value="(UTC+01:00) Sarajevo, Skopje, Warsaw, Zagreb" /><option value="(UTC+01:00) West Central Africa" /><option value="(UTC+01:00) Windhoek" /><option value="(UTC+02:00) Amman" /><option value="(UTC+02:00) Athens, Bucharest" /><option value="(UTC+02:00) Beirut" /><option value="(UTC+02:00) Cairo" /><option value="(UTC+02:00) Chisinau" /><option value="(UTC+02:00) Damascus" /><option value="(UTC+02:00) Gaza, Hebron" /><option value="(UTC+02:00) Harare, Pretoria" /><option value="(UTC+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius" /><option value="(UTC+02:00) Jerusalem" /><option value="(UTC+02:00) Kaliningrad" /><option value="(UTC+02:00) Tripoli" /><option value="(UTC+03:00) Baghdad" /><option value="(UTC+03:00) Istanbul" /><option value="(UTC+03:00) Kuwait, Riyadh" /><option value="(UTC+03:00) Minsk" /><option value="(UTC+03:00) Moscow, St. Petersburg" /><option value="(UTC+03:00) Nairobi" /><option value="(UTC+03:30) Tehran" /><option value="(UTC+04:00) Abu Dhabi, Muscat" /><option value="(UTC+04:00) Astrakhan, Ulyanovsk" /><option value="(UTC+04:00) Baku" /><option value="(UTC+04:00) Izhevsk, Samara" /><option value="(UTC+04:00) Port Louis" /><option value="(UTC+04:00) Saratov" /><option value="(UTC+04:00) Tbilisi" /><option value="(UTC+04:00) Volgograd" /><option value="(UTC+04:00) Yerevan" /><option value="(UTC+04:30) Kabul" /><option value="(UTC+05:00) Ashgabat, Tashkent" /><option value="(UTC+05:00) Ekaterinburg" /><option value="(UTC+05:00) Islamabad, Karachi" /><option value="(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi" /><option value="(UTC+05:30) Sri Jayawardenepura" /><option value="(UTC+05:45) Kathmandu" /><option value="(UTC+06:00) Astana" /><option value="(UTC+06:00) Dhaka" /><option value="(UTC+06:00) Omsk" /><option value="(UTC+06:30) Yangon (Rangoon)" /><option value="(UTC+07:00) Bangkok, Hanoi, Jakarta" /><option value="(UTC+07:00) Barnaul, Gorno-Altaysk" /><option value="(UTC+07:00) Hovd" /><option value="(UTC+07:00) Krasnoyarsk" /><option value="(UTC+07:00) Novosibirsk" /><option value="(UTC+07:00) Tomsk" /><option value="(UTC+08:00) Beijing, Chongqing, Hong Kong, Urumqi" /><option value="(UTC+08:00) Irkutsk" /><option value="(UTC+08:00) Kuala Lumpur, Singapore" /><option value="(UTC+08:00) Perth" /><option value="(UTC+08:00) Taipei" /><option value="(UTC+08:00) Ulaanbaatar" /><option value="(UTC+08:30) Pyongyang" /><option value="(UTC+08:45) Eucla" /><option value="(UTC+09:00) Chita" /><option value="(UTC+09:00) Osaka, Sapporo, Tokyo" /><option value="(UTC+09:00) Seoul" /><option value="(UTC+09:00) Yakutsk" /><option value="(UTC+09:30) Adelaide" /><option value="(UTC+09:30) Darwin" /><option value="(UTC+10:00) Brisbane" /><option value="(UTC+10:00) Canberra, Melbourne, Sydney" /><option value="(UTC+10:00) Guam, Port Moresby" /><option value="(UTC+10:00) Hobart" /><option value="(UTC+10:00) Vladivostok" /><option value="(UTC+10:30) Lord Howe Island" /><option value="(UTC+11:00) Bougainville Island" /><option value="(UTC+11:00) Chokurdakh" /><option

value="(UTC+11:00) Magadan" /><option value="(UTC+11:00) Norfolk Island" /><option value="(UTC+11:00) Sakhalin" /><option value="(UTC+11:00) Solomon Is., New Caledonia" /><option value="(UTC+12:00) Anadyr, Petropavlovsk-Kamchatsky" /><option value="(UTC+12:00) Auckland, Wellington" /><option value="(UTC+12:00) Coordinated Universal Time+12" /><option value="(UTC+12:00) Fiji" /><option value="(UTC+12:00) Petropavlovsk-Kamchatsky - Old" /><option value="(UTC+12:45) Chatham Islands" /><option value="(UTC+13:00) Coordinated Universal Time+13" /><option value="(UTC+13:00) Nuku'alofa" /><option value="(UTC+13:00) Samoa" /><option value="(UTC+14:00) Kiritimati Island" /></param><param style="plain" name="RequiredAttendees" path="/RequiredAttendees" type="xs:string" /><param style="plain" name="OptionalAttendees" path="/OptionalAttendees" type="xs:string" /><param style="plain" name="ResourceAttendees" path="/ResourceAttendees" type="xs:string" /><param style="plain" name="Body" path="/Body" type="xs:string" /><param style="plain" name="IsHtml" path="/IsHtml" type="xs:boolean" /><param style="plain" name="Location" path="/Location" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsAllDay" path="/IsAllDay" type="xs:boolean" /><param style="plain" name="Recurrence" path="/Recurrence" type="xs:string"><option value="None" /><option value="Daily" /><option value="Weekly" /><option value="Monthly" /><option value="Yearly" /></param><param style="plain" name="RecurrenceEnd" path="/RecurrenceEnd" type="service:CalendarEventClient_RecurrenceEnd_def" /><param style="plain" name="NumberOfOccurrences" path="/NumberOfOccurrences" type="xs:int" /><param style="plain" name="Reminder" path="/Reminder" type="xs:int" /><param style="plain" name="ShowAs" path="/ShowAs" type="xs:string"><option value="Free" /><option value="Tentative" /><option value="Busy" /><option value="Oof" /><option value="WorkingElsewhere" /><option value="Unknown" /></param><param style="plain" name="ResponseRequested" path="/ResponseRequested" type="xs:boolean" /></representation></request><response><representation mediaType="application/json" element="service:CalendarEventClientReceiveStringEnums" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v3/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="GET" id="V3CalendarGetItem" actionName="V3CalendarGetItem" visibility="advanced" siena:isDeprecated="false" siena:family="CalendarGetItem" siena:revision="3" siena:status="Production"><doc title="Get event (V3)
This operation gets a specific event from a calendar using Graph API. (V3)" /><request /><response><representation mediaType="application/json" element="service:GraphCalendarEventClientReceive" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v3/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="PATCH" id="V3CalendarPatchItem" actionName="V3CalendarPatchItem" visibility="advanced" siena:isDeprecated="true" siena:family="CalendarPatchItem" siena:revision="3" siena:status="Production"><doc title="Update event (V3)
This operation updates an event in a calendar." /><request><representation mediaType="application/json"><param style="plain" name="Subject" path="/Subject" type="xs:string" required="true" /><param style="plain" name="Start" path="/Start" type="service:CalendarEventHtmlClient_Start_def" required="true" /><param style="plain" name="End" path="/End" type="service:CalendarEventHtmlClient_End_def" required="true" /><param style="plain" name="TimeZone" path="/TimeZone" type="xs:string"><option value="" /><option value="(UTC-12:00) International Date Line West" /><option value="(UTC-11:00) Coordinated Universal Time-11" /><option value="(UTC-10:00) Aleutian Islands" /><option value="(UTC-10:00) Hawaii" /><option value="(UTC-09:30) Marquesas Islands" /><option value="(UTC-09:00) Alaska" /><option value="(UTC-09:00) Coordinated Universal Time-09" /><option value="(UTC-08:00) Baja California"

/><option value="(UTC-08:00) Coordinated Universal Time-08" /><option value="(UTC-08:00) Pacific Time (US & Canada)" /><option value="(UTC-07:00) Arizona" /><option value="(UTC-07:00) Chihuahua, La Paz, Mazatlan" /><option value="(UTC-07:00) Mountain Time (US & Canada)" /><option value="(UTC-06:00) Central America" /><option value="(UTC-06:00) Central Time (US & Canada)" /><option value="(UTC-06:00) Easter Island" /><option value="(UTC-06:00) Guadalajara, Mexico City, Monterrey" /><option value="(UTC-06:00) Saskatchewan" /><option value="(UTC-05:00) Bogota, Lima, Quito, Rio Branco" /><option value="(UTC-05:00) Chetumal" /><option value="(UTC-05:00) Eastern Time (US & Canada)" /><option value="(UTC-05:00) Haiti" /><option value="(UTC-05:00) Havana" /><option value="(UTC-05:00) Indiana (East)" /><option value="(UTC-04:00) Asuncion" /><option value="(UTC-04:00) Atlantic Time (Canada)" /><option value="(UTC-04:00) Caracas" /><option value="(UTC-04:00) Cuiaba" /><option value="(UTC-04:00) Georgetown, La Paz, Manaus, San Juan" /><option value="(UTC-04:00) Santiago" /><option value="(UTC-04:00) Turks and Caicos" /><option value="(UTC-03:30) Newfoundland" /><option value="(UTC-03:00) Araguaina" /><option value="(UTC-03:00) Brasilia" /><option value="(UTC-03:00) Cayenne, Fortaleza" /><option value="(UTC-03:00) City of Buenos Aires" /><option value="(UTC-03:00) Greenland" /><option value="(UTC-03:00) Montevideo" /><option value="(UTC-03:00) Punta Arenas" /><option value="(UTC-03:00) Saint Pierre and Miquelon" /><option value="(UTC-03:00) Salvador" /><option value="(UTC-02:00) Coordinated Universal Time-02" /><option value="(UTC-02:00) Mid-Atlantic - Old" /><option value="(UTC-01:00) Azores" /><option value="(UTC-01:00) Cabo Verde Is." /><option value="(UTC) Coordinated Universal Time" /><option value="(UTC+00:00) Casablanca" /><option value="(UTC+00:00) Dublin, Edinburgh, Lisbon, London" /><option value="(UTC+00:00) Monrovia, Reykjavik" /><option value="(UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna" /><option value="(UTC+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague" /><option value="(UTC+01:00) Brussels, Copenhagen, Madrid, Paris" /><option value="(UTC+01:00) Sarajevo, Skopje, Warsaw, Zagreb" /><option value="(UTC+01:00) West Central Africa" /><option value="(UTC+01:00) Windhoek" /><option value="(UTC+02:00) Amman" /><option value="(UTC+02:00) Athens, Bucharest" /><option value="(UTC+02:00) Beirut" /><option value="(UTC+02:00) Cairo" /><option value="(UTC+02:00) Chisinau" /><option value="(UTC+02:00) Damascus" /><option value="(UTC+02:00) Gaza, Hebron" /><option value="(UTC+02:00) Harare, Pretoria" /><option value="(UTC+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius" /><option value="(UTC+02:00) Jerusalem" /><option value="(UTC+02:00) Kaliningrad" /><option value="(UTC+02:00) Tripoli" /><option value="(UTC+03:00) Baghdad" /><option value="(UTC+03:00) Istanbul" /><option value="(UTC+03:00) Kuwait, Riyadh" /><option value="(UTC+03:00) Minsk" /><option value="(UTC+03:00) Moscow, St. Petersburg" /><option value="(UTC+03:00) Nairobi" /><option value="(UTC+03:30) Tehran" /><option value="(UTC+04:00) Abu Dhabi, Muscat" /><option value="(UTC+04:00) Astrakhan, Ulyanovsk" /><option value="(UTC+04:00) Baku" /><option value="(UTC+04:00) Izhevsk, Samara" /><option value="(UTC+04:00) Port Louis" /><option value="(UTC+04:00) Saratov" /><option value="(UTC+04:00) Tbilisi" /><option value="(UTC+04:00) Volgograd" /><option value="(UTC+04:00) Yerevan" /><option value="(UTC+04:30) Kabul" /><option value="(UTC+05:00) Ashgabat, Tashkent" /><option value="(UTC+05:00) Ekaterinburg" /><option value="(UTC+05:00) Islamabad, Karachi" /><option value="(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi" /><option value="(UTC+05:30) Sri Jayawardenepura" /><option value="(UTC+05:45) Kathmandu" /><option value="(UTC+06:00) Astana" /><option value="(UTC+06:00) Dhaka" /><option value="(UTC+06:00) Omsk" /><option value="(UTC+06:30) Yangon (Rangoon)" /><option value="(UTC+07:00) Bangkok, Hanoi, Jakarta" /><option value="(UTC+07:00) Barnaul, Gorno-Altaysk" /><option value="(UTC+07:00) Hovd" /><option value="(UTC+07:00) Krasnoyarsk" /><option value="(UTC+07:00) Novosibirsk" /><option value="(UTC+07:00) Tomsk" /><option value="(UTC+08:00) Beijing, Chongqing, Hong Kong, Urumqi" /><option value="(UTC+08:00) Irkutsk" /><option value="(UTC+08:00) Kuala Lumpur, Singapore" /><option value="(UTC+08:00) Perth" /><option value="(UTC+08:00) Taipei" /><option value="(UTC+08:00) Ulaanbaatar" /><option value="(UTC+08:30) Pyongyang" /><option value="(UTC+08:45) Eucla" /><option value="(UTC+09:00) Chita" /><option value="(UTC+09:00) Osaka, Sapporo, Tokyo" /><option value="(UTC+09:00) Seoul" /><option value="(UTC+09:00) Yakutsk" /><option value="(UTC+09:30) Adelaide" /><option value="(UTC+09:30) Darwin" /><option value="(UTC+10:00) Brisbane" /><option value="(UTC+10:00) Canberra, Melbourne, Sydney" /><option value="(UTC+10:00) Guam, Port Moresby" /><option value="(UTC+10:00) Hobart" /><option

value="(UTC+10:00) Vladivostok" /><option value="(UTC+10:30) Lord Howe Island" /><option value="(UTC+11:00) Bougainville Island" /><option value="(UTC+11:00) Chokurdakh" /><option value="(UTC+11:00) Magadan" /><option value="(UTC+11:00) Norfolk Island" /><option value="(UTC+11:00) Sakhalin" /><option value="(UTC+11:00) Solomon Is., New Caledonia" /><option value="(UTC+12:00) Anadyr, Petropavlovsk-Kamchatsky" /><option value="(UTC+12:00) Auckland, Wellington" /><option value="(UTC+12:00) Coordinated Universal Time+12" /><option value="(UTC+12:00) Fiji" /><option value="(UTC+12:00) Petropavlovsk-Kamchatsky - Old" /><option value="(UTC+12:45) Chatham Islands" /><option value="(UTC+13:00) Coordinated Universal Time+13" /><option value="(UTC+13:00) Nuku'alofa" /><option value="(UTC+13:00) Samoa" /><option value="(UTC+14:00) Kiritimati Island" /></param><param style="plain" name="RequiredAttendees" path="/RequiredAttendees" type="xs:string" /><param style="plain" name="OptionalAttendees" path="/OptionalAttendees" type="xs:string" /><param style="plain" name="ResourceAttendees" path="/ResourceAttendees" type="xs:string" /><param style="plain" name="Body" path="/Body" type="xs:string" /><param style="plain" name="Location" path="/Location" type="xs:string" /><param style="plain" name="Importance" path="/Importance" type="xs:string"><option value="Low" /><option value="Normal" /><option value="High" /></param><param style="plain" name="IsAllDay" path="/IsAllDay" type="xs:boolean" /><param style="plain" name="Recurrence" path="/Recurrence" type="xs:string"><option value="None" /><option value="Daily" /><option value="Weekly" /><option value="Monthly" /><option value="Yearly" /></param><param style="plain" name="RecurrenceEnd" path="/RecurrenceEnd" type="service:CalendarEventHtmlClient_RecurrenceEnd_def" /><param style="plain" name="NumberOfOccurrences" path="/NumberOfOccurrences" type="xs:int" /><param style="plain" name="Reminder" path="/Reminder" type="xs:int" /><param style="plain" name="ShowAs" path="/ShowAs" type="xs:string"><option value="Free" /><option value="Tentative" /><option value="Busy" /><option value="Oof" /><option value="WorkingElsewhere" /><option value="Unknown" /></param><param style="plain" name="ResponseRequested" path="/ResponseRequested" type="xs:boolean" /></representation></request><response><representation mediaType="application/json" element="service:CalendarEventClientReceiveStringEnums" /></response></method></resource><resource path="/{connectionId}/datasets/calendars/v4/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="PATCH" id="V4CalendarPatchItem" actionName="V4CalendarPatchItem" visibility="advanced" siena:isDeprecated="false" siena:family="CalendarPatchItem" siena:revision="4" siena:status="Production"><doc title="Update event (V4)
This operation updates an event in a calendar using Graph API." /><request><representation mediaType="application/json"><param style="plain" name="subject" path="/subject" type="xs:string" required="true" /><param style="plain" name="start" path="/start" type="xs:string" required="true" /><param style="plain" name="end" path="/end" type="xs:string" required="true" /><param style="plain" name="timeZone" path="/timeZone" type="xs:string" required="true"><option value="" /><option value="(UTC-12:00) International Date Line West" /><option value="(UTC-11:00) Coordinated Universal Time-11" /><option value="(UTC-10:00) Aleutian Islands" /><option value="(UTC-10:00) Hawaii" /><option value="(UTC-09:30) Marquesas Islands" /><option value="(UTC-09:00) Alaska" /><option value="(UTC-09:00) Coordinated Universal Time-09" /><option value="(UTC-08:00) Baja California" /><option value="(UTC-08:00) Coordinated Universal Time-08" /><option value="(UTC-08:00) Pacific Time (US & Canada)" /><option value="(UTC-07:00) Arizona" /><option value="(UTC-07:00) Chihuahua, La Paz, Mazatlan" /><option value="(UTC-07:00) Mountain Time (US & Canada)" /><option value="(UTC-06:00) Central America" /><option value="(UTC-06:00) Central Time (US & Canada)" /><option value="(UTC-06:00) Easter Island" /><option value="(UTC-06:00) Guadalajara, Mexico City, Monterrey" /><option value="(UTC-06:00) Saskatchewan" /><option value="(UTC-05:00) Bogota, Lima, Quito, Rio Branco" /><option value="(UTC-05:00) Chetumal" /><option value="(UTC-05:00) Eastern Time (US & Canada)" /><option value="(UTC-05:00) Haiti" /><option value="(UTC-05:00) Havana" /><option value="(UTC-05:00) Indiana (East)" /><option value="(UTC-04:00) Asuncion" /><option value="(UTC-04:00) Atlantic Time (Canada)"

/><option value="(UTC-04:00) Caracas" /><option value="(UTC-04:00) Cuiaba" /><option value="(UTC-04:00) Georgetown, La Paz, Manaus, San Juan" /><option value="(UTC-04:00) Santiago" /><option value="(UTC-04:00) Turks and Caicos" /><option value="(UTC-03:30) Newfoundland" /><option value="(UTC-03:00) Araguaina" /><option value="(UTC-03:00) Brasilia" /><option value="(UTC-03:00) Cayenne, Fortaleza" /><option value="(UTC-03:00) City of Buenos Aires" /><option value="(UTC-03:00) Greenland" /><option value="(UTC-03:00) Montevideo" /><option value="(UTC-03:00) Punta Arenas" /><option value="(UTC-03:00) Saint Pierre and Miquelon" /><option value="(UTC-03:00) Salvador" /><option value="(UTC-02:00) Coordinated Universal Time-02" /><option value="(UTC-02:00) Mid-Atlantic - Old" /><option value="(UTC-01:00) Azores" /><option value="(UTC-01:00) Cabo Verde Is." /><option value="(UTC) Coordinated Universal Time" /><option value="(UTC+00:00) Casablanca" /><option value="(UTC+00:00) Dublin, Edinburgh, Lisbon, London" /><option value="(UTC+00:00) Monrovia, Reykjavik" /><option value="(UTC+01:00) Amsterdam, Berlin, Bern, Rome, Stockholm, Vienna" /><option value="(UTC+01:00) Belgrade, Bratislava, Budapest, Ljubljana, Prague" /><option value="(UTC+01:00) Brussels, Copenhagen, Madrid, Paris" /><option value="(UTC+01:00) Sarajevo, Skopje, Warsaw, Zagreb" /><option value="(UTC+01:00) West Central Africa" /><option value="(UTC+01:00) Windhoek" /><option value="(UTC+02:00) Amman" /><option value="(UTC+02:00) Athens, Bucharest" /><option value="(UTC+02:00) Beirut" /><option value="(UTC+02:00) Cairo" /><option value="(UTC+02:00) Chisinau" /><option value="(UTC+02:00) Damascus" /><option value="(UTC+02:00) Gaza, Hebron" /><option value="(UTC+02:00) Harare, Pretoria" /><option value="(UTC+02:00) Helsinki, Kyiv, Riga, Sofia, Tallinn, Vilnius" /><option value="(UTC+02:00) Jerusalem" /><option value="(UTC+02:00) Kaliningrad" /><option value="(UTC+02:00) Tripoli" /><option value="(UTC+03:00) Baghdad" /><option value="(UTC+03:00) Istanbul" /><option value="(UTC+03:00) Kuwait, Riyadh" /><option value="(UTC+03:00) Minsk" /><option value="(UTC+03:00) Moscow, St. Petersburg" /><option value="(UTC+03:00) Nairobi" /><option value="(UTC+03:30) Tehran" /><option value="(UTC+04:00) Abu Dhabi, Muscat" /><option value="(UTC+04:00) Astrakhan, Ulyanovsk" /><option value="(UTC+04:00) Baku" /><option value="(UTC+04:00) Izhevsk, Samara" /><option value="(UTC+04:00) Port Louis" /><option value="(UTC+04:00) Saratov" /><option value="(UTC+04:00) Tbilisi" /><option value="(UTC+04:00) Volgograd" /><option value="(UTC+04:00) Yerevan" /><option value="(UTC+04:30) Kabul" /><option value="(UTC+05:00) Ashgabat, Tashkent" /><option value="(UTC+05:00) Ekaterinburg" /><option value="(UTC+05:00) Islamabad, Karachi" /><option value="(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi" /><option value="(UTC+05:30) Sri Jayawardenepura" /><option value="(UTC+05:45) Kathmandu" /><option value="(UTC+06:00) Astana" /><option value="(UTC+06:00) Dhaka" /><option value="(UTC+06:00) Omsk" /><option value="(UTC+06:30) Yangon (Rangoon)" /><option value="(UTC+07:00) Bangkok, Hanoi, Jakarta" /><option value="(UTC+07:00) Barnaul, Gorno-Altaysk" /><option value="(UTC+07:00) Hovd" /><option value="(UTC+07:00) Krasnoyarsk" /><option value="(UTC+07:00) Novosibirsk" /><option value="(UTC+07:00) Tomsk" /><option value="(UTC+08:00) Beijing, Chongqing, Hong Kong, Urumqi" /><option value="(UTC+08:00) Irkutsk" /><option value="(UTC+08:00) Kuala Lumpur, Singapore" /><option value="(UTC+08:00) Perth" /><option value="(UTC+08:00) Taipei" /><option value="(UTC+08:00) Ulaanbaatar" /><option value="(UTC+08:30) Pyongyang" /><option value="(UTC+08:45) Eucla" /><option value="(UTC+09:00) Chita" /><option value="(UTC+09:00) Osaka, Sapporo, Tokyo" /><option value="(UTC+09:00) Seoul" /><option value="(UTC+09:00) Yakutsk" /><option value="(UTC+09:30) Adelaide" /><option value="(UTC+09:30) Darwin" /><option value="(UTC+10:00) Brisbane" /><option value="(UTC+10:00) Canberra, Melbourne, Sydney" /><option value="(UTC+10:00) Guam, Port Moresby" /><option value="(UTC+10:00) Hobart" /><option value="(UTC+10:00) Vladivostok" /><option value="(UTC+10:30) Lord Howe Island" /><option value="(UTC+11:00) Bougainville Island" /><option value="(UTC+11:00) Chokurdakh" /><option value="(UTC+11:00) Magadan" /><option value="(UTC+11:00) Norfolk Island" /><option value="(UTC+11:00) Sakhalin" /><option value="(UTC+11:00) Solomon Is., New Caledonia" /><option value="(UTC+12:00) Anadyr, Petropavlovsk-Kamchatsky" /><option value="(UTC+12:00) Auckland, Wellington" /><option value="(UTC+12:00) Coordinated Universal Time+12" /><option value="(UTC+12:00) Fiji" /><option value="(UTC+12:00) Petropavlovsk-Kamchatsky - Old" /><option value="(UTC+12:45) Chatham Islands" /><option value="(UTC+13:00) Coordinated Universal Time+13" /><option value="(UTC+13:00) Nuku'alofa" /><option value="(UTC+13:00) Samoa" /><option value="(UTC+14:00) Kiritimati Island" /></param><param style="plain" name="requiredAttendees"

path="/requiredAttendees" type="xs:string" /><param style="plain" name="optionalAttendees" path="/optionalAttendees" type="xs:string" /><param style="plain" name="resourceAttendees" path="/resourceAttendees" type="xs:string" /><param style="plain" name="body" path="/body" type="xs:string" /><param style="plain" name="categories" path="/categories" type="service:GraphCalendarEventClient_categories_def" /><param style="plain" name="location" path="/location" type="xs:string" /><param style="plain" name="importance" path="/importance" type="xs:string"><option value="low" /><option value="normal" /><option value="high" /></param><param style="plain" name="isAllDay" path="/isAllDay" type="xs:boolean" /><param style="plain" name="recurrence" path="/recurrence" type="xs:string"><option value="none" /><option value="daily" /><option value="weekly" /><option value="monthly" /><option value="yearly" /></param><param style="plain" name="selectedDaysOfWeek" path="/selectedDaysOfWeek" type="service:GraphCalendarEventClient_selectedDaysOfWeek_def" /><param style="plain" name="recurrenceEnd" path="/recurrenceEnd" type="xs:string" /><param style="plain" name="numberOfOccurences" path="/numberOfOccurences" type="xs:int" /><param style="plain" name="reminderMinutesBeforeStart" path="/reminderMinutesBeforeStart" type="xs:int" /><param style="plain" name="isReminderOn" path="/isReminderOn" type="xs:boolean" /><param style="plain" name="showAs" path="/showAs" type="xs:string"><option value="free" /><option value="tentative" /><option value="busy" /><option value="oof" /><option value="workingElsewhere" /><option value="unknown" /></param><param style="plain" name="responseRequested" path="/responseRequested" type="xs:boolean" /><param style="plain" name="sensitivity" path="/sensitivity" type="xs:string"><option value="normal" /><option value="personal" /><option value="private" /><option value="confidential" /></param></representation></request><response><representation mediaType="application/json" element="service:GraphCalendarEventClientReceive" /></response></method></resource><resource path="/{connectionId}/datasets/contacts/tables"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="ContactGetTables" actionName="ContactGetTables" visibility="advanced" siena:isDeprecated="true" siena:family="ContactGetTables" siena:revision="1" siena:status="Production"><doc title="Get contact folders
This operation lists available contacts folders." /><request /><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_Table_ux5D_" /></response></method></resource><resource path="/{connectionId}/v2/datasets/contacts/tables"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="ContactGetTablesV2" actionName="ContactGetTablesV2" visibility="advanced" siena:isDeprecated="false" siena:family="ContactGetTables" siena:revision="2" siena:status="Production"><doc title="Get contact folders (V2)
This operation lists available contacts folders using Graph API" /><request /><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_GraphContactFolder_ux5D_" /></response></method></resource><resource path="/{connectionId}/datasets/contacts/tables/{table}/items"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Unique identifier of the contacts folder to retrieve" /></param><method siena:requiresAuthentication="true" name="GET" id="ContactGetItems" actionName="ContactGetItems" visibility="advanced" siena:isDeprecated="true" siena:family="ContactGetItems" siena:revision="1" siena:status="Production"><doc title="Get contacts
This operation gets contacts from a contacts folder." /><request><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param></request><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_ContactResponse_ux5D_"

/></response></method></resource><resource
path="/{connectionId}/datasets/contacts/tables/{table}/items"><param style="template"
name="connectionId" type="xs:string" required="true" /><param style="template" name="table"
type="xs:string" required="true"><doc title="Select a contacts folder" /></param><method
siena:requiresAuthentication="true" name="POST" id="ContactPostItem"
actionName="ContactPostItem" visibility="important" siena:isDeprecated="true"
siena:family="ContactPostItem" siena:revision="1" siena:status="Production"><doc title="Create
contact
This operation creates a new contact in a contacts folder." /><request><representation
mediaType="application/json"><param style="plain" name="Id" path="/Id" type="xs:string" /><param
style="plain" name="ParentFolderId" path="/ParentFolderId" type="xs:string" /><param style="plain"
name="Birthday" path="/Birthday" type="service:Contact_Birthday_def" /><param style="plain"
name="FileAs" path="/FileAs" type="xs:string" /><param style="plain" name="DisplayName"
path="/DisplayName" type="xs:string" /><param style="plain" name="GivenName" path="/GivenName"
type="xs:string" required="true" /><param style="plain" name="Initials" path="/Initials" type="xs:string"
/><param style="plain" name="MiddleName" path="/MiddleName" type="xs:string" /><param
style="plain" name="NickName" path="/NickName" type="xs:string" /><param style="plain"
name="Surname" path="/Surname" type="xs:string" /><param style="plain" name="Title" path="/Title"
type="xs:string" /><param style="plain" name="Generation" path="/Generation" type="xs:string"
/><param style="plain" name="EmailAddresses" path="/EmailAddresses"
type="service:Contact_EmailAddresses_def" /><param style="plain" name="ImAddresses"
path="/ImAddresses" type="service:Contact_ImAddresses_def" /><param style="plain"
name="JobTitle" path="/JobTitle" type="xs:string" /><param style="plain" name="CompanyName"
path="/CompanyName" type="xs:string" /><param style="plain" name="Department"
path="/Department" type="xs:string" /><param style="plain" name="OfficeLocation"
path="/OfficeLocation" type="xs:string" /><param style="plain" name="Profession" path="/Profession"
type="xs:string" /><param style="plain" name="BusinessHomePage" path="/BusinessHomePage"
type="xs:string" /><param style="plain" name="AssistantName" path="/AssistantName"
type="xs:string" /><param style="plain" name="Manager" path="/Manager" type="xs:string" /><param
style="plain" name="HomePhones" path="/HomePhones" type="service:Contact_HomePhones_def"
required="true" /><param style="plain" name="BusinessPhones" path="/BusinessPhones"
type="service:Contact_BusinessPhones_def" /><param style="plain" name="MobilePhone1"
path="/MobilePhone1" type="xs:string" /><param style="plain" name="HomeAddress"
path="/HomeAddress" type="service:PhysicalAddress" /><param style="plain"
name="BusinessAddress" path="/BusinessAddress" type="service:PhysicalAddress" /><param
style="plain" name="OtherAddress" path="/OtherAddress" type="service:PhysicalAddress" /><param
style="plain" name="YomiCompanyName" path="/YomiCompanyName" type="xs:string" /><param
style="plain" name="YomiGivenName" path="/YomiGivenName" type="xs:string" /><param
style="plain" name="YomiSurname" path="/YomiSurname" type="xs:string" /><param style="plain"
name="Categories" path="/Categories" type="service:Contact_Categories_def" /><param style="plain"
name="ChangeKey" path="/ChangeKey" type="xs:string" /><param style="plain"
name="DateTimeCreated" path="/DateTimeCreated" type="service:Contact_DateTimeCreated_def"
/><param style="plain" name="DateTimeLastModified" path="/DateTimeLastModified"
type="service:Contact_DateTimeLastModified_def"
/></representation></request><response><representation mediaType="application/json"
element="service:ContactResponse" /></response></method></resource><resource
path="/{connectionId}/datasets/contacts/tables/{table}/items/{id}"><param style="template"
name="connectionId" type="xs:string" required="true" /><param style="template" name="table"
type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param
style="template" name="id" type="xs:string" required="true"><doc title="Unique identifier of a contact
to retrieve" /></param><method siena:requiresAuthentication="true" name="GET"
id="ContactGetItem" actionName="ContactGetItem" visibility="advanced" siena:isDeprecated="true"
siena:family="ContactGetItem" siena:revision="1" siena:status="Production"><doc title="Get
contact
This operation gets a specific contact from a contacts folder." /><request
/><response><representation mediaType="application/json" element="service:ContactResponse"
/></response></method></resource><resource

path="/{connectionId}/datasets/contacts/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Unique identifier of contact to delete" /></param><method siena:requiresAuthentication="true" name="DELETE" id="ContactDeleteItem" actionName="ContactDeleteItem" visibility="advanced" siena:isDeprecated="true" siena:family="ContactDeleteItem" siena:revision="1" siena:status="Production"><doc title="Delete contact
This operation deletes a contact from a contacts folder." /><request /></method></resource><resource path="/{connectionId}/datasets/contacts/tables/{table}/items/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="table" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Unique identifier of contact to update" /></param><method siena:requiresAuthentication="true" name="PATCH" id="ContactPatchItem" actionName="ContactPatchItem" visibility="advanced" siena:isDeprecated="true" siena:family="ContactPatchItem" siena:revision="1" siena:status="Production"><doc title="Update contact
This operation updates a contact in a contacts folder." /><request><representation mediaType="application/json"><param style="plain" name="Id" path="/Id" type="xs:string" /><param style="plain" name="ParentFolderId" path="/ParentFolderId" type="xs:string" /><param style="plain" name="Birthday" path="/Birthday" type="service:Contact_Birthday_def" /><param style="plain" name="FileAs" path="/FileAs" type="xs:string" /><param style="plain" name="DisplayName" path="/DisplayName" type="xs:string" /><param style="plain" name="GivenName" path="/GivenName" type="xs:string" required="true" /><param style="plain" name="Initials" path="/Initials" type="xs:string" /><param style="plain" name="MiddleName" path="/MiddleName" type="xs:string" /><param style="plain" name="NickName" path="/NickName" type="xs:string" /><param style="plain" name="Surname" path="/Surname" type="xs:string" /><param style="plain" name="Title" path="/Title" type="xs:string" /><param style="plain" name="Generation" path="/Generation" type="xs:string" /><param style="plain" name="EmailAddresses" path="/EmailAddresses" type="service:Contact_EmailAddresses_def" /><param style="plain" name="ImAddresses" path="/ImAddresses" type="service:Contact_ImAddresses_def" /><param style="plain" name="JobTitle" path="/JobTitle" type="xs:string" /><param style="plain" name="CompanyName" path="/CompanyName" type="xs:string" /><param style="plain" name="Department" path="/Department" type="xs:string" /><param style="plain" name="OfficeLocation" path="/OfficeLocation" type="xs:string" /><param style="plain" name="Profession" path="/Profession" type="xs:string" /><param style="plain" name="BusinessHomePage" path="/BusinessHomePage" type="xs:string" /><param style="plain" name="AssistantName" path="/AssistantName" type="xs:string" /><param style="plain" name="Manager" path="/Manager" type="xs:string" /><param style="plain" name="HomePhones" path="/HomePhones" type="service:Contact_HomePhones_def" required="true" /><param style="plain" name="BusinessPhones" path="/BusinessPhones" type="service:Contact_BusinessPhones_def" /><param style="plain" name="MobilePhone1" path="/MobilePhone1" type="xs:string" /><param style="plain" name="HomeAddress" path="/HomeAddress" type="service:PhysicalAddress" /><param style="plain" name="BusinessAddress" path="/BusinessAddress" type="service:PhysicalAddress" /><param style="plain" name="OtherAddress" path="/OtherAddress" type="service:PhysicalAddress" /><param style="plain" name="YomiCompanyName" path="/YomiCompanyName" type="xs:string" /><param style="plain" name="YomiGivenName" path="/YomiGivenName" type="xs:string" /><param style="plain" name="YomiSurname" path="/YomiSurname" type="xs:string" /><param style="plain" name="Categories" path="/Categories" type="service:Contact_Categories_def" /><param style="plain" name="ChangeKey" path="/ChangeKey" type="xs:string" /><param style="plain" name="DateTimeCreated" path="/DateTimeCreated" type="service:Contact_DateTimeCreated_def" /><param style="plain" name="DateTimeLastModified" path="/DateTimeLastModified" type="service:Contact_DateTimeLastModified_def" /></representation></request><response><representation mediaType="application/json" element="service:ContactResponse" /></response></method></resource><resource

path="/{connectionId}/codeless/api/beta/me/messages/{messageId}/$value"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to export." /></param><method siena:requiresAuthentication="true" name="GET" id="ExportEmail" actionName="ExportEmail" visibility="advanced" siena:isDeprecated="true" siena:family="ExportEmail" siena:revision="1" siena:status="Preview"><doc title="Export email
Export the content of the email." /><request /><response><representation mediaType="application/octet-stream" /></response></method></resource><resource path="/{connectionId}/codeless/beta/me/messages/{messageId}/$value"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to export." /></param><method siena:requiresAuthentication="true" name="GET" id="ExportEmailV2" actionName="ExportEmail_V2" visibility="advanced" siena:isDeprecated="false" siena:family="ExportEmail" siena:revision="2" siena:status="Production"><doc title="Export email (V2)
Export the content of the email in the EML file format." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to export from." /></param></request><response><representation mediaType="application/octet-stream" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/messages/{messageId}/flag"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to be flagged." /></param><method siena:requiresAuthentication="true" name="PATCH" id="FlagV2" actionName="Flag_V2" visibility="advanced" siena:isDeprecated="false" siena:family="Flag" siena:revision="2" siena:status="Production"><doc title="Flag email (V2)
This operation updates an email flag." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to update mail." /></param><representation mediaType="application/json"><param style="plain" name="flag" path="/flag" type="service:UpdateEmailFlag_flag_def" /></representation></request></method></resource><resource path="/{connectionId}/codeless/v1.0/me/messages/{messageId}/markAsRead"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to be marked." /></param><method siena:requiresAuthentication="true" name="PATCH" id="MarkAsReadV2" actionName="MarkAsRead_V2" visibility="advanced" siena:isDeprecated="true" siena:family="MarkAsRead" siena:revision="2" siena:status="Production"><doc title="Mark as read or unread (V2)
This operation marks an email as read/unread." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to update mail." /></param><representation mediaType="application/json"><param style="plain" name="isRead" path="/isRead" type="xs:boolean"><option value="true" /><option value="false" /></param></representation></request></method></resource><resource path="/{connectionId}/codeless/v3/v1.0/me/messages/{messageId}/markAsRead"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to be marked." /></param><method siena:requiresAuthentication="true" name="PATCH" id="MarkAsReadV3" actionName="MarkAsRead_V3" visibility="advanced" siena:isDeprecated="false" siena:family="MarkAsRead" siena:revision="3" siena:status="Production"><doc title="Mark as read or unread (V3)
This operation marks an email as read/unread." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to update mail." /></param><representation mediaType="application/json"><param style="plain" name="isRead" path="/isRead" type="xs:boolean" required="true"><option value="true" /><option value="false" /></param></representation></request></method></resource><resource path="/{connectionId}/codeless/v1.0/me/messages/{messageId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email to delete." /></param><method siena:requiresAuthentication="true" name="DELETE" id="DeleteEmailV2" actionName="DeleteEmail_V2" visibility="advanced" siena:isDeprecated="false"

siena:family="DeleteEmail" siena:revision="2" siena:status="Production"><doc title="Delete email (V2)
This operation deletes an email by id." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to delete mail from." /></param></request></method></resource><resource path="/{connectionId}/codeless/v1.0/me/messages/{messageId}/attachments/{attachmentId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="messageId" type="xs:string" required="true"><doc title="Id of the email." /></param><param style="template" name="attachmentId" type="xs:string" required="true"><doc title="Id of the attachment to download." /></param><method siena:requiresAuthentication="true" name="GET" id="GetAttachmentV2" actionName="GetAttachment_V2" visibility="advanced" siena:isDeprecated="false" siena:family="GetAttachment" siena:revision="2" siena:status="Production"><doc title="Get Attachment (V2)
This operation gets an email attachment by id." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to retrieve attachment from." /></param></request><response><representation mediaType="application/json" element="service:GetAttachment_V2_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/api/v2.0/me/events/{event_id}/{response}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="event_id" type="xs:string" required="true"><doc title="Id of the event to respond to." /></param><param style="template" name="response" type="xs:string" required="true"><doc title="Response for the event invite" /><option value="Accept" /><option value="Tentatively Accept" /><option value="Decline" /></param><method siena:requiresAuthentication="true" name="POST" id="RespondToEvent" actionName="RespondToEvent" visibility="advanced" siena:isDeprecated="true" siena:family="RespondToEvent" siena:revision="1" siena:status="Preview"><doc title="Respond to an event invite
Respond to an event invite." /><request><representation mediaType="application/json"><param style="plain" name="Comment" path="/Comment" type="xs:string" /><param style="plain" name="SendResponse" path="/SendResponse" type="xs:boolean" default="true" /></representation></request></method></resource><resource path="/{connectionId}/codeless/v1.0/me/events/{event_id}/{response}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="event_id" type="xs:string" required="true"><doc title="Id of the event to respond to." /></param><param style="template" name="response" type="xs:string" required="true"><doc title="Response for the event invite" /><option value="accept" /><option value="tentativelyAccept" /><option value="decline" /></param><method siena:requiresAuthentication="true" name="POST" id="RespondToEventV2" actionName="RespondToEvent_V2" visibility="advanced" siena:isDeprecated="false" siena:family="RespondToEvent" siena:revision="2" siena:status="Production"><doc title="Respond to an event invite (V2)
Respond to an event invite." /><request><representation mediaType="application/json"><param style="plain" name="Comment" path="/Comment" type="xs:string" /><param style="plain" name="SendResponse" path="/SendResponse" type="xs:boolean" default="true" /></representation></request></method></resource><resource path="/{connectionId}/codeless/api/v2.0/me/messages/{message_id}/forward"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="message_id" type="xs:string" required="true"><doc title="Id of the message to forward." /></param><method siena:requiresAuthentication="true" name="POST" id="ForwardEmail" actionName="ForwardEmail" visibility="advanced" siena:isDeprecated="true" siena:family="ForwardEmail" siena:revision="1" siena:status="Preview"><doc title="Forward an email
Forward an email." /><request><representation mediaType="application/json"><param style="plain" name="Comment" path="/Comment" type="xs:string" /><param style="plain" name="ToRecipients" path="/ToRecipients" type="xs:string" required="true" /></representation></request></method></resource><resource path="/{connectionId}/codeless/v1.0/me/messages/{message_id}/forward"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="message_id" type="xs:string" required="true"><doc title="Id of the message to forward. (You can use 'Message Id' from trigger or 'Get Emails' action output)" /></param><method siena:requiresAuthentication="true"

name="POST" id="ForwardEmailV2" actionName="ForwardEmail_V2" visibility="advanced" siena:isDeprecated="false" siena:family="ForwardEmail" siena:revision="2" siena:status="Production"><doc title="Forward an email (V2)
Forward an email." /><request><param style="query" name="mailboxAddress" type="xs:string"><doc title="Address of the shared mailbox to forward mail from." /></param><representation mediaType="application/json"><param style="plain" name="Comment" path="/Comment" type="xs:string" /><param style="plain" name="ToRecipients" path="/ToRecipients" type="xs:string" required="true" /></representation></request></method></resource><resource path="/{connectionId}/codeless/api/beta/me/findroomlists"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetRoomLists" actionName="GetRoomLists" visibility="advanced" siena:isDeprecated="true" siena:family="GetRoomLists" siena:revision="1" siena:status="Preview"><doc title="Get room lists
Get all the room lists defined in the user's tenant" /><request /><response><representation mediaType="application/json" element="service:GetRoomLists_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/beta/me/findRoomLists"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetRoomListsV2" actionName="GetRoomLists_V2" visibility="advanced" siena:isDeprecated="false" siena:family="GetRoomLists" siena:revision="2" siena:status="Production"><doc title="Get room lists (V2)
Get all the room lists defined in the user's tenant" /><request /><response><representation mediaType="application/json" element="service:GetRoomLists_V2_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/api/beta/me/findrooms"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetRooms" actionName="GetRooms" visibility="advanced" siena:isDeprecated="true" siena:family="GetRooms" siena:revision="1" siena:status="Preview"><doc title="Get rooms
Get all the meeting rooms defined in the user's tenant" /><request /><response><representation mediaType="application/json" element="service:GetRooms_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/beta/me/findRooms"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="GetRoomsV2" actionName="GetRooms_V2" visibility="advanced" siena:isDeprecated="false" siena:family="GetRooms" siena:revision="2" siena:status="Production"><doc title="Get rooms (V2)
Get all the meeting rooms defined in the user's tenant" /><request /><response><representation mediaType="application/json" element="service:GetRooms_V2_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/api/beta/me/findrooms(roomlist='{room_list}')"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="room_list" type="xs:string" required="true"><doc title="Room list to find rooms in" /></param><method siena:requiresAuthentication="true" name="GET" id="GetRoomsInRoomList" actionName="GetRoomsInRoomList" visibility="advanced" siena:isDeprecated="true" siena:family="GetRoomsInRoomList" siena:revision="1" siena:status="Preview"><doc title="Get rooms in room list
Get the meeting rooms in a specific room list" /><request /><response><representation mediaType="application/json" element="service:GetRoomsInRoomList_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/beta/me/findRooms(RoomList='{room_list}')"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="room_list" type="xs:string" required="true"><doc title="Room list to find rooms in" /></param><method siena:requiresAuthentication="true" name="GET" id="GetRoomsInRoomListV2" actionName="GetRoomsInRoomList_V2" visibility="advanced" siena:isDeprecated="false" siena:family="GetRoomsInRoomList" siena:revision="2" siena:status="Production"><doc title="Get rooms in room list (V2)
Get the meeting rooms in a specific room list" /><request /><response><representation mediaType="application/json"

element="service:GetRoomsInRoomList_V2_responses_200_def"
/></response></method></resource><resource
path="/{connectionId}/codeless/api/v2.0/me/findmeetingtimes"><param style="template"
name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true"
name="POST" id="FindMeetingTimes" actionName="FindMeetingTimes" visibility="advanced"
siena:isDeprecated="true" siena:family="FindMeetingTimes" siena:revision="1"
siena:status="Preview"><doc title="Find meeting times
Find meeting time suggestions based on
organizer, attendee availability, and time or location constraints" /><request><representation
mediaType="application/json"><param style="plain" name="RequiredAttendees"
path="/RequiredAttendees" type="xs:string" /><param style="plain" name="OptionalAttendees"
path="/OptionalAttendees" type="xs:string" /><param style="plain" name="ResourceAttendees"
path="/ResourceAttendees" type="xs:string" /><param style="plain" name="MeetingDuration"
path="/MeetingDuration" type="xs:int" /><param style="plain" name="Start" path="/Start"
type="service:FindMeetingTimes_param_body_def_Start_def" /><param style="plain" name="End"
path="/End" type="service:FindMeetingTimes_param_body_def_End_def" /><param style="plain"
name="MaxCandidates" path="/MaxCandidates" type="xs:int" /><param style="plain"
name="MinimumAttendeePercentage" path="/MinimumAttendeePercentage" type="xs:string"
/><param style="plain" name="IsOrganizerOptional" path="/IsOrganizerOptional" type="xs:boolean"
/><param style="plain" name="ActivityDomain" path="/ActivityDomain" type="xs:string"
default="Work"><option value="Work" /><option value="Personal" /><option value="Unrestricted"
/><option value="Unknown" /></param></representation></request><response><representation
mediaType="application/json" element="service:FindMeetingTimes_responses_200_def"
/></response></method></resource><resource
path="/{connectionId}/codeless/beta/me/findMeetingTimes"><param style="template"
name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true"
name="POST" id="FindMeetingTimesV2" actionName="FindMeetingTimes_V2" visibility="advanced"
siena:isDeprecated="false" siena:family="FindMeetingTimes" siena:revision="2"
siena:status="Production"><doc title="Find meeting times (V2)
Find meeting time suggestions
based on organizer, attendee availability, and time or location constraints" /><request><representation
mediaType="application/json"><param style="plain" name="RequiredAttendees"
path="/RequiredAttendees" type="xs:string" /><param style="plain" name="OptionalAttendees"
path="/OptionalAttendees" type="xs:string" /><param style="plain" name="ResourceAttendees"
path="/ResourceAttendees" type="xs:string" /><param style="plain" name="MeetingDuration"
path="/MeetingDuration" type="xs:int" /><param style="plain" name="Start" path="/Start"
type="service:FindMeetingTimes_V2_param_body_def_Start_def" /><param style="plain" name="End"
path="/End" type="service:FindMeetingTimes_V2_param_body_def_End_def" /><param style="plain"
name="MaxCandidates" path="/MaxCandidates" type="xs:int" /><param style="plain"
name="MinimumAttendeePercentage" path="/MinimumAttendeePercentage" type="xs:string"
/><param style="plain" name="IsOrganizerOptional" path="/IsOrganizerOptional" type="xs:boolean"
/><param style="plain" name="ActivityDomain" path="/ActivityDomain" type="xs:string"
default="Work"><option value="Work" /><option value="Personal" /><option value="Unrestricted"
/><option value="Unknown" /></param></representation></request><response><representation
mediaType="application/json" element="service:FindMeetingTimes_V2_responses_200_def"
/></response></method></resource><resource
path="/{connectionId}/codeless/v1.0/me/mailboxSettings"><param style="template"
name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true"
name="PATCH" id="SetAutomaticRepliesSettingV2" actionName="SetAutomaticRepliesSetting_V2"
siena:isDeprecated="false" siena:family="SetAutomaticRepliesSetting" siena:revision="2"
siena:status="Production"><doc title="Set up automatic replies (V2)
Set the automatic replies
setting for your mailbox." /><request><representation mediaType="application/json"><param
style="plain" name="automaticRepliesSetting" path="/automaticRepliesSetting"
type="service:AutomaticRepliesSettingClient_V2"
/></representation></request><response><representation mediaType="application/json"
element="service:SetAutomaticRepliesSetting_V2_responses_200_def"
/></response></method></resource><resource

path="/{connectionId}/codeless/v1.0/me/getMailTips"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="GetMailTipsV2" actionName="GetMailTips_V2" siena:isDeprecated="false" siena:family="GetMailTips" siena:revision="2" siena:status="Production"><doc title="Get mail tips for a mailbox (V2)
Get mail tips for a mailbox such as automatic replies / OOF message or if the mailbox is full. This is not available in GccHigh and Mooncake." /><request><representation mediaType="application/json"><param style="plain" name="MailTipsOptions" path="/MailTipsOptions" type="xs:string" required="true" default="automaticReplies, deliveryRestriction, externalMemberCount, mailboxFullStatus, maxMessageSize, moderationStatus, totalMemberCount" /><param style="plain" name="EmailAddresses" path="/EmailAddresses" type="service:GetMailTips_V2_param_body_def_EmailAddresses_def" required="true" /></representation></request><response><representation mediaType="application/json" element="service:GetMailTips_V2_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/calendars"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="CalendarGetTablesV2" actionName="CalendarGetTables_V2" visibility="advanced" siena:isDeprecated="false" siena:family="CalendarGetTables" siena:revision="2" siena:status="Production"><doc title="Get calendars (V2)
This operation lists available calendars." /><request><param style="query" name="skip" type="xs:int" default="0"><doc title="Number of calendars to skip." /></param><param style="query" name="top" type="xs:int" default="256"><doc title="Calendar page size." /></param><param style="query" name="orderBy" type="xs:string" default="name"><doc title="Orders calendars." /></param></request><response><representation mediaType="application/json" element="service:CalendarGetTables_V2_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/calendars/{calendar}/events/{event}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="calendar" type="xs:string" required="true"><doc title="Select a calendar" /></param><param style="template" name="event" type="xs:string" required="true"><doc title="Select an event" /></param><method siena:requiresAuthentication="true" name="DELETE" id="CalendarDeleteItemV2" actionName="CalendarDeleteItem_V2" visibility="advanced" siena:isDeprecated="false" siena:family="CalendarDeleteItem" siena:revision="2" siena:status="Production"><doc title="Delete event (V2)
This operation deletes an event in a calendar." /><request /></method></resource><resource path="/{connectionId}/codeless/v1.0/me/contactFolders/{folder}/contacts/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="folder" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Unique identifier of a contact to retrieve" /></param><method siena:requiresAuthentication="true" name="GET" id="ContactGetItemV2" actionName="ContactGetItem_V2" visibility="advanced" siena:isDeprecated="false" siena:family="ContactGetItem" siena:revision="2" siena:status="Production"><doc title="Get contact (V2)
This operation gets a specific contact from a contacts folder." /><request /><response><representation mediaType="application/json" element="service:ContactResponse_V2" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/contactFolders/{folder}/contacts/{id}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="folder" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Unique identifier of contact to delete" /></param><method siena:requiresAuthentication="true" name="DELETE" id="ContactDeleteItemV2" actionName="ContactDeleteItem_V2" visibility="advanced" siena:isDeprecated="false" siena:family="ContactDeleteItem" siena:revision="2" siena:status="Production"><doc title="Delete contact (V2)
This operation deletes a contact from a contacts folder." /><request /></method></resource><resource path="/{connectionId}/codeless/v1.0/me/contactFolders/{folder}/contacts/{id}"><param

style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="folder" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Unique identifier of contact to update" /></param><method siena:requiresAuthentication="true" name="PATCH" id="ContactPatchItemV2" actionName="ContactPatchItem_V2" visibility="advanced" siena:isDeprecated="false" siena:family="ContactPatchItem" siena:revision="2" siena:status="Production"><doc title="Update contact (V2)
This operation updates a contact in a contacts folder." /><request><representation mediaType="application/json"><param style="plain" name="id" path="/id" type="xs:string" /><param style="plain" name="parentFolderId" path="/parentFolderId" type="xs:string" /><param style="plain" name="birthday" path="/birthday" type="service:Contact_V2_birthday_def" /><param style="plain" name="fileAs" path="/fileAs" type="xs:string" /><param style="plain" name="displayName" path="/displayName" type="xs:string" /><param style="plain" name="givenName" path="/givenName" type="xs:string" required="true" /><param style="plain" name="initials" path="/initials" type="xs:string" /><param style="plain" name="middleName" path="/middleName" type="xs:string" /><param style="plain" name="nickName" path="/nickName" type="xs:string" /><param style="plain" name="surname" path="/surname" type="xs:string" /><param style="plain" name="title" path="/title" type="xs:string" /><param style="plain" name="generation" path="/generation" type="xs:string" /><param style="plain" name="emailAddresses" path="/emailAddresses" type="service:Contact_V2_emailAddresses_def" /><param style="plain" name="imAddresses" path="/imAddresses" type="service:Contact_V2_imAddresses_def" /><param style="plain" name="jobTitle" path="/jobTitle" type="xs:string" /><param style="plain" name="companyName" path="/companyName" type="xs:string" /><param style="plain" name="department" path="/department" type="xs:string" /><param style="plain" name="officeLocation" path="/officeLocation" type="xs:string" /><param style="plain" name="profession" path="/profession" type="xs:string" /><param style="plain" name="businessHomePage" path="/businessHomePage" type="xs:string" /><param style="plain" name="assistantName" path="/assistantName" type="xs:string" /><param style="plain" name="manager" path="/manager" type="xs:string" /><param style="plain" name="homePhones" path="/homePhones" type="service:Contact_V2_homePhones_def" required="true" /><param style="plain" name="businessPhones" path="/businessPhones" type="service:Contact_V2_businessPhones_def" /><param style="plain" name="mobilePhone" path="/mobilePhone" type="xs:string" /><param style="plain" name="homeAddress" path="/homeAddress" type="service:PhysicalAddress_V2" /><param style="plain" name="businessAddress" path="/businessAddress" type="service:PhysicalAddress_V2" /><param style="plain" name="otherAddress" path="/otherAddress" type="service:PhysicalAddress_V2" /><param style="plain" name="yomiCompanyName" path="/yomiCompanyName" type="xs:string" /><param style="plain" name="yomiGivenName" path="/yomiGivenName" type="xs:string" /><param style="plain" name="yomiSurname" path="/yomiSurname" type="xs:string" /><param style="plain" name="categories" path="/categories" type="service:Contact_V2_categories_def" /><param style="plain" name="changeKey" path="/changeKey" type="xs:string" /><param style="plain" name="createdDateTime" path="/createdDateTime" type="service:Contact_V2_createdDateTime_def" /><param style="plain" name="lastModifiedDateTime" path="/lastModifiedDateTime" type="service:Contact_V2_lastModifiedDateTime_def" /></representation></request><response><representation mediaType="application/json" element="service:ContactResponse_V2" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/contactFolders/{folder}/contacts"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="folder" type="xs:string" required="true"><doc title="Unique identifier of the contacts folder to retrieve" /></param><method siena:requiresAuthentication="true" name="GET" id="ContactGetItemsV2" actionName="ContactGetItems_V2" visibility="advanced" siena:isDeprecated="false" siena:family="ContactGetItems" siena:revision="2" siena:status="Production"><doc title="Get contacts (V2)
This operation gets contacts from a contacts folder." /><request><param style="query" name="$filter" type="xs:string"><doc title="An ODATA filter query to restrict the entries returned (e.g. stringColumn eq 'string' OR numberColumn lt 123)." /></param><param style="query" name="$orderby" type="xs:string"><doc title="An ODATA orderBy query for specifying the order of

entries." /></param><param style="query" name="$top" type="xs:int"><doc title="Total number of entries to retrieve (default = all)." /></param><param style="query" name="$skip" type="xs:int"><doc title="The number of entries to skip (default = 0)." /></param></request><response><representation mediaType="application/json" element="service:EntityListResponse_ux5B_ContactResponse_ux5D__V2" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/contactFolders/{folder}/contacts"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="folder" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><method siena:requiresAuthentication="true" name="POST" id="ContactPostItemV2" actionName="ContactPostItem_V2" visibility="important" siena:isDeprecated="false" siena:family="ContactPostItem" siena:revision="2" siena:status="Production"><doc title="Create contact (V2)
This operation creates a new contact in a contacts folder." /><request><representation mediaType="application/json"><param style="plain" name="id" path="/id" type="xs:string" /><param style="plain" name="parentFolderId" path="/parentFolderId" type="xs:string" /><param style="plain" name="birthday" path="/birthday" type="service:Contact_V2_birthday_def" /><param style="plain" name="fileAs" path="/fileAs" type="xs:string" /><param style="plain" name="displayName" path="/displayName" type="xs:string" /><param style="plain" name="givenName" path="/givenName" type="xs:string" required="true" /><param style="plain" name="initials" path="/initials" type="xs:string" /><param style="plain" name="middleName" path="/middleName" type="xs:string" /><param style="plain" name="nickName" path="/nickName" type="xs:string" /><param style="plain" name="surname" path="/surname" type="xs:string" /><param style="plain" name="title" path="/title" type="xs:string" /><param style="plain" name="generation" path="/generation" type="xs:string" /><param style="plain" name="emailAddresses" path="/emailAddresses" type="service:Contact_V2_emailAddresses_def" /><param style="plain" name="imAddresses" path="/imAddresses" type="service:Contact_V2_imAddresses_def" /><param style="plain" name="jobTitle" path="/jobTitle" type="xs:string" /><param style="plain" name="companyName" path="/companyName" type="xs:string" /><param style="plain" name="department" path="/department" type="xs:string" /><param style="plain" name="officeLocation" path="/officeLocation" type="xs:string" /><param style="plain" name="profession" path="/profession" type="xs:string" /><param style="plain" name="businessHomePage" path="/businessHomePage" type="xs:string" /><param style="plain" name="assistantName" path="/assistantName" type="xs:string" /><param style="plain" name="manager" path="/manager" type="xs:string" /><param style="plain" name="homePhones" path="/homePhones" type="service:Contact_V2_homePhones_def" required="true" /><param style="plain" name="businessPhones" path="/businessPhones" type="service:Contact_V2_businessPhones_def" /><param style="plain" name="mobilePhone" path="/mobilePhone" type="xs:string" /><param style="plain" name="homeAddress" path="/homeAddress" type="service:PhysicalAddress_V2" /><param style="plain" name="businessAddress" path="/businessAddress" type="service:PhysicalAddress_V2" /><param style="plain" name="otherAddress" path="/otherAddress" type="service:PhysicalAddress_V2" /><param style="plain" name="yomiCompanyName" path="/yomiCompanyName" type="xs:string" /><param style="plain" name="yomiGivenName" path="/yomiGivenName" type="xs:string" /><param style="plain" name="yomiSurname" path="/yomiSurname" type="xs:string" /><param style="plain" name="categories" path="/categories" type="service:Contact_V2_categories_def" /><param style="plain" name="changeKey" path="/changeKey" type="xs:string" /><param style="plain" name="createdDateTime" path="/createdDateTime" type="service:Contact_V2_createdDateTime_def" /><param style="plain" name="lastModifiedDateTime" path="/lastModifiedDateTime" type="service:Contact_V2_lastModifiedDateTime_def" /></representation></request><response><representation mediaType="application/json" element="service:ContactResponse_V2" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/contactFolders/{folder}/contacts/{id}/photo/$value"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="folder" type="xs:string" required="true"><doc title="Select a contacts folder" /></param><param style="template" name="id" type="xs:string" required="true"><doc title="Unique

identifier of a contact to update photo" /></param><method siena:requiresAuthentication="true" name="PUT" id="UpdateMyContactPhoto" actionName="UpdateMyContactPhoto" visibility="advanced" siena:isDeprecated="false" siena:status="Production"><doc title="Update my contact's photo
Updates the photo of the specified contact of the current user. The size of the photo must be less than 4 MB." /><request><param style="header" name="Content-Type" type="xs:string" default="image/jpeg"><doc title="Image content type (like 'image/jpeg')" /></param><representation mediaType="application/octet-stream" /></request></method></resource><resource path="/{connectionId}/codeless/httprequest"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="HttpRequest" actionName="HttpRequest" visibility="important" siena:isDeprecated="false" siena:status="Production"><doc title="Send an HTTP request
Construct a Microsoft Graph REST API request to invoke. These segments are supported: 1st segement: /me, /users/<userId> 2nd segment: messages, mailFolders, events, calendar, calendars, outlook, inferenceClassification. Learn more: https://docs.microsoft.com/en-us/graph/use-the-api." /><request><param style="header" name="Uri" type="xs:string" required="true"><doc title="The full or relative URI. Example: https://graph.microsoft.com/{version}/{resource}." /></param><param style="header" name="Method" type="xs:string" required="true" default="GET"><doc title="The HTTP method (default is GET)." /><option value="GET" /><option value="POST" /><option value="PUT" /><option value="PATCH" /><option value="DELETE" /></param><param style="header" name="ContentType" type="xs:string" default="application/json"><doc title="The content-type header for the body (default is application/json)." /></param><param style="header" name="CustomHeader1" type="xs:string"><doc title="Custom header 1. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader2" type="xs:string"><doc title="Custom header 2. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader3" type="xs:string"><doc title="Custom header 3. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader4" type="xs:string"><doc title="Custom header 4. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader5" type="xs:string"><doc title="Custom header 5. Specify in format: header-name: header-value" /></param><representation mediaType="application/octet-stream" /></request><response><representation mediaType="application/json" element="service:ObjectWithoutType" /></response></method></resource></resources><authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"><connectionProvider id="PowerAppAuth" siena:connectionProviderId="shared_office365" /></authenticationProviders><template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"><variable name="connectionId"><modifyParams style="template" name="connectionId" attribute="fixed" /></variable></template></application>

Office365Users

NameOffice365Users
Type ServiceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_office365users
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://usa002-004.azure-apihub.net/apim/office365users" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"

siena:serviceId="Office365Users" xmlns="http://wadl.dev.java.net/2009/02"><doc title="Office 365 Users">Office 365 Users Connection provider lets you access user profiles in your organization using your Office 365 account. You can perform various actions such as get your profile, a user's profile, a user's manager or direct reports and also update a user profile.</doc><grammars><jsonTypes targetNamespace="https://usa002-004.azure-apihub.net/apim/office365users" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"><string name="GraphUserUpdateable_V1_aboutMe_def" /><dateTimeString name="GraphUserUpdateable_V1_birthday_def" /><string name="GraphUserUpdateable_V1_interests_def_items_def" /><array type="string" name="GraphUserUpdateable_V1_interests_def" /><string name="GraphUserUpdateable_V1_mySite_def" /><string name="GraphUserUpdateable_V1_pastProjects_def_items_def" /><array type="string" name="GraphUserUpdateable_V1_pastProjects_def" /><string name="GraphUserUpdateable_V1_schools_def_items_def" /><array type="string" name="GraphUserUpdateable_V1_schools_def" /><string name="GraphUserUpdateable_V1_skills_def_items_def" /><array type="string" name="GraphUserUpdateable_V1_skills_def" /><object name="GraphUserUpdateable_V1"><property name="aboutMe" type="string" /><property name="birthday" typeRef="GraphUserUpdateable_V1_birthday_def" /><property name="interests" typeRef="GraphUserUpdateable_V1_interests_def" /><property name="mySite" type="string" /><property name="pastProjects" typeRef="GraphUserUpdateable_V1_pastProjects_def" /><property name="schools" typeRef="GraphUserUpdateable_V1_schools_def" /><property name="skills" typeRef="GraphUserUpdateable_V1_skills_def" /></object><string name="GraphTrending_id_def" /><number name="GraphTrending_weight_def" /><object name="GraphTrending"><property name="id" type="string" /><property name="weight" type="number" /><property name="resourceVisualization" typeRef="resourceVisualization" /><property name="resourceReference" typeRef="resourceReference" /></object><string name="resourceVisualization_title_def" /><string name="resourceVisualization_type_def" /><string name="resourceVisualization_mediaType_def" /><string name="resourceVisualization_previewImageUrl_def" /><string name="resourceVisualization_previewText_def" /><string name="resourceVisualization_containerWebUrl_def" /><string name="resourceVisualization_containerDisplayName_def" /><string name="resourceVisualization_containerType_def" /><object name="resourceVisualization"><property name="title" type="string" /><property name="type" type="string" /><property name="mediaType" type="string" /><property name="previewImageUrl" type="string" /><property name="previewText" type="string" /><property name="containerWebUrl" type="string" /><property name="containerDisplayName" type="string" /><property name="containerType" type="string" /></object><string name="resourceReference_webUrl_def" /><string name="resourceReference_id_def" /><string name="resourceReference_type_def" /><object name="resourceReference"><property name="webUrl" type="string" /><property name="id" type="string" /><property name="type" type="string" /></object><array typeRef="Person" name="LinklessEntityListResponse_ux5B_List_ux5B_Person_ux5D_ux5D__value_def" /><object name="LinklessEntityListResponse_ux5B_List_ux5B_Person_ux5D_ux5D_"><property name="value" typeRef="LinklessEntityListResponse_ux5B_List_ux5B_Person_ux5D_ux5D__value_def" /></object><string name="Person_id_def" /><string name="Person_displayName_def" /><string name="Person_givenName_def" /><string name="Person_surname_def" /><string name="Person_birthday_def" /><string name="Person_personNotes_def" /><boolean name="Person_isFavorite_def" /><string name="Person_jobTitle_def" /><string name="Person_companyName_def" /><string name="Person_department_def" /><string name="Person_officeLocation_def" /><string name="Person_profession_def" /><string name="Person_userPrincipalName_def" /><string name="Person_imAddress_def" /><array typeRef="ScoredEmailAddress" name="Person_scoredEmailAddresses_def" /><array typeRef="Phone" name="Person_phones_def" /><object name="Person"><property name="id" type="string" /><property name="displayName" type="string" /><property name="givenName" type="string" /><property name="surname" type="string" /><property name="birthday" type="string" /><property

name="personNotes" type="string" /><property name="isFavorite" type="boolean" /><property name="jobTitle" type="string" /><property name="companyName" type="string" /><property name="department" type="string" /><property name="officeLocation" type="string" /><property name="profession" type="string" /><property name="userPrincipalName" type="string" /><property name="imAddress" type="string" /><property name="scoredEmailAddresses" typeRef="Person_scoredEmailAddresses_def" /><property name="phones" typeRef="Person_phones_def" /></object><string name="ScoredEmailAddress_address_def" /><number name="ScoredEmailAddress_relevanceScore_def" /><object name="ScoredEmailAddress"><property name="address" type="string" /><property name="relevanceScore" type="number" /></object><string name="Phone_number_def" /><string name="Phone_type_def" /><object name="Phone"><property name="number" type="string" /><property name="type" type="string" /></object><string name="User_Id_def" /><boolean name="User_AccountEnabled_def" /><string name="User_BusinessPhones_def_items_def" /><array type="string" name="User_BusinessPhones_def" /><string name="User_City_def" /><string name="User_CompanyName_def" /><string name="User_Country_def" /><string name="User_Department_def" /><string name="User_DisplayName_def" /><string name="User_GivenName_def" /><string name="User_JobTitle_def" /><string name="User_Mail_def" /><string name="User_MailNickname_def" /><string name="User_mobilePhone_def" /><string name="User_OfficeLocation_def" /><string name="User_PostalCode_def" /><string name="User_Surname_def" /><string name="User_TelephoneNumber_def" /><string name="User_UserPrincipalName_def" /><object name="User"><property name="Id" type="string" /><property name="AccountEnabled" type="boolean" /><property name="BusinessPhones" typeRef="User_BusinessPhones_def" /><property name="City" type="string" /><property name="CompanyName" type="string" /><property name="Country" type="string" /><property name="Department" type="string" /><property name="DisplayName" type="string" /><property name="GivenName" type="string" /><property name="JobTitle" type="string" /><property name="Mail" type="string" /><property name="MailNickname" type="string" /><property name="mobilePhone" type="string" /><property name="OfficeLocation" type="string" /><property name="PostalCode" type="string" /><property name="Surname" type="string" /><property name="TelephoneNumber" type="string" /><property name="UserPrincipalName" type="string" /></object><boolean name="ClientPhotoMetadata_HasPhoto_def" /><integer name="ClientPhotoMetadata_Height_def" /><integer name="ClientPhotoMetadata_Width_def" /><string name="ClientPhotoMetadata_ContentType_def" /><string name="ClientPhotoMetadata_ImageFileExtension_def" /><object name="ClientPhotoMetadata"><property name="HasPhoto" type="boolean" /><property name="Height" type="integer" /><property name="Width" type="integer" /><property name="ContentType" type="string" /><property name="ImageFileExtension" type="string" /></object><untypedObject name="Object" /><array typeRef="User" name="EntityListResponse_ux5B_IReadOnlyList_ux5B_User_ux5D_ux5D__value_def" /><string name="EntityListResponse_ux5B_IReadOnlyList_ux5B_User_ux5D_ux5D___ux40_odata_nextLink_def" /><object name="EntityListResponse_ux5B_IReadOnlyList_ux5B_User_ux5D_ux5D_"><property name="value" typeRef="EntityListResponse_ux5B_IReadOnlyList_ux5B_User_ux5D_ux5D__value_def" /><property name="@odata.nextLink" type="string" /></object><string name="GraphUser_V1_aboutMe_def" /><boolean name="GraphUser_V1_accountEnabled_def" /><dateTimeString name="GraphUser_V1_birthday_def" /><string name="GraphUser_V1_businessPhones_def_items_def" /><array type="string" name="GraphUser_V1_businessPhones_def" /><string name="GraphUser_V1_city_def" /><string name="GraphUser_V1_companyName_def" /><string name="GraphUser_V1_country_def" /><string name="GraphUser_V1_department_def" /><string name="GraphUser_V1_displayName_def" /><string name="GraphUser_V1_givenName_def" /><dateTimeString name="GraphUser_V1_hireDate_def" /><string name="GraphUser_V1_id_def" /><string name="GraphUser_V1_interests_def_items_def" /><array type="string" name="GraphUser_V1_interests_def" /><string name="GraphUser_V1_jobTitle_def" /><string name="GraphUser_V1_mail_def" /><string name="GraphUser_V1_mailNickname_def" /><string name="GraphUser_V1_mobilePhone_def" /><string name="GraphUser_V1_mySite_def" /><string name="GraphUser_V1_officeLocation_def"

/><string name="GraphUser_V1_pastProjects_def_items_def" /><array type="string"
name="GraphUser_V1_pastProjects_def" /><string name="GraphUser_V1_postalCode_def" /><string
name="GraphUser_V1_preferredLanguage_def" /><string name="GraphUser_V1_preferredName_def"
/><string name="GraphUser_V1_responsibilities_def_items_def" /><array type="string"
name="GraphUser_V1_responsibilities_def" /><string name="GraphUser_V1_schools_def_items_def"
/><array type="string" name="GraphUser_V1_schools_def" /><string
name="GraphUser_V1_skills_def_items_def" /><array type="string" name="GraphUser_V1_skills_def"
/><string name="GraphUser_V1_state_def" /><string name="GraphUser_V1_streetAddress_def"
/><string name="GraphUser_V1_surname_def" /><string
name="GraphUser_V1_userPrincipalName_def" /><string name="GraphUser_V1_userType_def"
/><object name="GraphUser_V1"><property name="aboutMe" type="string" /><property
name="accountEnabled" type="boolean" /><property name="birthday"
typeRef="GraphUser_V1_birthday_def" /><property name="businessPhones"
typeRef="GraphUser_V1_businessPhones_def" /><property name="city" type="string" /><property
name="companyName" type="string" /><property name="country" type="string" /><property
name="department" type="string" /><property name="displayName" type="string" /><property
name="givenName" type="string" /><property name="hireDate" typeRef="GraphUser_V1_hireDate_def"
/><property name="id" type="string" /><property name="interests"
typeRef="GraphUser_V1_interests_def" /><property name="jobTitle" type="string" /><property
name="mail" type="string" /><property name="mailNickname" type="string" /><property
name="mobilePhone" type="string" /><property name="mySite" type="string" /><property
name="officeLocation" type="string" /><property name="pastProjects"
typeRef="GraphUser_V1_pastProjects_def" /><property name="postalCode" type="string" /><property
name="preferredLanguage" type="string" /><property name="preferredName" type="string"
/><property name="responsibilities" typeRef="GraphUser_V1_responsibilities_def" /><property
name="schools" typeRef="GraphUser_V1_schools_def" /><property name="skills"
typeRef="GraphUser_V1_skills_def" /><property name="state" type="string" /><property
name="streetAddress" type="string" /><property name="surname" type="string" /><property
name="userPrincipalName" type="string" /><property name="userType" type="string"
/></object><untypedObject name="ObjectWithoutType" /><string
name="UpdateMyPhoto_param_body_def" /><array typeRef="GraphTrending"
name="MyTrendingDocuments_responses_200_def_value_def" /><object
name="MyTrendingDocuments_responses_200_def"><property name="value"
typeRef="MyTrendingDocuments_responses_200_def_value_def" /></object><string
name="UserPhoto_responses_200_def" /><array typeRef="User"
name="DirectReports_responses_200_def" /><array typeRef="User"
name="SearchUser_responses_200_def" /><array typeRef="GraphUser_V1"
name="DirectReports_V2_responses_200_def_value_def" /><object
name="DirectReports_V2_responses_200_def"><property name="value"
typeRef="DirectReports_V2_responses_200_def_value_def" /></object><string
name="UserPhoto_V2_responses_200_def" /><array typeRef="GraphTrending"
name="TrendingDocuments_responses_200_def_value_def" /><object
name="TrendingDocuments_responses_200_def"><property name="value"
typeRef="TrendingDocuments_responses_200_def_value_def" /></object><string
name="HttpRequest_param_Body_def" /></jsonTypes></grammars><resources
siena:authenticationProviderHref="#PowerAppAuth" base="https://usa002-004.azure-
apihub.net/apim/office365users"><resource path="/{connectionId}/codeless/v1.0/me"><param
style="template" name="connectionId" type="xs:string" required="true" /><method
siena:requiresAuthentication="true" name="PATCH" id="UpdateMyProfile"
actionName="UpdateMyProfile" visibility="advanced" siena:isDeprecated="false"
siena:status="Production"><doc title="Update my profile
Updates the profile of the current user"
/><request><representation mediaType="application/json"><param style="plain" name="aboutMe"
path="/aboutMe" type="xs:string" /><param style="plain" name="birthday" path="/birthday"
type="service:GraphUserUpdateable_V1_birthday_def" /><param style="plain" name="interests"
path="/interests" type="service:GraphUserUpdateable_V1_interests_def" /><param style="plain"

name="mySite" path="/mySite" type="xs:string" /><param style="plain" name="pastProjects" path="/pastProjects" type="service:GraphUserUpdateable_V1_pastProjects_def" /><param style="plain" name="schools" path="/schools" type="service:GraphUserUpdateable_V1_schools_def" /><param style="plain" name="skills" path="/skills" type="service:GraphUserUpdateable_V1_skills_def" /></representation></request></method></resource><resource path="/{connectionId}/codeless/v1.0/me"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="MyProfileV2" actionName="MyProfile_V2" siena:isDeprecated="false" siena:family="MyProfile" siena:revision="2" siena:status="Production"><doc title="Get my profile (V2)
Retrieves the profile of the current user. Learn more about available fields to select: https://developer.microsoft.com/en-us/graph/docs/api-reference/v1.0/resources/user#properties" /><request><param style="query" name="$select" type="xs:string"><doc title="Comma separated list of fields to select. Example: surname, department, jobTitle" /></param></request><response><representation mediaType="application/json" element="service:GraphUser_V1" /></response></method></resource><resource path="/{connectionId}/codeless/v1.0/me/photo/$value"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="PUT" id="UpdateMyPhoto" actionName="UpdateMyPhoto" visibility="advanced" siena:isDeprecated="false" siena:status="Production"><doc title="Update my profile photo
Updates the profile photo of the current user. The size of the photo must be less than 4 MB." /><request><param style="header" name="Content-Type" type="xs:string" required="true" default="image/jpeg"><doc title="Image content type (like 'image/jpeg')" /></param><representation mediaType="application/octet-stream" /></request></method></resource><resource path="/{connectionId}/codeless/beta/me/insights/trending"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="MyTrendingDocuments" actionName="MyTrendingDocuments" siena:isDeprecated="false"><doc title="Get my trending documents
Retrieves the trending documents for the signed in user" /><request><param style="query" name="$filter" type="xs:string"><doc title="An OData filter to filter the resources selected. Filter selected resources on ResourceVisualization/Type or ResourceVisualization/containerType" /></param></request><response><representation mediaType="application/json" element="service:MyTrendingDocuments_responses_200_def" /></response></method></resource><resource path="/{connectionId}/users/{userId}/relevantpeople"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="userId" type="xs:string" required="true"><doc title="User principal name or id." /></param><method siena:requiresAuthentication="true" name="GET" id="RelevantPeople" actionName="RelevantPeople" visibility="advanced" siena:isDeprecated="false"><doc title="Get relevant people
Get relevant people." /><request /><response><representation mediaType="application/json" element="service:LinklessEntityListResponse_ux5B_List_ux5B_Person_ux5D_ux5D_" /></response></method></resource><resource path="/{connectionId}/users/me"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="MyProfile" actionName="MyProfile" visibility="advanced" siena:isDeprecated="true" siena:family="MyProfile" siena:revision="1" siena:status="Production"><doc title="Get my profile (V1)
Retrieves the profile of the current user." /><request /><response><representation mediaType="application/json" element="service:User" /></response></method></resource><resource path="/{connectionId}/users/{userId}"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="userId" type="xs:string" required="true"><doc title="User principal name or id." /></param><method siena:requiresAuthentication="true" name="GET" id="UserProfile" actionName="UserProfile" visibility="advanced" siena:isDeprecated="true" siena:family="UserProfile" siena:revision="1" siena:status="Production"><doc title="Get user profile (V1)
Retrieves the profile of a specific user." /><request /><response><representation mediaType="application/json" element="service:User" /></response></method></resource><resource

path="/{connectionId}/users/photo"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="UserPhotoMetadata" actionName="UserPhotoMetadata" siena:isDeprecated="false"><doc title="Get user photo metadata
Get user photo metadata." /><request><param style="query" name="userId" type="xs:string" required="true"><doc title="User principal name or id." /></param></request><response><representation mediaType="application/json" element="service:ClientPhotoMetadata" /></response></method></resource><resource path="/{connectionId}/users/photo/value"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="UserPhoto" actionName="UserPhoto" visibility="advanced" siena:isDeprecated="true" siena:family="UserPhoto" siena:revision="1" siena:status="Production"><doc title="Get user photo (V1)
Retrieves the photo of the specified user if they have one." /><request><param style="query" name="userId" type="xs:string" required="true"><doc title="User principal name or id." /></param></request><response><representation mediaType="application/octet-stream" siena:dtype="image" /></response></method></resource><resource path="/{connectionId}/users/{userId}/manager"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="userId" type="xs:string" required="true"><doc title="User principal name or id." /></param><method siena:requiresAuthentication="true" name="GET" id="Manager" actionName="Manager" visibility="advanced" siena:isDeprecated="true" siena:family="Manager" siena:revision="1" siena:status="Production"><doc title="Get manager (V1)
Retrieves the profile of the specified user's manager." /><request /><response><representation mediaType="application/json" element="service:User" /></response></method></resource><resource path="/{connectionId}/users/{userId}/directReports"><param style="template" name="connectionId" type="xs:string" required="true" /><param style="template" name="userId" type="xs:string" required="true"><doc title="User principal name or id." /></param><method siena:requiresAuthentication="true" name="GET" id="DirectReports" actionName="DirectReports" visibility="advanced" siena:isDeprecated="true" siena:family="DirectReports" siena:revision="1" siena:status="Production"><doc title="Get direct reports (V1)
Retrieves the user profiles of the specified user's direct reports." /><request /><response><representation mediaType="application/json" element="service:DirectReports_responses_200_def" /></response></method></resource><resource path="/{connectionId}/users"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="SearchUser" actionName="SearchUser" visibility="advanced" siena:isDeprecated="true" siena:family="SearchUser" siena:revision="1" siena:status="Production"><doc title="Search for users
Retrieves the user profiles that match the search term." /><request><param style="query" name="searchTerm" type="xs:string"><doc title="Search string (applies to: display name, given name, surname, mail, mail nickname and user principal name)." /></param><param style="query" name="top" type="xs:int" default="0"><doc title="Limit on the number of results to return. By default returns all entries." /></param></request><response><representation mediaType="application/json" element="service:SearchUser_responses_200_def" /></response></method></resource><resource path="/{connectionId}/v2/users"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="GET" id="SearchUserV2" actionName="SearchUserV2" visibility="advanced" siena:isDeprecated="false" siena:family="SearchUser" siena:revision="2" siena:status="Production"><doc title="Search for users (V2)
Retrieves the user profiles that match the search term (V2)." /><request><param style="query" name="searchTerm" type="xs:string"><doc title="Search string (applies to: display name, given name, surname, mail, mail nickname and user principal name)." /></param><param style="query" name="top" type="xs:int"><doc title="Limit on the number of results to return. Minimum value is 1. Default value is 1000." /></param><param style="query" name="isSearchTermRequired" type="xs:boolean" default="true"><doc title="If set to 'Yes' then no user profiles will be returned when the search term is empty. If set to 'No' then no filtering will be applied when the search term is empty." /></param><param style="query" name="skipToken" type="xs:string"><doc title="Skip token to get next users." /></param></request><response><representation mediaType="application/json"

element="service:EntityListResponse_ux5B_IReadOnlyList_ux5B_User_ux5D_ux5D_"
/></response></method></resource><resource
path="/{connectionId}/codeless/v1.0/users/{id}"><param style="template" name="connectionId"
type="xs:string" required="true" /><param style="template" name="id" type="xs:string"
required="true"><doc title="User principal name or id." /></param><method
siena:requiresAuthentication="true" name="GET" id="UserProfileV2" actionName="UserProfile_V2"
siena:isDeprecated="false" siena:family="UserProfile" siena:revision="2"
siena:status="Production"><doc title="Get user profile (V2)
Retrieves the profile of a specific user.
Learn more about available fields to select: https://developer.microsoft.com/en-us/graph/docs/api-
reference/v1.0/resources/user#properties" /><request><param style="query" name="$select"
type="xs:string"><doc title="Comma separated list of fields to select. Example: surname, department,
jobTitle" /></param></request><response><representation mediaType="application/json"
element="service:GraphUser_V1" /></response></method></resource><resource
path="/{connectionId}/codeless/v1.0/users/{id}/manager"><param style="template"
name="connectionId" type="xs:string" required="true" /><param style="template" name="id"
type="xs:string" required="true"><doc title="User principal name or id." /></param><method
siena:requiresAuthentication="true" name="GET" id="ManagerV2" actionName="Manager_V2"
siena:isDeprecated="false" siena:family="Manager" siena:revision="2"
siena:status="Production"><doc title="Get manager (V2)
Retrieves the profile of the specified
user's manager. Learn more about available fields to select: https://developer.microsoft.com/en-
us/graph/docs/api-reference/v1.0/resources/user#properties" /><request><param style="query"
name="$select" type="xs:string"><doc title="Comma separated list of fields to select. Example:
surname, department, jobTitle" /></param></request><response><representation
mediaType="application/json" element="service:GraphUser_V1"
/></response></method></resource><resource
path="/{connectionId}/codeless/v1.0/users/{id}/directReports"><param style="template"
name="connectionId" type="xs:string" required="true" /><param style="template" name="id"
type="xs:string" required="true"><doc title="User principal name or id." /></param><method
siena:requiresAuthentication="true" name="GET" id="DirectReportsV2"
actionName="DirectReports_V2" siena:isDeprecated="false" siena:family="DirectReports"
siena:revision="2" siena:status="Production"><doc title="Get direct reports (V2)
Retrieves the
user profiles of the specified user's direct reports. Learn more about available fields to select:
https://developer.microsoft.com/en-us/graph/docs/api-reference/v1.0/resources/user#properties"
/><request><param style="query" name="$select" type="xs:string"><doc title="Comma separated list
of fields to select. Example: surname, department, jobTitle" /></param><param style="query"
name="$top" type="xs:int"><doc title="Limit on the number of results to return. By default returns all
entries." /></param></request><response><representation mediaType="application/json"
element="service:DirectReports_V2_responses_200_def"
/></response></method></resource><resource
path="/{connectionId}/codeless/v1.0/users/{id}/photo/$value"><param style="template"
name="connectionId" type="xs:string" required="true" /><param style="template" name="id"
type="xs:string" required="true"><doc title="User principal name or id." /></param><method
siena:requiresAuthentication="true" name="GET" id="UserPhotoV2" actionName="UserPhoto_V2"
siena:isDeprecated="false" siena:family="UserPhoto" siena:revision="2"
siena:status="Production"><doc title="Get user photo (V2)
Retrieves the photo of the specified
user if they have one" /><request /><response><representation mediaType="application/octet-stream"
siena:dtype="image" /></response></method></resource><resource
path="/{connectionId}/codeless/beta/users/{id}/insights/trending"><param style="template"
name="connectionId" type="xs:string" required="true" /><param style="template" name="id"
type="xs:string" required="true"><doc title="User principal name or id." /></param><method
siena:requiresAuthentication="true" name="GET" id="TrendingDocuments"
actionName="TrendingDocuments" siena:isDeprecated="false"><doc title="Get trending
documents
Retrieves the trending documents for a user" /><request><param style="query"
name="$filter" type="xs:string"><doc title="An OData filter to filter the resources selected. Filter
selected resources on ResourceVisualization/Type or ResourceVisualization/containerType"

/></param></request><response><representation mediaType="application/json" element="service:TrendingDocuments_responses_200_def" /></response></method></resource><resource path="/{connectionId}/codeless/httprequest"><param style="template" name="connectionId" type="xs:string" required="true" /><method siena:requiresAuthentication="true" name="POST" id="HttpRequest" actionName="HttpRequest" visibility="important" siena:isDeprecated="false" siena:status="Production"><doc title="Send an HTTP request
Construct a Microsoft Graph REST API request to invoke. These segments are supported: 1st segement: /me, /users/<userId> 2nd segment: messages, mailFolders, events, calendar, calendars, outlook, inferenceClassification. Learn more: https://docs.microsoft.com/en-us/graph/use-the-api." /><request><param style="header" name="Uri" type="xs:string" required="true"><doc title="The full or relative URI. Example: https://graph.microsoft.com/{version}/{resource}." /></param><param style="header" name="Method" type="xs:string" required="true" default="GET"><doc title="The HTTP method (default is GET)." /><option value="GET" /><option value="POST" /><option value="PUT" /><option value="PATCH" /><option value="DELETE" /></param><param style="header" name="ContentType" type="xs:string" default="application/json"><doc title="The content-type header for the body (default is application/json)." /></param><param style="header" name="CustomHeader1" type="xs:string"><doc title="Custom header 1. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader2" type="xs:string"><doc title="Custom header 2. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader3" type="xs:string"><doc title="Custom header 3. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader4" type="xs:string"><doc title="Custom header 4. Specify in format: header-name: header-value" /></param><param style="header" name="CustomHeader5" type="xs:string"><doc title="Custom header 5. Specify in format: header-name: header-value" /></param><representation mediaType="application/octet-stream" /></request><response><representation mediaType="application/json" element="service:ObjectWithoutType" /></response></method></resource></resources><authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"><connectionProvider id="PowerAppAuth" siena:connectionProviderId="shared_office365users" /></authenticationProviders><template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"><variable name="connectionId"><modifyParams style="template" name="connectionId" attribute="fixed" /></variable></template></application>

Strenuus_Product

Name Strenuus_Product
Type ConnectedDataSourceInfo
DataSource Properties

ApiId	/providers/microsoft.powerapps/apis/shared_sql
CdpRevision	BaseUrl /v2
LastChangedTimeString	8/21/2024 5:46:05 PM
RevisionNumber	2

ConnectedDataSourceInfoNameMapping	57dfb1b5-7d79-4046-a4da-fd831d5befe1-KeyId	KeyId	
CS	CS		
EI	EI		
IFP	IFP		
LoadDate	LoadDate		
MR	MR		
Payor	Payor		

Product	Product
StrenuusProductCode	StrenuusProductCode

DataEntityMetadataJson [dbo].[Strenuus_Product]

{"name":"[dbo].[Strenuus_Product]","title":"[dbo].[Strenuus_Product]","x-ms-permission":"read-write","x-ms-capabilities":{"sortRestrictions":{"sortable":true},"filterRestrictions":{"filterable":true},"selectRestrictions":{"selectable":true},"filterFunctionSupport":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","now","not","and","or","day","month","year","hour","minute","second","date","time","totaloffsetminutes","totalseconds","round","floor","ceiling","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat","sum","min","max","average","countdistinct","null"]},"schema":{"type":"array","items":{"type":"object","required":["LoadDate","IFP"],"properties":{"StrenuusProductCode":{"title":"StrenuusProductCode","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"Payor":{"title":"Payor","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":50,"x-ms-permission":"read-write","x-ms-sort":"none"},"Product":{"title":"Product","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","contains","startswith","endswith","length","indexof","replace","substring","substringof","tolower","toupper","trim","concat"]},"type":"string","maxLength":60,"x-ms-permission":"read-write","x-ms-sort":"none"},"EI":{"title":"EI","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","not","and","or"]},"type":"boolean","x-ms-permission":"read-write","x-ms-sort":"none"},"CS":{"title":"CS","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","not","and","or"]},"type":"boolean","x-ms-permission":"read-write","x-ms-sort":"none"},"MR":{"title":"MR","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","not","and","or"]},"type":"boolean","x-ms-permission":"read-write","x-ms-sort":"none"},"LoadDate":{"title":"LoadDate","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","day","month","year","hour","minute","second","date","time"]},"type":"string","format":"date-no-tz","x-ms-permission":"read-write","x-ms-sort":"none"},"IFP":{"title":"IFP","x-ms-capabilities":{"filterFunctions":["lt","le","eq","ne","gt","ge","min","max","countdistinct","add","sub","mul","div","mod","negate","sum","average"]},"type":"integer","format":"int32","minimum":-2147483648,"maximum":2147483647,"x-ms-permission":"read-write","x-ms-sort":"none"}}},"x-ms-permission":"read-write"}}

DatasetName	wn000059834.ms.ds.uhc.com,NDAR
EncodeDataset	False
IsSampleData	False
IsWritable	False
TableName	[dbo].[Strenuus_Product]

uspCsExpCheckProjectId

Name	uspCsExpCheckProjectId
Type	ServiceInfo
DataSource Properties	
ApiId	/providers/microsoft.powerapps/apis/shared_logicflows

FlowNameId b3e442bc-8f04-488a-a2df-2487fe7892df
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="uspCsExpCheckProjectId" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="uspCsExpCheckProjectId" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <string name="ManualTriggerInput_text_def" /> <object name="ManualTriggerInput"> <property name="text" type="string" /> </object> <string name="ResponseActionOutput_exists_def" /> <object name="ResponseActionOutput"> <property name="exists" type="string" /> </object> <object name="Run_responses_default_def" /> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="text" path="/text" type="xs:string" required="true"> <doc title="ProjectID" /> </param> </representation> </request> <response> <representation mediaType="application/json" element="service:ResponseActionOutput" /> </response> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId e767d2b7-b655-ef11-a317-000d3a114ae5

uspCsExpProjectServiceAreaEditV2

Name uspCsExpProjectServiceAreaEditV2
Type ServiceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_logicflows
FlowNameId d280b7f3-a764-4d53-b15d-4ae04a508bac
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="uspCsExpProjectServiceAreaEditV2" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="uspCsExpProjectServiceAreaEditV2" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <string name="ManualTriggerInput_text_def" /> <number name="ManualTriggerInput_number_def" />

<number name="ManualTriggerInput_number_1_def" /> <object name="ManualTriggerInput"> <property name="text" type="string" /> <property name="number" type="number" /> <property name="number_1" type="number" /> </object> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="text" path="/text" type="xs:string" required="true"> <doc title="ProjectID" /> </param> <param style="plain" name="number" path="/number" type="xs:double" required="true"> <doc title="Mileage" /> </param> <param style="plain" name="number_1" path="/number_1" type="xs:double" required="true"> <doc title="Flag" /> </param> </representation> </request> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId bd3929e5-b655-ef11-a317-000d3a114ae5

uspCsExpProjectServiceAreaV2

Name uspCsExpProjectServiceAreaV2
Type ServiceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_logicflows
FlowNameId 879ef918-4def-408a-a9d1-944517ea5f1c
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="uspCsExpProjectServiceAreaV2" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="uspCsExpProjectServiceAreaV2" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <string name="ManualTriggerInput_text_def" /> <number name="ManualTriggerInput_number_def" /> <object name="ManualTriggerInput"> <property name="text" type="string" /> <property name="number" type="number" /> </object> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="text" path="/text" type="xs:string" required="true"> <doc title="ProjectID" /> </param> <param style="plain" name="number" path="/number" type="xs:double" required="true"> <doc title="Mileage" />

</param> </representation> </request> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId 4060560b-b755-ef11-a317-000d3a114ae5

uspCsExpSelCspProducts

Name uspCsExpSelCspProducts
Type ServiceInfo
DataSource Properties
ApiId /providers/microsoft.powerapps/apis/shared_logicflows
FlowNameId d4cde8e7-e6ff-439b-b335-f34abe914c96
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="uspCsExpSelCspProducts" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="uspCsExpSelCspProducts" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <number name="ManualTriggerInput_number_def" /> <object name="ManualTriggerInput"> <property name="number" type="number" /> </object> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="number" path="/number" type="xs:double" required="true"> <doc title="Flag" /> </param> </representation> </request> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId f3f93354-b755-ef11-a317-000d3a114ae5

uspCsExpZtrxServiceAreaV4

Name uspCsExpZtrxServiceAreaV4
Type ServiceInfo

DataSource Properties

ApiId /providers/microsoft.powerapps/apis/shared_logicflows
FlowNameId 60475212-b0a8-4407-99b2-9941f9681019
ServiceKind ConnectedWadl
WadlMetadata WadlXml <application xmlns:xml="http://www.w3.org/XML/1998/namespace" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:service="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns:siena="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11" siena:serviceId="uspCsExpZtrxServiceAreaV4" xmlns="http://wadl.dev.java.net/2009/02"> <doc title="uspCsExpZtrxServiceAreaV4" /> <grammars> <jsonTypes targetNamespace="https://unitedstates-002.azure-apim.net/apim/logicflows" xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <string name="ManualTriggerInput_text_def" /> <object name="ManualTriggerInput"> <property name="text" type="string" /> </object> </jsonTypes> </grammars> <resources siena:authenticationProviderHref="#PowerAppAuth" base="https://unitedstates-002.azure-apim.net/apim/logicflows"> <resource path="/{connectionId}/triggers/manual/run"> <param style="template" name="connectionId" type="xs:string" required="true" /> <method siena:requiresAuthentication="true" name="POST" id="Run"> <doc title="Runs a logic flow trigger." /> <request> <param style="query" name="api-version" type="xs:string" required="true" fixed="2015-02-01-preview"> <doc title="The api version" /> </param> <representation mediaType="application/json"> <param style="plain" name="text" path="/text" type="xs:string" required="true"> <doc title="ProjectID" /> </param> </representation> </request> </method> </resource> </resources> <authenticationProviders xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <connectionProvider id="PowerAppAuth" siena:connectionProviderId="logicflows" /> </authenticationProviders> <template xmlns="http://schemas.microsoft.com/MicrosoftProjectSiena/WADL/2014/11"> <variable name="connectionId"> <modifyParams style="template" name="connectionId" attribute="fixed" /> </variable> </template> </application>

WorkflowEntityId 473be22f-b755-ef11-a317-000d3a114ae5

Controls Overview

A total of 13 Screens are located in the app.
A total of 536 Controls are located in the app.

Screen: CompetitorEntryScreen

CompetitorEntryScreen [screen]

btnAdd [button]

btnCompLoad [button]

btnFinished [button]

ddCompetitorProduct [dropdown]

ddPayor [dropdown]

galCompetitorSel [gallery]

galCompetitor [label]

galCompetitorProduct [label]

galCS [label]

galEI [label]

galleryTemplate3_1 [galleryTemplate]

galMR [label]

galSProductCode [label]

iconDelete [icon]

Rectangle8 [rectangle]

Separator1 [rectangle]

grpDevLabel_8 [group]

grpProjectID [group]

grpViewDetails [group]

Icon1_16 [PowerApps_CoreControls_Icon]

Icon1_17 [PowerApps_CoreControls_Icon]

iconBack_2 [icon]

Label1 [label]

Label1_1 [label]

Label1_2 [label]

Label1_3 [label]

Label1_4 [label]

Label1_5 [label]

Label1_6 [label]

Label1_7 [label]

Label1_8 [label]

Label13 [label]

Label13_1 [label]

Label13_2 [label]

lblCS [label]

lblEI [label]

lblMR [label]

lblProjectID_3 [label]

lblSPC [label]

Rectangle5_3 [rectangle]

ScreenContainer1_6 [verticalAutoLayoutContainer]

HeaderContainer1_7 [horizontalAutoLayoutContainer]

Header1_7 [Header]

TextCanvas1_8 [PowerApps_CoreControls_TextCanvas]

timerAddBtn [timer]

TimerGoLabel [PowerApps_CoreControls_TextCanvas]

txtProjectID_3 [label]

varAddButtonVisibleLabel [PowerApps_CoreControls_TextCanvas]

Screen: CSPLOBMappingScreen

CSPLOBMappingScreen [screen]

btnLoadLOB [PowerApps_CoreControls_ButtonCanvas]

galLOB [gallery]

cbSelectLOB [checkbox]

galleryTemplate3 [galleryTemplate]

galNwpr_Pfx [label]

galProduct [label]

Rectangle10 [rectangle]

Separator3 [rectangle]

VertSep1 [rectangle]

VertSep2 [rectangle]

grpDevLabel_7 [group]

Icon1_14 [PowerApps_CoreControls_Icon]

Icon1_15 [PowerApps_CoreControls_Icon]

iconBack_1 [icon]

lblCSPProduct [label]

lblCSPProduct_1 [label]

lblCSPProduct_2 [label]

lblProjectID_2 [label]

Rectangle5_2 [rectangle]

ScreenContainer1_5 [verticalAutoLayoutContainer]

HeaderContainer1_6 [horizontalAutoLayoutContainer]

Header1_6 [Header]

TextCanvas1_7 [PowerApps_CoreControls_TextCanvas]

txtProjectID_2 [label]

Screen: EditProjectScreen

EditProjectScreen [screen]

BasicInfoForm [form]

Analyst_DataCard1 [typedDataCard]

DataCardKey2 [label]

ErrorMessage2 [label]

StarVisible2 [label]

txtEEPAnalyst [text]

BenchmarkFileID_DataCard1 [typedDataCard]

DataCardKey3 [label]

ErrorMessage3 [label]

StarVisible3 [label]

txtEEPBenchmarkFileID [text]

DataLoadDate_DataCard1 [typedDataCard]

DataCardKey4 [label]

ErrorMessage4 [label]

StarVisible4 [label]

txtEEPDataLoadDate [datepicker]

GoLiveDate_DataCard1 [typedDataCard]

DataCardKey5 [label]

dpEEPGoLiveDate [datepicker]

ErrorMessage5 [label]

StarVisible5 [label]

LastEditDate_DataCard1 [typedDataCard]

DataCardKey6 [label]

ErrorMessage6 [label]

StarVisible6 [label]

txtEEPLastEditDate [datepicker]

LastEditMSID_DataCard1 [typedDataCard]

DataCardKey7 [label]

ErrorMessage7 [label]

StarVisible7 [label]

txtEEPLastEditMSID [text]

MaxMileage_DataCard1 [typedDataCard]

DataCardKey8 [label]

ddEEPMileage [dropdown]

ErrorMessage8 [label]

StarVisible8 [label]

NDB_LOB_DataCard1 [typedDataCard]

DataCardKey12 [label]

ErrorMessage12 [label]

StarVisible12 [label]

txtEEPNDBLOB [text]

NewMarket_DataCard1 [typedDataCard]

DataCardKey14 [label]

ErrorMessage14 [label]

StarVisible14 [label]

txtEEPNewMarket [text]

PM_DataCard1 [typedDataCard]

DataCardKey9 [label]

ErrorMessage9 [label]

StarVisible9 [label]

txtEEPProjectManager [text]

ProjectDesc_DataCard1 [typedDataCard]

DataCardKey10 [label]

ErrorMessage10 [label]

StarVisible10 [label]

txtEEPProjectDesc [text]

ProjectID_DataCard1 [typedDataCard]

DataCardKey1 [label]

ErrorMessage1 [label]

StarVisible1 [label]

txtEEPProjectID [text]

ProjectType_DataCard1 [typedDataCard]

DataCardKey13 [label]

ErrorMessage13 [label]

StarVisible13 [label]

txtEEPProjectType [text]

ProvRef_DataCard1 [typedDataCard]

DataCardKey15 [label]

ErrorMessage15 [label]

StarVisible15 [label]

txtEEPProvRef [text]

RefreshInd_DataCard1 [typedDataCard]

DataCardKey17 [label]

DataCardValue1 [text]

ErrorMessage17 [label]

StarVisible17 [label]

Status_DataCard1 [typedDataCard]

DataCardKey11 [label]

ddEEPStatus [dropdown]

ErrorMessage11 [label]

StarVisible11 [label]

Status_DataCard2 [typedDataCard]

DataCardKey16 [label]

ErrorMessage16 [label]

StarVisible16 [label]

txtEEPProjectStatus [text]

btnFormLoad [button]

btnGoBack_1 [button]

btnPopCancel_1 [button]

btnPopCancel_2 [button]

btnPopContinueEEP [button]

btnResetGallery [button]

btnStatusPopNo [button]

btnStatusPopYes [button]

btnSubmitUpdates [button]

btnYesDelete [button]

FormCoverBackground [rectangle]

galMiniMenu [gallery]

btnMenuButton [button]

galleryTemplate6 [galleryTemplate]

Rectangle9 [rectangle]

Separator6 [rectangle]

galProjects [gallery]

Body1 [label]

Body1_1 [label]

Body1_2 [label]

Body1_3 [label]

galleryTemplate2 [galleryTemplate]

IconDelete [icon]

iconEdit [icon]

Rectangle6 [rectangle]

Separator2 [rectangle]

Subtitle2 [label]

Title2 [label]

grpDeletePopup [group]

grpDevLabel_3 [group]

grpFormCover [group]

grpMSID_1 [group]

grpStatusChangePop [group]

grpWarningPopup [group]

Icon1_6 [PowerApps_CoreControls_Icon]

Icon1_7 [PowerApps_CoreControls_Icon]

Icon2 [icon]

Icon3 [icon]

Label10_2 [label]

Label10_3 [label]

Label10_4 [label]

Label11_2 [label]

Label11_3 [label]

Label11_4 [label]

Label3_5 [label]

Label4 [label]

Rectangle2_2 [rectangle]

Rectangle2_3 [rectangle]

Rectangle2_4 [rectangle]

Rectangle3_2 [rectangle]

Rectangle3_3 [rectangle]

Rectangle3_4 [rectangle]

ScreenContainer1_2 [verticalAutoLayoutContainer]

HeaderContainer1_3 [horizontalAutoLayoutContainer]

Header1_3 [Header]

StatusIcon [icon]

TextCanvas1_3 [PowerApps_CoreControls_TextCanvas]

txtMSID_1 [label]

txtSearchBox [text]

Screen: EditServiceAreaScreen

EditServiceAreaScreen [screen]

btnComplete [button]

btnGoBack [button]

btnLoadDataTable [button]

btnPopCancel [button]

btnPopContinue [button]

btnPopSubmit [button]

btnResetDataTable [button]

btnTimerOk [button]

btnUpdateGrid [button]

EditServiceAreaHeader [verticalAutoLayoutContainer]

HeaderContainer1_2 [horizontalAutoLayoutContainer]

Header1_2 [Header]

galServiceArea [gallery]

cbSelect [checkbox]

ddGalReportInclude [dropdown]

galCounty [label]

galleryTemplate1 [galleryTemplate]

galMileage [label]

galState [label]

galtxtRegion [text]

Rectangle4 [rectangle]

Separator4 [rectangle]

grpConfirmPopup [group]

grpDevLabel_4 [group]

grpNewProjectIDEditServiceArea [group]

grpNotificationPopup [group]

grpRegion [group]

grpWaitPop [group]

HeaderContainer [manualLayoutContainer]

cbAll [checkbox]

headerCounty [button]

headerInclude [button]

headerMileage [button]

headerRegion [button]

headerState [button]

Icon1_8 [PowerApps_CoreControls_Icon]

Icon1_9 [PowerApps_CoreControls_Icon]

iconRefresh [icon]

Label10 [label]

Label10_1 [label]

Label11 [label]

Label11_1 [label]

Label15 [label]

Label2 [label]

Label3_1 [label]

lblPopText [label]

popBackground [rectangle]

popBox [rectangle]

Rectangle1 [rectangle]

Rectangle2 [rectangle]

Rectangle2_1 [rectangle]

Rectangle3 [rectangle]

Rectangle3_1 [rectangle]

TextCanvas1_4 [PowerApps_CoreControls_TextCanvas]

timerLoading [timer]

txtNewProjectIDEditServiceArea [label]

txtRegionUpdate [text]

Screen: EntryScreen

EntryScreen [screen]

btnSuccessContinue_3 [PowerApps_CoreControls_ButtonCanvas]

grpDevLabel [group]

Icon1 [PowerApps_CoreControls_Icon]

Icon1_1 [PowerApps_CoreControls_Icon]

iconCheck1_3 [icon]

iconCircle1_3 [circle]

LblLoadingText [label]

LblSuccessMsg1_3 [label]

Progress1 [PowerApps_CoreControls_Progress]

TextCanvas1 [PowerApps_CoreControls_TextCanvas]

Timer2 [timer]

Screen: HomeScreen

HomeScreen [screen]

btnExistingProject [PowerApps_CoreControls_ButtonCanvas]

btnExit [PowerApps_CoreControls_ButtonCanvas]

btnNewProject [PowerApps_CoreControls_ButtonCanvas]

grpDevLabel_1 [group]

grpHomeButtons [group]

Icon1_2 [PowerApps_CoreControls_Icon]

Icon1_3 [PowerApps_CoreControls_Icon]

Label17 [label]

Label17_1 [label]

Label17_2 [label]

ScreenContainer1 [verticalAutoLayoutContainer]

HeaderContainer1 [horizontalAutoLayoutContainer]

Header1 [Header]

TextCanvas1_1 [PowerApps_CoreControls_TextCanvas]

tglAdmin [PowerApps_CoreControls_Toggle]

Timer1 [timer]

Screen: NewProjectScreen

NewProjectScreen [screen]

btnCreateLEP [button]

btnCreateProject [button]

btnMainMenu [button]

cbLEP [checkbox]

ddIteration [dropdown]

ddMileage [dropdown]

ddProduct [dropdown]

ddProjectStatus [dropdown]

ddState [dropdown]

dpGoLiveDate [datepicker]

grpAnalyst [group]

grpBenchmarkFileID [group]

grpButtons [group]

grpDevLabel_2 [group]

grpEditDate [group]

grpGoLiveDate [group]

grpIteration [group]

grpMileage [group]

grpMSID [group]

grpNDBLOB [group]

grpNewProjectID [group]

grpProduct [group]

grpProjectDescription [group]

grpProjectManager [group]

grpProjectType [group]

grpState [group]

grpStatus [group]

Icon1_4 [PowerApps_CoreControls_Icon]

Icon1_5 [PowerApps_CoreControls_Icon]

Icon4 [icon]

Label12 [label]

Label3 [label]

Label3_2 [label]

Label3_3 [label]

Label3_4 [label]

Label5 [label]

Label5_1 [label]

Label5_2 [label]

Label5_4 [label]

Label6 [label]

Label6_1 [label]

Label6_2 [label]

Label6_3 [label]

Label6_4 [label]

Label7 [label]

Label7_1 [label]

Label7_2 [label]

Label7_3 [label]

Label7_4 [label]

Label8 [label]

Label9 [label]

Rectangle7 [rectangle]

ScreenContainer1_1 [verticalAutoLayoutContainer]

HeaderContainer1_1 [horizontalAutoLayoutContainer]

Header1_1 [Header]

TextCanvas1_2 [PowerApps_CoreControls_TextCanvas]

txtAnalyst [label]

txtBenchmarkFileID [text]

txtLastEditDate [label]

txtMSID [label]

txtNDBLOB [text]

txtNewProjectID [label]

txtProjectDescription [text]

txtProjectManager [text]

txtProjectType [label]

Screen: NotesEntryScreen

NotesEntryScreen [screen]

btnNewNote [button]

btnNotesLoad [button]

btnSubmitNote [button]

btnUpdateNote [button]

ddNotesCategory [dropdown]

galNotesData [gallery]

galCategory [label]

galCreatedBy [label]

galleryTemplate4 [galleryTemplate]

galNotes [label]

galOrigLoadDate [label]

galRecordID [label]

iconDeleteNote [icon]

iconEditNote [icon]

Rectangle11 [rectangle]

Separator8 [rectangle]

grpDevLabel_9 [group]

grpNotesCover [group]

Icon1_18 [PowerApps_CoreControls_Icon]

Icon1_19 [PowerApps_CoreControls_Icon]

Icon3_1 [icon]

iconBack_3 [icon]

Label1_10 [label]

Label1_11 [label]

Label14 [label]

lblProjectID_4 [label]

NotesCover [rectangle]

NotesForm [form]

DataLoadDate_DataCard3 [typedDataCard]

DataCardKey22 [label]

dtNoteLoadDate [datepicker]

ErrorMessage21 [label]

StarVisible21 [label]

LastEditDate_DataCard2 [typedDataCard]

DataCardKey18 [label]

dtNoteEditDate [datepicker]

ErrorMessage18 [label]

StarVisible18 [label]

LastEditMSID_DataCard2 [typedDataCard]

DataCardKey19 [label]

ErrorMessage19 [label]

StarVisible19 [label]

txtNoteLastMSID [text]

Notes_DataCard4 [typedDataCard]

DataCardKey26 [label]

ErrorMessage26 [label]

StarVisible26 [label]

txtNotes [text]

OrigNoteMSID_DataCard1 [typedDataCard]

DataCardKey20 [label]

ErrorMessage20 [label]

StarVisible20 [label]

txtNoteOrigMSID [text]

ProjectCategory_DataCard3 [typedDataCard]

DataCardKey24 [label]

ddNotesFormCategory [dropdown]

ErrorMessage24 [label]

StarVisible24 [label]

RecordID_DataCard1 [typedDataCard]

DataCardKey21 [label]

txtNotesRecordID [label]

Rectangle5_4 [rectangle]

ScreenContainer1_7 [verticalAutoLayoutContainer]

HeaderContainer1_8 [horizontalAutoLayoutContainer]

Header1_8 [Header]

TextCanvas1_9 [PowerApps_CoreControls_TextCanvas]

txtNotesSearchBox [text]

txtProjectID_4 [label]

Screen: OptionalYLineScreen

OptionalYLineScreen [screen]

btnAddPostYLine_1 [button]

btnAddPreYLine_1 [button]

btnOptDelPostYLine [button]

btnOptDelPreYLine [button]

grpDevLabel_6 [group]

grpPostAward_1 [group]

grpPreAward_1 [group]

Icon1_12 [PowerApps_CoreControls_Icon]

Icon1_13 [PowerApps_CoreControls_Icon]

iconBack [icon]

lblIPANbr_2 [label]

lblIPANbr_3 [label]

lblMktNbr_2 [label]

lblMktNbr_3 [label]

lblPostAward_1 [label]

lblPreAward_1 [label]

lblProdCd_2 [label]

lblProdCd_3 [label]

lblProjectID_1 [label]

Rectangle5_1 [rectangle]

ScreenContainer1_4 [verticalAutoLayoutContainer]

HeaderContainer1_5 [horizontalAutoLayoutContainer]

Header1_5 [Header]

TextCanvas1_6 [PowerApps_CoreControls_TextCanvas]

txtOptPostIPANbr [text]

txtOptPostMktNbr [text]

txtOptPostProdCd [text]

txtOptPreIPANbr [text]

txtOptPreMktNbr [text]

txtOptPreProdCd [text]

txtProjectID_1 [label]

Screen: SuccessScreenCompetitorData

SuccessScreenCompetitorData [screen]

btnSuccessContinue_2 [PowerApps_CoreControls_ButtonCanvas]

grpDevLabel_12 [group]

Icon1_24 [PowerApps_CoreControls_Icon]

Icon1_25 [PowerApps_CoreControls_Icon]

iconCheck1_2 [icon]

iconCircle1_2 [circle]

LblSuccessMsg1_2 [label]

TextCanvas1_12 [PowerApps_CoreControls_TextCanvas]

Screen: SuccessScreenEditProject

SuccessScreenEditProject [screen]

btnSuccessContinue_1 [PowerApps_CoreControls_ButtonCanvas]

grpDevLabel_11 [group]

Icon1_22 [PowerApps_CoreControls_Icon]

Icon1_23 [PowerApps_CoreControls_Icon]

iconCheck1_1 [icon]

iconCircle1_1 [circle]

LblSuccessMsg1_1 [label]

TextCanvas1_11 [PowerApps_CoreControls_TextCanvas]

Screen: SuccessScreenNewProject

SuccessScreenNewProject [screen]

btnSuccessContinue [PowerApps_CoreControls_ButtonCanvas]

grpDevLabel_10 [group]

Icon1_20 [PowerApps_CoreControls_Icon]

Icon1_21 [PowerApps_CoreControls_Icon]

iconCheck1 [icon]

iconCircle1 [circle]

LblSuccessMsg1 [label]

TextCanvas1_10 [PowerApps_CoreControls_TextCanvas]

Screen: YLineScreen

YLineScreen [screen]

btnAddPostYLine [button]

btnAddPreYLine [button]

btnDelPostYLine [button]

btnDelPreYLine [button]

grpDevLabel_5 [group]

grpPostAward [group]

grpPreAward [group]

Icon1_10 [PowerApps_CoreControls_Icon]

Icon1_11 [PowerApps_CoreControls_Icon]

iconOptionalYLine [icon]

iconYLineBack [icon]

lblIPANbr [label]

lblIPANbr_1 [label]

lblMktNbr [label]

lblMktNbr_1 [label]

lblPostAward [label]

lblPreAward [label]

lblProdCd [label]

lblProdCd_1 [label]

lblProjectID [label]

Rectangle5 [rectangle]

ScreenContainer1_3 [verticalAutoLayoutContainer]

HeaderContainer1_4 [horizontalAutoLayoutContainer]

Header1_4 [Header]

TextCanvas1_5 [PowerApps_CoreControls_TextCanvas]

txtPostIPANbr [text]

txtPostMktNbr [text]

txtPostProdCd [text]

txtPreIPANbr [text]

txtPreMktNbr [text]

txtPreProdCd [text]

txtProjectID [label]

Screen Navigation

The following diagram shows the navigation between the different screens.



Detailed Controls

CompetitorEntryScreen

Type ☐ screen

Behavior
OnVisible

ClearCollect(colDistinct Payors,Distinct(Strenuus_Product,Payor)); Select(btnCompLoad); If(CountRows(galCompetitorSel.AllItems)=0,Set(varCompGalEmpty,true)); Set(varAddButtonVisible,true);

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1_6
Rectangle5_3
iconBack_2
lblProjectID_3
txtProjectID_3
Label13
lblEI
Label13_1
lblCS
Label13_2
lblMR
Label1_2
lblSPC
Label1
Label1_1
ddPayor
ddCompetitorProduct
timerAddBtn
Label1_3
Label1_4
Label1_5
Label1_6
Label1_7
Label1_8
galCompetitorSel
btnCompLoad
varAddButtonVisibleLabel
btnAdd

btnFinished
TimerGoLabel
Icon1_17
TextCanvas1_8
Icon1_16
grpViewDetails
grpProjectID
grpDevLabel_8

btnAdd

Type button

Behavior

OnSelect **UpdateContext({TimerGo:true}); Patch(colCompGridData, Defaults(colCompGridData), { ProjectID: varCurrentProjectID, ProjectStatus: varCurrentProjectStatus, StrenuusProductCode: Value(lblSPC.Text), Payor: ddPayor.SelectedText.Value, Product: ddCompetitorProduct.SelectedText.Value, EI: Value(lblEI.Text), CS: Value(lblCS.Text), MR: Value(lblMR.Text), DataLoadDate: Now(), LastEditMSID: varCurrentLastEditMSID }); Patch(CS_EXP_Competitor_Translation, Defaults(CS_EXP_Competitor_Translation), { ProjectID: varCurrentProjectID, ProjectStatus: varCurrentProjectStatus, StrenuusProductCode: lblSPC.Text, Payor: ddPayor.SelectedText.Value, Product: ddCompetitorProduct.SelectedText.Value, EI: Value(lblEI.Text), CS: Value(lblCS.Text), MR: Value(lblMR.Text), DataLoadDate: Now(), LastEditMSID: varCurrentLastEditMSID });**

Data

Text **"Add"** "Button"

Design

Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varAddButtonVisible**

Width **150** 160

X 529
Y 688
ZIndex 29
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

btnCompLoad

Type button

Behavior
OnSelect **!IsBlank(ClearCollect(colCompGridData, Filter(CS_EXP_Competitor_Translation, ProjectID = varCurrentProjectID)));**

Data
Text **"btnCompLoad"** "Button"

Design

Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	**App.Theme.Font** Font.'Open Sans'
FontWeight	FontWeight.Semibold
Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	15
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**false**
Width	160
X	83
Y	683
ZIndex	32

Color Properties

BorderColor	**App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)
Color	RGBA(255, 255, 255, 1)
DisabledBorderColor	RGBA(244, 244, 244, 1)
	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)
Fill	**App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	**App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)
HoverColor	RGBA(255, 255, 255, 1)
HoverFill	**App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

btnFinished

Type button

Behavior
OnSelect **Patch(CS_EXP_Project_Translation, LookUp(CS_EXP_Project_Translation, ProjectID=varCurrentProjectID), { LastEditMSID: varCurrentLastEditMSID, RefreshInd: 2}); Navigate(SuccessScreenCompetitorData);**

Data
Text **"Finished"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **!varCompGalEmpty**

Width **150** 160

X 711
Y 688
ZIndex 33
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

ddCompetitorProduct

Type dropdown

Behavior
OnChange **Set(varCompChanged,true); Set(varAddButtonVisible,true);**

Data
Items **Filter(Strenuus_Product, Payor = ddPayor.Selected.Value)**
DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	**App.Theme.Font** Font.'Open Sans'
FontWeight	FontWeight.Normal
Height	40
Italic	false
PaddingBottom	10
PaddingLeft	10
PaddingRight	10
PaddingTop	10
Size	13
Strikethrough	false
Underline	false
Width	**450** 328
X	665
Y	284
ZIndex	20

Color Properties

BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	ColorFade(Self.BorderColor, 15%)
HoverColor	RGBA(0, 0, 0, 1)

HoverFill	**App.Theme.Colors.Lighter70**	RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor	
PressedColor	RGBA(255, 255, 255, 1)	
PressedFill	**App.Theme.Colors.Darker30**	RGBA(0, 18, 107, 1)
SelectionColor	RGBA(255, 255, 255, 1)	
SelectionFill	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)
Child & Parent Controls		
Child Controls		
Parent Control	CompetitorEntryScreen	

ddPayor

Type	dropdown	
Behavior		
OnChange	**Set(varCompChanged,true);**	
Data		
Items	**Sort(colDistinctPayors,Value)**	DropDownSample
Design		
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
ChevronBackground	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)
ChevronDisabledBackground	RGBA(166, 166, 166, 1)	
ChevronDisabledFill	RGBA(244, 244, 244, 1)	
ChevronFill	RGBA(255, 255, 255, 1)	
ChevronHoverBackground	**App.Theme.Colors.Darker10**	ColorFade(RGBA(56, 96, 178, 1), -20%)
ChevronHoverFill	RGBA(255, 255, 255, 1)	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	4	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	40	

Italic	false	
PaddingBottom	10	
PaddingLeft	10	
PaddingRight	10	
PaddingTop	10	
Size	13	
Strikethrough	false	
Underline	false	
Width	**370**	328
X	258	
Y	284	
ZIndex	19	

Color Properties

BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(244, 244, 244, 1)	
Fill	RGBA(255, 255, 255, 1)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	ColorFade(Self.BorderColor, 15%)	
HoverColor	RGBA(0, 0, 0, 1)	
HoverFill	**App.Theme.Colors.Lighter70**	RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor	
PressedColor	RGBA(255, 255, 255, 1)	
PressedFill	**App.Theme.Colors.Darker30**	RGBA(0, 18, 107, 1)
SelectionColor	RGBA(255, 255, 255, 1)	
SelectionFill	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)

Child & Parent Controls

Child Controls	
Parent Control	CompetitorEntryScreen

galCompetitor

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **ThisItem.Payor** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **26** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **2** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **370** 150

Wrap **false**

X 3
Y 0
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(50, 49, 48, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galCompetitorSel

galCompetitorProduct

Type label

Behavior		
OnSelect	**Select(Parent)**	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**ThisItem.Product**	"Text"
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	**2** 0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **26** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **2** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **543** 150

Wrap **false**

X 373
Y 0
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galCompetitorSel

galCompetitorSel

Type	gallery		
Data			
Default			
Items		**colCompGridData**	CustomGallerySample
WrapCount	1		
Design			
#CopilotOverlayLabel		**"Filtered"**	
#CopilotOverlayVisible		**false**	
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	
DelayItemLoading		**true**	
DisplayMode	DisplayMode.Edit		
Height		**250**	575
Layout	Layout.Vertical		
LoadingSpinner		**LoadingSpinner.Data**	LoadingSpinner.None
LoadingSpinnerColor	Self.BorderColor		
ShowScrollbar		**false**	
TemplatePadding		**1**	0
TemplateSize		**25**	Min(160, Self.Height - 60)
Transition	Transition.None		
Width		**1208**	640
X	83		
Y	426		
ZIndex	18		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		

RGBA(0, 18, 107, 1)

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(180, 214, 250, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate3_1
Rectangle8
galCompetitor
galCompetitorProduct
galSProductCode
galEI
galCS
galMR
iconDelete
Separator1

Parent Control CompetitorEntryScreen

galCS

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **If(ThisItem.CS,"1","0")** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **26** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **2** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **60** 150

X 1046
Y 0
ZIndex 5
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls

Parent Control galCompetitorSel

galEI

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **If(ThisItem.EI,"1","0")** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **26** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **2** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **60** 150

X 986
Y 0
ZIndex 4
Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galCompetitorSel

galleryTemplate3_1

Type galleryTemplate

Design
TemplateFill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls
Parent Control galCompetitorSel

galMR

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **If(ThisItem.MR,"1","0")** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **26** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **2** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **60** 150

X 1106
Y 0
ZIndex 6
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galCompetitorSel

galSProductCode

Type label

Behavior		
OnSelect	**Select(Parent)**	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**ThisItem.StrenuusProductCode**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	**2**	0
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)**	FontWeight.Normal
Height	**26**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	**0**	5

PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**14**	13
Strikethrough	false	
TabIndex	**-1**	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**70**	150
X	916	
Y	0	
ZIndex	2	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	galCompetitorSel	

grpDevLabel_8

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 41
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

grpProjectID

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 33
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

grpViewDetails

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 32
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Header1_7

Type Header

Behavior
OnSelectLogo **false**

Data
BasePaletteColor
FontColor
Logo **Picture1**

Title	**"Axis Program Management: Competitor Entry"**
UserEmail	**User().Email**
UserImage	**User().Image**
UserName	**User().FullName**

Design

DisplayMode	**DisplayMode.Edit**
Height	**75**
Width	**Parent.Width**
X	0
Y	0
ZIndex	1

Child & Parent Controls

Child Controls

Parent Control HeaderContainer1_7

HeaderContainer1_7

Type horizontalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**

RadiusBottomLeft **4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **500**

X 0
Y 0
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls
Child Controls Header1_7

Parent Control ScreenContainer1_6

Icon1_16

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704

ZIndex 39
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Icon1_17

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 38
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

iconBack_2

Type icon

Behavior
OnSelect **Patch(CS_EXP_Project_Translation, LookUp(CS_EXP_Project_Translation, ProjectID=varCurrentProjectID), { LastEditMSID: varCurrentLastEditMSID, RefreshInd: 2}); Set(varEditProject,true); Back(); Set(varFormCoverMode,true);**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height	**45**
Icon	**Icon.BackArrow**
Width	**45**
X	83
Y	169
ZIndex	11
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

iconDelete

Type	icon

Behavior

OnSelect Remove(colCompGridData, ThisItem); Remove(CS_EXP_Competitor_Translation, LookUp(CS_EXP_Competitor_Translation, ProjectID = varCurrentProjectID And StrenuusProductCode = ThisItem.StrenuusProductCode And Payor = ThisItem.Payor And Product = ThisItem.Product));

Design

BorderStyle BorderStyle.Solid

BorderThickness 0

DisplayMode DisplayMode.Edit

FocusedBorderThickness 2

Height 25

Icon Icon.Trash

Width 25

X 1174

Y 0

ZIndex 7

Color Properties

BorderColor App.Theme.Colors.Darker40

Color RGBA(255, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill Self.Fill

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor ColorFade(Self.BorderColor, 20%)

HoverColor ColorFade(Self.Color, 20%)

HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galCompetitorSel

Label1

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Select Competitor"**	"Text"
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Normal
Height	40	
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**370**	150
X	258	
Y	244	
ZIndex	12	
Color Properties		
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

Label1_1

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Select Competitor Product"** "Text"		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		

Underline false
VerticalAlign VerticalAlign.Middle
Width **370** 150

X 665
Y 244
ZIndex 13
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Label1_2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Strenuus Product Code"** "Text"

Design
Align **Align.Center** Align.Left

AutoHeight **false**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit

FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height		**30**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**210**	150
X	845		
Y	176		
ZIndex	14		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			
Child Controls			
Parent Control	CompetitorEntryScreen		

Label1_3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"Competitor"**	"Text"
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size		**16**	13
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**galCompetitor.Width**	150
X	83		
Y	386		
ZIndex	21		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		

HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

Label1_4

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Product"**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**16**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**galCompetitorProduct.Width**	150	
X	458		
Y	386		
ZIndex	22		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

Label1_5

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"SPC"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**16**	13	
Strikethrough	false		

Underline false
VerticalAlign VerticalAlign.Middle
Width **galSProductCode.Width** 150

X 1000
Y 386
ZIndex 23
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Label1_6

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"EI"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **16** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **galEl.Width** 150

X 1070
Y 386
ZIndex 24
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Label1_7

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"CS"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **16** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **galCS.Width** 150

X 1130
Y 386
ZIndex 25
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor

HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

Label1_8

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"MR"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**16**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**galMR.Width**	150	
X	1190		
Y	386		
ZIndex	26		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)		

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Label13

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"El"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **30** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **15** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **40** 150

X 593
Y 176
ZIndex 15
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

Label13_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"CS"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit

FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height		**30**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size		**15**	13
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**40**	150
X	675		
Y	176		
ZIndex	16		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			
Child Controls			
Parent Control	CompetitorEntryScreen		

Label13_2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"MR"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **30** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **15** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **45** 150

X 755
Y 176
ZIndex 17
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

lblCS

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**If(varCompGalEmpty && !varCompChanged,"",If(LookUp(Strenuus_Product, Product = ddCompetitorProduct.Selected.Product, CS) = true,"1","0"))**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**30**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**40**	150	

X 715
Y 176
ZIndex 28
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

lblEI

Type label

Data
Live Live.Off
Role TextRole.Default
Text **If(varCompGalEmpty && !varCompChanged,"", If(LookUp(Strenuus_Product, Product = ddCompetitorProduct.Selected.Product, EI) = true,"1","0"))** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **30** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **40** 150

X 634
Y 176
ZIndex 27
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

lblMR

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**If(varCompGalEmpty && !varCompChanged,"",If(LookUp(Strenuus_Product, Product = ddCompetitorProduct.Selected.Product, MR) = true,"1","0"))**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**30**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**45**	150	

X 800
Y 176
ZIndex 30
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

lblProjectID_3

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Project ID: "** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	258		
Y	171		
ZIndex	9		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

lblSPC

Type label

Data
Live Live.Off
Role TextRole.Default
Text **If(varCompGalEmpty && !varCompChanged,"",LookUp(Strenuus_Product, Product = ddCompetitorProduct.Selected.Product, StrenuusProductCode))** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **30** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **60** 150

X 1055
Y 176
ZIndex 31
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

Rectangle5_3

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**2**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**586**
Width	**1254**
X	60
Y	156
ZIndex	8
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

DisabledFill	**Self.Fill**
Fill	RGBA(214, 221, 224, 1)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

Rectangle8

Type	rectangle
Behavior	
OnSelect	**Select(Parent)**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**Parent.TemplateHeight - Separator1.Height**
TabIndex	**-1**
Visible	**ThisItem.IsSelected**
Width	**4**
X	0
Y	0
ZIndex	9
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**

Fill	**App.Theme.Colors.Darker30**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galCompetitorSel

ScreenContainer1_6

Type verticalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**109**
LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**
LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **Parent.Width**

X 0
Y 0
ZIndex 7
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls
Child Controls HeaderContainer1_7

Parent Control CompetitorEntryScreen

Separator1

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **2**

TabIndex **-1**

Width **Parent.TemplateWidth**

X 0
Y (Parent.TemplateHeight - Self.Height)+2
ZIndex 8
Color Properties

BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galCompetitorSel

TextCanvas1_8

Type PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 40
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

timerAddBtn

Type timer

Behavior
OnSelect **Set(varAddButtonVisible,false);**

OnTimerEnd **Set(varAddButtonVisible,true);**
UpdateContext({TimerGo:false});

OnTimerStart **Set(varAddButtonVisible,false);**

Data
Duration **5000**

Reset **false**

Start **TimerGo**

Text Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")
Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Size 13
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 1115
Y 335
ZIndex 36
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

ColorFade(Self.BorderColor, 70%)

DisabledColor RGBA(166, 166, 166, 1)

ColorFade(Self.Fill, 90%)

DisabledFill RGBA(244, 244, 244, 1)

ColorFade(Self.Fill, 70%)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

TimerGoLabel

Type ⓘ PowerApps_CoreControls_TextCanvas

Data
BorderStyle **""**

FontColor
Text **"TimerGo: " & TimerGo**

Design
DisplayMode **DisplayMode.Edit**

Height **32**

Visible **false**

Width **96**

X 1000
Y 688
ZIndex 37
Color Properties
BorderColor
Fill

Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

txtProjectID_3

Type label

Data
Live Live.Off
Role TextRole.Default
Text **varCurrentProjectID** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 408
Y 171
ZIndex 10
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CompetitorEntryScreen

varAddButtonVisibleLabel

Type PowerApps_CoreControls_TextCanvas

Data	
BorderStyle	**""**
FontColor	
Text	**varAddButtonVisible**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**32**
Visible	**false**
Width	**96**

X 1130
Y 687
ZIndex 35
Color Properties
BorderColor
Fill
Child & Parent Controls
Child Controls
Parent Control CompetitorEntryScreen

CSPLOBMappingScreen

Type screen

Behavior
OnVisible **Select(btnLoadLOB);**

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1_5
Rectangle5_2
iconBack_1
lblProjectID_2
txtProjectID_2
btnLoadLOB
lblCSPProduct_2
lblCSPProduct
lblCSPProduct_1
galLOB
Icon1_15
TextCanvas1_7
Icon1_14
grpDevLabel_7

btnLoadLOB

Type PowerApps_CoreControls_ButtonCanvas

Behavior
OnSelect **ClearCollect(colPlatformLoadProducts, CS_EXP_PlatformLoadProducts); ClearCollect(colTransformedProducts, AddColumns(colPlatformLoadProducts, Product, GRGR_ID & " - " & GRGR_NAME, SelectedCodes,NWPR_PFX & "-" & GRGR_ID, ProjectID,varCurrentProjectID)); Set(isChecked,false); Set(varLOBGridData,Filter(colTransformedProducts,Left(NWNW_ID,2)=Left(varCurrentProjectID,2)));**

Data
Align **""**

BasePaletteColor
BorderStyle **""**

FontColor
Icon **""**

IconRotation **0**

IconStyle **"Outline"**

Layout **"Icon before"**

Text **"btnLoadLOB"**

VerticalAlign **""**

Design
DisplayMode **DisplayMode.Edit**

Height **32**

Visible **false**

Width **96**

X 551
Y 228
ZIndex 9
Color Properties
BorderColor
Child & Parent Controls
Child Controls
Parent Control CSPLOBMappingScreen

cbSelectLOB

Type ☑ checkbox

Behavior

OnCheck **If(isChecked, Notify("Product is already selected for this Project, Un-Select current product first",NotificationType.Error,5000), If(!IsBlank(LookUp(CS_EXP_Sel_PLProducts, ProjectID = varCurrentProjectID && NWNW_ID = ThisItem.NWNW_ID)), Patch(CS_EXP_Sel_PLProducts, LookUp(CS_EXP_Sel_PLProducts, ProjectID = varCurrentProjectID && NWNW_ID = ThisItem.NWNW_ID), { ProjectID: varCurrentProjectID, ProjectStatus: "Active", NWNW_ID: ThisItem.NWNW_ID, NWPR_PFX: ThisItem.NWPR_PFX, GRGR_ID: ThisItem.GRGR_ID, GRGR_NAME: ThisItem.GRGR_NAME, LastEditMSID: varCurrentLastEditMSID,DataLoadDate:Now() }), Patch(CS_EXP_Sel_PLProducts, Defaults(CS_EXP_Sel_PLProducts), { ProjectID: varCurrentProjectID, ProjectStatus: "Active", NWNW_ID: ThisItem.NWNW_ID, NWPR_PFX: ThisItem.NWPR_PFX, GRGR_ID: ThisItem.GRGR_ID, GRGR_NAME: ThisItem.GRGR_NAME, LastEditMSID: varCurrentLastEditMSID,DataLoadDate:Now() })); Set(isChecked,true));**

OnSelect **Select(Parent)**

OnUncheck **Remove(CS_EXP_Sel_PLProducts, LookUp(CS_EXP_Sel_PLProducts, ProjectID = varCurrentProjectID && NWNW_ID = ThisItem.NWNW_ID)); Set(isChecked,false);**

Data

Default

!IsBlank(LookUp(CS_EXP_Sel_PLProducts, ProjectID = varCurrentProjectID && NWNW_ID = ThisItem.NWNW_ID && NWPR_PFX = ThisItem.NWPR_PFX && GRGR_ID = ThisItem.GRGR_ID))

Text **""** "Option"

Design

BorderStyle BorderStyle.Solid

BorderThickness 0

CheckboxBackgroundFill RGBA(255, 255, 255, 1)

CheckboxBorderColor **App.Theme.Colors.Primary** RGBA(0, 18, 107, 1)

CheckboxSize **28**

CheckmarkFill **App.Theme.Colors.Primary** RGBA(0, 0, 0, 1)

DisplayMode DisplayMode.Edit

FocusedBorderThickness 2

Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal

Height **25** 50

Italic false

PaddingBottom 0

PaddingLeft 0

PaddingRight 0

PaddingTop 0
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **25** 150

X 560
Y 0
ZIndex 8
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(186, 186, 186, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 30%)
HoverColor **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

HoverFill ColorFade(Self.Fill, 30%)
PressedBorderColor ColorFade(Self.BorderColor, -30%)
PressedColor RGBA(70, 68, 64, 1)

PressedFill ColorFade(Self.Fill, -30%)
Child & Parent Controls
Child Controls
Parent Control galLOB

galleryTemplate3

Type ⓘ galleryTemplate

Design
TemplateFill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls
Parent Control galLOB

galLOB

Type gallery

Data
Items **varLOBGridData** CustomGallerySample

WrapCount 1
Design
#CopilotOverlayLabel **"Filtered"**

#CopilotOverlayVisible **false**

BorderStyle BorderStyle.Solid
BorderThickness **2**

DelayItemLoading **true**

DisplayMode DisplayMode.Edit
Height **277** 575

Layout Layout.Vertical
LoadingSpinner **LoadingSpinner.Data** LoadingSpinner.None

LoadingSpinnerColor Self.BorderColor
TemplatePadding 0
TemplateSize **27** Min(160, Self.Height - 60)

Transition Transition.None
Width **594** 640

X 383
Y 377
ZIndex 6
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(180, 214, 250, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate3
Rectangle10
galProduct
VertSep1
galNwpr_Pfx
VertSep2
cbSelectLOB
Separator3

Parent Control CSPLOBMappingScreen

galNwpr_Pfx

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **ThisItem.NWPR_PFX** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **24** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **3** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Width **84** 150

X 469
Y 0
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galLOB

galProduct

Type label

Behavior
OnSelect **Select(Parent)**

Data

Live	Live.Off		
Role	TextRole.Default		
Text	**ThisItem.Product**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**If(ThisItem.IsSelected, FontWeight.Semibold,**		
FontWeight.Normal)	FontWeight.Normal		
Height	**25**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
TabIndex	**-1**		
Underline	false		
VerticalAlign	**VerticalAlign.Top**	VerticalAlign.Middle	
Width	**422**	150	
X	4		
Y	0		
ZIndex	1		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(50, 49, 48, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galLOB

grpDevLabel_7

Type group

Design	
Height	5
Width	5
X	80
Y	80
ZIndex	14
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

Header1_6

Type Header

Behavior	
OnSelectLogo	**false**
Data	
BasePaletteColor	
FontColor	
Logo	**Picture1**
Title	**"Axis Program Management: CSP LOB Mapping"**
UserEmail	**User().Email**

UserImage	**User().Image**
UserName	**User().FullName**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**75**
Width	**Parent.Width**
X	0
Y	0
ZIndex	1
Child & Parent Controls	
Child Controls	
Parent Control	HeaderContainer1_6

HeaderContainer1_6

Type horizontalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **500**

X 0
Y 0
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls
Child Controls Header1_6

Parent Control ScreenContainer1_5

Icon1_14

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 12
Child & Parent Controls
Child Controls
Parent Control CSPLOBMappingScreen

Icon1_15

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 11
Child & Parent Controls
Child Controls
Parent Control CSPLOBMappingScreen

iconBack_1

Type icon

Behavior
OnSelect **Set(varEditProject,true); Back(); Set(varFormCoverMode,true);**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **45**

Icon **Icon.BackArrow**

Width **45**

X 383
Y 175
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Color **App.Theme.Colors.Darker30**

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control CSPLOBMappingScreen

lblCSPProduct

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"CSP Product"** "Text"

Design

Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	**33**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	**30**	5	
PaddingRight	5		
PaddingTop	5		
Size	**15**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**176**	150	
X	383		
Y	342		
ZIndex	7		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill RGBA(0, 0, 0, 0)			
Fill RGBA(0, 0, 0, 0)			
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			

Child Controls
Parent Control CSPLOBMappingScreen

lblCSPProduct_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"LOB"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **33** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **15** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **60** 150

X 843
Y 342
ZIndex 8
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

lblCSPProduct_2

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Select CheckBox To Add Item To SQL Server"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**35**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	**30**	5	
PaddingRight	5		
PaddingTop	5		
Size	**15**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**547**	150	

X	406
Y	260
ZIndex	10
Color Properties	
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill RGBA(0, 0, 0, 0)	
Fill RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

lblProjectID_2

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Project ID: "**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	**2** 0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Normal

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	530
Y	177
ZIndex	3

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control CSPLOBMappingScreen

Rectangle10

Type rectangle

Behavior		
OnSelect		**Select(Parent)**
Design		
BorderStyle		**BorderStyle.Solid**
BorderThickness		**0**
DisplayMode		**DisplayMode.Edit**
FocusedBorderThickness		**2**
Height		**Parent.TemplateHeight - Separator3.Height**
TabIndex		**-1**
Visible		**ThisItem.IsSelected**
Width		**4**
X	0	
Y	0	
ZIndex	5	
Color Properties		
BorderColor		**App.Theme.Colors.Darker40**
DisabledFill		**Self.Fill**
Fill		**App.Theme.Colors.Darker30**
FocusedBorderColor		**Self.BorderColor**
HoverFill		**Self.Fill**
PressedFill		**Self.Fill**
Child & Parent Controls		
Child Controls		
Parent Control	galLOB	

Rectangle5_2

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**2**

DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**546**
Width	**672**
X	347
Y	156
ZIndex	2

Color Properties

BorderColor RGBA(0, 0, 0, 1)

DisabledFill	**Self.Fill**
Fill	RGBA(214, 221, 224, 1)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls

Parent Control CSPLOBMappingScreen

ScreenContainer1_5

Type verticalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**109**
LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**

LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**Parent.Width**

X	0
Y	0
ZIndex	1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls

Child Controls HeaderContainer1_6

Parent Control CSPLOBMappingScreen

Separator3

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **2**

TabIndex **-1**

Width **Parent.TemplateWidth**

X 0
Y Parent.TemplateHeight - Self.Height
ZIndex 4
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galLOB

TextCanvas1_7

Type PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size	**20**
Text	**If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**202**
X	1097
Y	704
ZIndex	13
Child & Parent Controls	
Child Controls	
Parent Control	CSPLOBMappingScreen

txtProjectID_2

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**varCurrentProjectID**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	**DisplayMode.Disabled**	DisplayMode.Edit	
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		

Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	680
Y	177
ZIndex	4

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control	CSPLOBMappingScreen

VertSep1

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **27**

Width **3**

X 426
Y 0
ZIndex 6
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galLOB

VertSep2

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **27**

Width **3**

X 553
Y 0
ZIndex 7
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galLOB

EditProjectScreen

Type ☐ screen

Behavior
OnVisible

Set(varPreviousMileageValue,var CurrentMileage); Set(varRefreshToken,0); Select(btnFormLoad); If(IsBlank(varFormCoverMode),Set(varFormCoverMode,true)); Set(DeleteProject,false); Set(DelReady,false);

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Center** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)

Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls Rectangle2_3
ScreenContainer1_2
Rectangle2_2
Rectangle2_4
StatusIcon
txtSearchBox
btnResetGallery
btnSubmitUpdates
btnGoBack_1
Icon3
btnFormLoad
galMiniMenu
FormCoverBackground
BasicInfoForm
galProjects
Rectangle3_3
Label10_3
Rectangle3_2
Label10_2
Rectangle3_4
Label10_4
Label11_3
Label11_2
Label11_4
btnStatusPopNo
btnPopCancel_1
btnPopCancel_2
btnStatusPopYes
btnPopContinueEEP
btnYesDelete
Label4
Icon2
Label3_5
txtMSID_1
Icon1_7
TextCanvas1_3
Icon1_6
grpWarningPopup
grpStatusChangePop
grpDeletePopup
grpFormCover
grpMSID_1
grpDevLabel_3

Type typedDataCard

Data
DataField **"Analyst"**

Default **ThisItem.Analyst**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,Analyst)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, Analyst)**

Required **false**

Update **txtEEPAnalyst.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **240**

X 0
Y 1
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible2
DataCardKey2
txtEEPAnalyst
ErrorMessage2

Parent Control BasicInfoForm

BasicInfoForm

Type form

Data
DataSource **CS_EXP_Project_Translation**

DefaultMode **varFormMode** FormMode.Edit

Item **varExistingProjectsScreenFormData**

Design
BorderStyle BorderStyle.Solid
Height **520** 500

NumberOfColumns **3**

SnapToColumns **false**

Width **721** 800

X 606
Y 210
ZIndex 10
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
Child & Parent Controls
Child Controls ProjectID_DataCard1
ProjectDesc_DataCard1
Analyst_DataCard1
PM_DataCard1
GoLiveDate_DataCard1
MaxMileage_DataCard1
Status_DataCard1
BenchmarkFileID_DataCard1
NDB_LOB_DataCard1
LastEditDate_DataCard1
LastEditMSID_DataCard1
DataLoadDate_DataCard1
ProjectType_DataCard1
NewMarket_DataCard1
ProvRef_DataCard1
Status_DataCard2
RefreshInd_DataCard1

Parent Control EditProjectScreen

BenchmarkFileID_DataCard1

Type ⓘ typedDataCard

Data

DataField **"BenchmarkFileID"**

Default **ThisItem.BenchmarkFileID**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,BenchmarkFileID)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, BenchmarkFileID)**

Required **false**

Update **txtEEPBenchmarkFileID.Text**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **240**

X 1
Y 2
ZIndex 1

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible3
DataCardKey3
txtEEPBenchmarkFileID
ErrorMessage3

Parent Control BasicInfoForm

Body1

Type label

Behavior

OnSelect **Select(Parent)**

Data

Live Live.Off
Role TextRole.Default
Text **"Go Live: "&ThisItem.GoLiveDate** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Width **Title2.Width** 150

X Title2.X
Y Subtitle2.Y + Subtitle2.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

Body1_1

Type label

Behavior	
OnSelect	**Select(Parent)**
Data	
Live	Live.Off
Role	TextRole.Default
Text	**"Type: "&ThisItem.ProjectType** "Text"
Design	
Align	Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	**App.Theme.Font** Font.'Open Sans'
FontWeight	**If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal
Height	**Self.Size * 1.8** 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	**0** 5
PaddingLeft	**0** 5
PaddingRight	**0** 5

PaddingTop	**0**	5
Size	**12**	13
Strikethrough	false	
TabIndex	**-1**	
Underline	false	
VerticalAlign	**VerticalAlign.Top**	VerticalAlign.Middle
Width	**80**	150
X	183	
Y	31	
ZIndex	8	

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control galProjects

Body1_2

Type label

Behavior

OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **"Status: "&ThisItem.Status** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Visible **AdminMode**

Width **140** 150

X 16
Y 10
ZIndex 10
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(255, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galProjects

Body1_3

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **"RecordID: "&ThisItem.RecordID** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false

LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Visible **AdminMode**

Width **140** 150

X 153
Y 10
ZIndex 11
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(255, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor

PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galProjects

btnFormLoad

Type button

Behavior
OnSelect **If(AdminMode, Set(galProjectData, If(varExistingProject, Sort(Search(CS_EXP_Project_Translation, txtSearchBox.Text, ProjectID), ProjectID, SortOrder.Ascending))), Set(galProjectData, If(varExistingProject, Sort(Search(Filter(CS_EXP_Project_Translation, Status = "Active"), txtSearchBox.Text, ProjectID), ProjectID, SortOrder.Ascending))));**

Data
Text **"FormLoad"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 837
Y 142
ZIndex 27
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnGoBack_1

Type button

Behavior
OnSelect **Navigate(HomeScreen); Set(varExistingProject,false); Set(varEditProject,false); Set(varFormMode,FormMode.View); Set(varFormCoverMode,true); Set(varMiniMenu,DisplayMode.Disabled);**

Data
Text **"Go Back"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4

Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **180** 160

X 28
Y 142
ZIndex 11
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls

Parent Control EditProjectScreen

btnMenuButton

Type button

Behavior
OnSelect

Set(varCurrentProjectID, txtEEPProjectID.Text); Set(varCurrentAnalyst,txtEEPAnalyst.Text); Set(varCurrentProjectManager,txtEEPProjectManager.Text); Set(varCurrentGoLiveDate,dpEEPGoLiveDate.SelectedDate); Set(varCurrentMileage,ddEEPMileage.Selected.Value); Set(varCurrentBenchmarkFileID,txtEEPBenchmarkFileID.Text); Set(varCurrentNDBLOB,txtEEPNDBLOB.Text); Set(varCurrentProjectDesc,txtEEPProjectDesc.Text); Set(varCurrentProjectType,txtEEPProjectType.Text); Set(varCurrentProjectStatus,ddEEPStatus.Selected.Value); Set(varCurrentLastEditDate,DateTimeValue(txtEEPLastEditDate.SelectedDate)); Set(varCurrentLastEditMSID,txtMSID.Text); Set(varEditProject,true); Set(varWaitPop,true); If(ThisItem.TabSelected = "Edit Service Area"&&ThisItem.IsSelected, Refresh(CS_EXP_zTrxServiceArea_Stage) && uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage) && Navigate(EditServiceAreaScreen)); If(ThisItem.TabSelected = "Edit Y-Lines"&&ThisItem.IsSelected,Navigate(YLineScreen)); If(ThisItem.TabSelected = "CSP LOB Mapping"&&ThisItem.IsSelected,Navigate(CSPLOBMappingScreen)); If(ThisItem.TabSelected = "Competitor Entry"&&ThisItem.IsSelected,Navigate(CompetitorEntryScreen)); If(ThisItem.TabSelected = "Notes Entry"&&ThisItem.IsSelected,Navigate(NotesEntryScreen)); If(ThisItem.TabSelected = "Contract Eval Upload"&&ThisItem.IsSelected,Launch("https://amaardi.uhc.com/home.html?appid=27")); If(ThisItem.TabSelected = "Mailed Contract"&&ThisItem.IsSelected,Launch("https://amaardi.uhc.com/home.html?appid=27"));

Data
Text **ThisItem.TabSelected** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height **35** 40

Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10

Size **12** 15

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **165** 160

X 7
Y 15
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control galMiniMenu

btnPopCancel_1

Type button

Behavior
OnSelect **Set(varMileChange,false);**

Data
Text **"Cancel"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varMileChange**

Width 160
X 479
Y 420
ZIndex 21
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnPopCancel_2

Type button

Behavior
OnSelect **Set(DeleteProject,false);**

Data
Text **"Cancel"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle

Visible **DeleteProject**

Width 160
X 479
Y 420
ZIndex 35
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnPopContinueEEP

Type button

Behavior
OnSelect **Set(varCurrentMileage,ddEEPMileage.Selected.Value); Refresh(CS_EXP_zTrxServiceArea_Stage); uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage); Patch(CS_EXP_Project_Translation, varExistingProjectsScreenFormData,BasicInfoForm.Updates); Navigate(EditServiceAreaScreen); Set(varEEPChanged,true); Set(varFormMode,FormMode.View); Set(varFormCoverMode,true); Set(varMiniMenu,DisplayMode.Disabled); Set(varWaitPop,true);**

Data
Text **"Continue"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varMileChange**

Width 160
X 707
Y 420
ZIndex 22
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnResetGallery

Type button

Behavior
OnSelect

Set(varExistingProject,true); Set(varEditProject,false); Set(varFormMode,FormMode.View); Set(varFormCoverMode,true); Set(varMiniMenu,DisplayMode.Disabled); Set(varEEPChanged,false); Set(ESAGoBack,false); If(AdminMode, Set(galProjectData, If(varExistingProject,Sort(Filter(CS_EXP_Project_Translation, txtSearchBox.Text in ProjectID), ProjectID,SortOrder.Ascending))), Set(galProjectData,If(varExistingProject,Sort(Filter(Filter(CS_EXP_Project_Translation, Status = "Active"), txtSearchBox.Text in ProjectID),ProjectID,SortOrder.Ascending)))); Set(DelReady,false);

Data
Text **"Reset Gallery"** "Button"

Design

Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	**App.Theme.Font** Font.'Open Sans'
FontWeight	FontWeight.Semibold
Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	15
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	**180** 160
X	606
Y	141
ZIndex	26

Color Properties

BorderColor	**App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)
Color	RGBA(255, 255, 255, 1)
DisabledBorderColor	RGBA(244, 244, 244, 1)
	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)
Fill	**App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	**App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)
HoverColor	RGBA(255, 255, 255, 1)
HoverFill	**App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnStatusPopNo

Type button

Behavior
OnSelect **Set(varStatusInActive,false);**

Data
Text **"No"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 479
Y 420
ZIndex 5
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnStatusPopYes

Type button

Behavior
OnSelect **Select(btnSubmitUpdates); Set(varStatusInActive,false);**

Data
Text **"Yes"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 707
Y 420
ZIndex 6
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnSubmitUpdates

Type button

Behavior
OnSelect

If(varCurrentProjectType="F", Set(varRefreshToken,1); Refresh(CS_EXP_zTrxServiceArea_Stage) && uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage); Patch(CS_EXP_Project_Translation, varExistingProjectsScreenFormData, BasicInfoForm.Updates); Navigate(SuccessScreenEditProject); Set(varEEPChanged,true); Select(StatusIcon); Select(btnResetGallery);, Set(varRefreshToken,0); Refresh(CS_EXP_zTrxServiceArea_Stage) && uspCsExpProjectServiceAreaV2.Run(varCurrentProjectID,varCurrentMileage); Patch(CS_EXP_Project_Translation, varExistingProjectsScreenFormData, BasicInfoForm.Updates); Navigate(SuccessScreenEditProject); Set(varEEPChanged,true); Select(StatusIcon); Select(btnResetGallery);)

Data
Text **"Submit Updates"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle

Width **180** 160

X 1147
Y 141
ZIndex 12
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

btnYesDelete

Type button

Behavior
OnSelect **Remove(CS_EXP_Project_Translation, LookUp(CS_EXP_Project_Translation, ProjectID = varCurrentProjectID));**
Collect(colTempDelete, Filter(CS_EXP_zTrxServiceArea, ProjectID = varCurrentProjectID));

ForAll(colTempDelete, RemoveIf(CS_EXP_zTrxServiceArea, ProjectID = varCurrentProjectID)); Clear(colTempDelete); RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID); RemoveIf(CS_EXP_ProjectNotes, ProjectID = varCurrentProjectID); RemoveIf(CS_EXP_Competitor_Translation, ProjectID = varCurrentProjectID); RemoveIf(CS_EXP_Sel_PLProducts, ProjectID = varCurrentProjectID); // Refresh the gallery data source Refresh(CS_EXP_Project_Translation); // Notify the user Notify("Project and related records have been deleted.", NotificationType.Success,2000); Set(DeleteProject,false); Select(btnResetGallery); Set(DelReady,false);

Data
Text **"DELETE"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **DeleteProject**

Width 160
X 707
Y 420
ZIndex 36
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 0, 0, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

DataCardKey1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **34** 40

Italic false

LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectID_DataCard1

DataCardKey10

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Project Description"** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectDesc_DataCard1

DataCardKey11

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**Parent.DisplayName**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**	150	

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control Status_DataCard1

DataCardKey12

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"NDB LOB"** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0

DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**	150	
Wrap	**false**		
X	30		
Y	10		
ZIndex	1		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls
Child Controls
Parent Control NDB_LOB_DataCard1

DataCardKey13

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectType_DataCard1

DataCardKey14

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewMarket_DataCard1

DataCardKey15

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left

AutoHeight		**true**	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal		
Height		**34**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**Parent.Width - 60**	150
Wrap		**false**	
X	30		
Y	10		
ZIndex	1		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color		**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		

PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProvRef_DataCard1

DataCardKey16

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**Parent.DisplayName**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**	150	
Wrap	**false**		
X	30		
Y	10		
ZIndex	1		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		

Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	Status_DataCard2	

DataCardKey17

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**Parent.DisplayName**	"Text"
Design		
Align	Align.Left	
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**34**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	

PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control RefreshInd_DataCard1

DataCardKey2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"NDAR Analyst"** "Text"

Design

Align	Align.Left		
AutoHeight		**true**	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height		**34**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**Parent.Width - 60**	150
Wrap		**false**	
X	30		
Y	10		
ZIndex	1		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Analyst_DataCard1

DataCardKey3

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**Parent.DisplayName**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**	150	
Wrap	**false**		
X	30		
Y	10		
ZIndex	1		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	BenchmarkFileID_DataCard1

DataCardKey4

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**Parent.DisplayName**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**34**	40	

Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	**Parent.Width - 60** 150
Wrap	**false**
X	30
Y	10
ZIndex	1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control DataLoadDate_DataCard1

DataCardKey5

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Go-Live Date"** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	GoLiveDate_DataCard1

DataCardKey6

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"Last Edit Date"**	"Text"
Design			
Align	Align.Left		
AutoHeight		**true**	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Lighter**	FontWeight.Normal
Height		**34** 40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size		**11** 13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**Parent.Width - 60**	150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(79, 90, 94, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditDate_DataCard1

DataCardKey7

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Last Edit MSID"** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**		Font.'Open Sans'
FontWeight	**FontWeight.Lighter**		FontWeight.Normal
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**11**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**		150
Wrap	**false**		
X	30		
Y	10		
ZIndex	1		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(79, 90, 94, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditMSID_DataCard1

DataCardKey8

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Service Area Mileage"**	"Text"
Design		
Align	Align.Left	
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**34**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**Parent.Width - 60**	150
Wrap	**false**	
X	30	
Y	10	
ZIndex	1	
Color Properties		

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	MaxMileage_DataCard1

DataCardKey9

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Project Manager"**	"Text"
Design		
Align	Align.Left	
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal

Height	**34**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**(Parent.Width - 60)**	150
Wrap	**false**	
X	30	
Y	10	
ZIndex	1	

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control PM_DataCard1

DataCardValue1

Type	text		
Data			
Default	**varRefreshToken**	"Text input"	
DelayOutput	**true**	false	
Tooltip	**Parent.DisplayName**		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Format	**TextFormat.Number**	TextFormat.Text	
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	**5**		
PaddingLeft	**5**		
PaddingRight	**5**		
PaddingTop	**5**		
RadiusBottomLeft	**0**	5	
RadiusBottomRight	**0**	5	
RadiusTopLeft	**0**	5	
RadiusTopRight	**0**	5	
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width	**Parent.Width - 60**	320	
X	30		
Y	DataCardKey17.Y + DataCardKey17.Height + 5		
ZIndex	2		
Color Properties			
BorderColor	**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)		

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control RefreshInd_DataCard1

DataLoadDate_DataCard1

Type typedDataCard

Data
DataField **"DataLoadDate"**

Default **ThisItem.DataLoadDate**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,DataLoadDate)**

Required **false**

Update **txtEEPDataLoadDate.SelectedDate**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **DisplayMode.View**

Height **50**

Visible **false**

Width **240**

X 0
Y 4
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible4
DataCardKey4
txtEEPDataLoadDate
ErrorMessage4

Parent Control BasicInfoForm

ddEEPMileage

Type dropdown

Behavior
OnChange **Set(varMileChange,true);**

Data
Default **Parent.Default**

Items
[10,20,30,40,50,60,70,80,90,100,110,120,130,14
0,150] DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
TabIndex **5**

Underline false
Width **Parent.Width - 60** 328

X 30
Y DataCardKey8.Y + DataCardKey8.Height + 5
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control MaxMileage_DataCard1

ddEEPStatus

Type dropdown

Behavior
OnChange **If(ddEEPStatus.Selected.Value = "InActive",Set(varStatusInActive,true),Set(varStatusInActive,false));**
If(ddEEPStatus.Selected.Value = "Active",Set(varStatusActive,true),Set(varStatusActive,false));

Data
Default **Parent.Default**

Items **["Active","InActive"]** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40

Italic	false		
PaddingBottom	10		
PaddingLeft	10		
PaddingRight	10		
PaddingTop	10		
Size	13		
Strikethrough	false		
TabIndex	**6**		
Underline	false		
Width	**Parent.Width - 60**	328	
X	30		
Y	DataCardKey11.Y + DataCardKey11.Height + 5		
ZIndex	5		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(166, 166, 166, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(244, 244, 244, 1)		
Fill	RGBA(255, 255, 255, 1)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	ColorFade(Self.BorderColor, 15%)		
HoverColor	RGBA(0, 0, 0, 1)		
HoverFill	**App.Theme.Colors.Lighter70**	RGBA(186, 202, 226, 1)	
PressedBorderColor	Self.HoverBorderColor		
PressedColor	RGBA(255, 255, 255, 1)		
PressedFill	**App.Theme.Colors.Darker30**	RGBA(0, 18, 107, 1)	
SelectionColor	RGBA(255, 255, 255, 1)		
SelectionFill	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)	
Child & Parent Controls			
Child Controls			
Parent Control	Status_DataCard1		

dpEEPGoLiveDate

Type datepicker

Data
DateTimeZone DateTimeZone.Local
DefaultDate **ThisItem.GoLiveDate** Today()

EndYear 2050
Format DateTimeFormat.ShortDate
InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))
StartOfWeek StartOfWeek.Sunday
StartYear 1970
Design
BorderStyle BorderStyle.Solid
BorderThickness 2
CalendarHeaderFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
HoverDateFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

IconBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom 5
PaddingLeft 12
PaddingRight 5
PaddingTop **5** 0

SelectedDateFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Size 14
TabIndex **4**

WeekColor RGBA(255, 255, 255, 1)

Width **Parent.Width - 60** 328

X 30
Y DataCardKey5.Y + DataCardKey5.Height + 5
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control GoLiveDate_DataCard1

ErrorMessage1

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0

Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**10**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	**0**	5
PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**14**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**Parent.DisplayMode=DisplayMode.Edit**	
Width	**Parent.Width - 60**	150
X	30	
Y	txtEEPProjectID.Y + txtEEPProjectID.Height	
ZIndex	3	

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor

HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectID_DataCard1

ErrorMessage10

Type label

Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	

X 30
Y txtEEPProjectDesc.Y + txtEEPProjectDesc.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectDesc_DataCard1

ErrorMessage11

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	ddEEPStatus.Y + ddEEPStatus.Height		
ZIndex	3		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill	RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Status_DataCard1

ErrorMessage12

Type	label		
Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		

Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y txtEEPNDBLOB.Y + txtEEPNDBLOB.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NDB_LOB_DataCard1

ErrorMessage13

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default

Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	txtEEPProjectType.Y + txtEEPProjectType.Height		
ZIndex	3		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectType_DataCard1

ErrorMessage14

Type label

Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	

PaddingTop	**0**	5
Size	**14**	13

Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**Parent.DisplayMode=DisplayMode.Edit**

Width	**Parent.Width - 60**	150

X	30
Y	txtEEPNewMarket.Y + txtEEPNewMarket.Height
ZIndex	3
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	RGBA(168, 0, 0, 1)
	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewMarket_DataCard1

ErrorMessage15

Type	label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **10** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y txtEEPProvRef.Y + txtEEPProvRef.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProvRef_DataCard1

ErrorMessage16

Type	label		
Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	

PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**14**	13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width	**Parent.Width - 60**	150

X 30
Y txtEEPProjectStatus.Y + txtEEPProjectStatus.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control Status_DataCard2

ErrorMessage17

Type	label		
Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	DataCardValue1.Y + DataCardValue1.Height		
ZIndex	3		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	RefreshInd_DataCard1

ErrorMessage2

Type label

Data		
Live	**Live.Assertive**	Live.Off
Role		TextRole.Default
Text	**Parent.Error**	"Text"
Design		
Align		Align.Left
AutoHeight		**true**
BorderStyle		BorderStyle.Solid
BorderThickness		0
DisplayMode		DisplayMode.Edit
FocusedBorderThickness		0
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal

Height	**10**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	**0**	5
PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**14**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**Parent.DisplayMode=DisplayMode.Edit**	
Width	**Parent.Width - 60**	150
X	30	
Y	txtEEPAnalyst.Y + txtEEPAnalyst.Height	
ZIndex	3	

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor

PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Analyst_DataCard1

ErrorMessage3

Type	label		
Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	txtEEPBenchmarkFileID.Y + txtEEPBenchmarkFileID.Height		
ZIndex	3		

Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	BenchmarkFileID_DataCard1

ErrorMessage4

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **10** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y txtEEPDataLoadDate.Y + txtEEPDataLoadDate.Height
ZIndex 6
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	DataLoadDate_DataCard1

ErrorMessage5

Type	label		
Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		

Width **Parent.Width - 60** 150

X 30
Y dpEEPGoLiveDate.Y + dpEEPGoLiveDate.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control GoLiveDate_DataCard1

ErrorMessage6

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left

AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**10**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	**0**	5
PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**14**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**Parent.DisplayMode=DisplayMode.Edit**	
Width	**Parent.Width - 60**	150
X	30	
Y	txtEEPLastEditDate.Y + txtEEPLastEditDate.Height	
ZIndex	6	

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill	RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditDate_DataCard1

ErrorMessage7

Type	label		
Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y txtEEPLastEditMSID.Y + txtEEPLastEditMSID.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditMSID_DataCard1

ErrorMessage8

Type label

Data
Live **Live.Assertive** Live.Off

Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	ddEEPMileage.Y + ddEEPMileage.Height		
ZIndex	3		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	MaxMileage_DataCard1

ErrorMessage9

Type label

Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	

PaddingTop	**0**	5
Size	**14**	13

Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**Parent.DisplayMode=DisplayMode.Edit**

Width	**Parent.Width - 60**	150

X	30
Y	txtEEPProjectManager.Y + txtEEPProjectManager.Height
ZIndex	3
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	PM_DataCard1

FormCoverBackground

Type rectangle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**522**
Visible	**varFormCoverMode**
Width	**916**
X	412
Y	210
ZIndex	23

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls	
Parent Control	EditProjectScreen

galleryTemplate2

Type galleryTemplate

Design

TemplateFill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls	
Parent Control	galProjects

galleryTemplate6

Type galleryTemplate

Design
TemplateFill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls
Parent Control galMiniMenu

galMiniMenu

Type gallery

Data
Items **colMiniMenu** CustomGallerySample

WrapCount 1
Design
#CopilotOverlayLabel **"Filtered"**

#CopilotOverlayVisible **false**

BorderStyle BorderStyle.Solid
DelayItemLoading **true**

DisplayMode **varMiniMenu** DisplayMode.Edit

Height **522** 575

Layout Layout.Vertical
LoadingSpinner **LoadingSpinner.Data** LoadingSpinner.None

LoadingSpinnerColor Self.BorderColor
ShowScrollbar **false**

TemplatePadding 0
TemplateSize **65.3** Min(160, Self.Height - 60)

Transition **Transition.Pop** Transition.None

Width **179** 640

X 412
Y 210
ZIndex 8
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate6
Rectangle9
btnMenuButton
Separator6

Parent Control EditProjectScreen

galProjects

Type gallery

Data
Items **galProjectData** CustomGallerySample

WrapCount 1
Design
#CopilotOverlayLabel **"Filtered"**

#CopilotOverlayVisible **false**

BorderStyle BorderStyle.Solid
DelayItemLoading **true**

DisplayMode DisplayMode.Edit
Height **518** 575

Layout Layout.Vertical
LoadingSpinner **LoadingSpinner.Data** LoadingSpinner.None

LoadingSpinnerColor Self.BorderColor
TemplatePadding 0
TemplateSize **134** Min(160, Self.Height - 60)

Transition **Transition.Pop** Transition.None

Width **367** 640

X 28
Y 212

ZIndex 7
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate2
Rectangle6
Body1_2
Body1_3
Body1_1
Title2
iconEdit
IconDelete
Subtitle2
Body1
Separator2

Parent Control EditProjectScreen

GoLiveDate_DataCard1

Type typedDataCard

Data
DataField **"GoLiveDate"**

Default **ThisItem.GoLiveDate**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,GoLiveDate)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, GoLiveDate)**

Required **false**

Update **dpEEPGoLiveDate.SelectedDate**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **240**

X 2
Y 1
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible5
DataCardKey5
dpEEPGoLiveDate
ErrorMessage5

Parent Control BasicInfoForm

grpDeletePopup

Type group

Design
Height 5
Width 5
X 40
Y -109
ZIndex 35
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpDevLabel_3

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 40

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpFormCover

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 9
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpMSID_1

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 13
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpStatusChangePop

Type group

Design
Height 5
Width 5
X 40
Y -109
ZIndex 28
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

grpWarningPopup

Type group

Design
Height 5
Width 5
X 40
Y -109
ZIndex 19
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Header1_3

Type Header

Behavior
OnSelectLogo **false**

Data
BasePaletteColor
FontColor
Logo **Picture1**

Title **"Axis Program Management: Edit Project"**

UserEmail **User().Email**

UserImage **User().Image**

UserName **User().FullName**

Design
DisplayMode **DisplayMode.Edit**

Height **75**

Width **Parent.Width**

X 0
Y 0
ZIndex 1
Child & Parent Controls
Child Controls
Parent Control HeaderContainer1_3

HeaderContainer1_3

Type horizontalAutoLayoutContainer

Design
BorderStyle **BorderStyle.Solid**

ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**500**
X	0
Y	0
ZIndex	2

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls

Child Controls Header1_3

Parent Control ScreenContainer1_2

Icon1_6

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 38
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Icon1_7

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 37
Child & Parent Controls

Child Controls
Parent Control EditProjectScreen

Icon2

Type icon

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**64**
Icon	**Icon.ArrowLeft**
Visible	**varFormCoverMode**
Width	**65**
X	567
Y	438
ZIndex	25

Color Properties

BorderColor	**App.Theme.Colors.Darker40**

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Icon3

Type icon

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**40**
Icon	**Icon.Search**
PaddingBottom	**5**
PaddingLeft	**5**
PaddingRight	**5**
PaddingTop	**5**
Width	**40**
X	249
Y	142
ZIndex	14
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

IconDelete

Type icon

Behavior
OnSelect

ResetForm(BasicInfoForm)
; Set(varExistingProjectsScreenFormData,ThisItem); Set(varFormMode,FormMode.Edit);
Set(varFormCoverMode,false); Set(varMiniMenu,DisplayMode.Edit);
Set(varCurrentProjectID,txtEEPProjectID.Text); Set(varCurrentAnalyst,txtEEPAnalyst.Text);
Set(varCurrentProjectManager,txtEEPProjectManager.Text);
Set(varCurrentGoLiveDate,dpEEPGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddEEPMileage.Selected.Value);
Set(varCurrentBenchmarkFileID,txtEEPBenchmarkFileID.Text);
Set(varCurrentNDBLOB,txtEEPNDBLOB.Text);
Set(varCurrentProjectDesc,txtEEPProjectDesc.Text);
Set(varCurrentProjectType,txtEEPProjectType.Text);
Set(varCurrentProjectStatus,ddEEPStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtEEPLastEditDate.SelectedDate));

Set(varCurrentLastEditMSID,txtMSID.Text); Set(varEditProject,true);
Set(galProjectData,Filter(galProjectData,ProjectID = varCurrentProjectID));
If(ddEEPStatus.Selected.Value =
"InActive",Set(varStatusInActive,true),Set(varStatusInActive,false));
If(ddEEPStatus.Selected.Value = "Active",Set(varStatusActive,true),Set(varStatusActive,false));
Set(DeleteProject,true);

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**1**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**32**
Icon	**Icon.Trash**
Visible	**DelReady**
Width	**32**
X	320
Y	51
ZIndex	9

Color Properties

BorderColor RGBA(215, 58, 60, 1)

Color RGBA(215, 58, 60, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galProjects

iconEdit

Type icon

Behavior
OnSelect

**ResetForm(BasicInfoForm)
; Set(varExistingProjectsScreenFormData,ThisItem); Set(varFormMode,FormMode.Edit);
Set(varFormCoverMode,false); Set(varMiniMenu,DisplayMode.Edit);
Set(varCurrentProjectID,txtEEPProjectID.Text); Set(varCurrentAnalyst,txtEEPAnalyst.Text);
Set(varCurrentProjectManager,txtEEPProjectManager.Text);
Set(varCurrentGoLiveDate,dpEEPGoLiveDate.SelectedDate);
Set(varCurrentMileage,ddEEPMileage.Selected.Value);
Set(varCurrentBenchmarkFileID,txtEEPBenchmarkFileID.Text);
Set(varCurrentNDBLOB,txtEEPNDBLOB.Text);
Set(varCurrentProjectDesc,txtEEPProjectDesc.Text);
Set(varCurrentProjectType,txtEEPProjectType.Text);
Set(varCurrentProjectStatus,ddEEPStatus.Selected.Value);
Set(varCurrentLastEditDate,DateTimeValue(txtEEPLastEditDate.SelectedDate));
Set(varCurrentLastEditMSID,txtMSID.Text); Set(varEditProject,true);
Set(galProjectData,Filter(galProjectData,ProjectID = varCurrentProjectID));
If(ddEEPStatus.Selected.Value =
"InActive",Set(varStatusInActive,true),Set(varStatusInActive,false));
If(ddEEPStatus.Selected.Value = "Active",Set(varStatusActive,true),Set(varStatusActive,false));
If(AdminMode,Set(DelReady,true));**

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**

Height	**50**
Icon	**Icon.Edit**
PaddingBottom	**5**
PaddingLeft	**5**
PaddingRight	**5**
PaddingTop	**5**
Width	**50**
X	263
Y	(Parent.TemplateHeight / 2) - (Self.Height / 2)
ZIndex	7

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls

Parent Control galProjects

Label10_2

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Warning"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Normal
Height	**49**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	**18**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**varMileChange**	
Width	**491**	150
X	429	
Y	258	
ZIndex	19	
Color Properties		
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label10_3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Confirm"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	**49**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**18**	13	

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width **491** 150

X 429
Y 258
ZIndex 3
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Label10_4

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"STOP"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**		Font.'Open Sans'
FontWeight	**FontWeight.Bold**		FontWeight.Normal
Height	**49**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**22**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**DeleteProject**		
Width	**491**	150	
X	429		
Y	258		
ZIndex	33		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**		RGBA(0, 18, 107, 1)
Color	RGBA(255, 0, 0, 1)		
	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(40, 134, 222, 1)		
	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		

HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label11_2

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Continuing Will Reset Service Area"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**57**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	**15**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**varMileChange**		
Width	**491**	150	
X	429		
Y	336		
ZIndex	20		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label11_3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Set All Primary Project Tables To InActive?"**		"Text"
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**57**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		

PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **15** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width **491** 150

X 429
Y 336
ZIndex 4
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Label11_4

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"THIS WILL PERMANENTLY DELETE RECORDS FROM ALL SQL TABLES"** "Text"

Design

Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Normal
Height	**57**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	**15**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**DeleteProject**	
Width	**491**	150
X	429	
Y	336	
ZIndex	34	

Color Properties

BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	

PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label3_5

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"MSID"** "Text"		
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	**DisplayMode.View**	DisplayMode.Edit	
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**false**		
Width	150		
X	724		
Y	552		
ZIndex	15		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)		

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Label4

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Please Select An Item From The Gallery"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	**75**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		

PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varFormCoverMode**

Width **605** 150

X 567
Y 433
ZIndex 24
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

LastEditDate_DataCard1

Type ⓘ typedDataCard

Data
DataField **"LastEditDate"**

Default **ThisItem.LastEditDate**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,LastEditDate)**

Required **false**

Update **txtEEPLastEditDate.SelectedDate**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **DisplayMode.Disabled**

Height **50**

Width **240**

X 1
Y 3
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible6
DataCardKey6
txtEEPLastEditDate
ErrorMessage6

Parent Control BasicInfoForm

LastEditMSID_DataCard1

Type ⓘ typedDataCard

Data
DataField **"LastEditMSID"**

Default **ThisItem.LastEditMSID**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,LastEditMSID)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, LastEditMSID)**

Required **false**

Update **txtEEPLastEditMSID.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **DisplayMode.Disabled**

Height **50**

Width **240**

X 2
Y 3
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible7
DataCardKey7
txtEEPLastEditMSID
ErrorMessage7

Parent Control BasicInfoForm

MaxMileage_DataCard1

Type ⓘ typedDataCard

Data
DataField **"MaxMileage"**

Default **ThisItem.MaxMileage**

DisplayName
DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,MaxMileage)

Required **false**

Update **ddEEPMileage.Selected.Value**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **If(varCurrentProjectType="L",false,true)**

Width **240**

X 3
Y 1
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible8
DataCardKey8
ddEEPMileage
ErrorMessage8

Parent Control BasicInfoForm

NDB_LOB_DataCard1

Type typedDataCard

Data
DataField **"NDB_LOB"**

Default **ThisItem.NDB_LOB**

DisplayName
DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,NDB_LOB)

MaxLength
DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, NDB_LOB)

Required **false**

Update **txtEEPNDBLOB.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **true**

Width **240**

X 2
Y 2
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible12
DataCardKey12
txtEEPNDBLOB
ErrorMessage12

Parent Control BasicInfoForm

NewMarket_DataCard1

Type ⓘ typedDataCard

Data
DataField **"NewMarket"**

Default **ThisItem.NewMarket**

DisplayName
DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,NewMarket)

MaxLength
DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, NewMarket)

Required **false**

Update **txtEEPNewMarket.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **false**

Width **240**

X 2
Y 4
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible14
DataCardKey14
txtEEPNewMarket
ErrorMessage14

Parent Control BasicInfoForm

PM_DataCard1

Type typedDataCard

Data
DataField **"PM"**

Default **ThisItem.PM**

DisplayName
DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,PM)

MaxLength
DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, PM)

Required **false**

Update **txtEEPProjectManager.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **(Parent.Width/3)*2**

X 1
Y 1
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible9
DataCardKey9
txtEEPProjectManager
ErrorMessage9

Parent Control BasicInfoForm

ProjectDesc_DataCard1

Type ⓘ typedDataCard

Data
DataField **"ProjectDesc"**

Default **ThisItem.ProjectDesc**

DisplayName
DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,ProjectDesc)

MaxLength
DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, ProjectDesc)

Required **false**

Update **txtEEPProjectDesc.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **(Parent.Width/3)*2**

X 1
Y 0
ZIndex 1
Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible10
DataCardKey10
txtEEPProjectDesc
ErrorMessage10

Parent Control BasicInfoForm

ProjectID_DataCard1

Type typedDataCard

Data
DataField **"ProjectID"**

Default **ThisItem.ProjectID**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,ProjectID)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, ProjectID)**

Required **false**

Update **txtEEPProjectID.Text**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Disabled**

Height **50**

Width **240**

X 0
Y 0
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible1
DataCardKey1
txtEEPProjectID
ErrorMessage1

Parent Control BasicInfoForm

ProjectType_DataCard1

Type ⓘ typedDataCard

Data
DataField **"ProjectType"**

Default **ThisItem.ProjectType**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,ProjectType)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, ProjectType)**

Required **false**

Update **txtEEPProjectType.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **false**

Width **240**

X 1
Y 4
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible13
DataCardKey13
txtEEPProjectType
ErrorMessage13

Parent Control BasicInfoForm

ProvRef_DataCard1

Type ⓘ typedDataCard

Data

DataField **"ProvRef"**

Default **ThisItem.ProvRef**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,ProvRef)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, ProvRef)**

Required **false**

Update **txtEEPProvRef.Text**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **false**

Width **240**

X 0
Y 5
ZIndex 1

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible15
DataCardKey15
txtEEPProvRef
ErrorMessage15

Parent Control BasicInfoForm

Rectangle2_2

Type rectangle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**App.Height**
Visible	**varMileChange**
Width	**App.Width**
X	0
Y	0
ZIndex	17

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	RGBA(176, 174, 174, 0.69)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Rectangle2_3

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**App.Height**
Visible	**false**
Width	**App.Width**
X	0
Y	0
ZIndex	1
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	RGBA(176, 174, 174, 0.69)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Rectangle2_4

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**

FocusedBorderThickness **2**

Height **App.Height**

Visible **DeleteProject**

Width **App.Width**

X 0
Y 0
ZIndex 31
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(176, 174, 174, 0.69)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Rectangle3_2

Type rectangle

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **252**

Visible **varMileChange**

Width **491**

X 429
Y 258
ZIndex 18

Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Rectangle3_3

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**252**
Visible	**false**
Width	**491**
X	429
Y	258
ZIndex	2
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	

Child Controls	
Parent Control	EditProjectScreen

Rectangle3_4

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**252**
Visible	**DeleteProject**
Width	**491**
X	429
Y	258
ZIndex	32
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditProjectScreen

Rectangle6

Type rectangle

Behavior	
OnSelect	**Select(Parent)**
Design	
BorderStyle	**BorderStyle.Solid**

BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**Parent.TemplateHeight - Separator2.Height**
TabIndex	**-1**
Visible	**ThisItem.IsSelected**
Width	**4**
X	0
Y	0
ZIndex	6
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Darker30**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

Rectangle9

Type rectangle

Behavior	
OnSelect	**Select(Parent)**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**Parent.TemplateHeight - Separator6.Height**
TabIndex	**-1**

Visible	**ThisItem.IsSelected**
Width	**4**
X	0
Y	0
ZIndex	4
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Darker30**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	galMiniMenu

RefreshInd_DataCard1

Type ⓘ	typedDataCard
Data	
DataField	**"RefreshInd"**
Default	**ThisItem.RefreshInd**
DisplayName	**DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,RefreshInd)**
Required	**false**
Update	**Value(DataCardValue1.Text)**
Design	
BorderStyle	**BorderStyle.Solid**
DisplayMode	**Parent.DisplayMode**
Height	**50**
Visible	**false**
Width	**240**

X 2
Y 5
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible17
DataCardKey17
DataCardValue1
ErrorMessage17

Parent Control BasicInfoForm

ScreenContainer1_2

Type verticalAutoLayoutContainer

Design
BorderStyle **BorderStyle.Solid**

ChildTabPriority **true**

DisplayMode **DisplayMode.Edit**

DropShadow **DropShadow.Light**

Height **112**

LayoutAlignItems **LayoutAlignItems.Stretch**

LayoutDirection **LayoutDirection.Vertical**

LayoutGap **16**

LayoutJustifyContent **LayoutJustifyContent.Start**

LayoutMode **LayoutMode.Auto**

LayoutOverflowX **LayoutOverflow.Hide**

LayoutOverflowY **LayoutOverflow.Hide**

LayoutWrap **false**

PaddingBottom **16**

PaddingLeft **16**

PaddingRight **16**

PaddingTop **16**

RadiusBottomLeft **4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **Parent.Width**

X 0
Y 0
ZIndex 9
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls
Child Controls HeaderContainer1_3

Parent Control EditProjectScreen

Separator2

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **8**

TabIndex **-1**

Width **Parent.TemplateWidth**

X 0
Y Parent.TemplateHeight - Self.Height
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galProjects

Separator6

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **4**

TabIndex **-1**

Width **Parent.TemplateWidth**

X 0
Y Parent.TemplateHeight - Self.Height
ZIndex 3
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galMiniMenu

StarVisible1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey1.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey1.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectID_DataCard1

StarVisible10

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey10.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey10.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color

PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectDesc_DataCard1

StarVisible11

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"*"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**DataCardKey11.Height**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**		
Width	**30**	150	
Wrap	**false**		
X	0		
Y	DataCardKey11.Y		
ZIndex	4		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		

Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	Status_DataCard1	

StarVisible12

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey12.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	

PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey12.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NDB_LOB_DataCard1

StarVisible13

Type label

Data
Live Live.Off

Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey13.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey13.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectType_DataCard1

StarVisible14

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"*"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**DataCardKey14.Height**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**		
Width	**30**	150	
Wrap	**false**		
X	0		

Y DataCardKey14.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewMarket_DataCard1

StarVisible15

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal

Height	**DataCardKey15.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**	
Width	**30**	150
Wrap	**false**	
X	0	
Y	DataCardKey15.Y	
ZIndex	4	

Color Properties

BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	

Child & Parent Controls

Child Controls	
Parent Control	ProvRef_DataCard1

StarVisible16

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey16.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey16.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Status_DataCard2

StarVisible17

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"*"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**DataCardKey17.Height**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		

VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey17.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control RefreshInd_DataCard1

StarVisible2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design

Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey2.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**	
Width	**30**	150
Wrap	**false**	
X	0	
Y	DataCardKey2.Y	
ZIndex	4	

Color Properties

BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	

HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Analyst_DataCard1

StarVisible3

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"*"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**DataCardKey3.Height**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**		
Width	**30**	150	
Wrap	**false**		
X	0		
Y	DataCardKey3.Y		
ZIndex	4		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		

RGBA(0, 18, 107, 1)

Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	BenchmarkFileID_DataCard1	

StarVisible4

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey4.Height**	40
Italic	false	
LineHeight	1.2	

Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey4.Y
ZIndex 7
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control DataLoadDate_DataCard1

StarVisible5

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey5.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey5.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	GoLiveDate_DataCard1

StarVisible6

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey6.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**	
Width	**30**	150

Wrap	**false**
X	0
Y	DataCardKey6.Y
ZIndex	7
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	**App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditDate_DataCard1

StarVisible7

Type	label
Data	
Live	Live.Off
Role	TextRole.Default
Text	**"*"** "Text"
Design	
Align	**Align.Center** Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey7.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey7.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill

Child & Parent Controls
Child Controls
Parent Control LastEditMSID_DataCard1

StarVisible8

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey8.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey8.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor		RGBA(56, 56, 56, 1)
DisabledColor		RGBA(166, 166, 166, 1)
DisabledFill		RGBA(0, 0, 0, 0)
Fill		RGBA(0, 0, 0, 0)
FocusedBorderColor		Self.BorderColor
HoverBorderColor		Self.BorderColor
HoverColor		Self.Color
HoverFill		Self.Fill
PressedBorderColor		Self.BorderColor
PressedColor		Self.Color
PressedFill		Self.Fill
Child & Parent Controls		
Child Controls		
Parent Control		MaxMileage_DataCard1

StarVisible9

Type		label
Data		
Live		Live.Off
Role		TextRole.Default
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle		BorderStyle.Solid
BorderThickness		0
DisplayMode		DisplayMode.Edit
FocusedBorderThickness		0
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight		FontWeight.Normal
Height	**DataCardKey9.Height**	40
Italic		false
LineHeight		1.2
Overflow		Overflow.Hidden
PaddingBottom		5
PaddingLeft		5
PaddingRight		5
PaddingTop		5

Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**		
Width	**30**	150	
Wrap	**false**		
X	0		
Y	DataCardKey9.Y		
ZIndex	4		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			
Child Controls			
Parent Control	PM_DataCard1		

Status_DataCard1

Type ⓘ	typedDataCard	
Data		
DataField	**"Status"**	

Default **ThisItem.Status**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,Status)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, Status)**

Required **false**

Update **ddEEPStatus.Selected.Value**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **240**

X 4
Y 1
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible11
DataCardKey11
ddEEPStatus
ErrorMessage11

Parent Control BasicInfoForm

Status_DataCard2

Type ⓘ typedDataCard

Data
DataField **"Status"**

Default **ThisItem.Status**

DisplayName **DataSourceInfo([@CS_EXP_Project_Translation],DataSourceInfo.DisplayName,Status)**

MaxLength **DataSourceInfo([@CS_EXP_Project_Translation], DataSourceInfo.MaxLength, Status)**

Required **false**

Update **txtEEPProjectStatus.Text**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **false**

Width **240**

X 1

Y 5

ZIndex 1

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible16
DataCardKey16
txtEEPProjectStatus
ErrorMessage16

Parent Control BasicInfoForm

StatusIcon

Type icon

Behavior

OnSelect **// Determine the status to update Set(varStatusToUpdate,If(varStatusActive, "Active", If(varStatusInActive, "InActive", Blank())); // Only proceed if a status is selected and Dropdown value has changed If(!IsBlank(varStatusToUpdate)&& Not(varCurrentProjectStatus=varStatusToUpdate), UpdateIf(CS_EXP_Project_Translation,ProjectID = varCurrentProjectID,{Status: varStatusToUpdate}); UpdateIf(CS_EXP_YLine_Translation,ProjectID =**

varCurrentProjectID,{ProjectStatus: varStatusToUpdate}); UpdateIf(CS_EXP_zTrxServiceArea_Stage,ProjectID = varCurrentProjectID,{ProjectStatus: varStatusToUpdate}); uspCsExpZtrxServiceAreaV4.Run(varCurrentProjectID); UpdateIf(CS_EXP_ProjectNotes,ProjectID = varCurrentProjectID,{ProjectStatus: varStatusToUpdate}); UpdateIf(CS_EXP_Competitor_Translation,ProjectID = varCurrentProjectID,{ProjectStatus: varStatusToUpdate}); UpdateIf(CS_EXP_Sel_PLProducts,ProjectID = varCurrentProjectID,{ProjectStatus: varStatusToUpdate}); Set(varUpdateResult,"Project status updated successfully to " & varStatusToUpdate), Set(varUpdateResult,"No update performed. Please select Active or Inactive."));

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **64**

Icon **Icon.Printing3D**

Visible **false**

Width **64**

X 997

Y 130

ZIndex 30

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Color RGBA(255, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Subtitle2

Type label

Behavior

OnSelect	**Select(Parent)**

Data

Live	Live.Off
Role	TextRole.Default
Text	**"PM: "&ThisItem.PM** "Text"

Design

Align	Align.Left
AutoHeight	**true**
BorderStyle	BorderStyle.Solid
BorderThickness	0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0
Font	**App.Theme.Font** Font.'Open Sans'
FontWeight	**If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal
Height	**Self.Size * 3** 40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	**0** 5
PaddingLeft	**0** 5

PaddingRight		**0**	5
PaddingTop		**0**	5
Size		**12**	13
Strikethrough	false		
TabIndex		**-1**	
Underline	false		
VerticalAlign		**VerticalAlign.Top**	VerticalAlign.Middle
Width		**Title2.Width**	150
X	Title2.X		
Y	Title2.Y + Title2.Height		
ZIndex	2		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control galProjects

TextCanvas1_3

Type ⓘ PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 39
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

Title2

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **ThisItem.ProjectID** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Width **Parent.TemplateWidth - 150** 150

X 16
Y (Parent.TemplateHeight - (Self.Size*1.8 + Subtitle2.Size*1.8 + 2 + Body1.Size*1.8)) / 2
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(50, 49, 48, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galProjects

txtEEPAnalyst

Type Abc text

Data			
Default	**Parent.Default**	"Text input"	
DelayOutput	**true**	false	
MaxLength	**Parent.MaxLength**		
Tooltip	**Parent.DisplayName**		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	**5**		
PaddingLeft	**5**		
PaddingRight	**5**		
PaddingTop	**5**		
RadiusBottomLeft	**0**	5	
RadiusBottomRight	**0**	5	
RadiusTopLeft	**0**	5	
RadiusTopRight	**0**	5	
Size	13		
Strikethrough	false		

TabIndex **2**

Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **Parent.Width - 60** 320

X 30
Y DataCardKey2.Y + DataCardKey2.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control Analyst_DataCard1

txtEEPBenchmarkFileID

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

HintText **"Enter File ID"**

MaxLength	**Parent.MaxLength**	
Tooltip	**Parent.DisplayName**	
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
Clear	**true**	
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit
FocusedBorderThickness	4	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Format	TextFormat.Text	
Height	40	
Italic	false	
Mode	TextMode.SingleLine	
PaddingBottom	**5**	
PaddingLeft	**5**	
PaddingRight	**5**	
PaddingTop	**5**	
RadiusBottomLeft	**0**	5
RadiusBottomRight	**0**	5
RadiusTopLeft	**0**	5
RadiusTopRight	**0**	5
Size	13	
Strikethrough	false	
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	
Width	**Parent.Width - 60**	320
X	30	
Y	DataCardKey3.Y + DataCardKey3.Height + 5	
ZIndex	2	
Color Properties		
BorderColor	**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)	
Color RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(166, 166, 166, 1)	

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control BenchmarkFileID_DataCard1

txtEEPDataLoadDate

Type datepicker

Data
DateTimeZone DateTimeZone.Local
DefaultDate **Parent.Default**Today()

EndYear **Year(Today())+100** 2050

Format DateTimeFormat.ShortDate
InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))
StartOfWeek StartOfWeek.Sunday
StartYear **1899** 1970

Tooltip **Parent.DisplayName**

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
CalendarHeaderFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode **Parent.DisplayMode** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
HoverDateFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

IconBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

IsEditable **true**

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom **0** 5

PaddingLeft **5** 12

PaddingRight 5
PaddingTop 0
SelectedDateFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Size 14
WeekColor RGBA(255, 255, 255, 1)

Width **(Parent.Width - 60) / 2** 328

X 30
Y DataCardKey4.Y + DataCardKey4.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	DataLoadDate_DataCard1

txtEEPLastEditDate

Type datepicker

Data			
DateTimeZone	DateTimeZone.Local		
DefaultDate	**If(varEEPChanged,Now(), Parent.Default)**	Today()	
EndYear	**Year(Today())+100**	2050	
Format	DateTimeFormat.ShortDate		
InputTextPlaceholder	If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))		
StartOfWeek	StartOfWeek.Sunday		
StartYear	**1899**	1970	
Tooltip	**Parent.DisplayName**		
Design			
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
CalendarHeaderFill	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)	
CurrentDateFill	RGBA(255, 255, 255, 1)		
DayColor	RGBA(255, 255, 255, 1)		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Lighter**	FontWeight.Normal	
Height	**30**	40	
HoverDateFill	**App.Theme.Colors.Lighter70**	RGBA(186, 202, 226, 1)	
IconBackground	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)	

IconFill RGBA(255, 255, 255, 1)

IsEditable **true**

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom **0** 5

PaddingLeft **5** 12

PaddingRight 5
PaddingTop 0
SelectedDateFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Size **11** 14

WeekColor RGBA(255, 255, 255, 1)

Width **(Parent.Width - 60)** 328

X 30
Y DataCardKey6.Y + DataCardKey6.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditDate_DataCard1

txtEEPLastEditMSID

Type Abc text

Data			
Default	**If(varEEPChanged,varmsid, Parent.Default)** "Text input"		
DelayOutput	**true**	false	
MaxLength	**Parent.MaxLength**		
Tooltip	**Parent.DisplayName**		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Lighter**	FontWeight.Normal	
Format	TextFormat.Text		
Height	**30**	40	
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	**5**		
PaddingLeft	**5**		
PaddingRight	**5**		
PaddingTop	**5**		
RadiusBottomLeft	**0**	5	
RadiusBottomRight	**0**	5	
RadiusTopLeft	**0**	5	
RadiusTopRight	**0**	5	

Size **11** 13

Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **Parent.Width - 60** 320

X 30
Y DataCardKey7.Y + DataCardKey7.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditMSID_DataCard1

txtEEPNDBLOB

Type Abc text

Behavior
OnChange **false**

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

HintText **"3 Numbers ONLY"**

MaxLength **3**

Tooltip **Parent.DisplayName**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode **Parent.DisplayMode** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
PaddingBottom **5**

PaddingLeft **5**

PaddingRight **5**

PaddingTop **5**

RadiusBottomLeft **0** 5

RadiusBottomRight **0** 5

RadiusTopLeft **0** 5

RadiusTopRight **0** 5

Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **Parent.Width - 60** 320

X 30
Y DataCardKey12.Y + DataCardKey12.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NDB_LOB_DataCard1

txtEEPNewMarket

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

MaxLength **Parent.MaxLength**

Tooltip **Parent.DisplayName**

Design
Align Align.Left

BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode		**Parent.DisplayMode**	DisplayMode.Edit
FocusedBorderThickness	4		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom		**5**	
PaddingLeft		**5**	
PaddingRight		**5**	
PaddingTop		**5**	
RadiusBottomLeft		**0**	5
RadiusBottomRight		**0**	5
RadiusTopLeft		**0**	5
RadiusTopRight		**0**	5
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width		**Parent.Width - 60**	320
X	30		
Y	DataCardKey14.Y + DataCardKey14.Height + 5		
ZIndex	2		
Color Properties			
BorderColor		**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(166, 166, 166, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(244, 244, 244, 1)		
Fill	RGBA(255, 255, 255, 1)		

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewMarket_DataCard1

txtEEPProjectDesc

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

HintText **"Enter Project Description"**

MaxLength **Parent.MaxLength**

Tooltip **Parent.DisplayName**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode **Parent.DisplayMode** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
PaddingBottom **5**

PaddingLeft **5**

PaddingRight **5**

PaddingTop **5**

RadiusBottomLeft **0** 5

RadiusBottomRight **0** 5

RadiusTopLeft **0** 5

RadiusTopRight **0** 5

Size 13
Strikethrough false
TabIndex **1**

Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **Parent.Width - 60** 320

X 30
Y DataCardKey10.Y + DataCardKey10.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectDesc_DataCard1

txtEEPProjectID

Type Abc text

Data			
Default	**Parent.Default**	"Text input"	
DelayOutput	**true**	false	
MaxLength	**Parent.MaxLength**		
Tooltip	**Parent.DisplayName**		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	**5**		
PaddingLeft	**5**		
PaddingRight	**5**		
PaddingTop	**5**		
RadiusBottomLeft	**0**	5	
RadiusBottomRight	**0**	5	
RadiusTopLeft	**0**	5	
RadiusTopRight	**0**	5	
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width	**Parent.Width - 60**	320	
X	30		
Y	DataCardKey1.Y + DataCardKey1.Height + 5		

ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectID_DataCard1

txtEEPProjectManager

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

HintText	**"Enter Project Manager Name"**	
MaxLength	**Parent.MaxLength**	
Tooltip	**Parent.DisplayName**	
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
Clear	**true**	
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit
FocusedBorderThickness	4	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Format	TextFormat.Text	
Height	40	
Italic	false	
Mode	TextMode.SingleLine	
PaddingBottom	**5**	
PaddingLeft	**5**	
PaddingRight	**5**	
PaddingTop	**5**	
RadiusBottomLeft	**0**	5
RadiusBottomRight	**0**	5
RadiusTopLeft	**0**	5
RadiusTopRight	**0**	5
Size	13	
Strikethrough	false	
TabIndex	**3**	
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	
Width	**(Parent.Width - 60)**	320
X	30	
Y	DataCardKey9.Y + DataCardKey9.Height + 5	
ZIndex	2	
Color Properties		
BorderColor	**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)	

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control PM_DataCard1

txtEEPProjectStatus

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

MaxLength **Parent.MaxLength**

Tooltip **Parent.DisplayName**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode **Parent.DisplayMode** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40

Italic false
Mode TextMode.SingleLine
PaddingBottom **5**

PaddingLeft **5**

PaddingRight **5**

PaddingTop **5**

RadiusBottomLeft **0** 5

RadiusBottomRight **0** 5

RadiusTopLeft **0** 5

RadiusTopRight **0** 5

Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **Parent.Width - 60** 320

X 30
Y DataCardKey16.Y + DataCardKey16.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor

PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Status_DataCard2

txtEEPProjectType

Type Abc text

Data			
Default	**Parent.Default**	"Text input"	
DelayOutput	**true**	false	
MaxLength	**Parent.MaxLength**		
Tooltip	**Parent.DisplayName**		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	**5**		
PaddingLeft	**5**		
PaddingRight	**5**		
PaddingTop	**5**		
RadiusBottomLeft	**0**	5	
RadiusBottomRight	**0**	5	
RadiusTopLeft	**0**	5	
RadiusTopRight	**0**	5	
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		

Width **Parent.Width - 60** 320

X 30
Y DataCardKey13.Y + DataCardKey13.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectType_DataCard1

txtEEPProvRef

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

MaxLength **Parent.MaxLength**

Tooltip **Parent.DisplayName**

Design

Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	**Parent.DisplayMode**	DisplayMode.Edit	
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
PaddingBottom	**5**		
PaddingLeft	**5**		
PaddingRight	**5**		
PaddingTop	**5**		
RadiusBottomLeft	**0**	5	
RadiusBottomRight	**0**	5	
RadiusTopLeft	**0**	5	
RadiusTopRight	**0**	5	
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width	**Parent.Width - 60**	320	
X	30		
Y	DataCardKey15.Y + DataCardKey15.Height + 5		
ZIndex	2		
Color Properties			
BorderColor	**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)		
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(166, 166, 166, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(244, 244, 244, 1)		
Fill	RGBA(255, 255, 255, 1)		

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProvRef_DataCard1

txtMSID_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **varmsid** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode **DisplayMode.View** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 150

X 724
Y 592
ZIndex 16
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditProjectScreen

txtSearchBox

Type Abc text

Behavior
OnChange **Select(btnFormLoad)**

Data
Default **""** "Text input"

DelayOutput false
HintText **"Search ProjectID"**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
PaddingLeft **35**

RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width 320
X 249
Y 141
ZIndex 13
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls

Parent Control EditProjectScreen

EditServiceAreaScreen

Type ☐ screen

Behavior
OnVisible **Set(varWaitPop,true);**

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls EditServiceAreaHeader
Rectangle2
Rectangle2_1
popBackground
btnResetDataTable
btnLoadDataTable
Label15
Rectangle1
HeaderContainer
Label3_1
txtNewProjectIDEditServiceArea
galServiceArea
popBox
Label2
Rectangle3
Label10
Rectangle3_1
Label10_1
lblPopText
txtRegionUpdate
Label11
Label11_1
btnGoBack
btnUpdateGrid
btnPopCancel
btnPopContinue

btnPopSubmit
iconRefresh
btnComplete
btnTimerOk
Icon1_9
TextCanvas1_4
Icon1_8
timerLoading
grpNotificationPopup
grpNewProjectIDEditServiceArea
grpRegion
grpConfirmPopup
grpWaitPop
grpDevLabel_4

btnComplete

Type button

Behavior

OnSelect **Select(btnUpdateGrid); ForAll(galServiceArea.AllItems, Patch(CS_EXP_zTrxServiceArea_Stage, ThisRecord,{ ProjectID: ProjectID, Region: Region, State: State, County: County, ReportInclude: ReportInclude, MaxMileage: MaxMileage, ProjectStatus: "Active"})); Set(varConfirmPopup,true); Set(varMileChange,false); Set(varWaitPop,false);**

Data

Text **"Complete"** "Button"

Design

Align	Align.Center		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	4		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Semibold	
Height	40		
Italic	false		
RadiusBottomLeft	10		
RadiusBottomRight	10		
RadiusTopLeft	10		
RadiusTopRight	10		
Size	**17**	15	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**true**		

Width **180** 160

X 160
Y 511
ZIndex 12
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnGoBack

Type button

Behavior
OnSelect **Navigate(EditProjectScreen); Set(varNewProject,false); Set(varEEPChanged,false); Set(ESAGoBack,true); Set(varEditProject,true); Set(varWaitPop,true); Set(varFormCoverMode,true);**

Data

Text	**"Go Back"**	"Button"

Design

Align	Align.Center	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	4	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Normal**	FontWeight.Semibold
Height	40	
Italic	false	
RadiusBottomLeft	10	
RadiusBottomRight	10	
RadiusTopLeft	10	
RadiusTopRight	10	
Size	15	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**180**	160
X	50	
Y	428	
ZIndex	10	

Color Properties

BorderColor	**App.Theme.Colors.Primary**	ColorFade(Self.Fill, -15%)
Color	RGBA(255, 255, 255, 1)	
DisabledBorderColor	RGBA(244, 244, 244, 1)	
	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(244, 244, 244, 1)	
Fill	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	**App.Theme.Colors.Darker10**	ColorFade(Self.BorderColor, 20%)
HoverColor	RGBA(255, 255, 255, 1)	

HoverFill	**App.Theme.Colors.Darker10**	ColorFade(RGBA(56, 96, 178, 1), -20%)
PressedBorderColor	**App.Theme.Colors.Darker40**	Self.Fill
PressedColor	**Self.Color**	Self.Fill
PressedFill	**App.Theme.Colors.Darker40**	Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnLoadDataTable

Type button

Behavior
OnSelect **Set(varConfirmPopup,false); If(varEditProject, ClearCollect(colGridData,CS_EXP_zTrxServiceArea_Stage), ClearCollect(colGridData,Filter(CS_EXP_zTrxServiceArea, ProjectID = txtNewProjectIDEditServiceArea.Text))); Reset(txtRegionUpdate);**

Data
Text	**"Load Data Table"**	"Button"

Design
Align	Align.Center
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4

Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Semibold

Height	40
Italic	false
RadiusBottomLeft	10
RadiusBottomRight	10
RadiusTopLeft	10
RadiusTopRight	10
Size	15
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**true**

Width	**180**	160

X	268
Y	130
ZIndex	13

Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnPopCancel

Type button

Behavior
OnSelect **Set(varConfirmPopup,false);**

Data
Text **"Cancel"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varConfirmPopup**

Width 160
X 487
Y 452
ZIndex 18
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnPopContinue

Type button

Behavior
OnSelect **Set(varNotifPop,false); Navigate(EditProjectScreen); Notify("Upload to SQL Server Success",NotificationType.Success,3000); Set(varNewProject,false); Set(varPDWReady,true); Set(varEditProject,true); Set(varExistingProject,true); Set(varEEPChanged,false); Set(ESAGoBack,true);**

Data
Text **"Continue"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varNotifPop**

Width 160
X 602
Y 452
ZIndex 24
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnPopSubmit

Type button

Behavior
OnSelect **Set(varConfirmPopup,false); Set(varNotifPop,true); Patch(CS_EXP_Project_Translation,LookUp(CS_EXP_Project_Translation, ProjectID=varCurrentProjectID),{ ProjectID: varCurrentProjectID, BenchmarkFileID:**

Value(varCurrentBenchmarkFileID), NDB_LOB: varCurrentNDBLOB, ProjectType: varCurrentProjectType, ProjectDesc: varCurrentProjectDesc, Analyst: varCurrentAnalyst, PM: varCurrentProjectManager, GoLiveDate: varCurrentGoLiveDate, MaxMileage: varCurrentMileage, Status: varCurrentProjectStatus, NewMarket: Blank(), ProvRef: Blank(), DataLoadDate: Now(), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, RefreshInd: 1});
uspCsExpZtrxServiceAreaV4.Run(varCurrentProjectID);

Data
Text **"Submit"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varConfirmPopup**

Width 160
X 715
Y 452
ZIndex 19
Color Properties
BorderColor RGBA(0, 0, 0, 1)

ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(40, 134, 222, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnResetDataTable

Type button

Behavior
OnSelect **Select(btnLoadDataTable); Set(varGridEdit,false); Clear(colSelected); Reset(cbAll);**

Data
Text **"Reset Data Table"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Normal** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10

RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **180** 160

X 53
Y 130
ZIndex 11
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnTimerOk

Type button

Behavior
OnSelect **Set(varWaitPop,false);**

Data
Text **"Ok"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varWaitPop**

Width 160
X 616
Y 583
ZIndex 30
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

btnUpdateGrid

Type button

Behavior
OnSelect **ForAll(Filter(galServiceArea.AllItems,cbSelect.Value), Patch(colGridData, ThisRecord,{ Region: txtRegionUpdate.Text, ReportInclude: ddGalReportInclude.Selected.Value})); Reset(txtRegionUpdate);**

Data
Text **"Update Grid"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Normal** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **true**

Width **180** 160

X 270
Y 428
ZIndex 9
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

cbAll

Type ☑ checkbox

Behavior
OnCheck **ClearCollect(colSelected, colGridData)**

OnUncheck **Clear(colSelected)**

Data

Text	**""**	"Option"
Design		
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
CheckboxBackgroundFill	RGBA(255, 255, 255, 1)	
CheckboxBorderColor	**App.Theme.Colors.Primary**	RGBA(0, 18, 107, 1)
CheckboxSize	**30**	
CheckmarkFill	**App.Theme.Colors.Primary**	RGBA(0, 0, 0, 1)
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	2	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**40**	50
Italic	false	
PaddingBottom	0	
PaddingLeft	0	
PaddingRight	0	
PaddingTop	0	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**true**	
Width	**30**	150
X	cbSelect.X	
Y	0	
ZIndex	6	
Color Properties		
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(186, 186, 186, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 30%)
HoverColor **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

HoverFill ColorFade(Self.Fill, 30%)
PressedBorderColor ColorFade(Self.BorderColor, -30%)
PressedColor RGBA(70, 68, 64, 1)

PressedFill ColorFade(Self.Fill, -30%)
Child & Parent Controls
Child Controls
Parent Control HeaderContainer

cbSelect

Type ☑ checkbox

Behavior
OnCheck **Collect(colSelected,ThisItem);**

OnSelect **Select(Parent)**

OnUncheck **Remove(colSelected,ThisItem);**

Data
Default **ThisItem in colSelected**

Text **""** "Option"

Design
BorderStyle BorderStyle.Solid
BorderThickness 0
CheckboxBackgroundFill RGBA(255, 255, 255, 1)

CheckboxBorderColor **App.Theme.Colors.Primary** RGBA(0, 18, 107, 1)

CheckboxSize **30**

CheckmarkFill **App.Theme.Colors.Primary** RGBA(0, 0, 0, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 2
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **30** 50

Italic false
PaddingBottom 0
PaddingLeft 0
PaddingRight 0

PaddingTop 0
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **true**

Width **30** 150

X 0
Y 0
ZIndex 9
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(186, 186, 186, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 30%)
HoverColor **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

HoverFill ColorFade(Self.Fill, 30%)
PressedBorderColor ColorFade(Self.BorderColor, -30%)
PressedColor RGBA(70, 68, 64, 1)

PressedFill ColorFade(Self.Fill, -30%)
Child & Parent Controls
Child Controls
Parent Control galServiceArea

ddGalReportInclude

Type dropdown

Behavior
OnSelect **Select(Parent)**

Data
Default **ThisItem.ReportInclude**

Items **["Y","N","B"]** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **30**40

Italic false
PaddingBottom 10
PaddingLeft **40**10

PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
Underline false
Width **120** 328

X headerInclude.X
Y 0
ZIndex 10
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control galServiceArea

EditServiceAreaHeader

Type verticalAutoLayoutContainer

Design
BorderStyle **BorderStyle.Solid**

ChildTabPriority **true**

DisplayMode **DisplayMode.Edit**

DropShadow **DropShadow.Light**

Height **109**

LayoutAlignItems **LayoutAlignItems.Stretch**

LayoutDirection **LayoutDirection.Vertical**

LayoutGap **16**

LayoutJustifyContent **LayoutJustifyContent.Start**

LayoutMode **LayoutMode.Auto**

LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**Parent.Width**
X	0
Y	0
ZIndex	3

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls

Child Controls HeaderContainer1_2

Parent Control EditServiceAreaScreen

galCounty

Type label

Behavior

OnSelect **Select(Parent)**

Data

Live Live.Off

Role	TextRole.Default		
Text		**ThisItem.County**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**1**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**If(ThisItem.IsSelected, FontWeight.Semibold,**	
FontWeight.Normal)		FontWeight.Normal	
Height		**30**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom		**0**	5
PaddingLeft		**0**	5
PaddingRight		**0**	5
PaddingTop		**0**	5
Size		**14**	13
Strikethrough	false		
TabIndex		**-1**	
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	headerCounty.X		
Y	0		
ZIndex	1		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(50, 49, 48, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galServiceArea

galleryTemplate1

Type galleryTemplate

Behavior
OnSelect **false**

Design
TemplateFill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls
Parent Control galServiceArea

galMileage

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **ThisItem.MaxMileage** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold,**
FontWeight.Normal) FontWeight.Normal

Height **30** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **galCounty.Width** 150

X headerMileage.X
Y 0
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galServiceArea

galServiceArea

Type gallery

Data
Default **First(Filter(colGridData, ProjectID=txtNewProjectIDEditServiceArea.Text))**

Items **Filter(colGridData,ProjectID=txtNewProjectIDEditServiceArea.Text)** CustomGallerySample

WrapCount 1
Design
#CopilotOverlayLabel **"Filtered"**

#CopilotOverlayVisible **false**

BorderStyle BorderStyle.Solid
BorderThickness **1**

DelayItemLoading **true**

DisplayMode DisplayMode.Edit
Height **523** 575

Layout Layout.Vertical
LoadingSpinner **LoadingSpinner.Data** LoadingSpinner.None

LoadingSpinnerColor **Color.Blue** Self.BorderColor

TemplatePadding 0
TemplateSize **30** Min(160, Self.Height - 60)

Transition Transition.None
Width **796** 640

X 496

Y 232
ZIndex 2
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

DisabledBorderColor Self.BorderColor
DisabledFill Self.Fill
Fill RGBA(180, 214, 250, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate1
Rectangle4
cbSelect
ddGalReportInclude
galtxtRegion
galCounty
galState
galMileage
Separator4

Parent Control EditServiceAreaScreen

galState

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **ThisItem.State**"Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **30** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign VerticalAlign.Middle
Width **galCounty.Width** 150

X headerState.X
Y 0
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor

PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galServiceArea

galtxtRegion

Type	Abc text		
Behavior			
OnSelect		**Select(Parent)**	
Data			
Default		**ThisItem.Region**	"Text input"
DelayOutput	false		
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	4		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height		**30** 40	
Italic	false		
Mode	TextMode.SingleLine		
RadiusBottomLeft	5		
RadiusBottomRight	5		
RadiusTopLeft	5		
RadiusTopRight	5		
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width		**200** 320	
X	headerRegion.X		
Y	0		
ZIndex	7		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(166, 166, 166, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control galServiceArea

grpConfirmPopup

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 21
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

grpDevLabel_4

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 35
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

grpNewProjectIDEditServiceArea

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 4
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

grpNotificationPopup

Type group

Design
Height 5
Width 5
X 40
Y -109
ZIndex 27
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

grpRegion

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 12
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

grpWaitPop

Type group

Design
Height 5

Width 5
X 40
Y 40
ZIndex 31
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

Header1_2

Type Header

Behavior
OnSelectLogo **false**

Data
BasePaletteColor
FontColor
Logo **Picture1**

Title **"Axis Program Management: Edit Service Area"**

UserEmail **User().Email**

UserImage **User().Image**

UserName **User().FullName**

Design
DisplayMode **DisplayMode.Edit**

Height **75**

Width **Parent.Width**

X 0
Y 0
ZIndex 1
Child & Parent Controls
Child Controls
Parent Control HeaderContainer1_2

HeaderContainer

Type manualLayoutContainer

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **DisplayMode.Edit**

DropShadow **DropShadow.Light**

Height	**40**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Manual**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**796**
X	496
Y	192
ZIndex	6

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls

Child Controls cbAll
headerInclude
headerRegion
headerCounty
headerState
headerMileage

Parent Control EditServiceAreaScreen

HeaderContainer1_2

Type horizontalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**500**
X	0
Y	0
ZIndex	2

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls
Child Controls Header1_2

Parent Control EditServiceAreaHeader

headerCounty

Type button

Data
Text **"County"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft **0** 10

RadiusBottomRight **0** 10

RadiusTopLeft **0** 10

RadiusTopRight **0** 10

Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **153** 160

X headerRegion.X+headerRegion.Width
Y 0
ZIndex 3
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control HeaderContainer

headerInclude

Type button

Data
Text **"Include"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft **0** 10

RadiusBottomRight **0** 10

RadiusTopLeft **0** 10

RadiusTopRight **0** 10

Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **118** 160

X cbAll.X+cbAll.Width
Y 0
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control HeaderContainer

headerMileage

Type button

Data
Text **"Mileage"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft **0** 10

RadiusBottomRight **0** 10

RadiusTopLeft **0** 10

RadiusTopRight **0** 10

Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **150** 160

X headerState.X+headerState.Width
Y 0
ZIndex 1
Color Properties
BorderColor ColorFade(Self.Fill, -15%)
Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control HeaderContainer

headerRegion

Type button

Data
Text **"Region"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft **0** 10

RadiusBottomRight **0** 10

RadiusTopLeft **0** 10

RadiusTopRight **0** 10

Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **200** 160

X headerInclude.X+headerInclude.Width
Y 0
ZIndex 4
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control HeaderContainer

headerState

Type button

Data
Text **"State"** "Button"

Design

Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft **0** 10

RadiusBottomRight **0** 10

RadiusTopLeft **0** 10

RadiusTopRight **0** 10

Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **147** 160

X headerCounty.X+headerCounty.Width
Y 0
ZIndex 2
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(122, 138, 143, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control HeaderContainer

Icon1_8

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 33
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

Icon1_9

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**45**
X	1052
Y	704
ZIndex	32
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

iconRefresh

Type icon

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**75**
Icon	**Icon.Reload**
Rotation	**timerLoading.Value/3**
Visible	**varWaitPop**
Width	**75**
X	659
Y	494
ZIndex	29
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

Label10

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Confirm Submit"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **49** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **18** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varConfirmPopup**

Width **491** 150

X 437
Y 290
ZIndex 16
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

Label10_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"ATTENTION"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **49** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **18** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varNotifPop**

Width **491** 150

X 437
Y 290
ZIndex 22
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

Label11

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Submit To SQL Server?"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**57**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	**15**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**varConfirmPopup**	

Width **491** 150

X 437
Y 368
ZIndex 17
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

Label11_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Your Project Has Successfully Loaded Into SQL Server!"**
"Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**57**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	**15**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**varNotifPop**	
Width	**491**	150
X	437	
Y	368	
ZIndex	23	
Color Properties		
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	EditServiceAreaScreen	

Label15

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Row Count: " & CountRows(galServiceArea.AllItems)**
"Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **200** 150

X 1092
Y 130
ZIndex 31
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

Label2

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Region"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**135**	150	
X	90		
Y	290		
ZIndex	7		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

Label3_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"New Project ID:"**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	100
Y	202
ZIndex	4

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(191, 189, 189, 0)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control EditServiceAreaScreen

lblPopText

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Please Wait For 10 Seconds Before Selecting 'Load Data Table' Button, Service Area Stored Procedure Running"** "Text"

Design
Align **Align.Center** Align.Left

AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **52** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **26** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varWaitPop**

Width **665** 150

X 364
Y 308
ZIndex 28
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

popBackground

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**659**
Visible	**varWaitPop**
Width	**1366**
X	0
Y	109
ZIndex	26
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**

Fill RGBA(214, 221, 224, 0.73)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

popBox

Type rectangle

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **2**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **360**

Visible **varWaitPop**

Width **665**

X 364
Y 285
ZIndex 27
Color Properties
BorderColor RGBA(0, 0, 0, 1)

DisabledFill **Self.Fill**

Fill RGBA(139, 154, 159, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls

Parent Control EditServiceAreaScreen

Rectangle1

Type rectangle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**1**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**384**
Width	**449**
X	26
Y	192
ZIndex	1

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	RGBA(197, 199, 201, 1)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls

Parent Control EditServiceAreaScreen

Rectangle2

Type rectangle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**

FocusedBorderThickness **2**

Height **App.Height**

Visible **varConfirmPopup**

Width **App.Width**

X 0
Y 109
ZIndex 14
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(176, 174, 174, 0.69)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

Rectangle2_1

Type rectangle

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **App.Height**

Visible **varNotifPop**

Width **App.Width**

X 0
Y 109

ZIndex	20
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	RGBA(176, 174, 174, 0.69)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

Rectangle3

Type	rectangle
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**1**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**252**
Visible	**varConfirmPopup**
Width	**491**
X	437
Y	290
ZIndex	15
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**

PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

Rectangle3_1

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**1**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**252**
Visible	**varNotifPop**
Width	**491**
X	437
Y	290
ZIndex	21
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

Rectangle4

Type rectangle

Behavior	
OnSelect	**Select(Parent)**

Design		
BorderStyle		**BorderStyle.Solid**
BorderThickness		**0**
DisplayMode		**DisplayMode.Edit**
FocusedBorderThickness		**2**
Height		**Parent.TemplateHeight - Separator4.Height**
TabIndex		**-1**
Visible		**ThisItem.IsSelected**
Width		**4**
X	0	
Y	0	
ZIndex	6	
Color Properties		
BorderColor		**App.Theme.Colors.Darker40**
DisabledFill		**Self.Fill**
Fill		**App.Theme.Colors.Darker30**
FocusedBorderColor		**Self.BorderColor**
HoverFill		**Self.Fill**
PressedFill		**Self.Fill**
Child & Parent Controls		
Child Controls		
Parent Control	galServiceArea	

Separator4

Type rectangle

Behavior	
OnSelect	**Select(Parent)**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**

Height	**1**
TabIndex	**-1**
Width	**Parent.TemplateWidth**
X	0
Y	Parent.TemplateHeight - Self.Height
ZIndex	5
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	RGBA(9, 33, 98, 1)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	galServiceArea

TextCanvas1_4

Type ⓘ	PowerApps_CoreControls_TextCanvas
Data	
Align	**'TextCanvas.Align'.Center**
AutoHeight	**true**
FontColor	RGBA(255, 0, 0, 1)
Size	**20**
Text	**If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**

Width **202**

X 1097
Y 704
ZIndex 34
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

timerLoading

Type timer

Behavior
OnTimerEnd **false**

OnTimerStart **false**

Data
AutoPause **true**

AutoStart **true**

Duration **6500**

Repeat **true**

Text Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")
Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Size 13
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 14
Y 715
ZIndex 25
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

ColorFade(Self.BorderColor, 70%)

DisabledColor RGBA(166, 166, 166, 1)

ColorFade(Self.Fill, 90%)

DisabledFill RGBA(244, 244, 244, 1)

ColorFade(Self.Fill, 70%)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

txtNewProjectIDEditServiceArea

Type label

Data
Live Live.Off
Role TextRole.Default
Text **varCurrentProjectID** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 250
Y 202
ZIndex 5
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EditServiceAreaScreen

txtRegionUpdate

Type Abc text

Data			
Default		**""**	"Text input"
DelayOutput	false		
HintText		**"Insert Region Update"**	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	2		
Clear		**true**	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	4		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal		
Format	TextFormat.Text		
Height	40		
Italic	false		
Mode	TextMode.SingleLine		
RadiusBottomLeft	5		
RadiusBottomRight	5		
RadiusTopLeft	5		
RadiusTopRight	5		
Size	13		
Strikethrough	false		
Underline	false		
VirtualKeyboardMode	VirtualKeyboardMode.Auto		
Width	320		
X	90		
Y	332		
ZIndex	8		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control EditServiceAreaScreen

EntryScreen

Type screen

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition ImagePosition.Fit
LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls Timer2
iconCircle1_3
iconCheck1_3
LblLoadingText

Progress1
LblSuccessMsg1_3
btnSuccessContinue_3
Icon1
TextCanvas1
Icon1_1
grpDevLabel

btnSuccessContinue_3

Type	PowerApps_CoreControls_ButtonCanvas
Behavior	
OnSelect	**Navigate(HomeScreen); Set(CurrentStep, 0);**
Data	
Align	**""**
BasePaletteColor	
BorderStyle	**""**
FontColor	
FontSize	**20**
Icon	**""**
IconRotation	**0**
IconStyle	**"Outline"**
Layout	**"Icon before"**
Text	**"Continue"**
VerticalAlign	**""**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Visible	**If(LblSuccessMsg1_3.Text="100%",true,false)**
Width	**150**
X	608
Y	559
ZIndex	4
Color Properties	
BorderColor	
Child & Parent Controls	

Child Controls
Parent Control EntryScreen

grpDevLabel

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 13
Child & Parent Controls
Child Controls
Parent Control EntryScreen

Icon1

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 10
Child & Parent Controls
Child Controls
Parent Control EntryScreen

Icon1_1

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 11
Child & Parent Controls
Child Controls
Parent Control EntryScreen

iconCheck1_3

Type icon

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **iconCircle1_3.Height**

Icon **Icon.Check**

PaddingBottom **Self.PaddingTop**

PaddingLeft **Self.PaddingTop**

PaddingRight **Self.PaddingTop**

PaddingTop **24**

Visible **If(LblSuccessMsg1_3.Text="100%",true,false)**

Width **iconCircle1_3.Width**

X Parent.Width/2 - Self.Width/2

Y (Parent.Height/2 - Self.Height/2) * .7
ZIndex 2
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill RGBA(255, 255, 255, 0.3)

Child & Parent Controls
Child Controls
Parent Control EntryScreen

iconCircle1_3

Type circle

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

Height **100**

Visible **If(LblSuccessMsg1_3.Text="100%",true,false)**

Width **100**

X Parent.Width/2 - Self.Width/2
Y (Parent.Height/2 - Self.Height/2) * .7
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill **App.Theme.Colors.Primary**

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control EntryScreen

LblLoadingText

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Loading/Verifying Permissions"** "Text"

Design
Align **Align.Center** Align.Left

AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **iconCircle1_3.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **20** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **If(LblSuccessMsg1_3.Text="100%",false,true)**

Width **350** 150

X 508
Y 245
ZIndex 9
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color

PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EntryScreen

LblSuccessMsg1_3

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text			**If(CurrentStep >= TotalSteps, "100%", Text((CurrentStep/TotalSteps)*100,"0")&"%")** "Text"
Design			
Align		**Align.Center**	Align.Left
AutoHeight		**true**	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height		**iconCircle1_3.Height**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size		**20**	13
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	Parent.Width/2 - Self.Width/2		
Y	iconCheck1_3.Y + iconCheck1_3.Height + 100		
ZIndex	3		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	EntryScreen

Progress1

Type PowerApps_CoreControls_Progress

Data	
BasePaletteColor	
ProgressColor	**'Progress.ProgressColor'.Success**
Shape	**'Progress.Shape'.Square**
Thickness	**'Progress.Thickness'.Large**
Value	**If(CurrentStep >= TotalSteps, 100, (CurrentStep/TotalSteps)*100)**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**47**
Width	**1025**
X	170
Y	361

ZIndex 7
Child & Parent Controls
Child Controls
Parent Control EntryScreen

TextCanvas1

Type PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 12
Child & Parent Controls
Child Controls
Parent Control EntryScreen

Timer2

Type timer

Behavior
OnTimerEnd **If(CurrentStep < TotalSteps, Set(CurrentStep,CurrentStep+1), Set(TimerRunning,true), Set(TimerRunning,false)); Collect(ProgressStatus, {Step:CurrentStep});**

Data
AutoStart **true**

Duration **700**

Repeat **true**

Start **TimerRunning**

Text Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")
Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Size 13
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 40
Y 40
ZIndex 8
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

ColorFade(Self.BorderColor, 70%)

DisabledColor RGBA(166, 166, 166, 1)

ColorFade(Self.Fill, 90%)

DisabledFill RGBA(244, 244, 244, 1)

ColorFade(Self.Fill, 70%)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control EntryScreen

HomeScreen

Type ☐ screen

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Center** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1
Timer1
btnNewProject
btnExistingProject
btnExit
Label17
Label17_1
Label17_2
Icon1_3
TextCanvas1_1
Icon1_2
tglAdmin
grpHomeButtons
grpDevLabel_1

btnExistingProject

Type	PowerApps_CoreControls_ButtonCanvas
Behavior	
OnSelect	**Navigate(EditProjectScreen); Set(varNewProject,false); Set(varExistingProject,true); Set(varFormMode,FormMode.Edit); Set(varEEPChanged,false); Set(ESAGoBack,false); Set(varEditProject,false);**
Data	
Align	**""**
Appearance	**'ButtonCanvas.Appearance'.Primary**
BasePaletteColor	
BorderStyle	**""**
FontColor	
FontSize	**18**
FontWeight	**FontWeight.Semibold**
Icon	**""**
IconRotation	**0**
IconStyle	**"Outline"**
Layout	**"Icon before"**
Text	**"Existing Project"**
VerticalAlign	**""**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**40**
Width	**175**
X	(HomeScreen.Width-btnExistingProject.Width)/2
Y	346
ZIndex	3
Color Properties	
BorderColor	
Child & Parent Controls	
Child Controls	
Parent Control	HomeScreen

btnExit

Type	PowerApps_CoreControls_ButtonCanvas

Behavior	
OnSelect	**Exit(true);**
Data	
Align	**""**
Appearance	**'ButtonCanvas.Appearance'.Secondary**
BasePaletteColor	
BorderStyle	**""**
FontColor	
FontSize	**18**
FontWeight	**FontWeight.Semibold**
Icon	**""**
IconRotation	**0**
IconStyle	**"Outline"**
Layout	**"Icon before"**
Text	**"Exit"**
VerticalAlign	**""**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**40**
Width	**175**
X	(HomeScreen.Width-btnExit.Width)/2
Y	428
ZIndex	4
Color Properties	
BorderColor	
Child & Parent Controls	
Child Controls	
Parent Control	HomeScreen

btnNewProject

Type ⓘ	PowerApps_CoreControls_ButtonCanvas
Behavior	
OnSelect	**Navigate(NewProjectScreen); Set(varEEPChanged,false); Set(varNewProject,true); Set(varExistingProject,false); Reset(ddState); Reset(ddProduct);**

Reset(ddIteration); Reset(txtProjectDescription); Reset(txtProjectManager); Reset(dpGoLiveDate); Reset(ddMileage); Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Reset(txtNDBLOB);

Data	
Align	""
Appearance	'ButtonCanvas.Appearance'.Primary
BasePaletteColor	
BorderStyle	""
FontColor	
FontSize	20
FontWeight	FontWeight.Bold
Icon	""
IconRotation	0
IconStyle	"Outline"
Layout	"Icon before"
Text	"New Project"
VerticalAlign	""
Design	
DisplayMode	DisplayMode.Edit
Height	40
Width	175
X	(HomeScreen.Width-btnNewProject.Width)/2
Y	265
ZIndex	2
Color Properties	
BorderColor	
Child & Parent Controls	
Child Controls	
Parent Control	HomeScreen

grpDevLabel_1

Type	group
Design	
Height	5
Width	5
X	80
Y	80

ZIndex 15
Child & Parent Controls
Child Controls
Parent Control HomeScreen

grpHomeButtons

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 5
Child & Parent Controls
Child Controls
Parent Control HomeScreen

Header1

Type Header

Behavior
OnSelectLogo **false**

Data
BasePaletteColor
FontColor
Logo **Picture1**

Title **"Axis Program Management"**

UserEmail **User().Email**

UserImage **User().Image**

UserName **User().FullName**

Design
DisplayMode **DisplayMode.Edit**

Height **75**

Width **Parent.Width**

X 0
Y 0
ZIndex 1
Child & Parent Controls
Child Controls
Parent Control HeaderContainer1

HeaderContainer1

Type horizontalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**500**

X	0
Y	0
ZIndex	2

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls
Child Controls Header1

Parent Control ScreenContainer1

Icon1_2

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 13
Child & Parent Controls
Child Controls
Parent Control HomeScreen

Icon1_3

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height	**45**	
Width	**45**	
X	1052	
Y	704	
ZIndex	12	
Child & Parent Controls		
Child Controls		
Parent Control	HomeScreen	

Label17

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Total Project Count: " &**	
CountRows(CS_EXP_Project_Translation)	"Text"	
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Normal
Height	**41**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**AdminMode**	
Width	**200**	150
X	240	
Y	572	
ZIndex	9	
Color Properties		

BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(71, 158, 245, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	HomeScreen

Label17_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Active Projects: " & CountRows(Filter(CS_EXP_Project_Translation,Status = "Active"))**		"Text"
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	**41**	40	

Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle

Visible	**AdminMode**	
Width	**200**	150
X	240	
Y	619	
ZIndex	10	

Color Properties

BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(71, 158, 245, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls	
Parent Control	HomeScreen

Label17_2

Type label

Data

Live	Live.Off		
Role	TextRole.Default		
Text			**"InActive Projects: " &**
CountRows(Filter(CS_EXP_Project_Translation,Status = "InActive"))	"Text"		

Design

Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height		**41**	40
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible		**AdminMode**	
Width		**200**	150
X	240		
Y	666		
ZIndex	11		

Color Properties

BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill RGBA(0, 0, 0, 0)		
Fill	RGBA(71, 158, 245, 1)	
	RGBA(0, 0, 0, 0)	

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	HomeScreen

ScreenContainer1

Type verticalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**112**
LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**
LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**

RadiusBottomLeft **4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **Parent.Width**

X 0
Y 0
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls
Child Controls HeaderContainer1

Parent Control HomeScreen

TextCanvas1_1

Type ⓘ PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 14
Child & Parent Controls
Child Controls
Parent Control HomeScreen

tglAdmin

Type PowerApps_CoreControls_Toggle

Behavior
OnCheck **If(varCurrentUser in colAuthorizedUsers, Set(AdminMode,true), Notify("You are NOT authorized for Admin Mode.",NotificationType.Error,2000));**

OnUncheck **Set(AdminMode,false);**

Data
BasePaletteColor
FontColor RGBA(79, 90, 94, 1)

FontSize **18**

FontWeight **FontWeight.Bold**

Label **"Admin"**

LabelPosition **'Toggle.LabelPosition'.After**

Design
DisplayMode **DisplayMode.Edit**

Height **35**

Width **140**

X 0
Y 727
ZIndex 6
Child & Parent Controls
Child Controls
Parent Control HomeScreen

Timer1

Type timer

Behavior
OnTimerEnd

Set(varCurrentScreen,A

pp.ActiveScreen.Name); ClearCollect(colVariables,
{colVariableName:"ProjectID",colVariableValue:Text(varCurrentProjectID)},
{colVariableName:"varCurrentScreen",colVariableValue:Text(varCurrentScreen)},
//{colVariableName:"Analyst",colVariableValue:Text(varCurrentAnalyst)},
//{colVariableName:"ProjectManager",colVariableValue:Text(varCurrentProjectManager)},
//{colVariableName:"GoLiveDate",colVariableValue:Text(DateValue(varCurrentGoLiveDate))},
//{colVariableName:"Mileage",colVariableValue:Text(varCurrentMileage)},
//{colVariableName:"BenchmarkFileID",colVariableValue:Text(varCurrentBenchmarkFileID)},
//{colVariableName:"NDBLOB",colVariableValue:Text(varCurrentNDBLOB)},
//{colVariableName:"ProjectDesc",colVariableValue:Text(varCurrentProjectDesc)},
//{colVariableName:"LastEditDate",colVariableValue:Text(DateValue(varCurrentLastEditDate))},
//{colVariableName:"LastEditMSID",colVariableValue:Text(varCurrentLastEditMSID)},
{colVariableName:"varGridEdit",colVariableValue:Text(varGridEdit)},
{colVariableName:"varEditProject",colVariableValue:Text(varEditProject)},
{colVariableName:"varEEPChanged",colVariableValue:Text(varEEPChanged)},
{colVariableName:"varNewProject",colVariableValue:Text(varNewProject)},
{colVariableName:"varExistingProject",colVariableValue:Text(varExistingProject)},
{colVariableName:"varFormMode",colVariableValue:Text(varFormMode)},
{colVariableName:"ESAGoBack",colVariableValue:Text(ESAGoBack)},
//{colVariableName:"varLEPMode",colVariableValue:Text(varLEPMode)},
{colVariableName:"varPDWReady",colVariableValue:Text(varPDWReady)},
//{colVariableName:"varFormCoverMode",colVariableValue:Text(varFormCoverMode)},
{colVariableName:"varRefreshToken",colVariableValue:Text(varRefreshToken)},
{colVariableName:"varNotesFormMode",colVariableValue:Text(varNotesFormMode)},
{colVariableName:"varNewNoteMode",colVariableValue:Text(VarNewNoteMode)},
{colVariableName:"varbtnAddNewNoteMode",colVariableValue:Text(varbtnAddNewNoteMode)},
{colVariableName:"varbtnSubmitNoteMode",colVariableValue:Text(varbtnSubmitNoteMode)},
{colVariableName:"varbtnUpdateNoteMode",colVariableValue:Text(varbtnUpdateNoteMode)},
{colVariableName:"varNotesEmpty",colVariableValue:Text(varNotesEmpty)}); //ForAll(//
colVariables, // Patch(// tblVariableMonitorVal2S, // LookUp(//
tblVariableMonitorVal2S, // VariableName = colVariableName //), // {VariableValue:
colVariableValue} //) //);

Data
AutoPause **false**

AutoStart **true**

Duration **20000**

Repeat **true**

Text Text(Time(0, 0, Self.Value/1000), "hh:mm:ss")
Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Size 13
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 883
Y 36
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

ColorFade(Self.BorderColor, 70%)

DisabledColor RGBA(166, 166, 166, 1)

ColorFade(Self.Fill, 90%)

DisabledFill RGBA(244, 244, 244, 1)

ColorFade(Self.Fill, 70%)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control HomeScreen

NewProjectScreen

Type ☐ screen

Behavior
OnVisible ClearCollect(colProducts, {ID: "1",Product: "ABDx"}, {ID: "2",Product: "CAID"}, {ID: "3",Product: "CARE"}, {ID: "4",Product: "CHPx"}, {ID: "5",Product: "CRSx"}, {ID: "6",Product: "DSNP"}, {ID: "7",Product: "LTCx"}, {ID: "8",Product: "MMPx"}, {ID: "9",Product: "OTHR"}, {ID: "10",Product: "TEST"}); ClearCollect(colStates, { ID: "1", State: "AK" }, { ID: "2", State: "AL" }, { ID: "3", State: "AR" }, { ID: "4", State: "AZ" }, { ID: "5", State: "CA" }, { ID: "6", State: "CO" }, { ID: "7", State: "CT" }, { ID: "8", State: "DC" }, { ID: "9", State: "DE" }, { ID: "10", State: "FL" }, { ID: "11", State: "GA" }, { ID: "12", State: "HI" }, { ID: "13", State: "IA" }, { ID: "14", State: "ID" }, { ID: "15", State: "IL" }, { ID: "16", State: "IN" }, { ID: "17", State: "KS" }, { ID: "18", State: "KY" }, { ID: "19", State: "LA" }, { ID: "20", State: "MA" }, { ID: "21", State: "MD" }, { ID: "22", State: "ME" }, { ID: "23", State: "MI" }, { ID: "24", State: "MN" }, { ID: "25", State: "MO" }, { ID: "26", State: "MS" }, { ID: "27", State: "MT" }, { ID: "28", State: "NC" }, { ID: "29", State: "ND" }, { ID: "30", State: "NE" }, { ID: "31", State: "NH" }, { ID: "32", State: "NJ" }, { ID: "33", State: "NM" }, { ID: "34", State: "NV" }, { ID: "35", State: "NY" }, { ID: "36", State: "OH" }, { ID: "37", State: "OK" }, { ID: "38", State: "OR" }, { ID: "39", State: "PA" }, { ID: "40", State: "RI" }, { ID: "41", State: "SC" }, { ID: "42", State: "SD" }, { ID: "43", State: "TN" }, { ID: "44", State: "TX" }, { ID: "45", State: "UT" }, { ID: "46", State: "VA" }, { ID: "47", State: "VT" }, { ID: "48", State: "WA" }, { ID: "49", State: "WI" }, { ID: "50", State: "WV" }, { ID: "51", State: "WY" });
Set(varLEPMode,false);

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1_1
Label7
Label7_2
Label7_1
Label7_3

Label7_4
Label3
Label6
Rectangle7
Label6_3
txtNewProjectID
txtAnalyst
txtBenchmarkFileID
btnCreateProject
btnCreateLEP
Label5
Label6_1
Label6_4
Label5_4
btnMainMenu
ddState
txtProjectDescription
txtNDBLOB
ddProjectStatus
Label12
Icon4
Label5_1
Label6_2
Label3_4
ddProduct
txtProjectManager
txtProjectType
Label5_2
Label8
Label9
Label3_2
Label3_3
ddIteration
dpGoLiveDate
ddMileage
txtMSID
txtLastEditDate
cbLEP
Icon1_5
TextCanvas1_2
Icon1_4
grpBenchmarkFileID
grpStatus
grpMSID
grpEditDate
grpProjectType
grpNDBLOB
grpNewProjectID
grpState
grpProduct
grpIteration
grpAnalyst
grpProjectDescription
grpProjectManager
grpGoLiveDate

grpMileage
grpButtons
grpDevLabel_2

btnCreateLEP

Type button

Behavior
OnSelect

Set(varCurrentProjectID, txtNewProjectID.Text); Set(varCurrentAnalyst,txtAnalyst.Text); Set(varCurrentProjectManager,txtProjectManager.Text); Set(varCurrentGoLiveDate,dpGoLiveDate.SelectedDate); Set(varCurrentMileage,ddMileage.Selected.Value); Set(varCurrentBenchmarkFileID,txtBenchmarkFileID.Text); Set(varCurrentNDBLOB,txtNDBLOB.Text); Set(varCurrentProjectDesc,txtProjectDescription.Text); Set(varCurrentProjectType,txtProjectType.Text); Set(varCurrentProjectStatus,ddProjectStatus.Selected.Value); Set(varCurrentLastEditDate,DateTimeValue(txtLastEditDate.Text)); Set(varCurrentLastEditMSID,txtMSID.Text); Set(varCheckProjectID,Value(uspCsExpCheckProjectId.Run(varCurrentProjectID).exists)); Set(varExistingProject,true); If(varCheckProjectID = 1,Notify("This ProjectID Already Exists!", NotificationType.Error,2000),Patch(CS_EXP_Project_Translation, Defaults(CS_EXP_Project_Translation),{ ProjectID: txtNewProjectID.Text, BenchmarkFileID: Blank(), NDB_LOB: Blank(), ProjectType: txtProjectType.Text, ProjectDesc: txtProjectDescription.Text, Analyst: txtAnalyst.Text, PM: txtProjectManager.Text, GoLiveDate: dpGoLiveDate.SelectedDate, MaxMileage: ddMileage.Selected.Value, Status: ddProjectStatus.Selected.Value, NewMarket: Blank(), ProvRef: Blank(), DataLoadDate: Now(), LastEditDate: DateTimeValue(txtLastEditDate.Text), LastEditMSID: txtMSID.Text, RefreshInd: 0}); Reset(ddState); Reset(ddProduct); Reset(ddIteration); Reset(txtProjectDescription); Reset(txtProjectManager); Reset(dpGoLiveDate); Reset(ddMileage); Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Reset(cbLEP); Set(varPDWReady,false); Set(varNewProject,true); Navigate(SuccessScreenNewProject)); Set(varFormCoverMode,true);

Data
Text **"Create LEP"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Semibold

Height 40
Italic false

RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varLEPMode**

Width **200** 160

X 1109
Y 269
ZIndex 32
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

btnCreateProject

Type button

Behavior

OnSelect

Set(varCurrentProjectID, txtNewProjectID.Text); Set(varCurrentAnalyst,txtAnalyst.Text); Set(varCurrentProjectManager,txtProjectManager.Text); Set(varCurrentGoLiveDate,dpGoLiveDate.SelectedDate); Set(varCurrentMileage,ddMileage.Selected.Value); Set(varCurrentBenchmarkFileID,txtBenchmarkFileID.Text); Set(varCurrentNDBLOB,txtNDBLOB.Text); Set(varCurrentProjectDesc,txtProjectDescription.Text); Set(varCurrentProjectType,txtProjectType.Text); Set(varCurrentProjectStatus,ddProjectStatus.Selected.Value); Set(varCurrentLastEditDate,DateTimeValue(txtLastEditDate.Text)); Set(varCurrentLastEditMSID,txtMSID.Text); Set(varExistingProject,true); Set(varCheckProjectID,Value(uspCsExpCheckProjectId.Run(varCurrentProjectID).exists)); If(varCheckProjectID = 1,Notify("This ProjectID Already Exists!",NotificationType.Error,2000), Patch(CS_EXP_Project_Translation, Defaults(CS_EXP_Project_Translation),{ ProjectID: txtNewProjectID.Text, BenchmarkFileID: Blank(), NDB_LOB: Blank(), ProjectType: txtProjectType.Text, ProjectDesc: txtProjectDescription.Text, Analyst: txtAnalyst.Text, PM: txtProjectManager.Text, GoLiveDate: dpGoLiveDate.SelectedDate, MaxMileage: ddMileage.Selected.Value, Status: ddProjectStatus.Selected.Value, NewMarket: Blank(), ProvRef: Blank(), DataLoadDate: Now(), LastEditDate: DateTimeValue(txtLastEditDate.Text), LastEditMSID: txtMSID.Text, RefreshInd: 1}); Reset(ddState); Reset(ddProduct); Reset(ddIteration); Reset(txtProjectDescription); Reset(txtProjectManager); Reset(dpGoLiveDate); Reset(ddMileage); Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Reset(cbLEP); Navigate(SuccessScreenNewProject); Set(varPDWReady,false); Set(varNewProject,false); Set(varFormCoverMode,true));

Data

Text **"Create Project"** "Button"

Design

Align Align.Center

BorderStyle BorderStyle.Solid

BorderThickness 2

DisplayMode DisplayMode.Edit

FocusedBorderThickness 4

Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(varNewProject, FontWeight.Bold,FontWeight.Normal)** FontWeight.Semibold

Height 40

Italic false

RadiusBottomLeft 10

RadiusBottomRight 10

RadiusTopLeft 10

RadiusTopRight 10

Size 15

Strikethrough false
TabIndex **10**

Underline false
VerticalAlign VerticalAlign.Middle
Visible **!varLEPMode**

Width **200** 160

X 1109
Y 269
ZIndex 21
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

btnMainMenu

Type button

Behavior
OnSelect **Navigate(HomeScreen); Reset(ddState); Reset(ddProduct); Reset(ddIteration); Reset(txtProjectDescription); Reset(txtProjectManager); Reset(dpGoLiveDate); Reset(ddMileage); Reset(txtBenchmarkFileID); Reset(ddProjectStatus); Set(varPDWReady,false); Set(varNewProject,false);**

Data
Text **"Main Menu"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Normal** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
TabIndex **11**

Underline false
VerticalAlign VerticalAlign.Middle
Width **200** 160

X 1109
Y 339
ZIndex 20
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

cbLEP

Type ☑ checkbox

Behavior
OnCheck **Set(varLEPMode,true)**

OnUncheck **Set(varLEPMode,false)**

Data
Text **"Limited Expansion Project (Network Growth)"** "Option"

Design
BorderStyle BorderStyle.Solid
BorderThickness 0
CheckboxBackgroundFill RGBA(255, 255, 255, 1)

CheckboxBorderColor **App.Theme.Colors.Primary** RGBA(0, 18, 107, 1)

CheckmarkFill **App.Theme.Colors.Primary** RGBA(0, 0, 0, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 2
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 50
Italic false
PaddingBottom 0
PaddingLeft 0

PaddingRight 0
PaddingTop 0
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **If(varNewProject||varLEPMode,true,false)**

Width **565** 150

X 95
Y 663
ZIndex 40
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(186, 186, 186, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 30%)
HoverColor **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

HoverFill ColorFade(Self.Fill, 30%)
PressedBorderColor ColorFade(Self.BorderColor, -30%)
PressedColor RGBA(70, 68, 64, 1)

PressedFill ColorFade(Self.Fill, -30%)
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

ddIteration

Type dropdown

Data

AllowEmptySelection **true**

Items **[01,02,03,04,05]** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode **If(varNewProject, DisplayMode.Edit,DisplayMode.View)** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
TabIndex **3**

Underline false
Width **150** 328

X 95
Y 592
ZIndex 9
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

ddMileage

Type dropdown

Data
Items
[10,20,30,40,50,60,70,80,90,100,110,120,130,140,150] DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight **0** 10

PaddingTop 10
Size 13
Strikethrough false
TabIndex **7**

Underline false
Visible **!varLEPMode**

Width **150** 328

X 511
Y 592
ZIndex 19
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

ddProduct

Type dropdown

Data
AllowEmptySelection **true**

Items **colProducts** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode **If(varNewProject, DisplayMode.Edit,DisplayMode.View)**
DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal

Height	40
Italic	false
PaddingBottom	10
PaddingLeft	10
PaddingRight	10
PaddingTop	10
Size	13
Strikethrough	false
TabIndex	**2**
Underline	false
Width	**150** 328
X	95
Y	480
ZIndex	7

Color Properties

BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)
Fill	RGBA(255, 255, 255, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	ColorFade(Self.BorderColor, 15%)
HoverColor	RGBA(0, 0, 0, 1)
HoverFill	**App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor
PressedColor	RGBA(255, 255, 255, 1)
PressedFill	**App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)
SelectionColor	RGBA(255, 255, 255, 1)
SelectionFill	**App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls

Child Controls	
Parent Control	NewProjectScreen

ddProjectStatus

Type dropdown

Data
Items **["Active","InActive"]** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode **DisplayMode.View** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
Underline false
Visible **false**

Width **150** 328

X 894
Y 370
ZIndex 25
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

ddState

Type dropdown

Data
AllowEmptySelection **true**

Default **"1"**

Items **colStates**DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode **If(varNewProject, DisplayMode.Edit,DisplayMode.View)** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
TabIndex **1**

Underline false
Width **150** 328

X 95
Y 368
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

dpGoLiveDate

Type datepicker

Data
DateTimeZone DateTimeZone.Local
DefaultDate Today()
EndYear 2050
Format DateTimeFormat.ShortDate
InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))
StartOfWeek StartOfWeek.Sunday
StartYear 1970
Design
BorderStyle BorderStyle.Solid
BorderThickness 2
CalendarHeaderFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40

HoverDateFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

IconBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom 5
PaddingLeft 12
PaddingRight 5
PaddingTop 0
SelectedDateFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Size 14
TabIndex **6**

Visible **true**

WeekColor RGBA(255, 255, 255, 1)

Width **150** 328

X 340
Y 592
ZIndex 17
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls

Parent Control NewProjectScreen

grpAnalyst

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 18
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpBenchmarkFileID

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 31
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpButtons

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 50
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpDevLabel_2

Type group

Design

Height 5
Width 5
X 80
Y 80
ZIndex 47
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpEditDate

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 44
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpGoLiveDate

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 22
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpIteration

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 12
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpMileage

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 24
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpMSID

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 42
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpNDBLOB

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 55
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpNewProjectID

Type group

Design
Height 5

Width	5
X	40
Y	40
ZIndex	12
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

grpProduct

Type group

Design	
Height	5
Width	5
X	40
Y	40
ZIndex	12
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

grpProjectDescription

Type group

Design	
Height	5
Width	5
X	40
Y	40
ZIndex	19
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

grpProjectManager

Type group

Design	
Height	5
Width	5
X	40
Y	40
ZIndex	20
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

grpProjectType

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 48
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpState

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 12
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

grpStatus

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 35
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

Header1_1

Type Header

Behavior
OnSelectLogo **false**

Data

BasePaletteColor	
FontColor	
Logo	**Picture1**
Title	**If(varNewProject=true, "Axis Program Management: Start New Project","Axis Program Management: Edit Existing Project")**
UserEmail	**User().Email**
UserImage	**User().Image**
UserName	**User().FullName**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**75**
Width	**Parent.Width**
X	0
Y	0
ZIndex	1
Child & Parent Controls	
Child Controls	
Parent Control	HeaderContainer1_1

HeaderContainer1_1

Type horizontalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**

LayoutOverflowY **LayoutOverflow.Hide**

LayoutWrap **false**

RadiusBottomLeft **4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **500**

X 0
Y 0
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls
Child Controls Header1_1

Parent Control ScreenContainer1_1

Icon1_4

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width	**45**
X	1299
Y	704
ZIndex	45
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Icon1_5

Type	PowerApps_CoreControls_Icon
Data	
Icon	**"GlobeWarning"**
IconColor	RGBA(255, 0, 0, 1)
IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**45**
X	1052
Y	704
ZIndex	44
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Icon4

Type	icon
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**64**

Icon **Icon.ArrowLeft**

Width **64**

X 837
Y 428
ZIndex 43
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

Label12

Type label

Data

Live	Live.Off	
Role	TextRole.Default	
Text	**"Please Enter Project Details"**	"Text"

Design

Align	**Align.Center**	Align.Left
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**50**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**297**	150
X	735	
Y	389	
ZIndex	42	

Color Properties

BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)

Color RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"New Project ID"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	**DisplayMode.View**	DisplayMode.Edit	
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	95		
Y	216		
ZIndex	2		
Color Properties			

BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label3_2

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"MSID"** "Text"	
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**1**	0
DisplayMode		**DisplayMode.View**	DisplayMode.Edit
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**false**
Width	150
X	724
Y	552
ZIndex	26
Color Properties	
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label3_3

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Edit Date"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode **DisplayMode.View** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 150
X 894
Y 552
ZIndex 28
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label3_4

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Project Type"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	**DisplayMode.View**	DisplayMode.Edit	
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**false**		
Width	150		
X	1021		
Y	461		

ZIndex 30
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

Label5

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"State"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	95
Y	328
ZIndex	4
Color Properties	
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label5_1

Type label

Data

Live	Live.Off		
Role	TextRole.Default		
Text		**"Product"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	95		
Y	440		
ZIndex	6		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(255, 255, 255, 1)		
	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label5_2

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"Iteration"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	95		
Y	552		
ZIndex	8		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(56, 56, 56, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label5_4

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"Project Status"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode		**DisplayMode.View**	DisplayMode.Edit
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 150
X 894
Y 330
ZIndex 24
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

Label6

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Analyst"** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid

BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**true**		
Width	**320**	150	
X	340		
Y	216		
ZIndex	10		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(255, 255, 255, 1)		
	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			

Child Controls
Parent Control NewProjectScreen

Label6_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Project Description"** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **true**

Width **320** 150

X 340
Y 330
ZIndex 12
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label6_2

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"Project Manager"**	"Text"
Design		
Align	Align.Left	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	40	
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**true**	

Width	**320**	150	
X	340		
Y	441		
ZIndex	13		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(255, 255, 255, 1)		
	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			
Child Controls			
Parent Control	NewProjectScreen		

Label6_3

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Benchmark File ID"**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width **320** 150

X 724
Y 216
ZIndex 22
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

Label6_4

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"NDB LOB"** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width **320** 150

X 724
Y 330
ZIndex 33
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label7

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"varNewProject: "&varNewProject**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**false**		
Width	**200**	150	
X	57		
Y	126		
ZIndex	39		
Color Properties			

BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label7_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"varLEPMode: "& varLEPMode**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		

PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**false**
Width	**200** 150
X	542
Y	126
ZIndex	38
Color Properties	
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(214, 221, 224, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label7_2

Type	label
Data	
Live	Live.Off

Role TextRole.Default
Text **"varExistingProject: "& varExistingProject** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width **225** 150

X 286
Y 126
ZIndex 37
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label7_3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"varPDWReady: "& varPDWReady**	"Text"	
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**false**		
Width	**200**	150	
X	769		
Y	126		
ZIndex	36		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(56, 56, 56, 1)		

DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(214, 221, 224, 1)
	RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Label7_4

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"varPDWStatus: "**	"Text"
Design			
Align	Align.Left		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal		
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		

VerticalAlign VerticalAlign.Middle
Visible **false**

Width **200** 150

X 996
Y 126
ZIndex 35
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(214, 221, 224, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

Label8

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"GoLive Date"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **true**

Width 150
X 340
Y 552
ZIndex 16
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls

Parent Control	NewProjectScreen

Label9

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"Mileage"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible		**!varLEPMode**	
Width	150		
X	511		
Y	552		
ZIndex	18		
Color Properties			
BorderColor		**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		

Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

Rectangle7

Type rectangle

Design		
BorderStyle		**BorderStyle.Solid**
BorderThickness		**0**
DisplayMode		**DisplayMode.Edit**
FocusedBorderThickness		**2**
Height		**497**
Width		**371**
X	702	
Y	216	
ZIndex	41	
Color Properties		
BorderColor		**App.Theme.Colors.Darker40**
DisabledFill		**Self.Fill**
Fill		**App.Theme.Colors.Primary**
FocusedBorderColor		**Self.BorderColor**
HoverFill		**Self.Fill**
PressedFill		**Self.Fill**
Child & Parent Controls		

Child Controls
Parent Control NewProjectScreen

ScreenContainer1_1

Type verticalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**109**
LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**
LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**Parent.Width**
X	0

Y 0
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls
Child Controls HeaderContainer1_1

Parent Control NewProjectScreen

TextCanvas1_2

Type PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 46
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

txtAnalyst

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Office365Users.MyProfileV2().displayName**
"Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **true**

Width **320** 150

X 340
Y 256
ZIndex 11
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

txtBenchmarkFileID

Type Abc text

Data

Default **""** "Text input"

DelayOutput	false
HintText	**"Input Benchmark File ID"**

Design

Align	Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4
Font	**App.Theme.Font** Font.'Open Sans'
FontWeight	FontWeight.Normal
Format	TextFormat.Text
Height	40
Italic	false
Mode	TextMode.SingleLine
RadiusBottomLeft	5
RadiusBottomRight	5
RadiusTopLeft	5
RadiusTopRight	5
Size	13
Strikethrough	false
TabIndex	**8**

Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Visible **false**

Width 320
X 724
Y 256
ZIndex 23
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97),Color.White)**
RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

txtLastEditDate

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Text(Now(), "mm/dd/yyyy")** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **1** 0

DisplayMode **DisplayMode.View** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 150
X 894
Y 592
ZIndex 29
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color

PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

txtMSID

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**varmsid**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	**DisplayMode.View**	DisplayMode.Edit	
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**false**		
Width	150		
X	724		
Y	592		
ZIndex	27		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)		
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(56, 56, 56, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

txtNDBLOB

Type Abc text

Behavior

OnChange **false**

Data

Default **""** "Text input"

DelayOutput false

HintText **"Input NDB LOB (3 Char Max)"**

MaxLength **3**

Design

Align	Align.Left
BorderStyle	BorderStyle.Solid
BorderThickness	2
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	4

Font **App.Theme.Font** Font.'Open Sans'

FontWeight	FontWeight.Normal
Format	TextFormat.Text
Height	40
Italic	false
Mode	TextMode.SingleLine
RadiusBottomLeft	5
RadiusBottomRight	5

RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
TabIndex **9**

Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Visible **false**

Width 320
X 724
Y 370
ZIndex 34
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97),Color.White)** RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

txtNewProjectID

Type label

Data
Live Live.Off

Role TextRole.Default
Text

If(IsBlank(ddState.Selectedtext)&&IsBlank(ddProduct.SelectedText),"",
Concatenate(ddState.Selected.State,ddProduct.Selected.Product,Text(Year(Now())),"0",Text(ddIteration.Selected.Value))) "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font**Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 95
Y 256
ZIndex 3
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

txtProjectDescription

Type Abc text

Data
Default **""** "Text input"

DelayOutput false
HintText **"Input Description"**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
TabIndex **4**

Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Visible **true**

Width 320
X 340
Y 370
ZIndex 14
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97),Color.White)**
RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

txtProjectManager

Type Abc text

Data
Default **""** "Text input"

DelayOutput false
HintText **"Input Project Manager"**

Design
Align Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
TabIndex **5**

Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Visible **true**

Width 320
X 340
Y 481
ZIndex 15
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **If(IsBlank(Self.Text), RGBA(242, 239, 138, 0.97),Color.White)**
RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color

PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NewProjectScreen

txtProjectType

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**If(varLEPMode=true,"L","F")**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**1**	0	
DisplayMode	**DisplayMode.View**	DisplayMode.Edit	
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**false**		
Width	150		
X	1021		
Y	501		
ZIndex	31		
Color Properties			
BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)	
Color RGBA(0, 0, 0, 1)			
DisabledBorderColor	RGBA(56, 56, 56, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NewProjectScreen

NotesEntryScreen

Type screen

Behavior
OnVisible **Select(btnNotesLoad); Set(varbtnAddNewNoteMode,true); Set(varbtnSubmitNoteMode,false); Set(varbtnUpdateNoteMode,false); If(CountRows(galNotesData.AllItems)=0,Set(vargalNotesEmpty,DisplayMode.Disabled))**

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1_7
Rectangle5_4

iconBack_3
lblProjectID_4
txtProjectID_4
Label1_11
txtNotesSearchBox
Label1_10
ddNotesCategory
Icon3_1
galNotesData
NotesCover
NotesForm
Label14
btnNotesLoad
btnNewNote
btnSubmitNote
btnUpdateNote
Icon1_19
TextCanvas1_9
Icon1_18
grpNotesCover
grpDevLabel_9

btnNewNote

Type button

Behavior

OnSelect	**ResetForm(NotesForm); Set(varNotesFormMode,FormMode.New); Set(VarNewNoteMode,true); Set(varbtnAddNewNoteMode,false); Set(varbtnSubmitNoteMode,true); Set(varbtnUpdateNoteMode,false); Set(vargalNotesEmpty,DisplayMode.Edit)**

Data

Text	**"Create New Note"**	"Button"

Design

Align	Align.Center	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	4	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Bold**	FontWeight.Semibold
Height	40	
Italic	false	
RadiusBottomLeft	10	
RadiusBottomRight	10	
RadiusTopLeft	10	
RadiusTopRight	10	
Size	15	

Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**varbtnAddNewNoteMode**		
Width	**190**	160	
X	197		
Y	683		
ZIndex	16		
Color Properties			
BorderColor	**App.Theme.Colors.Primary**	ColorFade(Self.Fill, -15%)	
Color	RGBA(255, 255, 255, 1)		
DisabledBorderColor	RGBA(244, 244, 244, 1)		
	RGBA(166, 166, 166, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(244, 244, 244, 1)		
Fill	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)	
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	**App.Theme.Colors.Darker10**	ColorFade(Self.BorderColor, 20%)	
HoverColor	RGBA(255, 255, 255, 1)		
HoverFill	**App.Theme.Colors.Darker10**	ColorFade(RGBA(56, 96, 178, 1), -20%)	
PressedBorderColor	**App.Theme.Colors.Darker40**	Self.Fill	
PressedColor	**Self.Color**	Self.Fill	
PressedFill	**App.Theme.Colors.Darker40**	Self.Color	
Child & Parent Controls			
Child Controls			
Parent Control	NotesEntryScreen		

btnNotesLoad

Type button

Behavior
OnSelect **If(IsEmpty(ClearCollect(colNoteGridData, Filter(CS_EXP_ProjectNotes, ProjectID = varCurrentProjectID))), Set(varNotesEmpty, true), Set(varNotesEmpty, false)); ClearCollect(colNoteGridData, Filter(CS_EXP_ProjectNotes, ProjectID = varCurrentProjectID)); ResetForm(NotesForm); Set(varNotesFormMode, FormMode.New); Set(varbtnAddNewNoteMode,true); Set(varbtnSubmitNoteMode,false); Set(varbtnUpdateNoteMode,false);**

Data
Text **"btnNotesLoad"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **false**

Width 160
X 83
Y 683
ZIndex 13
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

btnSubmitNote

Type button

Behavior
OnSelect

Patch(CS_EXP_ProjectNotes , Defaults(CS_EXP_ProjectNotes), { ProjectID: varCurrentProjectID, Notes: txtNotes.Text, ActionItem: "No", ProjectStatus: "Active", OrigNoteMSID: txtNoteOrigMSID.Text, LastEditMSID: txtNoteLastMSID.Text, LastEditDate: DateTimeValue(dtNoteEditDate.SelectedDate), DataLoadDate: DateTimeValue(dtNoteLoadDate.SelectedDate), ProjectCategory:ddNotesFormCategory.SelectedText.Value }); Select(btnNotesLoad);

Data
Text **"Submit New Note"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10

RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varbtnSubmitNoteMode**

Width **200** 160

X 646
Y 683
ZIndex 15
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

btnUpdateNote

Type button

Behavior
OnSelect **Patch(CS_EXP_ProjectNotes , LookUp(CS_EXP_ProjectNotes,ProjectID=varCurrentProjectID && RecordID=Value(txtNotesRecordID.Text)), { ProjectID: varCurrentProjectID, Notes: txtNotes.Text, ActionItem: "No", ProjectStatus: "Active", OrigNoteMSID: txtNoteOrigMSID.Text, LastEditMSID: txtNoteLastMSID.Text, LastEditDate: DateTimeValue(dtNoteEditDate.SelectedDate), DataLoadDate: DateTimeValue(dtNoteLoadDate.SelectedDate), ProjectCategory:ddNotesFormCategory.SelectedText.Value }); Select(btnNotesLoad);**

Data
Text **"Update Existing Note"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Semibold

Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **varbtnUpdateNoteMode**

Width **230** 160

X 885
Y 683
ZIndex 14
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(15, 108, 189, 1)

RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

DataCardKey18

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **34** 40

Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	**Parent.Width - 60** 150
Wrap	**false**
X	30
Y	10
ZIndex	1
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	**App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditDate_DataCard2

DataCardKey19

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditMSID_DataCard2

DataCardKey20

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**Parent.DisplayName**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**	150	
Wrap	**false**		
X	30		
Y	10		

ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OrigNoteMSID_DataCard1

DataCardKey21

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal

Height	**34**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Width	**Parent.Width - 60**	150
Wrap	**false**	
X	30	
Y	10	
ZIndex	1	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	RecordID_DataCard1	

DataCardKey22

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	DataLoadDate_DataCard3

DataCardKey24

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**Parent.DisplayName**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**34**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**Parent.Width - 60**	150	
Wrap	**false**		
X	30		

Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control ProjectCategory_DataCard3

DataCardKey26

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.DisplayName** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **34** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

Wrap **false**

X 30
Y 10
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control Notes_DataCard4

DataLoadDate_DataCard3

Type typedDataCard

Data

DataField	**"DataLoadDate"**
Default	**ThisItem.DataLoadDate**
DisplayName	**DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,DataLoadDate)**
Required	**false**
Update	**If(Not IsBlank(dtNoteLoadDate.SelectedDate), dtNoteLoadDate.SelectedDate)**

Design

BorderStyle	**BorderStyle.Solid**
DisplayMode	**Parent.DisplayMode**
Height	**50**
Visible	**false**
Width	**778**
X	0
Y	3
ZIndex	1

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls	StarVisible21
	DataCardKey22
	dtNoteLoadDate
	ErrorMessage21
Parent Control	NotesForm

ddNotesCategory

Type dropdown

Data

Default **"ALL"**

Items **CS_EXP_ProjectNotes_Categories** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode **vargalNotesEmpty** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
Underline false
Width **200** 328

X 1077
Y 172
ZIndex 9
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

ddNotesFormCategory

Type dropdown

Data
Default **If(varbtnAddNewNoteMode, "ALL", varExistingNotesData.ProjectCategory)**

Items **CS_EXP_ProjectNotes_Categories** DropDownSample

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
ChevronBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

ChevronDisabledBackground RGBA(166, 166, 166, 1)

ChevronDisabledFillRGBA(244, 244, 244, 1)

ChevronFill RGBA(255, 255, 255, 1)

ChevronHoverBackground **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

ChevronHoverFill RGBA(255, 255, 255, 1)

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
Italic false
PaddingBottom 10
PaddingLeft 10
PaddingRight 10
PaddingTop 10
Size 13
Strikethrough false
Underline false
Width 328
X 30
Y 49
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor ColorFade(Self.BorderColor, 15%)
HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor RGBA(255, 255, 255, 1)

PressedFill **App.Theme.Colors.Darker30** RGBA(0, 18, 107, 1)

SelectionColor RGBA(255, 255, 255, 1)

SelectionFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Child & Parent Controls
Child Controls
Parent Control ProjectCategory_DataCard3

dtNoteEditDate

Type datepicker

Data
DateTimeZone DateTimeZone.Local
DefaultDate **If(VarNewNoteMode, Now(),ThisItem.LastEditDate)**
Today()

EndYear **Year(Today())+100** 2050

Format DateTimeFormat.ShortDate
InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))
StartOfWeek StartOfWeek.Sunday
StartYear **1899** 1970

Tooltip **Parent.DisplayName**

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
CalendarHeaderFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
HoverDateFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

IconBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

IsEditable **true**

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom **0** 5

PaddingLeft **5** 12

PaddingRight 5
PaddingTop 0
SelectedDateFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Size 14
WeekColor RGBA(255, 255, 255, 1)

Width **(Parent.Width - 60)** 328

X 30
Y DataCardKey18.Y + DataCardKey18.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditDate_DataCard2

dtNoteLoadDate

Type datepicker

Data
DateTimeZone DateTimeZone.Local
DefaultDate **If(VarNewNoteMode, Now(),ThisItem.DataLoadDate)**
Today()

EndYear **Year(Today())+100** 2050

Format DateTimeFormat.ShortDate
InputTextPlaceholder If(IsBlank(Self.SelectedDate), Text(Date(2001,12,31), Self.Format, Self.Language))
StartOfWeek StartOfWeek.Sunday
StartYear **1899** 1970

Tooltip **Parent.DisplayName**

Design
BorderStyle BorderStyle.Solid
BorderThickness 2
CalendarHeaderFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

CurrentDateFill RGBA(255, 255, 255, 1)

DayColor RGBA(255, 255, 255, 1)

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height 40
HoverDateFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

IconBackground **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

IconFill RGBA(255, 255, 255, 1)

IsEditable **true**

Italic false
MonthColor RGBA(255, 255, 255, 1)

PaddingBottom **0** 5

PaddingLeft **5** 12

PaddingRight 5

PaddingTop 0
SelectedDateFill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Size 14
WeekColor RGBA(255, 255, 255, 1)

Width **(Parent.Width - 60)** 328

X 30
Y DataCardKey22.Y + DataCardKey22.Height + 5
ZIndex 2
Color Properties
BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)**
RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control DataLoadDate_DataCard3

ErrorMessage18

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design

Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	dtNoteEditDate.Y + dtNoteEditDate.Height		
ZIndex	6		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditDate_DataCard2

ErrorMessage19

Type label

Data			
Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	

Size **14** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y txtNoteLastMSID.Y + txtNoteLastMSID.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditMSID_DataCard2

ErrorMessage20

Type label

Data

Live	**Live.Assertive**	Live.Off	
Role	TextRole.Default		
Text	**Parent.Error**	"Text"	
Design			
Align	Align.Left		
AutoHeight	**true**		
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	**10**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	**0**	5	
PaddingLeft	**0**	5	
PaddingRight	**0**	5	
PaddingTop	**0**	5	
Size	**14**	13	
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**Parent.DisplayMode=DisplayMode.Edit**		
Width	**Parent.Width - 60**	150	
X	30		
Y	txtNoteOrigMSID.Y + txtNoteOrigMSID.Height		
ZIndex	3		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OrigNoteMSID_DataCard1

ErrorMessage21

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **10** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**14**	13

Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Visible	**Parent.DisplayMode=DisplayMode.Edit**

Width	**Parent.Width - 60**	150

X	30
Y	dtNoteLoadDate.Y + dtNoteLoadDate.Height
ZIndex	6
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	RGBA(168, 0, 0, 1)
	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	DataLoadDate_DataCard3

ErrorMessage24

Type label

Data
Live **Live.Assertive** Live.Off

Role TextRole.Default
Text **Parent.Error** "Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height **10** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y ddNotesFormCategory.Y + ddNotesFormCategory.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectCategory_DataCard3

ErrorMessage26

Type label

Data			
Live		**Live.Assertive**	Live.Off
Role	TextRole.Default		
Text		**Parent.Error**	"Text"
Design			
Align	Align.Left		
AutoHeight		**true**	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height		**10**	40
Italic	false		

LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **Parent.DisplayMode=DisplayMode.Edit**

Width **Parent.Width - 60** 150

X 30
Y txtNotes.Y + txtNotes.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(168, 0, 0, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls

Child Controls
Parent Control Notes_DataCard4

galCategory

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **"Category: "&ThisItem.ProjectCategory** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **14** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Width **Parent.TemplateWidth - 86** 150

X 16
Y (Parent.TemplateHeight - (Self.Size*1.8 + galOrigLoadDate.Size*1.8 + 2 + galCreatedBy.Size*1.8)) / 2
ZIndex 1

Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(50, 49, 48, 1)

RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galNotesData

galCreatedBy

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **"Created: "&ThisItem.OrigNoteMSID**"Text"

Design
Align Align.Left
AutoHeight **false**

BorderStyle BorderStyle.Solid

BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size **12** 13

Strikethrough false
TabIndex **-1**

Underline false
VerticalAlign **VerticalAlign.Top** VerticalAlign.Middle

Width **galCategory.Width** 150

X galCategory.X
Y galOrigLoadDate.Y + galOrigLoadDate.Height
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galNotesData

galleryTemplate4

Type galleryTemplate

Design

TemplateFill	RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls	
Parent Control	galNotesData

galNotes

Type label

Behavior

OnSelect	**Select(Parent)**	

Data

Live	Live.Off	
Role	TextRole.Default	
Text	**"Notes: "& Left(ThisItem.Notes,50)**	"Text"

Design

Align	Align.Left	
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)**	
Height	**66**	40

Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	**0**	5
PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**12**	13
Strikethrough	false	
TabIndex	**-1**	
Underline	false	
VerticalAlign	**VerticalAlign.Top**	VerticalAlign.Middle
Width	**290**	150
Wrap	**true**	
X	232	
Y	42	
ZIndex	9	

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color

PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galNotesData

galNotesData

Type	gallery
Data	
Items	**Filter(SortByColumns(colNoteGridData, "RecordID", SortOrder.Descending), (IsBlank(txtNotesSearchBox.Text) || txtNotesSearchBox.Text in Notes) && (ddNotesCategory.SelectedText.Value = "ALL" || ProjectCategory = ddNotesCategory.SelectedText.Value))** CustomGallerySample
WrapCount	1
Design	
BorderStyle	BorderStyle.Solid
BorderThickness	**1**
DelayItemLoading	**true**
DisplayMode	DisplayMode.Edit
Height	**399** 575
Layout	Layout.Vertical
LoadingSpinner	**LoadingSpinner.Data** LoadingSpinner.None
LoadingSpinnerColor	Self.BorderColor
TemplatePadding	0
TemplateSize	**104** Min(160, Self.Height - 60)
Transition	Transition.None
Width	**634** 640
X	83
Y	268
ZIndex	12
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
DisabledBorderColor	Self.BorderColor
DisabledFill	Self.Fill
Fill	RGBA(180, 214, 250, 1)
	RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedFill Self.Fill
Child & Parent Controls
Child Controls galleryTemplate4
Rectangle11
galCategory
galRecordID
iconDeleteNote
iconEditNote
galOrigLoadDate
galNotes
galCreatedBy
Separator8

Parent Control NotesEntryScreen

galOrigLoadDate

Type label

Behavior
OnSelect **Select(Parent)**

Data
Live Live.Off
Role TextRole.Default
Text **"Orig Load Date: "&Text(DateValue(ThisItem.DataLoadDate),DateTimeFormat.ShortDate)** "Text"

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **If(ThisItem.IsSelected, FontWeight.Semibold, FontWeight.Normal)** FontWeight.Normal

Height **Self.Size * 1.8** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom **0** 5

PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop		**0**	5
Size		**12**	13
Strikethrough	false		
TabIndex		**-1**	
Underline	false		
VerticalAlign		**VerticalAlign.Top**	VerticalAlign.Middle
Width		**galCategory.Width**	150
X	galCategory.X		
Y	galCategory.Y + galCategory.Height		
ZIndex	2		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		
DisabledFill	RGBA(0, 0, 0, 0)		
Fill	RGBA(0, 0, 0, 0)		
FocusedBorderColor	Self.BorderColor		
HoverBorderColor	Self.BorderColor		
HoverColor	Self.Color		
HoverFill	Self.Fill		
PressedBorderColor	Self.BorderColor		
PressedColor	Self.Color		
PressedFill	Self.Fill		
Child & Parent Controls			
Child Controls			
Parent Control	galNotesData		

galRecordID

Type	label

Behavior

OnSelect	**Select(Parent)**	

Data

Live	Live.Off	
Role	TextRole.Default	
Text	**"RecordID: "& ThisItem.RecordID**	"Text"

Design

Align	Align.Left	
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**If(ThisItem.IsSelected, FontWeight.Semibold,**	
FontWeight.Normal)	FontWeight.Normal	
Height	**66**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	**0**	5
PaddingLeft	**0**	5
PaddingRight	**0**	5
PaddingTop	**0**	5
Size	**12**	13
Strikethrough	false	
TabIndex	**-1**	
Underline	false	
VerticalAlign	**VerticalAlign.Top**	VerticalAlign.Middle
Width	**290**	150
Wrap	**true**	
X	232	
Y	18	
ZIndex	8	

Color Properties

BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	galNotesData

grpDevLabel_9

Type group

Design	
Height	5
Width	5
X	80
Y	80
ZIndex	22
Child & Parent Controls	
Child Controls	
Parent Control	NotesEntryScreen

grpNotesCover

Type group

Design	
Height	5
Width	5
X	40
Y	40
ZIndex	18
Child & Parent Controls	

Child Controls
Parent Control NotesEntryScreen

Header1_8

Type Header

Behavior	
OnSelectLogo	**false**
Data	
BasePaletteColor	
FontColor	
Logo	**Picture1**
Title	**"Axis Program Management: Notes Entry"**
UserEmail	**User().Email**
UserImage	**User().Image**
UserName	**User().FullName**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**75**
Width	**Parent.Width**
X	0
Y	0
ZIndex	1

Child & Parent Controls
Child Controls
Parent Control HeaderContainer1_8

HeaderContainer1_8

Type horizontalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**

LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**500**
X	0
Y	0
ZIndex	2

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls

Child Controls Header1_8

Parent Control ScreenContainer1_7

Icon1_18

Type PowerApps_CoreControls_Icon

Data

Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**45**
X	1299
Y	704
ZIndex	20
Child & Parent Controls	
Child Controls	
Parent Control	NotesEntryScreen

Icon1_19

Type	PowerApps_CoreControls_Icon
Data	
Icon	**"GlobeWarning"**
IconColor	RGBA(255, 0, 0, 1)

IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**45**
X	1052
Y	704
ZIndex	19
Child & Parent Controls	
Child Controls	
Parent Control	NotesEntryScreen

Icon3_1

Type	icon

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**vargalNotesEmpty**
FocusedBorderThickness	**2**
Height	**40**
Icon	**Icon.Search**
PaddingBottom	**5**
PaddingLeft	**5**
PaddingRight	**5**
PaddingTop	**5**
Width	**40**
X	606
Y	173
ZIndex	11

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**

PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls

Parent Control	NotesEntryScreen

iconBack_3

Type icon

Behavior

OnSelect	**Set(varEditProject,true); Back(); Set(varFormCoverMode,true);**

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**45**
Icon	**Icon.BackArrow**
Width	**45**
X	83
Y	169
ZIndex	5

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

iconDeleteNote

Type icon

Behavior
OnSelect **Remove(colNoteGridData, ThisItem); Remove(CS_EXP_ProjectNotes, LookUp(CS_EXP_ProjectNotes, RecordID = ThisItem.RecordID)); Set(varbtnAddNewNoteMode,true); Set(varbtnSubmitNoteMode,false); Set(varbtnUpdateNoteMode,false);**

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**38**
Icon	**Icon.Trash**
Width	**38**

X 536
Y 32
ZIndex 7
Color Properties

BorderColor **App.Theme.Colors.Darker40**

Color RGBA(255, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galNotesData

iconEditNote

Type icon

Behavior
OnSelect **ResetForm(NotesForm); Set(varExistingNotesData,ThisItem); Set(varNotesFormMode,FormMode.Edit); Set(VarNewNoteMode,false); Set(varbtnAddNewNoteMode,true); Set(varbtnSubmitNoteMode,false); Set(varbtnUpdateNoteMode,true);**

Data

AccessibleLabel	**Self.Tooltip**
Tooltip	**"View item details"**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**35**
Icon	**Icon.Edit**
PaddingBottom	**0**
PaddingLeft	**0**
PaddingRight	**0**
PaddingTop	**0**
TabIndex	**-1**
Width	**35**
X	Parent.TemplateWidth - Self.Width - 12
Y	(Parent.TemplateHeight / 2) - (Self.Height / 2)
ZIndex	4
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Color RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**
Fill RGBA(0, 0, 0, 0)	

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls	
Parent Control	galNotesData

Label1_10

Type	label

Data

Live	Live.Off		
Role	TextRole.Default		
Text		**"Filter Category"**	"Text"

Design

Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		

X 927
Y 172
ZIndex 6
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

Label1_11

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Search History"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 456
Y 171
ZIndex 8
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

Label14

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"There are no current notes for this project, please select 'Create New Note' button."** "Text"

Design

Align	**Align.Center**	Align.Left
AutoHeight	**true**	
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal
Height	**63**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	**16**	13
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**If(CountRows(galNotesData.AllItems)=0 && !VarNewNoteMode,true,false)**	
Width	**1143**	150
X	112	
Y	363	
ZIndex	18	

Color Properties

BorderColor	**App.Theme.Colors.Darker40**	RGBA(0, 18, 107, 1)
Color	RGBA(255, 255, 255, 1)	
	RGBA(0, 0, 0, 1)	
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NotesEntryScreen

LastEditDate_DataCard2

Type typedDataCard

Data

DataField **"LastEditDate"**

Default **ThisItem.LastEditDate**

DisplayName **DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,LastEditDate)**

Required **false**

Update **If(Not IsBlank(dtNoteEditDate.SelectedDate), dtNoteEditDate.SelectedDate)**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Visible **false**

Width **778**

X	0
Y	2
ZIndex	1

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible18
DataCardKey18
dtNoteEditDate
ErrorMessage18

Parent Control NotesForm

LastEditMSID_DataCard2

Type ⓘ typedDataCard

Data
DataField **"LastEditMSID"**

Default **ThisItem.LastEditMSID**

DisplayName **DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,LastEditMSID)**

MaxLength **DataSourceInfo([@CS_EXP_ProjectNotes], DataSourceInfo.MaxLength, LastEditMSID)**

Required **false**

Update **txtNoteLastMSID.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **265**

Visible **false**

Width **768**

X 0
Y 1
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible19
DataCardKey19

txtNoteLastMSID
ErrorMessage19

Parent Control NotesForm

lblProjectID_4

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Project ID: "**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	155		
Y	171		
ZIndex	3		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	NotesEntryScreen

Notes_DataCard4

Type typedDataCard

Data

DataField **"Notes"**

Default **ThisItem.Notes**

DisplayName **DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,Notes)**

Required **false**

Update **txtNotes.Text**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **285**

Width **564**

X 0

Y 4

ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible26
DataCardKey26
txtNotes
ErrorMessage26

Parent Control NotesForm

NotesCover

Type rectangle

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **400**

Visible **If(CountRows(galNotesData.AllItems)=0 && !VarNewNoteMode,true,false)**

Width **1213**

X 83
Y 268
ZIndex 17
Color Properties
BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill **App.Theme.Colors.Primary**

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

NotesForm

Type form

Data
DataSource **CS_EXP_ProjectNotes**

DefaultMode **varNotesFormMode** FormMode.Edit

Item **varExistingNotesData**

Design
BorderStyle BorderStyle.Solid
Height **400** 500

NumberOfColumns **1**

SnapToColumns **false**

Width **571** 800

X 705
Y 268
ZIndex 7
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
Child & Parent Controls
Child Controls OrigNoteMSID_DataCard1
LastEditMSID_DataCard2
ProjectCategory_DataCard3
LastEditDate_DataCard2
DataLoadDate_DataCard3
Notes_DataCard4
RecordID_DataCard1

Parent Control NotesEntryScreen

OrigNoteMSID_DataCard1

Type typedDataCard

Data
DataField **"OrigNoteMSID"**

Default **ThisItem.OrigNoteMSID**

DisplayName **DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,OrigNoteMSID)**

MaxLength **DataSourceInfo([@CS_EXP_ProjectNotes], DataSourceInfo.MaxLength, OrigNoteMSID)**

Required **false**

Update **txtNoteOrigMSID.Text**

Design
BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **281**

Visible **false**

Width **768**

X 0
Y 0
ZIndex 1
Color Properties
BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls StarVisible20
DataCardKey20
txtNoteOrigMSID
ErrorMessage20

Parent Control NotesForm

ProjectCategory_DataCard3

Type ⓘ typedDataCard

Data
DataField **"ProjectCategory"**

Default **ThisItem.ProjectCategory**

DisplayName **DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,ProjectCategory)**

MaxLength **DataSourceInfo([@CS_EXP_ProjectNotes], DataSourceInfo.MaxLength, ProjectCategory)**

Required **false**

Update **ddNotesFormCategory.Selected.ProjectCategory**

Design

BorderStyle **BorderStyle.Solid**

DisplayMode **Parent.DisplayMode**

Height **50**

Width **550**

X 1

Y 1

ZIndex 1

Color Properties

BorderColor **App.Theme.Colors.Darker40**

Fill RGBA(0, 0, 0, 0)

Child & Parent Controls

Child Controls StarVisible24
DataCardKey24
ddNotesFormCategory
ErrorMessage24

Parent Control NotesForm

RecordID_DataCard1

Type typedDataCard

Data

DataField **"RecordID"**

Default **ThisItem.RecordID**

DisplayName **DataSourceInfo([@CS_EXP_ProjectNotes],DataSourceInfo.DisplayName,RecordID)**

Required	**false**
Design	
BorderStyle	**BorderStyle.Solid**
DisplayMode	**DisplayMode.View**
Height	**40**
Visible	**false**
Width	**571**
X	0
Y	5
ZIndex	1
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Fill	RGBA(0, 0, 0, 0)

Child & Parent Controls
Child Controls DataCardKey21
txtNotesRecordID

Parent Control NotesForm

Rectangle11

Type rectangle

Behavior	
OnSelect	**Select(Parent)**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**Parent.TemplateHeight - Separator8.Height**
TabIndex	**-1**
Visible	**ThisItem.IsSelected**

Width	**4**
X	0
Y	0
ZIndex	6
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Darker30**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	galNotesData

Rectangle5_4

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**2**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**586**
Width	**1254**
X	60
Y	156
ZIndex	2
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(214, 221, 224, 1)

FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

ScreenContainer1_7

Type verticalAutoLayoutContainer

Design

BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**109**
LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**
LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**

RadiusBottomRight **4**

RadiusTopLeft **4**

RadiusTopRight **4**

Width **Parent.Width**

X 0
Y 0
ZIndex 1
Color Properties
BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls
Child Controls HeaderContainer1_8

Parent Control NotesEntryScreen

Separator8

Type rectangle

Behavior
OnSelect **Select(Parent)**

Design
BorderStyle **BorderStyle.Solid**

BorderThickness **0**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **8**

TabIndex **-1**

Width **Parent.TemplateWidth**

X 0
Y Parent.TemplateHeight - Self.Height
ZIndex 5
Color Properties

BorderColor **App.Theme.Colors.Darker40**

DisabledFill **Self.Fill**

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control galNotesData

StarVisible18

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey18.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey18.Y
ZIndex 7
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control LastEditDate_DataCard2

StarVisible19

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"*"** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **DataCardKey19.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey19.Y
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor

PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditMSID_DataCard2

StarVisible20

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"*"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	0		
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	FontWeight.Normal		
Height	**DataCardKey20.Height**	40	
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**		
Width	**30**	150	
Wrap	**false**		
X	0		
Y	DataCardKey20.Y		
ZIndex	4		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		

Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	
Fill	RGBA(0, 0, 0, 0)	
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	Self.BorderColor	
HoverColor	Self.Color	
HoverFill	Self.Fill	
PressedBorderColor	Self.BorderColor	
PressedColor	Self.Color	
PressedFill	Self.Fill	
Child & Parent Controls		
Child Controls		
Parent Control	OrigNoteMSID_DataCard1	

StarVisible21

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey22.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	

PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Visible **And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**

Width **30** 150

Wrap **false**

X 0
Y DataCardKey22.Y
ZIndex 7
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color **App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control DataLoadDate_DataCard3

StarVisible24

Type label

Data

Live	Live.Off	
Role	TextRole.Default	
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey24.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**	
Width	**30**	150
Wrap	**false**	
X	0	
Y	DataCardKey24.Y	
ZIndex	4	
Color Properties		
BorderColor	RGBA(0, 0, 0, 1)	
	RGBA(0, 18, 107, 1)	
Color	**App.Theme.Colors.Darker30**	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill	RGBA(0, 0, 0, 0)	

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	ProjectCategory_DataCard3

StarVisible26

Type label

Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"*"**	"Text"
Design		
Align	**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid	
BorderThickness	0	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	0	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Normal	
Height	**DataCardKey26.Height**	40
Italic	false	
LineHeight	1.2	
Overflow	Overflow.Hidden	
PaddingBottom	5	
PaddingLeft	5	
PaddingRight	5	
PaddingTop	5	
Size	13	
Strikethrough	false	
Underline	false	
VerticalAlign	VerticalAlign.Middle	
Visible	**And(Parent.Required, Parent.DisplayMode=DisplayMode.Edit)**	
Width	**30**	150
Wrap	**false**	

X	0
Y	DataCardKey26.Y
ZIndex	4
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	**App.Theme.Colors.Darker30** RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	Notes_DataCard4

TextCanvas1_9

Type ⓘ	PowerApps_CoreControls_TextCanvas
Data	
Align	**'TextCanvas.Align'.Center**
AutoHeight	**true**
FontColor	RGBA(255, 0, 0, 1)
Size	**20**
Text	**If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 21
Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

txtNoteLastMSID

Type Abc text

Data
Default **If(VarNewNoteMode, varmsid,ThisItem.LastEditMSID)** "Text input"

DelayOutput **true** false

MaxLength **Parent.MaxLength**

Tooltip **Parent.DisplayName**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
PaddingBottom **5**

PaddingLeft **5**

PaddingRight **5**

PaddingTop **5**

RadiusBottomLeft **0** 5

RadiusBottomRight	**0**	5
RadiusTopLeft	**0**	5
RadiusTopRight	**0**	5

Size	13
Strikethrough	false
Underline	false
VirtualKeyboardMode	VirtualKeyboardMode.Auto
Width	**Parent.Width - 50** 320
X	30
Y	DataCardKey19.Y + DataCardKey19.Height + 5
ZIndex	2
Color Properties	
BorderColor	**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor	Self.HoverBorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	LastEditMSID_DataCard2

txtNoteOrigMSID

Type Abc text

Data

Default **If(VarNewNoteMode, varmsid,ThisItem.OrigNoteMSID)** "Text input"

DelayOutput **true** false

MaxLength **Parent.MaxLength**

Tooltip **Parent.DisplayName**

Design

Align Align.Left

BorderStyle BorderStyle.Solid

BorderThickness 2

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 4

Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal

Format TextFormat.Text

Height **107** 40

Italic false

Mode TextMode.SingleLine

PaddingBottom **5**

PaddingLeft **5**

PaddingRight **5**

PaddingTop **5**

RadiusBottomLeft **0** 5

RadiusBottomRight **0** 5

RadiusTopLeft **0** 5

RadiusTopRight **0** 5

Size 13

Strikethrough false

Underline false

VirtualKeyboardMode VirtualKeyboardMode.Auto

Width **Parent.Width - 50** 320

X 30

Y DataCardKey20.Y + DataCardKey20.Height + 5

ZIndex 2

Color Properties

BorderColor **If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OrigNoteMSID_DataCard1

txtNotes

Type Abc text

Data
Default **Parent.Default**"Text input"

DelayOutput **true** false

Tooltip **Parent.DisplayName**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode **Parent.DisplayMode** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight	FontWeight.Normal	
Format	TextFormat.Text	
Height	**214**	40
Italic	false	
Mode	**TextMode.MultiLine**	TextMode.SingleLine
PaddingBottom	**5**	
PaddingLeft	**5**	
PaddingRight	**5**	
PaddingTop	**5**	
RadiusBottomLeft	**0**	5
RadiusBottomRight	**0**	5
RadiusTopLeft	**0**	5
RadiusTopRight	**0**	5
Size	13	
Strikethrough	false	
Underline	false	
VirtualKeyboardMode	VirtualKeyboardMode.Auto	
Width	**Parent.Width - 60**	320
X	30	
Y	DataCardKey26.Y + DataCardKey26.Height + 5	
ZIndex	2	
Color Properties		
BorderColor	**If(IsBlank(Parent.Error), Parent.BorderColor, Color.Red)** RGBA(0, 18, 107, 1)	
Color RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(166, 166, 166, 1)	
DisabledColor	RGBA(166, 166, 166, 1)	
DisabledFill RGBA(244, 244, 244, 1)		
Fill RGBA(255, 255, 255, 1)		
FocusedBorderColor	Self.BorderColor	
HoverBorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)	

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control Notes_DataCard4

txtNotesRecordID

Type label

Data
Live Live.Off
Role TextRole.Default
Text **Parent.Default**"Text"

Design
Align Align.Left
AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode **Parent.DisplayMode** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Height **27** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft **0** 5

PaddingRight **0** 5

PaddingTop **0** 5

Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width - 60** 150

X 30
Y DataCardKey21.Y + DataCardKey21.Height + 5

ZIndex 2
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control RecordID_DataCard1

txtNotesSearchBox

Type Abc text

Data
Default **""** "Text input"

DelayOutput false
HintText **"Search ProjectID"**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode **vargalNotesEmpty** DisplayMode.Edit

FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false

Mode TextMode.SingleLine
PaddingLeft **35**

RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width 320
X 606
Y 172
ZIndex 10
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

txtProjectID_4

Type label

Data

Live	Live.Off		
Role	TextRole.Default		
Text		**varCurrentProjectID**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode		**DisplayMode.Disabled**	DisplayMode.Edit
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	305		
Y	171		
ZIndex	4		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control NotesEntryScreen

OptionalYLineScreen

Type screen

Behavior
OnVisible

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1_4
Rectangle5_1
iconBack
lblProjectID_1
txtProjectID_1

lblPreAward_1
lblProdCd_2
lblIPANbr_2
lblMktNbr_2
txtOptPreProdCd
txtOptPreIPANbr
txtOptPreMktNbr
btnAddPreYLine_1
btnOptDelPreYLine
lblPostAward_1
lblProdCd_3
lblIPANbr_3
lblMktNbr_3
txtOptPostProdCd
txtOptPostIPANbr
txtOptPostMktNbr
btnOptDelPostYLine
btnAddPostYLine_1
Icon1_13
TextCanvas1_6
Icon1_12
grpPreAward_1
grpPostAward_1
grpDevLabel_6

btnAddPostYLine_1

Type button

Behavior
OnSelect

```
Set(varExistingRecord,LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPostIPANbr.Text)));
If(IsBlank(varExistingRecord),Patch(CS_EXP_YLine_Translation,{ ProjectID: varCurrentProjectID, ProjectStatus: "Active", NDB_Yline_ProdCd: txtOptPostProdCd.Text, NDB_Yline_IPA: Value(txtOptPostIPANbr.Text), NDB_Yline_MktNum: Value(txtOptPostMktNbr.Text), DataLoadDate: Now(), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 0}), Patch(CS_EXP_YLine_Translation,varExistingRecord,{ ProjectStatus: "Active", NDB_Yline_ProdCd: txtOptPostProdCd.Text, NDB_Yline_MktNum: Value(txtOptPostMktNbr.Text), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 0})); Notify("Y Line Data Added",NotificationType.Success,2000);
```

Data
Text `If(IsBlank(txtOptPostProdCd.Text) && IsBlank(txtOptPostIPANbr.Text) && IsBlank(txtOptPostMktNbr.Text), "Add Post Y-Line", "Update Post Y-Line")` "Button"

Design
Align Align.Center

BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **195** 160

X 694
Y 644
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Primary**ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary**RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

btnAddPreYLine_1

Type button

Behavior
OnSelect

Set(varExistingRecord,LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPreIPANbr.Text))); If(IsBlank(varExistingRecord),Patch(CS_EXP_YLine_Translation,{ ProjectID: varCurrentProjectID, ProjectStatus: "Active", NDB_Yline_ProdCd: txtOptPreProdCd.Text, NDB_Yline_IPA: Value(txtOptPreIPANbr.Text), NDB_Yline_MktNum: Value(txtOptPreMktNbr.Text), DataLoadDate: Now(), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 1}), Patch(CS_EXP_YLine_Translation,varExistingRecord,{ ProjectStatus: "Active", NDB_Yline_ProdCd: txtOptPreProdCd.Text, NDB_Yline_MktNum: Value(txtOptPreMktNbr.Text), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 1})); Notify("Y Line Data Added",NotificationType.Success,2000);

Data
Text **If(IsBlank(txtOptPreProdCd.Text) && IsBlank(txtOptPreIPANbr.Text) && IsBlank(txtOptPreMktNbr.Text), "Add Pre Y-Line", "Update Pre Y-Line")** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **190** 160

X 694
Y 438
ZIndex 22
Color Properties
BorderColor **App.Theme.Colors.Primary**ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary**RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

btnOptDelPostYLine

Type button

Behavior
OnSelect **RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPostIPANbr.Text)); Reset(txtOptPostProdCd); Reset(txtOptPostIPANbr); Reset(txtOptPostMktNbr); Notify("Y Line Data Deleted",NotificationType.Success,2000);**

Data
Text **"Delete Post Y-Line"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **195** 160

X 480
Y 644
ZIndex 25
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

btnOptDelPreYLine

Type button

Behavior
OnSelect **RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtOptPreIPANbr.Text)); Reset(txtOptPreProdCd); Reset(txtOptPreIPANbr); Reset(txtOptPreMktNbr); Notify("Y Line Data Deleted",NotificationType.Success,2000);**

Data
Text **"Delete Pre Y-Line"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **190** 160

X 480
Y 439
ZIndex 24
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

grpDevLabel_6

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 29
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

grpPostAward_1

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 16
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

grpPreAward_1

Type group

Design
Height 5
Width 5
X 20
Y 20
ZIndex 23
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

Header1_5

Type Header

Behavior
OnSelectLogo **false**

Data
BasePaletteColor
FontColor
Logo **Picture1**

Title **"Axis Program Management: Optional Y Line Management"**

UserEmail **User().Email**

UserImage **User().Image**

UserName **User().FullName**

Design
DisplayMode **DisplayMode.Edit**

Height **75**

Width **Parent.Width**

X	0
Y	0
ZIndex	1
Child & Parent Controls	
Child Controls	
Parent Control	HeaderContainer1_5

HeaderContainer1_5

Type horizontalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**500**

X	0
Y	0
ZIndex	2
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls
Child Controls Header1_5

Parent Control ScreenContainer1_4

Icon1_12

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 27
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

Icon1_13

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**45**
X	1052
Y	704
ZIndex	26
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

iconBack

Type icon

Behavior	
OnSelect	**Set(varEditProject,true); Back();**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**45**
Icon	**Icon.BackArrow**
Width	**45**
X	469
Y	209
ZIndex	23
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor **Self.BorderColor**

HoverBorderColor **ColorFade(Self.BorderColor, 20%)**

HoverColor **ColorFade(Self.Color, 20%)**

HoverFill **Self.Fill**

PressedBorderColor **ColorFade(Self.BorderColor, -20%)**

PressedColor **ColorFade(Self.Color, -20%)**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

lblIPANbr_2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"IPANbr "** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false

LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	607
Y	334
ZIndex	16

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control OptionalYLineScreen

lblIPANbr_3

Type label

Data

Live	Live.Off	
Role	TextRole.Default	
Text	**"IPANbr "**	"Text"

Design

Align	**Align.Center**	Align.Left

BorderStyle	BorderStyle.Solid
BorderThickness	**2** 0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0

Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	608
Y	547
ZIndex	7

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

lblMktNbr_2

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"MktNbr"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	757		
Y	334		
ZIndex	17		
Color Properties			

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

lblMktNbr_3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"MktNbr"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	758
Y	547
ZIndex	8

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control OptionalYLineScreen

lblPostAward_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Optional Post Award Y-Line Data"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**450**	150	
X	458		
Y	496		
ZIndex	14		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

lblPreAward_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Optional Pre Award Y-Line Data"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		

Underline false
VerticalAlign VerticalAlign.Middle
Width **450** 150

X 457
Y 283
ZIndex 21
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

lblProdCd_2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"ProdCd"** "Text"

Design

Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Semibold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 457
Y 334
ZIndex 15
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

lblProdCd_3

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"ProdCd"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	458		
Y	547		
ZIndex	6		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

lblProjectID_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Project ID: "**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		

PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	532
Y	212
ZIndex	3

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control OptionalYLineScreen

Rectangle5_1

Type rectangle

Design

BorderStyle **BorderStyle.Solid**

BorderThickness **2**

DisplayMode **DisplayMode.Edit**

FocusedBorderThickness **2**

Height **493**

Width **469**

X 448
Y 197
ZIndex 2
Color Properties
BorderColor RGBA(0, 0, 0, 1)

DisabledFill **Self.Fill**

Fill RGBA(214, 221, 224, 1)

FocusedBorderColor **Self.BorderColor**

HoverFill **Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

ScreenContainer1_4

Type verticalAutoLayoutContainer

Design
BorderStyle **BorderStyle.Solid**

ChildTabPriority **true**

DisplayMode **DisplayMode.Edit**

DropShadow **DropShadow.Light**

Height **109**

LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**
LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**Parent.Width**
X	0
Y	0
ZIndex	1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls

Child Controls HeaderContainer1_5

Parent Control OptionalYLineScreen

TextCanvas1_6

Type PowerApps_CoreControls_TextCanvas

Data
Align **'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 28
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtOptPostIPANbr

Type text

Data
Default "Text input"

DelayOutput false
MaxLength **3**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 608
Y 594
ZIndex 10
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtOptPostMktNbr

Type Abc text

Data
Default "Text input"

DelayOutput false
MaxLength **4**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 758
Y 594
ZIndex 11
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor

HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtOptPostProdCd

Type Abc text

Data
Default "Text input"

DelayOutput false
MaxLength **2**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 458
Y 594
ZIndex 9
Color Properties

BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtOptPreIPANbr

Type Abc text

Data
Default **If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 333), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA))** "Text input"

DelayOutput false
MaxLength **3**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 607
Y 381
ZIndex 19
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtOptPreMktNbr

Type Abc text

Data
Default "Text input"

DelayOutput false
MaxLength **4**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 757
Y 381
ZIndex 20
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtOptPreProdCd

Type Abc text

Data
Default "Text input"

DelayOutput false
MaxLength **2**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 457
Y 381
ZIndex 18
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control OptionalYLineScreen

txtProjectID_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **varCurrentProjectID** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 682
Y 212
ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	OptionalYLineScreen

SuccessScreenCompetitorData

Type screen

Data			
BackgroundImage	**BackgroundImage**		
Design			
Height	Max(App.Height, App.MinScreenHeight)		
ImagePosition	ImagePosition.Fit		
LoadingSpinner	LoadingSpinner.None		
LoadingSpinnerColor	**App.Theme.Colors.Primary**	RGBA(56, 96, 178, 1)	
Orientation	If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)		
Size	1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)		
Width	Max(App.Width, App.MinScreenWidth)		
Color Properties			
Fill	**Color.White** White		

Child & Parent Controls

Child Controls iconCircle1_2
iconCheck1_2
LblSuccessMsg1_2
btnSuccessContinue_2
Icon1_25
TextCanvas1_12
Icon1_24
grpDevLabel_12

btnSuccessContinue_2

Type PowerApps_CoreControls_ButtonCanvas

Behavior	
OnSelect	**Navigate(EditProjectScreen);**
Data	
Align	**""**

BasePaletteColor	
BorderStyle	**""**
FontColor	
FontSize	**20**
Icon	**""**
IconRotation	**0**
IconStyle	**"Outline"**
Layout	**"Icon before"**
Text	**"Continue"**
VerticalAlign	**""**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**150**
X	608
Y	559
ZIndex	4
Color Properties	
BorderColor	
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenCompetitorData

grpDevLabel_12

Type	group
Design	
Height	5
Width	5
X	80
Y	80
ZIndex	8
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenCompetitorData

Icon1_24

Type	PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 6
Child & Parent Controls
Child Controls
Parent Control SuccessScreenCompetitorData

Icon1_25

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 5
Child & Parent Controls
Child Controls
Parent Control SuccessScreenCompetitorData

iconCheck1_2

Type icon

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**iconCircle1_2.Height**
Icon	**Icon.Check**
PaddingBottom	**Self.PaddingTop**
PaddingLeft	**Self.PaddingTop**
PaddingRight	**Self.PaddingTop**
PaddingTop	**24**
Width	**iconCircle1_2.Width**
X	Parent.Width/2 - Self.Width/2
Y	(Parent.Height/2 - Self.Height/2) * .7
ZIndex	2

Color Properties

BorderColor	**App.Theme.Colors.Darker40**

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	RGBA(255, 255, 255, 0.3)

Child & Parent Controls

Child Controls

Parent Control SuccessScreenCompetitorData

iconCircle1_2

Type circle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
Height	**100**
Width	**100**
X	Parent.Width/2 - Self.Width/2
Y	(Parent.Height/2 - Self.Height/2) * .7
ZIndex	1

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**

PressedFill **Self.Fill**

Child & Parent Controls
Child Controls
Parent Control SuccessScreenCompetitorData

LblSuccessMsg1_2

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"Competitor Data Updated!"** "Text"

Design
Align **Align.Center** Align.Left

AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **iconCircle1_2.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **20** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width * 0.75** 150

X Parent.Width/2 - Self.Width/2
Y iconCheck1_2.Y + iconCheck1_2.Height + 100
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(40, 134, 222, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenCompetitorData

TextCanvas1_12

Type PowerApps_CoreControls_TextCanvas

Data	
Align	**'TextCanvas.Align'.Center**
AutoHeight	**true**
FontColor	RGBA(255, 0, 0, 1)
Size	**20**
Text	**If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**

Width **202**

X 1097
Y 704
ZIndex 7
Child & Parent Controls
Child Controls
Parent Control SuccessScreenCompetitorData

SuccessScreenEditProject

Type screen

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition ImagePosition.Fit
LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls iconCircle1_1
iconCheck1_1
LblSuccessMsg1_1
btnSuccessContinue_1
Icon1_23
TextCanvas1_11
Icon1_22
grpDevLabel_11

btnSuccessContinue_1

Type PowerApps_CoreControls_ButtonCanvas

Behavior
OnSelect **Navigate(EditProjectScreen);**

Data
Align **""**

BasePaletteColor

BorderStyle ""

FontColor
FontSize **20**

Icon ""

IconRotation **0**

IconStyle **"Outline"**

Layout **"Icon before"**

Text **"Continue"**

VerticalAlign ""

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **150**

X 608
Y 559
ZIndex 4
Color Properties
BorderColor
Child & Parent Controls
Child Controls
Parent Control SuccessScreenEditProject

grpDevLabel_11

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 8
Child & Parent Controls
Child Controls
Parent Control SuccessScreenEditProject

Icon1_22

Type PowerApps_CoreControls_Icon

Data

Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 6
Child & Parent Controls
Child Controls
Parent Control SuccessScreenEditProject

Icon1_23

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 5
Child & Parent Controls
Child Controls
Parent Control SuccessScreenEditProject

iconCheck1_1

Type icon

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**iconCircle1_1.Height**
Icon	**Icon.Check**
PaddingBottom	**Self.PaddingTop**
PaddingLeft	**Self.PaddingTop**
PaddingRight	**Self.PaddingTop**
PaddingTop	**24**
Width	**iconCircle1_1.Width**
X	Parent.Width/2 - Self.Width/2
Y	(Parent.Height/2 - Self.Height/2) * .7
ZIndex	2
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(244, 244, 244, 1)

DisabledFill **Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	RGBA(255, 255, 255, 0.3)

Child & Parent Controls
Child Controls
Parent Control SuccessScreenEditProject

iconCircle1_1

Type circle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
Height	**100**
Width	**100**
X	Parent.Width/2 - Self.Width/2
Y	(Parent.Height/2 - Self.Height/2) * .7
ZIndex	1

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls
Parent Control SuccessScreenEditProject

LblSuccessMsg1_1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"SQL Table Updated Successfully!"** "Text"

Design
Align **Align.Center** Align.Left

AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **iconCircle1_1.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **20** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width * 0.75** 150

X Parent.Width/2 - Self.Width/2
Y iconCheck1_1.Y + iconCheck1_1.Height + 100
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(40, 134, 222, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenEditProject

TextCanvas1_11

Type ⓘ	PowerApps_CoreControls_TextCanvas
Data	
Align	**'TextCanvas.Align'.Center**
AutoHeight	**true**
FontColor	RGBA(255, 0, 0, 1)
Size	**20**
Text	**If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**202**

X 1097
Y 704
ZIndex 7
Child & Parent Controls
Child Controls
Parent Control SuccessScreenEditProject

SuccessScreenNewProject

Type screen

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition ImagePosition.Fit
LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls iconCircle1
iconCheck1
LblSuccessMsg1
btnSuccessContinue
Icon1_21
TextCanvas1_10
Icon1_20
grpDevLabel_10

btnSuccessContinue

Type PowerApps_CoreControls_ButtonCanvas

Behavior
OnSelect **Navigate(EditProjectScreen);**

Data
Align **""**

BasePaletteColor
BorderStyle **""**

FontColor

FontSize	**20**
Icon	**""**
IconRotation	**0**
IconStyle	**"Outline"**
Layout	**"Icon before"**
Text	**"Continue"**
VerticalAlign	**""**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Width	**150**
X	608
Y	559
ZIndex	4
Color Properties	
BorderColor	
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenNewProject

grpDevLabel_10

Type	group
Design	
Height	5
Width	5
X	80
Y	80
ZIndex	8
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenNewProject

Icon1_20

Type	PowerApps_CoreControls_Icon
Data	
Icon	**"GlobeWarning"**
IconColor	RGBA(255, 0, 0, 1)

IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Visible	**true**
Width	**45**
X	1299
Y	704
ZIndex	6
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenNewProject

Icon1_21

Type ⓘ	PowerApps_CoreControls_Icon
Data	
Icon	**"GlobeWarning"**
IconColor	RGBA(255, 0, 0, 1)

IconStyle	**'Icon.IconStyle'.Outline**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Visible	**true**
Width	**45**
X	1052
Y	704
ZIndex	5
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenNewProject

iconCheck1

Type icon

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**iconCircle1.Height**
Icon	**Icon.Check**
PaddingBottom	**Self.PaddingTop**
PaddingLeft	**Self.PaddingTop**
PaddingRight	**Self.PaddingTop**
PaddingTop	**24**
Width	**iconCircle1.Width**
X	Parent.Width/2 - Self.Width/2
Y	(Parent.Height/2 - Self.Height/2) * .7
ZIndex	2

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	RGBA(255, 255, 255, 0.3)

Child & Parent Controls
Child Controls
Parent Control SuccessScreenNewProject

iconCircle1

Type circle

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
Height	**100**
Width	**100**
X	Parent.Width/2 - Self.Width/2
Y	(Parent.Height/2 - Self.Height/2) * .7
ZIndex	1

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
DisabledFill	**Self.Fill**
Fill	**App.Theme.Colors.Primary**
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**

Child & Parent Controls

Child Controls
Parent Control SuccessScreenNewProject

LblSuccessMsg1

Type label

Data
Live Live.Off
Role TextRole.Default
Text **"ProjectID Successfully Created!"** "Text"

Design
Align **Align.Center** Align.Left

AutoHeight **true**

BorderStyle BorderStyle.Solid
BorderThickness 0
DisplayMode DisplayMode.Edit
FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height **iconCircle1.Height** 40

Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size **20** 13

Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **Parent.Width * 0.75** 150

X Parent.Width/2 - Self.Width/2
Y iconCheck1.Y + iconCheck1.Height + 100
ZIndex 3
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(40, 134, 222, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	SuccessScreenNewProject

TextCanvas1_10

Type ⓘ	PowerApps_CoreControls_TextCanvas
Data	
Align	**'TextCanvas.Align'.Center**
AutoHeight	**true**
FontColor	RGBA(255, 0, 0, 1)
Size	**20**
Text	**If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**45**
Visible	**true**

Width **202**

X 1097
Y 704
ZIndex 7
Child & Parent Controls
Child Controls
Parent Control SuccessScreenNewProject

YLineScreen

Type ☐ screen

Behavior
OnVisible

Data
BackgroundImage **BackgroundImage**

Design
Height Max(App.Height, App.MinScreenHeight)
ImagePosition **ImagePosition.Fill** ImagePosition.Fit

LoadingSpinner LoadingSpinner.None
LoadingSpinnerColor **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

Orientation If(Self.Width < Self.Height, Layout.Vertical, Layout.Horizontal)
Size 1 + CountRows(App.SizeBreakpoints) - CountIf(App.SizeBreakpoints, Value >= Self.Width)
Width Max(App.Width, App.MinScreenWidth)
Color Properties
Fill **Color.White** White

Child & Parent Controls
Child Controls ScreenContainer1_3
Rectangle5
iconYLineBack
iconOptionalYLine
lblProjectID
txtProjectID
lblPreAward
lblProdCd_1
lblIPANbr_1
lblMktNbr_1
txtPreProdCd
txtPreIPANbr
txtPreMktNbr
btnDelPreYLine
btnAddPreYLine
lblPostAward
lblProdCd
lblIPANbr
lblMktNbr

txtPostProdCd
txtPostIPANbr
txtPostMktNbr
btnDelPostYLine
btnAddPostYLine
Icon1_11
TextCanvas1_5
Icon1_10
grpPreAward
grpPostAward
grpDevLabel_5

btnAddPostYLine

Type button

Behavior

OnSelect

```
Set(varExistingRecord,LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtPostIPANbr.Text)));
If(IsBlank(varExistingRecord),Patch(CS_EXP_YLine_Translation,{ ProjectID: varCurrentProjectID, ProjectStatus: "Active", NDB_Yline_ProdCd: txtPostProdCd.Text, NDB_Yline_IPA: Value(txtPostIPANbr.Text), NDB_Yline_MktNum: Value(txtPostMktNbr.Text), DataLoadDate: Now(), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 0}),
Patch(CS_EXP_YLine_Translation,varExistingRecord,{ ProjectStatus: "Active", NDB_Yline_ProdCd: txtPostProdCd.Text, NDB_Yline_MktNum: Value(txtPostMktNbr.Text), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 0})); Notify("Y Line Data Added",NotificationType.Success,2000);
```

Data

Text	**"Add Post Y-Line"**	"Button"

Design

Align	Align.Center	
BorderStyle	BorderStyle.Solid	
BorderThickness	2	
DisplayMode	DisplayMode.Edit	
FocusedBorderThickness	4	
Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	FontWeight.Semibold	
Height	40	
Italic	false	
RadiusBottomLeft	10	
RadiusBottomRight	10	
RadiusTopLeft	10	
RadiusTopRight	10	
Size	15	
Strikethrough	false	
Underline	false	

VerticalAlign VerticalAlign.Middle
Width **195** 160

X 694
Y 644
ZIndex 5
Color Properties
BorderColor **App.Theme.Colors.Primary**ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary**RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10**
ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control YLineScreen

btnAddPreYLine

Type button

Behavior
OnSelect **Set(varExistingRecord, LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA =**

Value(txtPreIPANbr.Text))); If(IsBlank(varExistingRecord), Patch(CS_EXP_YLine_Translation, { ProjectID: varCurrentProjectID, ProjectStatus: "Active", NDB_Yline_ProdCd: txtPreProdCd.Text, NDB_Yline_IPA: Value(txtPreIPANbr.Text), NDB_Yline_MktNum: Value(txtPreMktNbr.Text), DataLoadDate: Now(), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 1 }), Patch(CS_EXP_YLine_Translation, varExistingRecord, { ProjectStatus: "Active", NDB_Yline_ProdCd: txtPreProdCd.Text, NDB_Yline_MktNum: Value(txtPreMktNbr.Text), LastEditDate: varCurrentLastEditDate, LastEditMSID: varCurrentLastEditMSID, PreAward: 1 })); Notify("Y Line Data Added", NotificationType.Success, 2000);

Data
Text **"Add Pre Y-Line"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **190** 160

X 694
Y 439
ZIndex 22
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control YLineScreen

btnDelPostYLine

Type button

Behavior
OnSelect **RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtPostIPANbr.Text)); Reset(txtPostProdCd); Reset(txtPostIPANbr); Reset(txtPostMktNbr); Notify("Y Line Data Deleted",NotificationType.Success,2000);**

Data
Text **"Delete Post Y-Line"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false

VerticalAlign VerticalAlign.Middle
Width **195** 160

X 480
Y 644
ZIndex 26
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill **App.Theme.Colors.Darker10** ColorFade(RGBA(56, 96, 178, 1), -20%)

PressedBorderColor **App.Theme.Colors.Darker40** Self.Fill

PressedColor **Self.Color** Self.Fill

PressedFill **App.Theme.Colors.Darker40** Self.Color

Child & Parent Controls
Child Controls
Parent Control YLineScreen

btnDelPreYLine

Type button

Behavior
OnSelect **RemoveIf(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID && NDB_Yline_IPA = Value(txtPreIPANbr.Text)); Reset(txtPreProdCd);**

Reset(txtPreIPANbr); Reset(txtPreMktNbr); Notify("Y Line Data Deleted",NotificationType.Success,2000);

Data
Text **"Delete Pre Y-Line"** "Button"

Design
Align Align.Center
BorderStyle BorderStyle.Solid
BorderThickness 2
DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Semibold
Height 40
Italic false
RadiusBottomLeft 10
RadiusBottomRight 10
RadiusTopLeft 10
RadiusTopRight 10
Size 15
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width **190** 160

X 480
Y 439
ZIndex 25
Color Properties
BorderColor **App.Theme.Colors.Primary** ColorFade(Self.Fill, -15%)

Color RGBA(255, 255, 255, 1)

DisabledBorderColor RGBA(244, 244, 244, 1)

RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill **App.Theme.Colors.Primary** RGBA(56, 96, 178, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker10** ColorFade(Self.BorderColor, 20%)

HoverColor RGBA(255, 255, 255, 1)

HoverFill	**App.Theme.Colors.Darker10**	ColorFade(RGBA(56, 96, 178, 1), -20%)
PressedBorderColor	**App.Theme.Colors.Darker40**	Self.Fill
PressedColor	**Self.Color**	Self.Fill
PressedFill	**App.Theme.Colors.Darker40**	Self.Color

Child & Parent Controls
Child Controls
Parent Control YLineScreen

grpDevLabel_5

Type group

Design
Height 5
Width 5
X 80
Y 80
ZIndex 30
Child & Parent Controls
Child Controls
Parent Control YLineScreen

grpPostAward

Type group

Design
Height 5
Width 5
X 40
Y 40
ZIndex 16
Child & Parent Controls
Child Controls
Parent Control YLineScreen

grpPreAward

Type group

Design
Height 5
Width 5
X 20
Y 20

ZIndex 23
Child & Parent Controls
Child Controls
Parent Control YLineScreen

Header1_4

Type Header

Behavior	
OnSelectLogo	**false**
Data	
BasePaletteColor	
FontColor	
Logo	**Picture1**
Title	**"Axis Program Management: Y Line Management"**
UserEmail	**User().Email**
UserImage	**User().Image**
UserName	**User().FullName**
Design	
DisplayMode	**DisplayMode.Edit**
Height	**75**
Width	**Parent.Width**

X 0
Y 0
ZIndex 1
Child & Parent Controls
Child Controls
Parent Control HeaderContainer1_4

HeaderContainer1_4

Type horizontalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**

Height	**75**
LayoutAlignItems	**LayoutAlignItems.Start**
LayoutDirection	**LayoutDirection.Horizontal**
LayoutGap	**0**
LayoutJustifyContent	**LayoutJustifyContent.Start**
LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**500**
X	0
Y	0
ZIndex	2

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(255, 255, 255, 1)

Child & Parent Controls

Child Controls Header1_4

Parent Control ScreenContainer1_3

Icon1_10

Type ⓘ PowerApps_CoreControls_Icon

Data

Icon	**"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1299
Y 704
ZIndex 28
Child & Parent Controls
Child Controls
Parent Control YLineScreen

Icon1_11

Type PowerApps_CoreControls_Icon

Data
Icon **"GlobeWarning"**

IconColor RGBA(255, 0, 0, 1)

IconStyle **'Icon.IconStyle'.Outline**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **45**

X 1052
Y 704
ZIndex 27
Child & Parent Controls
Child Controls
Parent Control YLineScreen

iconOptionalYLine

Type icon

Behavior	
OnSelect	**Navigate(OptionalYLineScreen);**
Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Disabled**
FocusedBorderThickness	**2**
Height	**45**
Icon	**Icon.GlobeChangesPending**
Visible	**true**
Width	**45**
X	855
Y	209
ZIndex	24
Color Properties	
BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(0, 0, 0, 0)
FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**

PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls

Parent Control	YLineScreen

iconYLineBack

Type icon

Behavior

OnSelect	**Set(varEditProject,true); Back(); Set(varFormCoverMode,true);**

Design

BorderStyle	**BorderStyle.Solid**
BorderThickness	**0**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**
Height	**45**
Icon	**Icon.BackArrow**
Width	**45**
X	469
Y	209
ZIndex	23

Color Properties

BorderColor	**App.Theme.Colors.Darker40**
Color	**App.Theme.Colors.Darker30**
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(244, 244, 244, 1)
DisabledFill	**Self.Fill**

Fill RGBA(0, 0, 0, 0)

FocusedBorderColor	**Self.BorderColor**
HoverBorderColor	**ColorFade(Self.BorderColor, 20%)**
HoverColor	**ColorFade(Self.Color, 20%)**
HoverFill	**Self.Fill**
PressedBorderColor	**ColorFade(Self.BorderColor, -20%)**
PressedColor	**ColorFade(Self.Color, -20%)**
PressedFill	**Self.Fill**

Child & Parent Controls
Child Controls
Parent Control YLineScreen

lblIPANbr

Type label

Data

Live	Live.Off	
Role	TextRole.Default	
Text	**"IPANbr "**	"Text"

Design

Align	**Align.Center**	Align.Left

BorderStyle	BorderStyle.Solid
BorderThickness	**2** 0
DisplayMode	DisplayMode.Edit
FocusedBorderThickness	0

Font	**App.Theme.Font**	Font.'Open Sans'
FontWeight	**FontWeight.Semibold**	FontWeight.Normal

Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13

Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	608
Y	547
ZIndex	7
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblIPANbr_1

Type	label	
Data		
Live	Live.Off	
Role	TextRole.Default	
Text	**"IPANbr "**	"Text"
Design		

Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	607		
Y	334		
ZIndex	16		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color

HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblMktNbr

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"MktNbr"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	758		
Y	547		
ZIndex	8		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		

DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblMktNbr_1

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"MktNbr"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Semibold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		

PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	757
Y	334
ZIndex	17

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill

Child & Parent Controls

Child Controls

Parent Control YLineScreen

lblPostAward

Type label

Data

Live	Live.Off		
Role	TextRole.Default		
Text		**"Post Award Y-Line Data"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width		**450**	150
X	458		
Y	496		
ZIndex	14		

Color Properties

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblPreAward

Type	label		
Data			
Live	Live.Off		
Role	TextRole.Default		
Text	**"Pre Award Y-Line Data"**	"Text"	
Design			
Align	**Align.Center**	Align.Left	
BorderStyle	BorderStyle.Solid		
BorderThickness	**2**	0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font	**App.Theme.Font**	Font.'Open Sans'	
FontWeight	**FontWeight.Bold**	FontWeight.Normal	
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	**450**	150	
X	457		
Y	283		
ZIndex	21		
Color Properties			

BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(56, 56, 56, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(179, 179, 179, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblProdCd

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"ProdCd"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'

FontWeight	**FontWeight.Semibold** FontWeight.Normal
Height	40
Italic	false
LineHeight	1.2
Overflow	Overflow.Hidden
PaddingBottom	5
PaddingLeft	5
PaddingRight	5
PaddingTop	5
Size	13
Strikethrough	false
Underline	false
VerticalAlign	VerticalAlign.Middle
Width	150
X	458
Y	547
ZIndex	6
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblProdCd_1

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"ProdCd"**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2**	0
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Semibold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		
VerticalAlign	VerticalAlign.Middle		
Width	150		
X	457		
Y	334		
ZIndex	15		
Color Properties			
BorderColor	RGBA(0, 0, 0, 1)		
	RGBA(0, 18, 107, 1)		
Color	RGBA(0, 0, 0, 1)		
DisabledBorderColor	RGBA(56, 56, 56, 1)		
DisabledColor	RGBA(166, 166, 166, 1)		

DisabledFill RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

lblProjectID

Type label

Data			
Live	Live.Off		
Role	TextRole.Default		
Text		**"Project ID: "**	"Text"
Design			
Align		**Align.Center**	Align.Left
BorderStyle	BorderStyle.Solid		
BorderThickness		**2** 0	
DisplayMode	DisplayMode.Edit		
FocusedBorderThickness	0		
Font		**App.Theme.Font**	Font.'Open Sans'
FontWeight		**FontWeight.Bold**	FontWeight.Normal
Height	40		
Italic	false		
LineHeight	1.2		
Overflow	Overflow.Hidden		
PaddingBottom	5		
PaddingLeft	5		
PaddingRight	5		
PaddingTop	5		
Size	13		
Strikethrough	false		
Underline	false		

VerticalAlign	VerticalAlign.Middle
Width	150
X	532
Y	212
ZIndex	3
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
	RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(56, 56, 56, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(0, 0, 0, 0)
Fill	RGBA(255, 255, 255, 1)
	RGBA(0, 0, 0, 0)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	Self.BorderColor
HoverColor	Self.Color
HoverFill	Self.Fill
PressedBorderColor	Self.BorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

Rectangle5

Type rectangle

Design	
BorderStyle	**BorderStyle.Solid**
BorderThickness	**2**
DisplayMode	**DisplayMode.Edit**
FocusedBorderThickness	**2**

Height	**493**
Width	**469**
X	448
Y	197
ZIndex	2
Color Properties	
BorderColor	RGBA(0, 0, 0, 1)
DisabledFill	**Self.Fill**
Fill	RGBA(214, 221, 224, 1)
FocusedBorderColor	**Self.BorderColor**
HoverFill	**Self.Fill**
PressedFill	**Self.Fill**
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

ScreenContainer1_3

Type verticalAutoLayoutContainer

Design	
BorderStyle	**BorderStyle.Solid**
ChildTabPriority	**true**
DisplayMode	**DisplayMode.Edit**
DropShadow	**DropShadow.Light**
Height	**109**
LayoutAlignItems	**LayoutAlignItems.Stretch**
LayoutDirection	**LayoutDirection.Vertical**
LayoutGap	**16**
LayoutJustifyContent	**LayoutJustifyContent.Start**

LayoutMode	**LayoutMode.Auto**
LayoutOverflowX	**LayoutOverflow.Hide**
LayoutOverflowY	**LayoutOverflow.Hide**
LayoutWrap	**false**
PaddingBottom	**16**
PaddingLeft	**16**
PaddingRight	**16**
PaddingTop	**16**
RadiusBottomLeft	**4**
RadiusBottomRight	**4**
RadiusTopLeft	**4**
RadiusTopRight	**4**
Width	**Parent.Width**
X	0
Y	0
ZIndex	1

Color Properties

BorderColor RGBA(0, 0, 0, 1)

Fill RGBA(245, 245, 245, 1)

Child & Parent Controls

Child Controls HeaderContainer1_4

Parent Control YLineScreen

TextCanvas1_5

Type PowerApps_CoreControls_TextCanvas

Data

Align	**'TextCanvas.Align'.Center**

AutoHeight **true**

FontColor RGBA(255, 0, 0, 1)

Size **20**

Text **If(AdminMode,"DEV VERSION AdminMode", "DEV VERSION")**

Design
DisplayMode **DisplayMode.Edit**

Height **45**

Width **202**

X 1097
Y 704
ZIndex 29
Child & Parent Controls
Child Controls
Parent Control YLineScreen

txtPostIPANbr

Type Abc text

Behavior
OnChange **false**

Data
Default **If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 4), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA))** "Text input"

DelayOutput false
MaxLength **3**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight	FontWeight.Normal
Format	TextFormat.Text
Height	40
Italic	false
Mode	TextMode.SingleLine
RadiusBottomLeft	5
RadiusBottomRight	5
RadiusTopLeft	5
RadiusTopRight	5
Size	13
Strikethrough	false
Underline	false
VirtualKeyboardMode	VirtualKeyboardMode.Auto
Width	**150** 320
X	608
Y	594
ZIndex	10
Color Properties	
BorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
Color	RGBA(0, 0, 0, 1)
DisabledBorderColor	RGBA(166, 166, 166, 1)
DisabledColor	RGBA(166, 166, 166, 1)
DisabledFill	RGBA(244, 244, 244, 1)
Fill	RGBA(255, 255, 255, 1)
FocusedBorderColor	Self.BorderColor
HoverBorderColor	**App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)
HoverColor	RGBA(0, 0, 0, 1)
HoverFill	**App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)
PressedBorderColor	Self.HoverBorderColor
PressedColor	Self.Color
PressedFill	Self.Fill
Child & Parent Controls	
Child Controls	
Parent Control	YLineScreen

txtPostMktNbr

Type Abc text

Behavior
OnChange **false**

Data
Default
If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_MktNum)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 4), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_MktNum)) "Text input"

DelayOutput false
MaxLength **4**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 758
Y 594
ZIndex 11
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control YLineScreen

txtPostProdCd

Type Abc text

Behavior
OnChange **false**

Data
Default **If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_ProdCd)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 4), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_ProdCd))** "Text input"

DelayOutput false
MaxLength **2**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40

Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 458
Y 594
ZIndex 9
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control YLineScreen

txtPreIPANbr

Type Abc text

Behavior

OnChange **false**

Data
Default
If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 333), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA)) "Text input"

DelayOutput false
MaxLength **3**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 607
Y 381
ZIndex 19
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control YLineScreen

txtPreMktNbr

Type Abc text

Behavior
OnChange **false**

Data
Default
If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_MktNum)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 333), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_MktNum)) "Text input"

DelayOutput false
MaxLength **4**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5

RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 757
Y 381
ZIndex 20
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control YLineScreen

txtPreProdCd

Type Abc text

Behavior
OnChange **false**

Data

Default

If(!IsBlank(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_ProdCd)) && StartsWith(LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_IPA), 333), LookUp(CS_EXP_YLine_Translation, ProjectID = varCurrentProjectID, NDB_Yline_ProdCd)) "Text input"

DelayOutput false
MaxLength **2**

Design
Align Align.Left
BorderStyle BorderStyle.Solid
BorderThickness 2
Clear **true**

DisplayMode DisplayMode.Edit
FocusedBorderThickness 4
Font **App.Theme.Font** Font.'Open Sans'

FontWeight FontWeight.Normal
Format TextFormat.Text
Height 40
Italic false
Mode TextMode.SingleLine
RadiusBottomLeft 5
RadiusBottomRight 5
RadiusTopLeft 5
RadiusTopRight 5
Size 13
Strikethrough false
Underline false
VirtualKeyboardMode VirtualKeyboardMode.Auto
Width **150** 320

X 457
Y 381
ZIndex 18
Color Properties
BorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(166, 166, 166, 1)

DisabledColor RGBA(166, 166, 166, 1)

DisabledFill RGBA(244, 244, 244, 1)

Fill RGBA(255, 255, 255, 1)

FocusedBorderColor Self.BorderColor
HoverBorderColor **App.Theme.Colors.Darker40** RGBA(0, 18, 107, 1)

HoverColor RGBA(0, 0, 0, 1)

HoverFill **App.Theme.Colors.Lighter70** RGBA(186, 202, 226, 1)

PressedBorderColor Self.HoverBorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control YLineScreen

txtProjectID

Type label

Data
Live Live.Off
Role TextRole.Default
Text **varCurrentProjectID** "Text"

Design
Align **Align.Center** Align.Left

BorderStyle BorderStyle.Solid
BorderThickness **2** 0

DisplayMode **DisplayMode.Disabled** DisplayMode.Edit

FocusedBorderThickness 0
Font **App.Theme.Font** Font.'Open Sans'

FontWeight **FontWeight.Bold** FontWeight.Normal

Height 40
Italic false
LineHeight 1.2
Overflow Overflow.Hidden
PaddingBottom 5
PaddingLeft 5
PaddingRight 5
PaddingTop 5
Size 13
Strikethrough false
Underline false
VerticalAlign VerticalAlign.Middle
Width 150
X 682
Y 212

ZIndex 4
Color Properties
BorderColor RGBA(0, 0, 0, 1)

RGBA(0, 18, 107, 1)

Color RGBA(0, 0, 0, 1)

DisabledBorderColor RGBA(0, 0, 0, 1)

RGBA(56, 56, 56, 1)

DisabledColor RGBA(0, 0, 0, 1)

RGBA(166, 166, 166, 1)

DisabledFill RGBA(139, 154, 159, 1)

RGBA(0, 0, 0, 0)

Fill RGBA(255, 255, 255, 1)

RGBA(0, 0, 0, 0)

FocusedBorderColor Self.BorderColor
HoverBorderColor Self.BorderColor
HoverColor Self.Color
HoverFill Self.Fill
PressedBorderColor Self.BorderColor
PressedColor Self.Color
PressedFill Self.Fill
Child & Parent Controls
Child Controls
Parent Control YLineScreen