Faculty of Computer Science and Mathematics

Lab Exercise 3

Name:	MUHAMMAD AMIER YUSHAIMY BIN MOHAMED YUNNUS
Matric Num:	S80620



Overview:

This in-class exercise extends Lab Exercise 3. You will apply block and inline elements, for page organization, HTML entities, HTML5 input types and attributes (placeholder, autofocus, required), <datalist> and the <output> element to solve a realistic problem.

There are two problems. Your lecturer will assign one problem to you, or you may be asked to complete both.

Learning Outcomes

1. Differentiate and correctly use block and inline elements.
2. Organize a web page into sections using elements.
3. Apply HTML entities to display reserved and special characters.
4. Implement HTML5 input types, input attributes and <datalist> in a form.
5. Use the <output> element to display a calculated result dynamically.

Best of luck!

Problem A: Campus Bakery Online Order Page

A small bakery on campus wants customers to place pre-orders online. Customers must be able to see the price list, fill in an order form, and see the total price instantly before submitting the order. Build the page using HTML only (no CSS). You may choose any bakery name, products and prices.

Instructions

Create a file named lab3_ExerA.html that contains the following:

1. Page Structure

- Use `<!DOCTYPE html>` and organize the whole page using five `<div>` elements with the ids header, nav, content, sidebar and footer.

2. Header and Navigation

- In the header, display the bakery name using `<h1>`, and use a `<span>` inside the `<h1>` for a short slogan.
- In the nav, create at least three inline links (`<a>`) separated by " | ".

3. Block and Inline Elements

- In the content section, write an introduction paragraph (`<p>`) that contains at least three different inline elements, e.g. `<strong>`, `<em>`, `<span>` and `<a>`.
- Use at least three different block elements in the page (e.g. `<h2>`, `<p>`, `<ul>`, `<div>`).

4. HTML Entities (Sidebar and Footer)

- In the sidebar, show a "Price List" using a list. Use at least four different entities in the page, for example:
  - `®` for the brand name (e.g. CampusBake®)
  - `<` or `>` (e.g. Orders > 10 pieces get a free drink)
  - ` `, `£` or `€`, and `©` in the footer

5. Order Form (HTML5 Form Elements)

Inside a `<div>` in the content section, create an order form that contains:

- Customer name: text input with placeholder, required and autofocus.
- Phone number (`type="tel"`) and e-mail (`type="email"`), both required.
- Pick-up date (`type="date"`) and pick-up time (`type="time"`).
- Flavour: an input linked to a `<datalist>` with at least 4 flavours.
- Icing colour (`type="color"`) and sweetness level using a range slider (`min="1"`, `max="5"`, `step="1"`).
- A submit button.

6. Price Calculator (<output>)

- Add two number inputs: Cupcakes (RM 3.00 each) and Cake Slices (RM 5.00 each), each with `min="0"` and `value="0"`.
- Use the form oninput attribute and an `<output>` element (with the correct name and for attributes) to show the total price automatically, e.g. 2 cupcakes + 1 slice = 11.

7. Comments

- Use comments (`<!-- ... -->`) to explain each section of your code.


Testing

- Click Submit with all fields empty. What happens? Then enter "myemail" in the e-mail field and submit again. Write your observations as a comment at the end of your file.
- Validate the file at https://validator.w3.org (Validate by File Upload).

Submission

Save the file as lab3_ExerA.html, validate it at `https://validator.w3.org` (Validate by File Upload), and submit it (Submit lab3_ExerA.html and Screenshot of validation) through Github > Update your index.html (if you hosting your lab in Github pages)

W3Checker



Lab3_ExerA.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Amier Bake Online Order</title>
</head>
<body>

    <!-- HEADER -->
    <div id="header">
        <h1>Amier Bake&reg;
            <span>Freshly baked, happily shared!</span>
        </h1>
    </div>

    <!-- NAVIGATION -->
    <div id="nav">
        <a href="#about">About</a> |
        <a href="#order">Place Order</a> |
        <a href="#prices">Price List</a>
    </div>

    <!-- CONTENT -->
    <div id="content">

        <h2 id="about">Welcome to Amier Bake</h2>

        <p>
            Enjoy our <strong>freshly baked</strong> treats,
            made with <em>care</em> every day.
            <span>Place your order</span> below.
            Orders &gt; 10 pieces get a free drink.
            Check our <a href="#prices">price list</a>.
        </p>
```

```html
        <!-- ORDER FORM -->
        <div id="order">
            <h2>Online Order Form</h2>

            <form action="#" method="get"
                oninput="total.value =
                (cupcakes.valueAsNumber * 3 +
                slices.valueAsNumber * 5).toFixed(2)">

                <!-- Customer Name -->
                <label for="customer">Customer name:</label>
                <input type="text" id="customer"
                    name="customer"
                    placeholder="Enter your full name"
                    required autofocus>
                <br><br>

                <!-- Phone Number -->
                <label for="phone">Phone number:</label>
                <input type="tel" id="phone"
                    name="phone"
                    placeholder="0123456789"
                    required>
                <br><br>

                <!-- Email -->
                <label for="email">E-mail:</label>
                <input type="email" id="email"
                    name="email"
                    placeholder="name@example.com"
                    required>
                <br><br>
```

```
<!-- Pick-up Date -->
<label for="date">Pick-up date:</label>
<input type="date" id="date"
    name="date">
<br><br>

<!-- Pick-up Time -->
<label for="time">Pick-up time:</label>
<input type="time" id="time"
    name="time">
<br><br>

<!-- Flavour Datalist -->
<label for="flavour">Flavour:</label>
<input type="text" id="flavour"
    name="flavour" list="flavours"
    placeholder="Choose flavour">

<datalist id="flavours">
    <option value="Chocolate">
    <option value="Vanilla">
    <option value="Red Velvet">
    <option value="Lemon">
</datalist>
<br><br>

<!-- Icing Colour -->
<label for="icing">Icing colour:</label>
<input type="color" id="icing"
    name="icing" value="#ff69b4">
<br><br>
```

```
    <!-- Sweetness Level -->
    <label for="sweetness">
        Sweetness level (1-5):
    </label>
    <input type="range" id="sweetness"
        name="sweetness"
        min="1" max="5" step="1" value="3">
    <br><br>

    <!-- Quantity and Price Calculator -->
    <h3>Order Quantity</h3>

    <label for="cupcakes">
        Cupcakes (RM 3.00 each):
    </label>
    <input type="number" id="cupcakes"
        name="cupcakes" min="0" value="0">
    <br><br>

    <label for="slices">
        Cake slices (RM 5.00 each):
    </label>
    <input type="number" id="slices"
        name="slices" min="0" value="0">
    <br><br>
```

```
                <!-- Total Price -->
                <p>
                    Total price: RM
                    <output name="total"
                        for="cupcakes slices">0.00</output>
                </p>

                <!-- Submit -->
                <button type="submit">Submit Order</button>

            </form>
        </div>
    </div>

    <!-- SIDEBAR: PRICE LIST -->
    <div id="sidebar">
        <h2 id="prices">Price List</h2>

        <ul>
            <li>Cupcake: RM 3.00 each</li>
            <li>Cake slice: RM 5.00 each</li>
            <li>Chocolate muffin: RM 4.00 each</li>
            <li>Cookie: RM 2.00 each</li>
        </ul>

        <p>Leave room for dessert!</p>
    </div>
        <!-- FOOTER -->
        <div id="footer">
            <p>
                &copy; 2026 Amier Bake&reg;.
                All rights reserved.
            </p>
        </div>


    </body>
    </html>

```

Output



Problem B: Ticket Booking (Debugging and Extend)

The campus cinema club built a ticket booking page, but users have reported several problems: the e-mail field accepts anything, the movie suggestions do not appear, the slider behaves strangely and the total shows "23" when the user books 2 adult and 3 child tickets. The copyright symbol also does not display. Find and fix the errors, then extend the page.

Given Code

```
 1  <!DOCTYPE>
 2  <html lang="en">
 3  <head>
 4      <meta charset="utf-8">
 5      <title>Ticket Booking</title>
 6  </head>
 7  <body>
 8  <div id="header">
 9      <h1>e-Ticket <span>Your Campus Cinema</h1></span>
10  </div>
11  <span id="content">
12      <h2>Book Your Ticket</h2>
13      <p>Promotion: tickets < RM10 for students &amp staff!</p>
14      <form action="booking.php" oninput="total.value = adult.value +
child.value">
15          <label for="name">Name:</label>
16          <input type="text" id="name" name="name" placeholder="Enter your
name" required autofocus><br>
17          <label for="email">E-mail:</label>
18          <input type="emial" id="email" name="email"><br>
19          <label for="date">Show date:</label>
20          <input type="date" id="date" name="date"><br>
21          <label for="movie">Movie:</label>
22          <input id="movie" name="movie" list="movies"><br>
23          <datalist id="movielist">
24              <option value="Space Rangers">
25              <option value="Kampung Comedy">
26          </datalist>
27          <label for="adult">Adult tickets:</label>
28          <input type="number" id="adult" name="adult" value="0"><br>
29          <label for="child">Child tickets:</label>
30          <input type="number" id="child" name="child" value="0"><br>
31          <label for="rating">Rate our service:</label>
32          <input type="range" id="rating" name="rating" min="5" max="1"><br>
33          Total tickets: <output name="total" for="adult kid"></output><br>
34          <input type="submit" value="Book Now">
35      </form>
36  </span>
37  <div id="footer">
38      <p>&Copy; 2026 CineKampus. All rights reserved.</p>
39  </div>
40  </body>
41  </html>54  </body>
55  </html>
```

Instructions

Part 1. Find and Fix the Errors


1. Copy the given code into a new file named lab3_ExerB.html.

2. Identify and correct all errors. At the top of the `<body>`, write an HTML comment listing each error and the line number, e.g. `<!-- Error 1 (Line 1): missing <!DOCTYPE html> -->`.

3. Test the page: the movie suggestions must appear, the e-mail field must reject "myemail", and 2 adult + 3 child tickets must show a total of 5.

4. Validate your corrected file at `https://validator.w3.org`. Your final page must show "No errors or warnings to show".

W3Checker



Lab3_ExerB.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<title>Ticket Booking</title>
</head>
<body>
    <!-- ERRORS FOUND IN ORIGINAL CODE:
         1. Line 1: Incomplete DOCTYPE. Use <!DOCTYPE html>.
         2. Line 9: Incorrect nesting of h1 and span.
         3. Line 11: Used span for content section instead of div.
         4. Line 13: Reserved < symbol must use &lt;.
         5. Line 13: Ampersand must use &amp;.
         6. Line 14: String concatenation instead of numeric addition.
         7. Line 18: "emial" should be "email"; add required.
         8. Lines 22-26: Datalist ID does not match input list.
         9. Line 32: Range min and max are reversed.
        10. Line 33: Incorrect output for attribute.
        11. Line 38: &Copy; should be &copy;.
        12. Lines 54-55: Duplicate closing body and html tags.
        13. Extended: Added phone, show time, sidebar and price output.
    -->

<div id="header">
    <h1>e-Ticket <span>Your Campus Cinema</span></h1>
</div>

<div id="content">
    <h2>Book Your Ticket</h2>
    <p>Promotion: tickets &lt; RM10 for students &amp;amp; staff!</p>

    <form action="booking.php" oninput="total.value = parseInt(adult.value || 0) + parseInt(child.value || 0)">
        <label for="name">Name:</label>
        <input type="text" id="name" name="name" placeholder="Enter your name" required autofocus><br>
```

```
        <label for="email">E-mail:</label>
        <input type="email" id="email" name="email"><br>

        <label for="date">Show date:</label>
        <input type="date" id="date" name="date"><br>

        <label for="movie">Movie:</label>
        <input id="movie" name="movie" list="movies"><br>
        <datalist id="movies">
            <option value="Space Rangers">
            <option value="Kampung Comedy">
        </datalist><br>

        <label for="adult">Adult tickets:</label>
        <input type="number" id="adult" name="adult" value="0"><br>

        <label for="child">Child tickets:</label>
        <input type="number" id="child" name="child" value="0"><br>

        <label for="rating">Rate our service:</label>
        <input type="range" id="rating" name="rating" min="1" max="5"><br>

        Total tickets: <output name="total" for="adult child">0</output><br>

        <input type="submit" value="Book Now">
    </form>
</div>

<div id="footer">
    <p>&copy; 2026 CineKampus. All rights reserved.</p>
</div>
```

Output :

e-Ticket Your Campus Cinema

Book Your Ticket

Promotion: tickets < RM10 for students & staff!

Name: Enter your name
E-mail:
Show date: dd/mm/yyyy
Movie:

Adult tickets: 0
Child tickets: 0
Rate our service:
Total tickets: 0
Book Now

© 2026 CineKampus. All rights reserved.

Part 2. Extend into a Two-Page Website

5. Add a titled "Now Showing" that lists at least 3 movies. Each item must use inline elements: the title in , the age rating in and a trailer link using <a>.

6. Add a phone number input (type="tel") with a placeholder and required, and a show time input (type="time").

7. Add a second <output name="price"> that shows the total price, where an adult ticket is RM 12 and a child ticket is RM 8 (e.g. 2 adults + 3 children = 48).

8. In the footer, add the text "e-Ticket® – Campus Cinema < RM10 every Tuesday" using the correct entities for ®, < and &.

9. Use comments to explain each new section of your code.

Extends.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Ticket Booking</title>
</head>
<body>
    <!-- HEADER -->
    <div id="header">
        <h1>e-Ticket
            <span>GSEMY Cinema</span>
        </h1>
    </div>

    <!-- CONTENT -->
    <div id="content">

        <h2>Book Your Ticket</h2>

        <p>
            Promotion: tickets &lt; RM10
            for students &amp; staff!
        </p>

        <!-- BOOKING FORM -->
        <form action="#" method="get"
            oninput="total.value =
            adult.valueAsNumber + child.valueAsNumber;
            price.value =
            (adult.valueAsNumber * 12 +
            child.valueAsNumber * 8).toFixed(2)">
```

```
        <!-- Name -->
        <label for="name">Name:</label>
        <input type="text" id="name"
            name="name"
            placeholder="Enter your name"
            required autofocus>
        <br><br>

        <!-- Phone -->
        <label for="phone">Phone number:</label>
        <input type="tel" id="phone"
            name="phone"
            placeholder="0123456789"
            required>
        <br><br>

        <!-- Email -->
        <label for="email">E-mail:</label>
        <input type="email" id="email"
            name="email"
            placeholder="name@example.com"
            required>
        <br><br>

        <!-- Show Date -->
        <label for="date">Show date:</label>
        <input type="date" id="date"
            name="date" required>
        <br><br>

        <!-- Show Time -->
        <label for="showtime">Show time:</label>
        <input type="time" id="showtime"
            name="showtime" required>
        <br><br>

        <!-- Movie Selection -->
        <label for="movie">Movie:</label>
        <input type="text" id="movie"
            name="movie" list="movies"
            placeholder="Choose a movie"
            required>

        <datalist id="movies">
            <option value="Kudrat 1968">
            <option value="Munafik 2">
            <option value="Fast and Furious 9">
        </datalist>
        <br><br>

        <!-- Adult Tickets -->
        <label for="adult">
            Adult tickets (RM 12 each):
        </label>
        <input type="number" id="adult"
            name="adult" min="0" value="0" required>
        <br><br>

        <!-- Child Tickets -->
        <label for="child">
            Child tickets (RM 8 each):
        </label>
```

```
            <input type="number" id="child"
                name="child" min="0" value="0" required>
            <br><br>

            <!-- Service Rating -->
            <label for="rating">
                Rate our service (1-5):
            </label>
            <input type="range" id="rating"
                name="rating"
                min="1" max="5" step="1" value="3">
            <br><br>

            <!-- Total Tickets -->
            <p>
                Total tickets:
                <output name="total"
                    for="adult child">0</output>
            </p>

            <!-- Total Price -->
            <p>
                Total price: RM
                <output name="price"
                    for="adult child">0.00</output>
            </p>

            <!-- Submit -->
            <button type="submit">Book Now</button>

        </form>
    </div>
    <!-- SIDEBAR: NOW SHOWING -->
    <div id="sidebar">
        <h2>Now Showing</h2>

        <ul>
            <li>
                <strong>Kudrat 1968</strong>
                <span>(16+)</span> -
                <a href="https://www.youtube.com/watch?v=1o2WH5b3QAY">
                    Watch trailer
                </a>
            </li>

            <li>
                <strong>Munafik 2</strong>
                <span>(16+)</span> -
                <a href="https://www.youtube.com/watch?v=1l_vAOSe8fQ">
                    Watch trailer
                </a>
            </li>

            <li>
                <strong>Fast and Furious 9</strong>
                <span>(16+)</span> -
                <a href="https://www.youtube.com/watch?v=FUK2kdPs8ws">
                    Watch trailer
                </a>
            </li>
        </ul>
    </div>
```

```
161     <!-- FOOTER -->
162     <div id="footer">
163         <p>
164             e-Ticket&reg; &ndash; Campus Cinema
165             &lt; RM10 every Tuesday &amp; Thursday
166         </p>
167
168         <p>
169             &copy; 2026 CineKampus.
170             All rights reserved.
171         </p>
172     </div>
173
174 </body>
175 </html>
176
```

Output :

e-Ticket GSEMY Cinema

Book Your Ticket

Promotion: tickets < RM10 for students & staff!

Name: Enter your name

Phone number: 0123456789

E-mail: name@example.com

Show date: dd/mm/yyyy

Show time: --:-- --

Movie: Choose a movie

Adult tickets (RM 12 each): 0

Child tickets (RM 8 each): 0

Rate our service (1-5):

Total tickets: 0

Total price: RM 0.00

Book Now


Now Showing

- **Kudrat 1968** (16+) - Watch trailer
- **Munafik 2** (16+) - Watch trailer
- **Fast and Furious 9** (16+) - Watch trailer

e-Ticket® – Campus Cinema < RM10 every Tuesday & Thursday

© 2026 CineKampus. All rights reserved.

W3Checker



Submission

Save the file as lab3_ExerB.html, validate it at `https://validator.w3.org` (Validate by File Upload), and submit it (Submit lab3_ExerB.html and Screenshot of validation) through Github

Rubric

Table A: Rubric for Additional Lab Exercise 3 – Problem A

Criteria	Excellent (5)	Good (4)	Average (2–3)	Needs Improvement (0–1)
Page Structure	Uses all five sections (header, nav, content, sidebar, footer) with correct ids and logical organization.	Uses sections effectively with minor layout or naming issues.	Uses some elements but the structure lacks refinement or sections are missing.	Poor organization or does not use elements appropriately.
Block and Inline Elements	Correctly uses inside <h1>, inline links in nav, and at least 3 inline and 3 block elements with correct nesting.	Demonstrates block vs. inline elements with minor mistakes.	Attempts to use block and inline elements, but lacks clarity or nesting is incorrect.	Does not demonstrate understanding of block vs. inline elements.
HTML Entities	Correctly uses at least 4 different entities (incl. © and ®) in appropriate locations.	Uses entities with minor errors (e.g. only 3 types).	Attempts to use entities but with noticeable mistakes (wrong case, missing semicolon).	Fails to include or misuses HTML entities.
HTML5 Form Elements	Includes tel, email, date, time, color, range and datalist, with placeholder, required and autofocus used correctly.	Includes most required inputs and attributes with minor issues.	Includes some HTML5 inputs but lacks variety or attributes.	Lacks required form elements or has significant errors.
Use of <output> Element	Total price is calculated correctly and updates dynamically; <output> has correct name and for.	Implements <output> with minor issues (e.g. wrong for attribute).	Attempts <output> but calculation is incorrect (e.g. joins numbers as text).	Fails to implement or incorrectly uses <output>.
Total				**25 marks**

Table B: Rubric for Additional Lab Exercise 2 – Problem B

Criteria	Excellent (5)	Good (4)	Average (2–3)	Needs Improvement (0–1)
Error Identification	Identifies at least 8 errors correctly with line numbers and clear explanations.	Identifies 6–7 errors correctly.	Identifies 3–5 errors, or explanations are unclear.	Identifies fewer than 3 errors.

Criteria	Excellent (5)	Good (4)	Average (2–3)	Needs Improvement (0–1)
Error Correction & Validation	All errors corrected; page works as described and passes the W3C Validator with no errors.	Most errors corrected with 1–2 remaining validation errors.	Some errors corrected but the page still does not work correctly.	Few or no errors corrected.
Page Structure and Block/Inline Elements	Sidebar added with at least 3 movies using , and <a> correctly; content uses correctly.	Sidebar added with minor nesting or layout issues.	Sidebar attempted but inline elements are missing or misused.	Sidebar not added or block/inline elements misused.
HTML5 Form Elements and Entities	tel (with placeholder and required) and time inputs added; footer uses ®, < and & correctly.	Inputs and entities added with minor errors.	Some inputs or entities added with noticeable mistakes.	Inputs and entities not added or incorrect.
Use of <output> Element	Both outputs (total tickets and total price) calculate correctly and update dynamically.	Outputs work with minor issues.	Output attempted but calculation is incorrect.	Fails to implement the price output.
Total				**25 marks**