



	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	
	0001 - BLK 052147 - BTTB		Self Fabric: H2Q3241-03A Textured PLux-Over-sized Ottoman (Black Xtra Life Lycra) Contrast 1: RT1603044 Round Section Interlock Power Luxtreme (Black Lycra) 220gsm Contrast 2: Designer: Lum Yeung Product Developer: Alexandria Culver - aculver Fit Specialist: Sourcing: Mina Wong - minawong	
				<p>All information, ideas, designs, drawings, methods and specifications in this document are confidential and proprietary to lululemon, and may not be disclosed to third parties or used without lululemon's express consent. Reproduction or distribution strictly prohibited.</p>

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	
---	---	--	--	--

BOM Name BOM : 001 SP22														
BOM Comments														
fabric														
Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTB	
	self	Body	H2Q3241 -03A	Approved with Limitations	Textured PLux- Oversized Ottoman (Black Xtra Life Lycra)	Far Eastern Dyeing & Finishing (Suzhou) Ltd.	67	0	1.0000	Yard	\$7.9000	\$7.9000	Black	Butternut Brown
	contrast1	binding at armhole + neckline	RT16030 44	Approved	Round Section Interlock Power Luxtreme (Black Lycra) 220gsm	Eclat Textiles Co. Ltd.	61	0	0.2500	Yard	\$6.7700	\$1.6925	Black	Butternut Brown
	lining1	bra liner	R204030 99	Approved	Coolmax	Eclat Textiles Co. Ltd.	63	0	0.2500	Yard	\$2.8900	\$0.7225	Black	Butternut Brown
	lining2	bra middle layer	DN92-DA-1	Approved	Power mesh wider width 146gsm	Yu Yuang Textile Co., Ltd	55	0	0.2500	Yard	\$3.1300	\$0.7825	Black	Butternut Brown
	lining3	CF and side stabilizer	CB98-AB-11	Approved	Swim / Intimates Bra Stabilizer 45gsm	Yu Yuang Textile Co., Ltd	45	0	0.0150	Yard	\$1.7600	\$0.0264	Black	Black
trim														
Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTB	
Modified Date: Nov 29, 2021	seeTechnicalSket	underband elastic	SW8457 3/25	Approved	Esw84573 - Paged 125	Stretchline	0	56	1.0500	Yard	\$0.3567 Confidential and Proprietary	\$0.3745	Black	Butternut

trim														
	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
		exposed sizes 0 - 14			Elastic - 25mm									Brown
	seeTechnicalSketch	underband elastic exposed sizes 16 - 20	SW8457 3/31	Approved	Esw84573 - Brushed Elastic - 31mm	Stretchline	0	56	1.0500	Yard	\$0.4800	\$0.5040	Black	Butternut Brown
	seeTechnicalSketch	armhole/straps sizes 0 - 14	FEF06X 8-001 (white) - FEF06X 8-999 (black)	Approved	EFlexRubber - Flex Rubber Elastic - 0.6mm X 8mm	Fratelli Leoni Srl	0	15	1.0000	Yard	\$0.0264	\$0.0264	Black	Black
	seeTechnicalSketch	armhole/straps sizes 16 - 20	EFLEXR UBER-12MMx0.8MM	Approved	EFlexRubber - Flex Rubber Elastic - 0.8mm X 12mm	Fratelli Leoni Srl	0	15	1.0000	Yard	\$0.2999	\$0.2999	Black	Black
	seeTechnicalSketch	neckline sizes 0 - 14	QE1/4"MOBILON	Approved	1/4" Clear Mobilon Elastic (factory-sourced)	Factory Sourced	0	0	1.0000	Yard	\$0.0001	\$0.0001	Clear	Clear

trim

	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
	seeTechnicalSketch	neckline sizes 16 - 20	EFLEXR UBBER-12MMx0.8MM	Approved	EFlexRubber - Flex Rubber Elastic - 0.8mm X 12mm	Fratelli Leoni Srl	0	15	1.0000	Yard	\$0.2999	\$0.2999	Black	Black
	seeTechnicalSketch	cup opening	QE1/8"MOBILON	Approved	1/8" (3MM) Mobilon Elastic	Factory Sourced	0	0	1.0000	Each	\$0.0001	\$0.0001	Clear	Clear
	seeTechnicalSketch	cups	HH22110 6P	Approved	BC0003 - lulu Perforated Bra Cups With Arrow Mark (Effective SP15)	Pdynasty	0	45	1.0000	Pair	\$0.6200	\$0.6200	Nude	Nude
	seeTechnicalSketch	leg opening	QE1/4"MOBILON	Approved	1/4" Clear Mobilon Elastic (factory-sourced)	Factory Sourced	0	0	1.0000	Yard	\$0.0001	\$0.0001	Clear	Clear
	seeTechnicalSketch	logo	LUF2014 08071	Approved with Limitations	T00172 - 0.5mm Raised Matte Lulu Logo - 13mm	E. Textint	0	40	1.0000	Each	\$0.1550	\$0.1550	Black/ Dark Grey	Butterfly Brown/ Dark Grey
	seeTechnicalSketch	snaps at gusset	S00232_10FS-IR2570	Approved	S00232 - Polyester Mesh Flat Snap Tape - 25mm Wide with 70mm Repeat	MORITO JAPAN CO.,LTD	0	80	0.5000	Yard	\$2.4700	\$1.2350	Black/ Black - T80/T80	Seal Brown/ Seal Brown - T68/T68
	seeQAManual	needle	5643160	Approved	Gramax Tex 18, Ticket 160 Thread	Coats Plc	0	45	1.0000	Yard	\$0.0006	\$0.0006	DTM	DTM
Modified Date: Nov 29, 2021	seeQAManual	cover + looper	F785140	Approved	Seamsoft Tex 24, Ticket 140	Coats Plc	0	45	1.0000	Yard	\$0.0011	\$0.0011	DTM	DTM

trim

	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
	seeQAManual	bartacks/ single needle stitching	2994120	Approved	Epic Tex 24, Ticket 120 Thread	Coats Plc	0	45	1.0000	Yard	\$0.0012	\$0.0012	DTM	DTM
	seeQAManual	zig zag	2994100	Approved	Epic Tex 30, Ticket 100 Thread	Coats Plc	0	45	1.0000	Yard	\$0.0015	\$0.0015	DTM	DTM

labels

	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
	seeQAManual	CB	CC00001-AD	Approved	CC00001-LLL-GARMENT	Avery/Paxar	0	15	1.0000	Each	\$0.0370	\$0.0370	White	White
	seeTechnicalSketch		TRACE0001	Approved	TRACE00001 - Size and Traceability Label	Avery/Paxar	0	14	1.0000	Each	\$0.0300	\$0.0300	White/Grey	White/Grey

packaging

	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
	seeQAManual	TAG AND PACK	ZLAMT7200R-B	Approved	HZLAMT7200R-B - Source Tag - Black Tag ** Please Also Spec Pin Hmj70-H**	Tyco	0	0	1.0000	Each	\$0.0803	\$0.0803	Black	Black
	seeQAManual	TAG AND PACK	MJ70-H	Approved	Hmj70-H - Source Tag - Silver Pin ** Please Also Spec Tag Hzlamt7200R-B**	Tyco	0	0	1.0000	Each	\$0.0227	\$0.0227	Silver	Silver

packaging

	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
Pace Breaker Short 1. We built these lightweight shorts for multi-sport activity. 2. Swift Ultra fabric is four-way stretch. 3. Breathable fabric in the seat has a mesh-like texture added LYCRA® fibre for stretch and shape retention. 4. Zippered pockets give you a place to stash your valuables. 5. Deep elasticized waistband cut generously through the butt and gussets. 6. 7" inseam.	seeQAManual	TAG AND PACK	LWWMT Barcode	Approved	WWMT Barcode Sticker	Avery/Paxar	0	40	1.0000	Each	\$0.0987	\$0.0987	White	White
L 64.00 CAD UNTRIMMED SIZE 000003639605	seeQAManual	TAG AND PACK	HTT1002 -ST-2IN	Approved	Hangtag Trim - Swiftach Fastener - 2inch	Factory Sourced	0	0	1.0000	Each	\$0.0000	\$0.0000	White	White
Address	seeQAManual	TAG AND PACK	LHT-WWMT-001	Approved	LHT - lululemon WWMT Hangtag - White	Avery/Paxar	0	14	1.0000	Each	\$0.0369	\$0.0369	White	White
	seeQAManual	inside garment at crotch	ECO-CLT	Approved	ECO-CLT Thong Hygienic Liner	Proud City Limited	0	0	1.0000	Each	\$0.0001	\$0.0001	Clear	Clear

finishing

	Standard Placement	Placement	Supplier Article #	Material Status	Material	Supplier	Total Leadtime	Bulk Production Lead Time - Days	Usage	BOM UOM	Price Per Unit	Total	0001 - BLK	052147 - BTTB
							0	0	0.0000		\$0.0000	\$0.0000		
Total = \$14.949														

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021 Measurement Template: MT - Ws Basic Top - Raglan LS & SS	
---	---	--	--	--

#	Name	Criticality	Tol (-)	Tol (+)	HTM Instruction	0	2	4	6	8	10	12	14
6599	FIT THEORY: SLIM												
7331	LENGTH THEORY: BODYSUIT												
3650	REF-CD CUP				Style is intended for CD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.								
1162 5	BODYSUIT MEASUREMENTS												
1	CF LENGTH	Critical	1/2	1/2	Measure from CF top edge straight down to fold line centered between snaps.	19 1/8	19 3/4	20 3/8	21	21 5/8	22 3/8	23 1/8	23 7/8
5	CB LENGTH	Critical	1/2	1/2	Measure from CB top edge straight down to fold line centered between snaps.	15 5/8	16 1/8	16 5/8	17 1/8	17 5/8	18 1/4	18 7/8	19 1/2
193	STRAP DIS at FRONT	Critical	1/4	1/4	Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.	7 3/8	7 5/8	7 7/8	8 1/8	8 3/8	8 3/4	9 1/8	9 1/2
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.	2	2	2	2	2	2	2	2
194	STRAP DIS at BACK	Critical	1/4	1/4	Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.	5 1/2	5 3/4	6	6 1/4	6 1/2	6 7/8	7 1/4	7 5/8
1354 4	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2	3 1/2
57	STRAP LENGTH	Critical	1/4	1/4	Measure from strap join at front body to strap join at back body along center of strap.	6 3/4	7 1/8	7 1/2	7 7/8	8 1/4	8 5/8	9	9 3/8
58	STRAP WIDTH	Critical	1/8	1/8	Measure from finished edge of strap straight across to finished edge of strap.	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position	6 3/4	7	7 1/4	7 1/2	7 3/4	8	8 1/4	8 1/2
1683 6	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.	9	9 3/8	9 3/4	10 1/4	10 3/4	11 1/4	11 7/8	12 1/2
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.	24 3/4	26 1/4	27 3/4	29 1/4	30 3/4	32 3/4	34 3/4	36 3/4
Modified Date:	Sep 01, 2021				Page 7 of 128						Confidential and Proprietary		

Measurement Set: Calculated		Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon			Nov 29, 2021		
#	Name	Criticality	Tol (-)	Tol (+)	HTM Instruction	0	2	4	6	8	10	12	14
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	Measure side panel width at chest level from seam to seam.	5 1/8	5 7/16	5 3/4	6 1/16	6 3/8	6 13/16	7 1/4	7 11/16
172	WAIST POS fr HPS at CF		1/4	1/4	Measure from high point shoulder straight down to waist seam at CF.	13 1/2	13 7/8	14 1/4	14 5/8	15	15 3/8	15 3/4	16 1/8
14	WAIST CIRC		1/2	1/2	Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.	21 1/4	22 3/4	24 1/4	25 3/4	27 1/4	29 1/4	31 1/4	33 1/4
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	Measure side panel width straight from seam to seam at leg opening level.	5 3/4	6 1/16	6 3/8	6 11/16	7	7 7/16	7 15/16	8 5/16
494	LEG OPENING FRONT	Critical	1/4	1/4	Measure front leg opening along edge from crotch opening edge to front side panel seam.	7 5/8	7 7/8	8 1/8	8 3/8	8 5/8	9	9 3/8	9 3/4
495	LEG OPENING BACK	Critical	1/4	1/4	Measure back leg opening along edge from crotch opening edge to back side panel seam.	8 1/2	8 3/4	9	9 1/4	9 1/2	9 7/8	10 1/4	10 5/8
12	HEM HEIGHT - leg opening		1/8	1/8	Measure from top of hem stitching line straight down to finished hem edge.	3/8	3/8	3/8	3/8	3/8	3/8	3/8	3/8
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	Measure straight at CF from leg opening edge to fold line centered between snaps.	6 1/8	6 5/16	6 1/2	6 11/16	6 7/8	7 1/16	7 1/4	7 7/16
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	Measure straight at CB from leg opening edge to fold line centered between snaps.	5 3/8	5 9/16	5 3/4	5 15/16	6 1/8	6 5/16	6 1/2	6 11/16
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	Measure across crotch from finished edge to finished edge across center of most front-ward snap.	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
173	PANTY LENGTH LINER		1/8	1/8	Measure length of panty liner along rise direction from front liner edge to crotch seam.	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
6721	SNAP DISTANCE		1/8	1/8	Measure in a straight line from center of snap to center of snap.	7/8	7/8	7/8	7/8	7/8	7/8	7/8	7/8
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.	47	48 1/2	50	51 1/2	53	54 3/4	56 1/2	58 1/4
1162 4	BRA MEASUREMENTS				C/D light support								
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.	10 3/8	10 9/16	10 3/4	10 15/16	11 1/8	11 1/2	11 7/8	12 1/4
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	Measure from neckline edge straight down to top edge of shelf bra elastic.	5 1/4	5 5/16	5 3/8	5 7/16	5 1/2	5 3/4	6	6 1/4
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.	3 3/8	3 5/16	3 1/4	3 3/16	3 1/8	3 1/4	3 3/8	3 1/2
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	Measure from CB top finished edge straight down to top edge of shelf bra elastic.	2 1/2	2 7/16	2 3/8	2 5/16	2 1/4	2 3/8	2 1/2	2 5/8
Modified Date:	Sep 01, 2021				Page 8 of 125						Confidential and Proprietary		

#	Name	Criticality	Tol (-)	Tol (+)	HTM Instruction	0	2	4	6	8	10	12	14
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.	21	22 1/2	24	25 1/2	27	29	31	33
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	Cup size. Number on cup corresponds to measurement set	0	2	4	6	8	8	12	12

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021 Measurement Template: MT - Ws Basic Top - Raglan LS & SS	
---	---	--	--	--

Request Name	Size Run 1 Physical	Sample	Sample - 1 Physical (Size Run 1 Physical)
Type	Product\Fit\Size Run	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:001 SIZES 0 - 14		

General Attributes			
Sample Size	6, 8, 10, 4	Sample Description SR	Size Run 4/6/8/10
Sample Status SR	Approved	Sample Requested Date SR	05/06/2021
Sample Received Date SR	07/14/2021	Sample Request Due Date SR	05/27/2021
Date Sample Approved SR	07/30/2021		
Wash Tested SR	No	Wash Test Approved SR	
Wear Tested SR	No	Wear Test Approved SR	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments SR	
Construction Comments SR	<p>SR1 comments: there is puckering at the front armhole</p> <p>SR2 comments: the stitch tension on the straps feels tight, please improve stitch tension</p>

Fit/Measurements Comments SR	
	<p>increase strap length by 1/4" shift snaps towards back body by 1", see images attached *there is puckering at the front armhole as per email discussion, we are waiting to receive revised size run size 8 sample</p> <p>SR2 comments: size run 2 is approved. there is slight puckering at the front armhole when the garment is on the hanger, please improve.</p>

BOM Changes Comments SR	
Proto Status Comments SR	style is approved to PP noting above comments

Testing Request Comments SR	
Sample Comments SR	

Fit Session Attendance

FSA Product Developer SR Alexandria Culver - aculver

FSA Fit Specialist SR

FSA Fit Session Date SR 07/29/2021

FSA Designer SR

Lum Yeung

FSA Fit Model SR

Halie Garnier

QualityTesting and Compliance
Comments

QD Comments

Vendor Attributes

Estimated Sample Ship Date 07/12/2021

Vendor Design Comments

Estimated Sample Ship Date Comments The pattern approved and change the snap item on 6/23.

Vendor Construction Comments

Actual Sample Ship Date 07/12/2021

Vendor Fit/Measurement Comments

Shipping Company Fedex

Vendor BOM Changes Comments

Shipping AWB# 525492668068

Vendor Proto Status Comments

Vendor Contact Vendor Contact

Vendor Testing and Compliance Comments

Vendor Additional Sample Comments

Image Name :

Fitting - SR.1 - size 4/6/8/10 bodysuit : 016

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN/ July 16th, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR.2 - sizes 4/6/8/10 shelf layer : 017

lululemon /FIT COMMENTS / [LW1DNQS](#)/ SIZE RUN/ July 16th, 2021

PAGE 02



Image Name :


Fitting - SR.3 - front armhole : 018



/FIT COMMENTS / LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 03

Fitting Comments:



as per email conversation
binding has been under cut by too much at the front armhole, we are
holding approval until we receive the mock up with no under cutting

CURRENT SAMPLE & REFERENCE LINES

CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR.4 snap placement : 019



/FIT COMMENTS /LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 04

Fitting Comments:



maintain the overall shape of the leg opening
shift the snaps towards the back body by 1"
shift coolmax seam towards back body by 1/2"

CURRENT SAMPLE & REFERENCE LINES



CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR2.1 size 8 : 022

 lululemon/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR2.2 front armhole : 023

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 02



#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-CD CUP					0	0	0	0	999999		Style is intended for CD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	19 3/8	19 3/8	0	0	0	20 3/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 5/8	17 7/8	1/4	0	0	16 5/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 7/8	7 7/8	0	0	0	7 7/8		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2	1 7/8	-1/8	0	0	2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	6	5 3/4	-1/4	0	0	6		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 1/2	3 3/8	-1/8	0	0	3 1/2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	7 1/4	7 1/4	0	0	0	7 1/2		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	3/4	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	7 1/4	7 1/4	0	0	0	7 1/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	19	17 3/16	-1 13/16	0	0	17 1/4		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	27 3/4	27 3/4	0	0	0	27 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	5 3/4	5 5/8	- 1/8	0	0	5 3/4		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	14 1/4	14 1/4	0	0	0	14 1/4		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	24 1/4	24 3/4	1/2	0	0	24 1/4		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	6 3/8	6 5/16	- 1/16	0	0	6 3/8		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	7 1/8	7	- 1/8	0	0	8 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	10 3/8	9 7/8	- 1/2	0	0	9		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	5/16	- 1/16	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	5 1/2	5 1/2	0	0	0	6 1/2		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 3/4	6 3/4	0	0	0	5 3/4		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	2 1/8	1/8	0	0	1 1/2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	4	0	0	0	4 1/2		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	7/8	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	49 3/4	49 3/4	0	0	0	50		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date:Jul 29, 2021				0	0	0	0	0	999999	Confidential	B/C light support Confidential and Proprietary

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	10 7/8	10 7/8	0	0	0	10 3/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
215 3	CF LENGTH: SHELF BRA	Critical	1/8	1/8	5 3/8	5 3/8	0	0	0	5 3/8		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 1/4	3 1/4	-	0	0	3 1/4		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/8	2 5/16	- 1/16	0	0	2 3/8		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	24	24	0	0	0	24		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
348 6	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	2	4	2	0	0	4		Cup size. Number on cup corresponds to measurement set

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	
---	---	--	--	--

Request Name	Size Run 1 Physical	Sample	Sample - 2 Physical (Size Run 1 Physical)
Type	ProductFit\Size Run	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:001 SIZES 0 - 14		

General Attributes			
Sample Size	6, 8, 10, 4	Sample Description SR	Size Run 4/6/10
Sample Status SR	Approved	Sample Requested Date SR	05/06/2021
Sample Received Date SR	07/14/2021	Sample Request Due Date SR	05/27/2021
Date Sample Approved SR	07/30/2021		
Wash Tested SR	No	Wash Test Approved SR	
Wear Tested SR	No	Wear Test Approved SR	
QA Technician	Wing szv vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments SR

Construction Comments SR	SR1 comments: there is puckering at the front armhole SR2 comments: the stitch tension on the straps feels tight, please improve stitch tension
--------------------------	--

Fit/Measurements Comments SR	increase strap length by 1/4" shift snaps towards back body by 1", see images attached *there is puckering at the front armhole as per email discussion, we are waiting to receive revised size run size 8 sample SR2 comments: size run 2 is approved. there is slight puckering at the front armhole when the garment is on the hanger, please improve.
------------------------------	---

BOM Changes Comments SR

Proto Status Comments SR	style is approved to PP noting above comments
--------------------------	---

Testing Request Comments SR

Sample Comments SR

Fit Session Attendance

FSA Product Developer SR Alexandria Culver - aculver

FSA Designer SR

Lum Yeung

FSA Fit Specialist SR

FSA Fit Model SR

Halie Garnier

FSA Fit Session Date SR 07/29/2021

QualityTesting and Compliance
Comments

QD Comments

Vendor Attributes

Estimated Sample Ship Date 07/12/2021

Vendor Design Comments

Estimated Sample Ship Date Comments The pattern approved and change the snap item on 6/23.

Vendor Construction Comments

Actual Sample Ship Date 07/12/2021

Vendor Fit/Measurement Comments

Shipping Company Fedex

Vendor BOM Changes Comments

Shipping AWB# 525492668068

Vendor Proto Status Comments

Vendor Contact Vendor Contact

Vendor Testing and Compliance Comments

Vendor Additional Sample Comments

Image Name :

Fitting - SR.1 - size 4/6/8/10 bodysuit : 016

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN/ July 16th, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR.2 - sizes 4/6/8/10 shelf layer : 017

lululemon /FIT COMMENTS / [LW1DNQS](#)/ SIZE RUN/ July 16th, 2021

PAGE 02



Image Name :


Fitting - SR.3 - front armhole : 018



/FIT COMMENTS / LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 03

Fitting Comments:



as per email conversation
binding has been under cut by too much at the front armhole, we are
holding approval until we receive the mock up with no under cutting

CURRENT SAMPLE & REFERENCE LINES

CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR.4 snap placement : 019



/FIT COMMENTS /LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 04

Fitting Comments:



maintain the overall shape of the leg opening
shift the snaps towards the back body by 1"
shift coolmax seam towards back body by 1/2"

CURRENT SAMPLE & REFERENCE LINES



Image Name :

Fitting - SR2.1 size 8 : 022

 lululemon/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR2.2 front armhole : 023

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 02



#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-CD CUP					0	0	0	0	999999		Style is intended for CD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	20	20	0	0	0	20		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	18 1/8	18 1/4	1/8	0	0	18 1/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	8 1/8	8 1/4	1/8	0	0	8 1/8		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2	2	0	0	0	2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	6 1/4	6 1/4	0	0	0	6 1/4		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 1/2	3 3/8	-1/8	0	0	3 1/2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	7 5/8	7 1/2	-1/8	0	0	7 5/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	3/4	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	7 1/2	7 3/4	1/4	0	0	7 1/2		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	19	17 3/4	-1 1/4	0	0	19		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.

Sample Measurement Report Size Run 1 Physical Sample - 2 Spring 2022							Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	29 1/4	29 1/4	0	0	0	29 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	6 1/16	6 1/16	0	0	0	6 1/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	14 5/8	14 5/8	0	0	0	14 5/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	25 3/4	26 1/4	1/2	0	0	25 3/4		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	6 11/16	6 3/4	1/16	0	0	6 11/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	7 3/8	7 3/8	0	0	0	7 3/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	10 5/8	10 1/8	- 1/2	0	0	10 5/8		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	5/16	- 1/16	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	5 11/16	5 11/16	0	0	0	5 11/16		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 15/16	6 15/16	0	0	0	6 15/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	2 1/16	1/16	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	4	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	7/8	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	51 1/4	51 1/4	0	0	0	51 1/4		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date:Jul 14, 2021				0	0	0	0	0	999999	Confidential	B/C light support Confidential and Proprietary

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	11 1/16	11 1/16	0	0	0	11 1/16		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	5 7/16	5 7/16	0	0	0	5 7/16		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 3/16	3 1/8	- 1/16	0	0	3 3/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 5/16	2 1/4	- 1/16	0	0	2 5/16		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	25 1/2	25 1/2	0	0	0	25 1/2		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	4	6	2	0	0	4		Cup size. Number on cup corresponds to measurement set

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	
---	---	--	--	--

Request Name	Size Run 1 Physical	Sample	Sample - 3 Physical (Size Run 1 Physical)
Type	ProductFit\Size Run	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:001 SIZES 0 - 14		

General Attributes			
Sample Size	6, 8, 10, 4	Sample Description SR	Size Run 4/6/10
Sample Status SR	Approved	Sample Requested Date SR	05/06/2021
Sample Received Date SR	07/14/2021	Sample Request Due Date SR	05/27/2021
Date Sample Approved SR	07/30/2021		
Wash Tested SR	No	Wash Test Approved SR	
Wear Tested SR	No	Wear Test Approved SR	
QA Technician	Wing szv vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments SR

Construction Comments SR	SR1 comments: there is puckering at the front armhole SR2 comments: the stitch tension on the straps feels tight, please improve stitch tension
--------------------------	--

Fit/Measurements Comments SR	increase strap length by 1/4" shift snaps towards back body by 1", see images attached *there is puckering at the front armhole as per email discussion, we are waiting to receive revised size run size 8 sample SR2 comments: size run 2 is approved. there is slight puckering at the front armhole when the garment is on the hanger, please improve.
------------------------------	---

BOM Changes Comments SR

Proto Status Comments SR	style is approved to PP noting above comments
--------------------------	---

Testing Request Comments SR

Sample Comments SR

Fit Session Attendance

FSA Product Developer SR Alexandria Culver - aculver

FSA Designer SR

Lum Yeung

FSA Fit Specialist SR

FSA Fit Model SR

Halie Garnier

FSA Fit Session Date SR 07/29/2021

QualityTesting and Compliance
Comments

QD Comments

Vendor Attributes

Estimated Sample Ship Date 07/12/2021

Vendor Design Comments

Estimated Sample Ship Date Comments The pattern approved and change the snap item on 6/23.

Vendor Construction Comments

Actual Sample Ship Date 07/12/2021

Vendor Fit/Measurement Comments

Shipping Company Fedex

Vendor BOM Changes Comments

Shipping AWB# 525492668068

Vendor Proto Status Comments

Vendor Contact Vendor Contact

Vendor Testing and Compliance Comments

Vendor Additional Sample Comments

Image Name :

Fitting - SR.1 - size 4/6/8/10 bodysuit : 016

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN/ July 16th, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR.2 - sizes 4/6/8/10 shelf layer : 017

lululemon /FIT COMMENTS / [LW1DNQS](#)/ SIZE RUN/ July 16th, 2021

PAGE 02



Image Name :


Fitting - SR.3 - front armhole : 018



/FIT COMMENTS / LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 03

Fitting Comments:



as per email conversation
binding has been under cut by too much at the front armhole, we are
holding approval until we receive the mock up with no under cutting

CURRENT SAMPLE & REFERENCE LINES

CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR.4 snap placement : 019



/FIT COMMENTS /LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 04

Fitting Comments:



maintain the overall shape of the leg opening
shift the snaps towards the back body by 1"
shift coolmax seam towards back body by 1/2"

CURRENT SAMPLE & REFERENCE LINES



CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR2.1 size 8 : 022

 lululemon/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR2.2 front armhole : 023

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 02



#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-CD CUP					0	0	0	0	999999		Style is intended for CD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	20 5/8	20 3/4	1/8	0	0	21 5/8	see comments	Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	18 5/8	18 13/16	3/16	0	0	17 5/8	see comments	Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	8 3/8	8 5/8	1/4	0	0	8 3/8		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2	2 1/8	1/8	0	0	2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	6 1/2	6 1/2	0	0	0	6 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 1/2	3 1/2	0	0	0	3 1/2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8	7 15/16	- 1/16	0	0	8 1/4	increase	Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	3/4	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	7 3/4	8	1/4	0	0	7 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	19	18 3/4	- 1/4	0	0	19	increase	Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	30 3/4	31	1/4	0	0	30 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	6 3/8	6 3/8	0	0	0	6 3/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15	15	0	0	0	15		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	27 1/4	27 1/4	0	0	0	27 1/4		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	7	7	0	0	0	7		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	7 5/8	7 5/8	0	0	0	8 5/8	see comments	Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	10 7/8	10 1/2	- 3/8	0	0	9 1/2	see comments	Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	5/16	- 1/16	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	5 7/8	5 7/8	0	0	0	6 7/8	see comments	Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	7 1/8	7 1/8	0	0	0	6 1/8	see comments	Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	2 1/16	1/16	0	0	1 1/2	please recommend a measurement based on comments	Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	4	0	0	0	4 1/2	see comments	Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	7/8	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	52 3/4	52 3/4	0	0	0	53	due to strap length increase	Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
116 24	BRA MEASUREMENTS					0	0	0	0	999999		B/C light support
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	11 1/4	11 1/4	0	0	0	11 1/8	due to strap length increase	Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
215 3	CF LENGTH: SHELF BRA	Critical	1/8	1/8	5 1/2	5 9/16	1/16	0	0	5 1/2		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 1/8	3 1/8	0	0	0	3 1/8		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 1/4	2 3/16	- 1/16	0	0	2 1/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	27	27	0	0	0	27		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
348 6	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	6	8	2	0	0	8		Cup size. Number on cup corresponds to measurement set

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	
---	---	--	--	--

Request Name	Size Run 1 Physical	Sample	Sample - 4 Physical (Size Run 1 Physical)
Type	ProductFit\Size Run	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:001 SIZES 0 - 14		

General Attributes			
Sample Size	6, 8, 10, 4	Sample Description SR	Size Run 4/6/8/10
Sample Status SR	Approved	Sample Requested Date SR	05/06/2021
Sample Received Date SR	07/14/2021	Sample Request Due Date SR	05/27/2021
Date Sample Approved SR	07/30/2021		
Wash Tested SR	No	Wash Test Approved SR	
Wear Tested SR	No	Wear Test Approved SR	
QA Technician	Wing szv vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments SR

Construction Comments SR	SR1 comments: there is puckering at the front armhole SR2 comments: the stitch tension on the straps feels tight, please improve stitch tension
--------------------------	--

Fit/Measurements Comments SR	increase strap length by 1/4" shift snaps towards back body by 1", see images attached *there is puckering at the front armhole as per email discussion, we are waiting to receive revised size run size 8 sample SR2 comments: size run 2 is approved. there is slight puckering at the front armhole when the garment is on the hanger, please improve.
------------------------------	---

BOM Changes Comments SR

Proto Status Comments SR	style is approved to PP noting above comments
--------------------------	---

Testing Request Comments SR

Sample Comments SR

Fit Session Attendance

FSA Product Developer SR Alexandria Culver - aculver

FSA Designer SR

Lum Yeung

FSA Fit Specialist SR

FSA Fit Model SR

Halie Garnier

FSA Fit Session Date SR 07/29/2021

Quality**Testing and Compliance**

Comments

QD Comments

Vendor Attributes

Estimated Sample Ship Date 07/12/2021

Vendor Design Comments

Estimated Sample Ship Date Comments The pattern approved and change the snap item on 6/23.

Vendor Construction Comments

Actual Sample Ship Date 07/12/2021

Vendor Fit/Measurement Comments

Shipping Company Fedex

Vendor BOM Changes Comments

Shipping AWB# 525492668068

Vendor Proto Status Comments

Vendor Contact Vendor Contact

Vendor Testing and Compliance Comments

Vendor Additional Sample Comments

Image Name :

Fitting - SR.1 - size 4/6/8/10 bodysuit : 016

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN/ July 16th, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR.2 - sizes 4/6/8/10 shelf layer : 017

lululemon /FIT COMMENTS / [LW1DNQS](#)/ SIZE RUN/ July 16th, 2021

PAGE 02



Image Name :


Fitting - SR.3 - front armhole : 018



/FIT COMMENTS / LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 03

Fitting Comments:



as per email conversation
binding has been under cut by too much at the front armhole, we are
holding approval until we receive the mock up with no under cutting

CURRENT SAMPLE & REFERENCE LINES

CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR.4 snap placement : 019



/FIT COMMENTS /LW1DNQS/ SIZE RUN/ July 16th, 2021

PAGE 04

Fitting Comments:



maintain the overall shape of the leg opening
shift the snaps towards the back body by 1"
shift coolmax seam towards back body by 1/2"

CURRENT SAMPLE & REFERENCE LINES



CHANGE FOR NEXT PROTO

Image Name :

Fitting - SR2.1 size 8 : 022

 lululemon/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 01



Technical Developer: Alexandria Culver

Image Name :

Fitting - SR2.2 front armhole : 023

/FIT COMMENTS / [LW1DNQS](#) / SIZE RUN 2 / AUGUST 5, 2021

PAGE 02



#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-CD CUP					0	0	0	0	999999		Style is intended for CD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	21 3/8	21 3/8	0	0	0	21 3/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	19 1/4	19 3/8	1/8	0	0	19 1/4		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	8 3/4	9	1/4	0	0	8 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2	2 1/8	1/8	0	0	2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	6 7/8	7	1/8	0	0	6 7/8		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 1/2	3 1/2	0	0	0	3 1/2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 3/8	8 1/2	1/8	0	0	8 3/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	3/4	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8	8 1/4	1/4	0	0	8		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	19	19 3/8	3/8	0	0	19		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.

Sample Measurement Report Size Run 1 Physical Sample - 4 Spring 2022							Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	32 3/4	33	1/4	0	0	32 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	6 13/16	6 13/16	0	0	0	6 13/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 3/8	15 3/8	0	0	0	15 3/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	29 1/4	29 1/2	1/4	0	0	29 1/4		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	7 7/16	7 7/16	0	0	0	7 7/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	8	8	0	0	0	8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/4	10 3/4	- 1/2	0	0	11 1/4		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	5/16	- 1/16	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/16	6 1/16	0	0	0	6 1/16		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	7 5/16	7 5/16	0	0	0	7 5/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	2 1/16	1/16	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	4	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	7/8	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	54 1/2	54 1/2	0	0	0	54 1/2		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date:Jul 14, 2021				0	0	0	0	0	999999	Confidential	B/C light support Confidential and Proprietary

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	11 5/8	11 5/8	0	0	0	11 5/8		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
215 3	CF LENGTH: SHELF BRA	Critical	1/8	1/8	5 3/4	5 3/4	0	0	0	5 3/4		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 1/4	3 5/16	1/16	0	0	3 1/4		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/8	2 5/16	-1/16	0	0	2 3/8		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	29	29	0	0	0	29		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
348 6	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	8	8	0	0	0	8		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report PP 1 Sample - 1		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Style #: Style Desc: Product Size Definition: Grade Rule Template:	Spring 2022 LW1DNQS Ribbed Yoga Bodysuit CD cup LW1DNQS W Tops--W Ext Sizes:0-26 W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	

Request Name	PP 1	Sample	Sample - 1 (PP 1)
Type	Product\Fit\PP	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:001 SIZES 0 - 14		

General Attributes			
Sample Size	8	Sample Description	PP Base
Sample Status	Approved With Comments	Sample Request Date	07/30/2021
Sample Request Due Date	08/20/2021	Sample Received Date	09/13/2021
Date Sample Approved	09/24/2021	Red Seal Number	LL015140
Wash Test Approved		Wash Tested	No
Wear Test Approved		Wear Tested	No
Product Developer	Alexandria Culver - aculver	QA Technician	Wing sze vinncci Leung - wleung
		Fit Specialist	

Construction Comments	Bulk should be reflected all below corrections/ reminding: 1) Neck band and shoulder strap edge is slightly wavy, pls control and ensure bulk would not be worst than PP. 2) Pls keep neck shape and shoulder strap symmetric on both side. 3) Make sure snap button is security attached in bulk. 4) Leg opening should be symmetric on both side. 5) Pls avoid shoulder strap stretched out in bulk. 6) Pls pay attention to the fabric cutting direction, make sure following sketch to proceed. ** HAS: 1. bodysuit with snap at gusset area 2. first season to use this fabric (SP22)
------------------------------	---

Fit/Measurements Comments	1) Pls refer to measurement chart for details measurement. 2) Pls bring all measurement back to spec in bulk.
----------------------------------	--

Proto Status Comments	- WWMT: Pls double check it during PP meeting.
------------------------------	--

Testing Request Comments

Sample Comments

Fit Session Attendance	
FSA Product Developer	FSA Designer
FSA Fit Specialist	FSA Fit Model
FSA Fit Session Date	FSA QD Technician

Quality**Testing and Compliance Comments****QD Comments****Vendor Attributes****Estimated Sample Ship Date****Vendor Design Comments****Estimated Sample Ship Date Comments****Vendor Construction Comments****Actual Sample Ship Date****Vendor Fit/Measurement Comments****Shipping Company****Vendor BOM Changes Comments****Shipping AWB#****Vendor Proto Status Comments****Applicable Style #'s****Vendor Testing and Compliance Comments****Factory****Vendor Additional Sample Comments****Sample Origin****Vendor Contact****Volume****HOD/Cut Date****Fabric Name****Mill**

Sample Measurement Report PP 1 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-CD CUP					0	0	0	0	999999		Style is intended for CD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	21 5/8	0	0	21 3/4	1/8	21 5/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 5/8	0	0	17 3/4	1/8	17 5/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	8 3/8	0	0	8 1/4	- 1/8	8 3/8		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2	0	0	2 1/8	1/8	2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	6 1/2	0	0	6 1/2	0	6 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 1/2	0	0	3 1/4	- 1/4	3 1/2		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 1/4	0	0	8 1/2	1/4	8 1/4		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	3/4	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	19	0	0	19 1/4	1/4	10 3/4		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date:Nov 23, 2021			Page 56 of 125						Confidential and Proprietary			

Sample Measurement Report PP 1 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	30 3/4	0	0	30 1/2	- 1/4	30 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	6 3/8	0	0	6 1/2	1/8	6 3/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15	0	0	15	0	15		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	27 1/4	0	0	27 1/2	1/4	27 1/4		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	7	0	0	7	0	7		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	8 5/8	0	0	8 3/4	1/8	8 5/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	9 1/2	0	0	9 1/2	0	9 1/2		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	3/8	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	6 7/8	0	0	0	0	6 7/8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/8	0	0	0	0	6 1/8		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	1 1/2	0	0	1 3/8	- 1/8	1 1/2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4 1/2	0	0	4 1/2	0	4 1/2		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	7/8	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	53	0	0	0	0	53		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date:Nov 23, 2021				0	0	0	0	0	999999	Confidential	B/C light support Confidential and Proprietary

Sample Measurement Report PP 1 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	11 1/8	0	0	0	0	11 1/8		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	5 1/2	0	0	5 1/2	0	5 1/2		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 1/8	0	0	3 1/8	0	3 1/8		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 1/4	0	0	2 1/4	0	2 1/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	27	0	0	26 1/2	- 1/2	27		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	8	0	0	0	0	8		Cup size. Number on cup corresponds to measurement set

	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021 Measurement Template: MT - Ws Basic Top - Raglan LS & SS	
---	--	--	---	--

#	Name	Criticality	Tol (-)	Tol (+)	HTM Instruction	16	18	20
6599	FIT THEORY: SLIM							
7331	LENGTH THEORY: BODYSUIT							
3650	REF-DD/DDD CUP				Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.			
11625	BODYSUIT MEASUREMENTS							
1	CF LENGTH	Critical	1/2	1/2	Measure from CF top edge straight down to fold line centered between snaps.	23 7/8	24 5/8	25 3/8
5	CB LENGTH	Critical	1/2	1/2	Measure from CB top edge straight down to fold line centered between snaps.	16 3/4	17 3/8	18
193	STRAP DIS at FRONT	Critical	1/4	1/4	Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.	7 3/4	7 3/4	7 3/4
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.	2 1/8	2 1/8	2 1/8
194	STRAP DIS at BACK	Critical	1/4	1/4	Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.	5 1/2	5 1/2	5 1/2
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.	3 7/8	4	4 1/8
57	STRAP LENGTH	Critical	1/4	1/4	Measure from strap join at front body to strap join at back body along center of strap.	8 1/8	8 3/8	8 5/8
58	STRAP WIDTH	Critical	1/8	1/8	Measure from finished edge of strap straight across to finished edge of strap.	3/4	3/4	3/4
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position	8 1/2	8 3/4	9
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.	13	13 7/8	14 3/4
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.	36 1/4	37 3/4	39 1/4
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	Measure side panel width at chest level from seam to seam.	8 5/16	8 7/8	9 7/16
172	WAIST POS fr HPS at CF		1/4	1/4	Measure from high point shoulder straight down to waist seam at CF.	15 1/8	15 1/2	15 7/8
14	WAIST CIRC		1/2	1/2	Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.	34 1/2	36	37 1/2
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	Measure side panel width straight from seam to seam at leg opening level.	9 3/16	9 3/4	10 5/16
Modified Date:Aug 03, 2021		Page 59 of 125			Confidential and Proprietary			

Measurement Set: Calculated		Spring 2022		Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (-)	Tol (+)	HTM Instruction		16	18	20	
494	LEG OPENING FRONT	Critical	1/4	1/4	Measure front leg opening along edge from crotch opening edge to front side panel seam.		9 1/8	9 1/8	9 1/8	
495	LEG OPENING BACK	Critical	1/4	1/4	Measure back leg opening along edge from crotch opening edge to back side panel seam.		11	11 1/4	11 1/2	
12	HEM HEIGHT - leg opening		1/8	1/8	Measure from top of hem stitching line straight down to finished hem edge.		3/8	3/8	3/8	
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	Measure straight at CF from leg opening edge to fold line centered between snaps.		8	8	8	
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	Measure straight at CB from leg opening edge to fold line centered between snaps.		5 15/16	6 1/8	6 5/16	
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	Measure across crotch from finished edge to finished edge across center of most frontward snap.		2	2	2	
173	PANTY LENGTH LINER		1/8	1/8	Measure length of panty liner along rise direction from front liner edge to crotch seam.		4	4	4	
6721	SNAP DISTANCE		1/8	1/8	Measure in a straight line from center of snap to center of snap.		7/8	7/8	7/8	
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.		54 5/8	56 3/8	58 1/8	
11624	BRA MEASUREMENTS				DD/DDD light support					
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.		12 1/4	12 3/4	13 1/4	
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	Measure from neckline edge straight down to top edge of shelf bra elastic.		8 1/4	8 5/8	9	
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.		3 15/16	4 3/16	4 7/16	
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	Measure from CB top finished edge straight down to top edge of shelf bra elastic.		2 1/2	2 3/4	3	
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.		34	35 1/2	37	
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	Cup size. Number on cup corresponds to measurement set		16	18	20	

Sample Measurement Report PP 2 Sample - 1		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Style #: Style Desc: Product Size Definition: Grade Rule Template:	Spring 2022 LW1DNQS Ribbed Yoga Bodysuit CD cup LW1DNQS W Tops--W Ext Sizes:0-26 W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021 Measurement Template: MT - Ws Basic Top - Raglan LS & SS	

Request Name	PP 2	Sample	Sample - 1 (PP 2)
Type	Product\Fit\PP	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	18	Sample Description	PP Base - size 18
Sample Status	Approved With Comments	Sample Request Date	07/30/2021
Sample Request Due Date	08/20/2021	Sample Received Date	11/01/2021
Date Sample Approved	11/12/2021	Red Seal Number	LL017403
Wash Test Approved		Wash Tested	No
Wear Test Approved		Wear Tested	No
Product Developer	Alexandria Culver - aculver	QA Technician	Wing sze vinncci Leung - wleung
		Fit Specialist	

Construction Comments	Bulk should be reflected all below corrections/ reminding: 1) Neck band and shoulder strap edge is slightly wavy, pls control and ensure bulk would not be worst than PP. 2) Pls keep neck shape and shoulder strap symmetric on both side. 3) Make sure snap button is security attached in bulk. 4) Leg opening should be symmetric on both side. 5) Pls avoid shoulder strap stretched out in bulk. 6) Pls pay attention to the fabric cutting direction, make sure following sketch to proceed. ** HAS: 1. bodysuit with snap at gusset area 2. first season to use this fabric (SP22)
------------------------------	---

Fit/Measurements Comments	1) Pls refer to measurement chart for details measurement. 2) Pls bring all measurement back to spec in bulk.
----------------------------------	--

Proto Status Comments	- WWMT: Pls double check it during PP meeting.
------------------------------	--

Testing Request Comments	
---------------------------------	--

Sample Comments	** Version: LW1DNRS.
------------------------	----------------------

Fit Session Attendance	
FSA Product Developer	FSA Designer
FSA Fit Specialist	FSA Fit Model
FSA Fit Session Date	FSA QD Technician

Quality**Testing and Compliance Comments****QD Comments****Vendor Attributes****Estimated Sample Ship Date****Vendor Design Comments****Estimated Sample Ship Date Comments****Vendor Construction Comments****Actual Sample Ship Date****Vendor Fit/Measurement Comments****Shipping Company****Vendor BOM Changes Comments****Shipping AWB#****Vendor Proto Status Comments****Applicable Style #'s****Vendor Testing and Compliance Comments****Factory****Vendor Additional Sample Comments****Sample Origin****Vendor Contact****Volume****HOD/Cut Date****Fabric Name****Mill**

Sample Measurement Report PP 2 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	24 5/8	0	0	24 3/8	- 1/4	24 5/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 3/8	0	0	17 1/4	- 1/8	17 3/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	7 7/8	1/8	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	1 3/4	- 3/8	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	5 3/4	1/4	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4	0	0	3 5/8	- 3/8	4		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 3/8	0	0	8 1/2	1/8	8 3/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	3/4	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 3/4	0	0	0	0	8 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13 7/8	0	0	14	1/8	13 7/8		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date:Nov 23, 2021			Page 63 of 125						Confidential and Proprietary			

Sample Measurement Report PP 2 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	38	0	0	37 1/4	- 3/4	37 3/4	08/03/2021 Updated as per vendors email.	Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 7/8	0	0	8 3/4	- 1/8	8 7/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/2	0	0	15 1/2	0	15 1/2		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	36	0	0	36	0	36		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/4	0	0	9 7/8	1/8	9 3/4		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	9 1/4	1/8	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/4	0	0	11 1/8	- 1/8	11 1/4		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	5/16	- 1/16	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/8	0	0	0	0	6 1/8		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	2 1/8	1/8	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	4	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	7/8	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	56 3/8	0	0	0	0	56 3/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date:Nov 23, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 3/4	0	0	0	0	12 3/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 5/8	0	0	8 3/8	- 1/4	8 5/8		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 3/16	0	0	4 1/8	- 1/16	4 3/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/4	0	0	2 3/4	0	2 3/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	35 1/2	0	0	35 1/2	0	35 1/2		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	18	0	0	0	0	18		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 1		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 1 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	16	Sample Description	Wear testing request sizes 16 - 20
Sample Status	In Progress	Sample Request Date	09/02/2021
Sample Request Due Date	09/23/2021	Sample Received Date	
Date Sample Approved		Wash Test Approved	
Wash Tested	No	Wear Test Approved	
Wear Tested	No	Product Developer	Alexandria Culver - aculver
QA Technician	Wing sze vinncci Leung - wleung	Block Pattern Reference	LW1CLNS with style changes
Fit Specialist			

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments	Please send wear testing samples Size 16 - 3X Size 18 - 3X Size 20 - 3X

Testing Request Comments

Sample Comments

Fit Session Attendance

Testing and Compliance Comments Modified Date:Sep 23, 2021	QD Comments	Confidential and Proprietary

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	
Actual Sample Ship Date	09/23/2021
Shipping Company	Fedex
Shipping AWB#	284058572831
Vendor Contact	Vendor Contact
	Vendor Design Comments
	Vendor Construction Comments
	Vendor Fit/Measurement Comments
	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	23 7/8	0	0	0	0	23 7/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	16 3/4	0	0	0	0	16 3/4		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 7/8	0	0	0	0	3 7/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 1/8	0	0	0	0	8 1/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 1/2	0	0	0	0	8 1/2		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13	0	0	0	0	13		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 23, 2021			Page 68 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	36 1/4	0	0	0	0	36 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 5/16	0	0	0	0	8 5/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/8	0	0	0	0	15 1/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	34 1/2	0	0	0	0	34 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/16	0	0	0	0	9 3/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11	0	0	0	0	11		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	5 15/16	0	0	0	0	5 15/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	54 5/8	0	0	0	0	54 5/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 23, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 1			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 1/4	0	0	0	0	12 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 1/4	0	0	0	0	8 1/4		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 15/16	0	0	0	0	3 15/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 1/2	0	0	0	0	2 1/2		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	34	0	0	0	0	34		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	16	0	0	0	0	16		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 10		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Style #: Style Desc: Product Size Definition: Grade Rule Template:	Spring 2022 LW1DNQS Ribbed Yoga Bodysuit CD cup LW1DNQS W Tops--W Ext Sizes:0-26 W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	

Request Name	Wear Test 1	Sample	Sample - 10 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	20	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 10			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	25 3/8	0	0	0	0	25 3/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	18	0	0	0	0	18		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4 1/8	0	0	0	0	4 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 5/8	0	0	0	0	8 5/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	9	0	0	0	0	9		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	14 3/4	0	0	0	0	14 3/4		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 73 of 125			Confidential and Proprietary						

Sample Measurement Report Wear Test 1 Sample - 10			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	39 1/4	0	0	0	0	39 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	9 7/16	0	0	0	0	9 7/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 7/8	0	0	0	0	15 7/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	37 1/2	0	0	0	0	37 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	10 5/16	0	0	0	0	10 5/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/2	0	0	0	0	11 1/2		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 5/16	0	0	0	0	6 5/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	58 1/8	0	0	0	0	58 1/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 10			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	13 1/4	0	0	0	0	13 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	9	0	0	0	0	9		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 7/16	0	0	0	0	4 7/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	3	0	0	0	0	3		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	37	0	0	0	0	37		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	20	0	0	0	0	20		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 11		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Style #: Style Desc: Product Size Definition: Grade Rule Template:	Spring 2022 LW1DNQS Ribbed Yoga Bodysuit CD cup LW1DNQS W Tops--W Ext Sizes:0-26 W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	

Request Name	Wear Test 1	Sample	Sample - 11 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	20	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 11			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	25 3/8	0	0	0	0	25 3/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	18	0	0	0	0	18		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4 1/8	0	0	0	0	4 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 5/8	0	0	0	0	8 5/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	9	0	0	0	0	9		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	14 3/4	0	0	0	0	14 3/4		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 78 of 125			Confidential and Proprietary						

Sample Measurement Report Wear Test 1 Sample - 11			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	39 1/4	0	0	0	0	39 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	9 7/16	0	0	0	0	9 7/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 7/8	0	0	0	0	15 7/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	37 1/2	0	0	0	0	37 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	10 5/16	0	0	0	0	10 5/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/2	0	0	0	0	11 1/2		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 5/16	0	0	0	0	6 5/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	58 1/8	0	0	0	0	58 1/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 11			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	13 1/4	0	0	0	0	13 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	9	0	0	0	0	9		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 7/16	0	0	0	0	4 7/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	3	0	0	0	0	3		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	37	0	0	0	0	37		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	20	0	0	0	0	20		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 12		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Style #: Style Desc: Product Size Definition: Grade Rule Template:	Spring 2022 LW1DNQS Ribbed Yoga Bodysuit CD cup LW1DNQS W Tops--W Ext Sizes:0-26 W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	

Request Name	Wear Test 1	Sample	Sample - 12 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	20	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments
Construction Comments
Fit/Measurements Comments
BOM Changes Comments
Proto Status Comments
Testing Request Comments
Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 12			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	25 3/8	0	0	0	0	25 3/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	18	0	0	0	0	18		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4 1/8	0	0	0	0	4 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 5/8	0	0	0	0	8 5/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	9	0	0	0	0	9		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	14 3/4	0	0	0	0	14 3/4		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 83 of 125			Confidential and Proprietary						

Sample Measurement Report Wear Test 1 Sample - 12			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	39 1/4	0	0	0	0	39 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	9 7/16	0	0	0	0	9 7/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 7/8	0	0	0	0	15 7/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	37 1/2	0	0	0	0	37 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	10 5/16	0	0	0	0	10 5/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/2	0	0	0	0	11 1/2		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 5/16	0	0	0	0	6 5/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	58 1/8	0	0	0	0	58 1/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 12			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	13 1/4	0	0	0	0	13 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	9	0	0	0	0	9		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 7/16	0	0	0	0	4 7/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	3	0	0	0	0	3		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	37	0	0	0	0	37		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	20	0	0	0	0	20		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 2		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 2 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	16	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 2			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	23 7/8	0	0	0	0	23 7/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	16 3/4	0	0	0	0	16 3/4		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 7/8	0	0	0	0	3 7/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 1/8	0	0	0	0	8 1/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 1/2	0	0	0	0	8 1/2		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13	0	0	0	0	13		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date:Sep 02, 2021			Page 88 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 2			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	36 1/4	0	0	0	0	36 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 5/16	0	0	0	0	8 5/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/8	0	0	0	0	15 1/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	34 1/2	0	0	0	0	34 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/16	0	0	0	0	9 3/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11	0	0	0	0	11		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	5 15/16	0	0	0	0	5 15/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	54 5/8	0	0	0	0	54 5/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 2			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 1/4	0	0	0	0	12 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 1/4	0	0	0	0	8 1/4		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 15/16	0	0	0	0	3 15/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 1/2	0	0	0	0	2 1/2		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	34	0	0	0	0	34		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	16	0	0	0	0	16		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 3		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 3 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	16	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance	
FSA Product Developer	FSA Designer
FSA Fit Specialist	FSA Fit Model
FSA Fit Session Date	FSA QD Technician

Quality	QD Comments
Testing and Compliance Comments	

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 3			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	23 7/8	0	0	0	0	23 7/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	16 3/4	0	0	0	0	16 3/4		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 7/8	0	0	0	0	3 7/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 1/8	0	0	0	0	8 1/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 1/2	0	0	0	0	8 1/2		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13	0	0	0	0	13		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date:Sep 02, 2021			Page 93 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 3			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	36 1/4	0	0	0	0	36 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 5/16	0	0	0	0	8 5/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/8	0	0	0	0	15 1/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	34 1/2	0	0	0	0	34 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/16	0	0	0	0	9 3/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11	0	0	0	0	11		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	5 15/16	0	0	0	0	5 15/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	54 5/8	0	0	0	0	54 5/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 3			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 1/4	0	0	0	0	12 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 1/4	0	0	0	0	8 1/4		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 15/16	0	0	0	0	3 15/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 1/2	0	0	0	0	2 1/2		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	34	0	0	0	0	34		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	16	0	0	0	0	16		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 4		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 4 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	16	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 4			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	23 7/8	0	0	0	0	23 7/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	16 3/4	0	0	0	0	16 3/4		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	3 7/8	0	0	0	0	3 7/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 1/8	0	0	0	0	8 1/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 1/2	0	0	0	0	8 1/2		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13	0	0	0	0	13		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date:Sep 02, 2021			Page 98 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 4			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	36 1/4	0	0	0	0	36 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 5/16	0	0	0	0	8 5/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/8	0	0	0	0	15 1/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	34 1/2	0	0	0	0	34 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/16	0	0	0	0	9 3/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11	0	0	0	0	11		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	5 15/16	0	0	0	0	5 15/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	54 5/8	0	0	0	0	54 5/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				Page 99 of 125	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 4			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 1/4	0	0	0	0	12 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 1/4	0	0	0	0	8 1/4		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	3 15/16	0	0	0	0	3 15/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 1/2	0	0	0	0	2 1/2		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	34	0	0	0	0	34		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	16	0	0	0	0	16		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 5		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 5 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	18	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance	
FSA Product Developer	FSA Designer
FSA Fit Specialist	FSA Fit Model
FSA Fit Session Date	FSA QD Technician

Quality	QD Comments
Testing and Compliance Comments	

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 5			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	24 5/8	0	0	0	0	24 5/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 3/8	0	0	0	0	17 3/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4	0	0	0	0	4		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 3/8	0	0	0	0	8 3/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 3/4	0	0	0	0	8 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13 7/8	0	0	0	0	13 7/8		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 103 of 125			Confidential and Proprietary						

Sample Measurement Report Wear Test 1 Sample - 5			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	37 3/4	0	0	0	0	37 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 7/8	0	0	0	0	8 7/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/2	0	0	0	0	15 1/2		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	36	0	0	0	0	36		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/4	0	0	0	0	9 3/4		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/4	0	0	0	0	11 1/4		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/8	0	0	0	0	6 1/8		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	56 3/8	0	0	0	0	56 3/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 5			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 3/4	0	0	0	0	12 3/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 5/8	0	0	0	0	8 5/8		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 3/16	0	0	0	0	4 3/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/4	0	0	0	0	2 3/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	35 1/2	0	0	0	0	35 1/2		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	18	0	0	0	0	18		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 6		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Style #: Style Desc: Product Size Definition: Grade Rule Template:	Spring 2022 LW1DNQS Ribbed Yoga Bodysuit CD cup LW1DNQS W Tops--W Ext Sizes:0-26 W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021	

Request Name	Wear Test 1	Sample	Sample - 6 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	18	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 6			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	24 5/8	0	0	0	0	24 5/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 3/8	0	0	0	0	17 3/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4	0	0	0	0	4		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 3/8	0	0	0	0	8 3/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 3/4	0	0	0	0	8 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13 7/8	0	0	0	0	13 7/8		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 108 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 6			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	37 3/4	0	0	0	0	37 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 7/8	0	0	0	0	8 7/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/2	0	0	0	0	15 1/2		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	36	0	0	0	0	36		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/4	0	0	0	0	9 3/4		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/4	0	0	0	0	11 1/4		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/8	0	0	0	0	6 1/8		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	56 3/8	0	0	0	0	56 3/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 6			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 3/4	0	0	0	0	12 3/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 5/8	0	0	0	0	8 5/8		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 3/16	0	0	0	0	4 3/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/4	0	0	0	0	2 3/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	35 1/2	0	0	0	0	35 1/2		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	18	0	0	0	0	18		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 7		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 7 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	18	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance

FSA Product Developer	FSA Designer
FSA Fit Specialist	FSA Fit Model
FSA Fit Session Date	FSA QD Technician

Quality

Testing and Compliance Comments	QD Comments
--	--------------------

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 7			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	24 5/8	0	0	0	0	24 5/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 3/8	0	0	0	0	17 3/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4	0	0	0	0	4		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 3/8	0	0	0	0	8 3/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 3/4	0	0	0	0	8 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13 7/8	0	0	0	0	13 7/8		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 113 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 7			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	37 3/4	0	0	0	0	37 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 7/8	0	0	0	0	8 7/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/2	0	0	0	0	15 1/2		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	36	0	0	0	0	36		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/4	0	0	0	0	9 3/4		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/4	0	0	0	0	11 1/4		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/8	0	0	0	0	6 1/8		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	56 3/8	0	0	0	0	56 3/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 7			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 3/4	0	0	0	0	12 3/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 5/8	0	0	0	0	8 5/8		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 3/16	0	0	0	0	4 3/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/4	0	0	0	0	2 3/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	35 1/2	0	0	0	0	35 1/2		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	18	0	0	0	0	18		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 8		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 8 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	18	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance			
FSA Product Developer		FSA Designer	
FSA Fit Specialist		FSA Fit Model	
FSA Fit Session Date		FSA QD Technician	

Quality	
Testing and Compliance Comments	QD Comments

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 8			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	24 5/8	0	0	0	0	24 5/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	17 3/8	0	0	0	0	17 3/8		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4	0	0	0	0	4		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 3/8	0	0	0	0	8 3/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	8 3/4	0	0	0	0	8 3/4		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	13 7/8	0	0	0	0	13 7/8		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 118 of 125						Confidential and Proprietary			

Sample Measurement Report Wear Test 1 Sample - 8			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	37 3/4	0	0	0	0	37 3/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	8 7/8	0	0	0	0	8 7/8		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 1/2	0	0	0	0	15 1/2		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	36	0	0	0	0	36		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	9 3/4	0	0	0	0	9 3/4		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/4	0	0	0	0	11 1/4		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 1/8	0	0	0	0	6 1/8		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	56 3/8	0	0	0	0	56 3/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 8			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	12 3/4	0	0	0	0	12 3/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	8 5/8	0	0	0	0	8 5/8		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 3/16	0	0	0	0	4 3/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	2 3/4	0	0	0	0	2 3/4		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	35 1/2	0	0	0	0	35 1/2		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	18	0	0	0	0	18		Cup size. Number on cup corresponds to measurement set

Sample Measurement Report Wear Test 1 Sample - 9		Spring 2022	Ribbed Yoga Bodysuit CD cup LW1DNQS	lululemon	Nov 29, 2021
	Season: Spring 2022 Style #: LW1DNQS Style Desc: Ribbed Yoga Bodysuit CD cup LW1DNQS Product Size Definition: W Tops--W Ext Sizes:0-26 Grade Rule Template: W Tops 0-18,W Tops 0-18	Brand: lululemon Division: lulu Womens Class: Womens Tanks Pod: W Sweat	Style Status: Active Generated Date: Nov 29, 2021		

Request Name	Wear Test 1	Sample	Sample - 9 (Wear Test 1)
Type	ProductFitWear Test	Style	Ribbed Yoga Bodysuit CD cup LW1DNQS
Source	Proud City Limited	Specification	SPECIFICATION:001 - Proud City Limited
Measurement Set	MEASUREMENTS:002 16-20		

General Attributes			
Sample Size	20	Sample Description	
Sample Status	In Progress	Sample Request Date	
Sample Request Due Date		Sample Received Date	
Date Sample Approved			
Wash Tested	No	Wash Test Approved	
Wear Tested	No	Wear Test Approved	
QA Technician	Wing sze vinncci Leung - wleung	Product Developer	Alexandria Culver - aculver
Fit Specialist		Block Pattern Reference	LW1CLNS with style changes

Design Comments

Construction Comments

Fit/Measurements Comments

BOM Changes Comments

Proto Status Comments

Testing Request Comments

Sample Comments

Fit Session Attendance

FSA Product Developer	FSA Designer
FSA Fit Specialist	FSA Fit Model
FSA Fit Session Date	FSA QD Technician

Quality

Testing and Compliance Comments	QD Comments
--	--------------------

Vendor Attributes	
Estimated Sample Ship Date	09/23/2021
Estimated Sample Ship Date Comments	Vendor Design Comments
Actual Sample Ship Date	09/23/2021
Shipping Company	Vendor Construction Comments
Shipping AWB#	Vendor Fit/Measurement Comments
Vendor Contact	Vendor BOM Changes Comments
	Vendor Proto Status Comments
	Vendor Testing and Compliance Comments
	Vendor Additional Sample Comments

Sample Measurement Report Wear Test 1 Sample - 9			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6599	FIT THEORY: SLIM					0	0	0	0	999999		
7331	LENGTH THEORY: BODYSUIT					0	0	0	0	999999		
3650	REF-DD/DDD CUP					0	0	0	0	999999		Style is intended for DD/DDD cup, cup sizing is listed in measurement table. Please review BOM for cup shape.
11625	BODYSUIT MEASUREMENTS					0	0	0	0	999999		
1	CF LENGTH	Critical	1/2	1/2	25 3/8	0	0	0	0	25 3/8		Measure from CF top edge straight down to fold line centered between snaps.
5	CB LENGTH	Critical	1/2	1/2	18	0	0	0	0	18		Measure from CB top edge straight down to fold line centered between snaps.
193	STRAP DIS at FRONT	Critical	1/4	1/4	7 3/4	0	0	0	0	7 3/4		Measure straight across front from inner edge of strap to inner edge of strap at front neck edge.
195	FRONT NECK DROP at STRAP JOIN to CF EDGE		1/8	1/8	2 1/8	0	0	0	0	2 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
194	STRAP DIS at BACK	Critical	1/4	1/4	5 1/2	0	0	0	0	5 1/2		Measure straight across back from inner edge of strap to inner edge of strap at back opening edge.
13544	BACK NECK DROP at STRAP JOIN to CB EDGE		1/8	1/8	4 1/8	0	0	0	0	4 1/8		Create an imaginary line from strap join to strap join. Measure from the center of that line down to the CB edge.
57	STRAP LENGTH	Critical	1/4	1/4	8 5/8	0	0	0	0	8 5/8		Measure from strap join at front body to strap join at back body along center of strap.
58	STRAP WIDTH	Critical	1/8	1/8	3/4	0	0	0	0	3/4		Measure from finished edge of strap straight across to finished edge of strap.
4081	Armhole Drop from HPS	Reference Only	1/4	1/4	9	0	0	0	0	9		Measure from an imaginary line connecting high point shoulder straight down to Underarm seam/position
16836	Armhole Circumference : along Edge - Tank	Critical	1/2	1/2	14 3/4	0	0	0	0	14 3/4		Measure along finished edge of armhole from front strap join level, along edge to underarm, then back up to back strap join level.
Modified Date: Sep 02, 2021			Page 123 of 125			Confidential and Proprietary						

Sample Measurement Report Wear Test 1 Sample - 9			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
6	CHEST CIRC 1" down ARMHOLE	Critical	1/2	1/2	39 1/4	0	0	0	0	39 1/4		Measure 1" below armhole from fold edge of garment along curve fold edge to fold edge of garment, multiply by 2.
504	SIDE PANEL WIDTH at CHEST LEVEL		1/8	1/8	9 7/16	0	0	0	0	9 7/16		Measure side panel width at chest level from seam to seam.
172	WAIST POS fr HPS at CF		1/4	1/4	15 7/8	0	0	0	0	15 7/8		Measure from high point shoulder straight down to waist seam at CF.
14	WAIST CIRC		1/2	1/2	37 1/2	0	0	0	0	37 1/2		Measure at waist level from fold edge of garment to fold edge of garment, multiply by 2.
505	SIDE PANEL WIDTH at leg opening		1/8	1/8	10 5/16	0	0	0	0	10 5/16		Measure side panel width straight from seam to seam at leg opening level.
494	LEG OPENING FRONT	Critical	1/4	1/4	9 1/8	0	0	0	0	9 1/8		Measure front leg opening along edge from crotch opening edge to front side panel seam.
495	LEG OPENING BACK	Critical	1/4	1/4	11 1/2	0	0	0	0	11 1/2		Measure back leg opening along edge from crotch opening edge to back side panel seam.
12	HEM HEIGHT - leg opening		1/8	1/8	3/8	0	0	0	0	3/8		Measure from top of hem stitching line straight down to finished hem edge.
20	RISE FRONT - REF ONLY	Pattern Reference Only	1/4	1/4	8	0	0	0	0	8		Measure straight at CF from leg opening edge to fold line centered between snaps.
295	RISE BACK - REF ONLY	Pattern Reference Only	1/4	1/4	6 5/16	0	0	0	0	6 5/16		Measure straight at CB from leg opening edge to fold line centered between snaps.
375	CROTCH WIDTH AT front snap edge	Critical	1/8	1/8	2	0	0	0	0	2		Measure across crotch from finished edge to finished edge across center of most front-ward snap.
173	PANTY LENGTH LINER		1/8	1/8	4	0	0	0	0	4		Measure length of panty liner along rise direction from front liner edge to crotch seam.
672 1	SNAP DISTANCE		1/8	1/8	7/8	0	0	0	0	7/8		Measure in a straight line from center of snap to center of snap.
253	REF-TOTAL TORSO LENGTH	Pattern Reference Only	3/4	3/4	58 1/8	0	0	0	0	58 1/8		Measure from HPS at CF straight down/along front rise seam to inseam, add from HPS straight down /along back rise seam to calculate total rise; this is a pattern reference measurement only.
116	BRA MEASUREMENTS Modified Date: Sep 02, 2021				0	0	0	0	0	999999	Confidential	DD/DDD light support Confidential and Proprietary

Sample Measurement Report Wear Test 1 Sample - 9			Spring 2022			Ribbed Yoga Bodysuit CD cup LW1DNQS			lululemon		Nov 29, 2021	
#	Name	Criticality	Tol (+)	Tol (-)	Requested	Quoted Measurement	Quoted Measurement Delta	Actual	Actual Measurement Delta	New	Comments	HTM Instruction
392	REF-HPS LENGTH at FRONT-BRA		1/4	1/4	13 1/4	0	0	0	0	13 1/4		Measure from front high point shoulder point straight down to top edge of shelf bra elastic. Note: This measurement is for the base size and for detail only.
2153	CF LENGTH: SHELF BRA	Critical	1/8	1/8	9	0	0	0	0	9		Measure from neckline edge straight down to top edge of shelf bra elastic.
186	SIDE SEAM LENGTH-BRA STYLE		1/8	1/8	4 7/16	0	0	0	0	4 7/16		Measure from bottom of armhole edge to top edge of shelf bra elastic fold of side seam.
390	CB LENGTH-BRA STYLE	Critical	1/8	1/8	3	0	0	0	0	3		Measure from CB top finished edge straight down to top edge of shelf bra elastic.
50	HEM CIRC with BRA ELASTIC HEM	Critical	1/2	1/2	37	0	0	0	0	37		Measure from fold edge of garment to fold edge of garment straight across bottom edge of finished bra elastic hem, multiply by 2.
3486	REF-PERFORATED BRA CUP SIZE	Reference Only	0	0	20	0	0	0	0	20		Cup size. Number on cup corresponds to measurement set