

Seminar Approximation Algorithms

ANSWuSVp(U)M

Zeno Adrian Weil

29th May 2023

Examiner: Prof Dr Martin Hoefer
Supervisor: Dr Giovanna Varricchio

Abstract

Suspendisse vel felis. Ut lorem lorem, interdum eu, tincidunt sit amet, laoreet vitae, arcu. Aenean faucibus pede eu ante. Praesent enim elit, rutrum at, molestie non, nonummy vel, nisl. Ut lectus eros, malesuada sit amet, fermentum eu, sodales cursus, magna. Donec eu purus. Quisque vehicula, urna sed ultricies auctor, pede lorem egestas dui, et convallis elit erat sed nulla. Donec luctus. Curabitur et nunc. Aliquam dolor odio, commodo pretium, ultricies non, pharetra in, velit. Integer arcu est, nonummy in, fermentum faucibus, egestas vel, odio.

Sed commodo posuere pede. Mauris ut est. Ut quis purus. Sed ac odio. Sed vehicula hendrerit sem. Duis non odio. Morbi ut dui. Sed accumsan risus eget odio. In hac habitasse platea dictumst. Pellentesque non elit. Fusce sed justo eu urna porta tincidunt. Mauris felis odio, sollicitudin sed, volutpat a, ornare ac, erat. Morbi quis dolor. Donec pellentesque, erat ac sagittis semper, nunc dui lobortis purus, quis congue purus metus ultricies tellus. Proin et quam. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Praesent sapien turpis, fermentum vel, eleifend faucibus, vehicula eu, lacus.

Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Donec odio elit, dictum in, hendrerit sit amet, egestas sed, leo. Praesent feugiat sapien aliquet odio. Integer vitae justo. Aliquam vestibulum fringilla lorem. Sed neque lectus, consectetur at, consectetur sed, eleifend ac, lectus. Nulla facilisi. Pellentesque eget lectus. Proin eu metus. Sed porttitor. In hac habitasse platea dictumst. Suspendisse eu lectus. Ut mi mi, lacinia sit amet, placerat et, mollis vitae, dui. Sed ante tellus, tristique ut, iaculis eu, malesuada ac, dui. Mauris nibh leo, facilisis non, adipiscing quis, ultrices a, dui.

Todo list

■	or rather ‘allocated’?	4
■	agents without items assigned have valuation zero → prevent	4
■	definition of approximation factor [def environment or in-text?]	4
■	or rather utility?	4
■	fix pos of subcaptions & of agent 2	6
■	What is the factor?	6
■	what exactly did SF11 show?	9
■	Do that or, alternatively, find a paper showing the other def.	9
■	ditto	9
■	rethink formulation	10
■	Possibly this whole estimation can be omitted as we ditch it in the following lemma.	10
■	possibly not or shorter	11
■	<i>i</i> : Due to my departure and my other university obligations, I was unable to finish this proof. But I think I got it.	11
■	fix notation	11
■	possibly not or shorter	12
■	decide on \mathbf{x} or \mathbf{x}^{III} ; discrepancies in orig paper in def of \mathbf{x}^{III} !	14
■	<i>i</i> : Minus the title page, the abstract, the todo list, the figure, the two algorithms, and this last page, the document is 11 pages long – with overestimating blindtext I hope. Possibly, section 6.3 might be worth a mention, too, although I haven’t thoroughly read it yet.	16

1 Introduction

- problem introduction, motivation, applications
- formal problem definition (incl. why geometric mean?)
- short literature review: What is known, what not? New findings?
- content & structure of paper

Definition 1. Let \mathcal{G} be a set of m indivisible *items* and \mathcal{A} be a set of n *agents*. An *allocation* is a tuple $\mathbf{x} = (\mathbf{x}_1, \dots, \mathbf{x}_n)$ of *bundles* $\mathbf{x}_i \subset \mathcal{G}$ such that each item is element of exactly one bundle, that is $\bigcup_{i \in \mathcal{A}} \mathbf{x}_i = \mathcal{G}$ and $\mathbf{x}_i \cap \mathbf{x}_{i'} = \emptyset$ for all $i \neq i'$. An item $j \in \mathcal{G}$ is *assigned* to agent $i \in \mathcal{A}$ if $j \in \mathbf{x}_i$ holds.

or rather
'alloc-
ated'?

⋮

Definition 2. Given a set \mathcal{G} of items and a set \mathcal{A} of agents with *valuations* $v_i: \mathcal{P}(\mathcal{G}) \rightarrow \mathbb{R}$ and *agent weights* η_i for all agents $i \in \mathcal{A}$, the *Nash Social Welfare problem* (NSW) is to find an allocation maximising the weighted geometric mean of valuations, that is

$$\arg \max_{\mathbf{x} \in \Pi_n(\mathcal{G})} \left\{ \left(\prod_{i \in \mathcal{A}} v_i(\mathbf{x}_i)^{\eta_i} \right)^{1/\sum_{i \in \mathcal{A}} \eta_i} \right\}$$

where $\Pi_n(\mathcal{G})$ is the set of all possible allocations of the items in \mathcal{G} amongst n agents. The problem is called *symmetric* if all agent weights η_i are equal, and *asymmetric* otherwise.

agents without items assigned have valuation zero \rightarrow prevent

⋮

In a slight abuse of notation, we omit curly braces delimiting a set in the arguments of a valuation function, so, for example, we write $v(j_1, j_2, \dots)$ but mean $v(\{j_1, j_2, \dots\})$.

⋮

definition of approximation factor [def environment or in-text?]

⋮

Garg, Kulkarni and Kulkarni [1] consider five different types of non-negative monotonically non-decreasing valuation functions of which we are going to consider only the following two due to space constraints:

Additive The valuation $v_i(\mathcal{S})$ of an agent i for a set $\mathcal{S} \subset \mathcal{G}$ of items j is the sum of individual valuations $v_i(j)$, that is $v_i(\mathcal{S}) = \sum_{j \in \mathcal{S}} v_i(j)$.

Submodular Let $v_i(\mathcal{S}_1 \mid \mathcal{S}_2) := v_i(\mathcal{S}_1 \cup \mathcal{S}_2) - v_i(\mathcal{S}_2)$ denote the marginal valuation of agent i for a set $\mathcal{S}_1 \subset \mathcal{G}$ of items over a *disjoint* set $\mathcal{S}_2 \subset \mathcal{G}$. This valuation functions satisfies the submodularity constraint $v_i(j \mid \mathcal{S}_1 \cup \mathcal{S}_2) \leq v_i(j \mid \mathcal{S}_1)$ for all agents $i \in \mathcal{A}$, items $j \in \mathcal{G}$ and sets $\mathcal{S}_1, \mathcal{S}_2 \subset \mathcal{G}$ of items.

or rather
utility?

We use *additive NSW* and *submodular NSW* as shorthands for the Nash social welfare problems with additive and submodular valuation functions, respectively.

Morbi luctus, wisi viverra faucibus pretium, nibh est placerat odio, nec commodo wisi enim eget quam. Quisque libero justo, consectetur a, feugiat vitae, porttitor eu, libero. Suspendisse sed mauris vitae elit sollicitudin malesuada. Maecenas ultricies eros sit amet ante. Ut venenatis velit. Maecenas sed mi eget dui varius euismod. Phasellus aliquet

volutpat odio. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Pellentesque sit amet pede ac sem eleifend consectetur. Nullam elementum, urna vel imperdiet sodales, elit ipsum pharetra ligula, ac pretium ante justo a nulla. Curabitur tristique arcu eu metus. Vestibulum lectus. Proin mauris. Proin eu nunc eu urna hendrerit faucibus. Aliquam auctor, pede consequat laoreet varius, eros tellus scelerisque quam, pellentesque hendrerit ipsum dolor sed augue. Nulla nec lacus.

Suspendisse vitae elit. Aliquam arcu neque, ornare in, ullamcorper quis, commodo eu, libero. Fusce sagittis erat at erat tristique mollis. Maecenas sapien libero, molestie et, lobortis in, sodales eget, dui. Morbi ultrices rutrum lorem. Nam elementum ullamcorper leo. Morbi dui. Aliquam sagittis. Nunc placerat. Pellentesque tristique sodales est. Maecenas imperdiet lacinia velit. Cras non urna. Morbi eros pede, suscipit ac, varius vel, egestas non, eros. Praesent malesuada, diam id pretium elementum, eros sem dictum tortor, vel consectetur odio sem sed wisi.

Sed feugiat. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Ut pellentesque augue sed urna. Vestibulum diam eros, fringilla et, consectetur eu, nonummy id, sapien. Nullam at lectus. In sagittis ultrices mauris. Curabitur malesuada erat sit amet massa. Fusce blandit. Aliquam erat volutpat. Aliquam euismod. Aenean vel lectus. Nunc imperdiet justo nec dolor.

Etiam euismod. Fusce facilisis lacinia dui. Suspendisse potenti. In mi erat, cursus id, nonummy sed, ullamcorper eget, sapien. Praesent pretium, magna in eleifend egestas, pede pede pretium lorem, quis consectetur tortor sapien facilisis magna. Mauris quis magna varius nulla scelerisque imperdiet. Aliquam non quam. Aliquam porttitor quam a lacus. Praesent vel arcu ut tortor cursus volutpat. In vitae pede quis diam bibendum placerat. Fusce elementum convallis neque. Sed dolor orci, scelerisque ac, dapibus nec, ultricies ut, mi. Duis nec dui quis leo sagittis commodo.

Aliquam lectus. Vivamus leo. Quisque ornare tellus ullamcorper nulla. Mauris porttitor pharetra tortor. Sed fringilla justo sed mauris. Mauris tellus. Sed non leo. Nullam elementum, magna in cursus sodales, augue est scelerisque sapien, venenatis congue nulla arcu et pede. Ut suscipit enim vel sapien. Donec congue. Maecenas urna mi, suscipit in, placerat ut, vestibulum ut, massa. Fusce ultrices nulla et nisl.

Etiam ac leo a risus tristique nonummy. Donec dignissim tincidunt nulla. Vestibulum rhoncus molestie odio. Sed lobortis, justo et pretium lobortis, mauris turpis condimentum augue, nec ultricies nibh arcu pretium enim. Nunc purus neque, placerat id, imperdiet sed, pellentesque nec, nisl. Vestibulum imperdiet neque non sem accumsan laoreet. In hac habitasse platea dictumst. Etiam condimentum facilisis libero. Suspendisse in elit quis nisl aliquam dapibus. Pellentesque auctor sapien. Sed egestas sapien nec lectus. Pellentesque vel dui vel neque bibendum viverra. Aliquam porttitor nisl nec pede. Proin mattis libero vel turpis. Donec rutrum mauris et libero. Proin euismod porta felis. Nam lobortis, metus quis elementum commodo, nunc lectus elementum mauris, eget vulputate ligula tellus eu neque. Vivamus eu dolor.

Nulla in ipsum. Praesent eros nulla, congue vitae, euismod ut, commodo a, wisi. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aenean nonummy magna non leo. Sed felis erat, ullamcorper in, dictum non, ultricies ut, lectus. Proin vel arcu a odio lobortis euismod. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Proin ut est. Aliquam odio. Pellentesque massa turpis, cursus eu, euismod nec, tempor congue, nulla. Duis viverra gravida mauris. Cras tincidunt. Curabitur eros ligula, varius ut, pulvinar in, cursus faucibus, augue.




Figure 1: An example showing that simple repeated matching without consideration of the future leads to an approximation factor dependent on the number m of items. Agent 1 values item 1 at $m + \epsilon$ and all other items at 1. Agent 2 values item 1 at m , item $m + 1$ at 1 and all other items at 0. In an optimal allocation, item 1 would be assigned to agent 2 and all other items to agent 1, resulting in a NSW of $\sqrt{m \cdot m} = m$. A repeated maximum matching algorithm would greedily assign item 1 to agent 1 and item $m + 1$ to agent 2 in the first round. Even if all remaining items were going to be assigned to agent 1, the NSW will never surpass $\sqrt{(2m + \epsilon - 1) \cdot 1} < \sqrt{2m}$. The approximation factor $\alpha \approx \sqrt{m/2}$ therefore depends on the number of items.

2 SMatch

In the case of an equal number of agents and items, i.e., $|\mathcal{A}| = n = m = |\mathcal{G}|$, the *additive* NSW can be solved exactly by finding a maximum matching on a bipartite graph with the sets of agents and of items as its parts; as weight of the edge between agent i and item j , use $\eta_i \log v_i(j)$, that is the weighted valuation of item j by agent i in the *logarithmic* Nash social welfare. Should there be more items than agents, then it would be obvious to just repeatedly find a maximum matching and assign the items accordingly until all items are assigned. The flaw of this idea is that such a greedy algorithm only considers the valuations of items in the current matching and perhaps the valuations of items already assigned. As the example in fig. 1 demonstrates, this leads to an algorithm with an approximation factor dependent on the number m of items. The geometric mean of the NSW favours allocations with similarly valued bundles, wherefore it may be beneficial for an agent to leave items to other agents if those agents cannot expect many more valuable items in the future.

The algorithm SMatch, described in algorithm 1, eliminates the flaw by first gaining foresight of the valuations of items assigned after the first matching, achieving an approximation factor of $2n$ (cf. theorem 1 later on). For a fixed agent i , order the items in descending order of the valuations by agent i and denote the j -th most liked item by \mathcal{G}_i^j . To obtain a well-defined order, items of equal rank are further ordered numerically. SMatch, too, does repeatedly match items. During the first matching, however, the edge weights are defined as $\eta_i \log(v_i(j) + u_i/n)$ for an edge between agent i and item j . The addend u_i serves as estimation of the valuation of items assigned after the first matching and is defined as

$$u_i := \min_{\substack{\mathcal{S} \subset \mathcal{G} \\ |\mathcal{S}| \leq 2n}} \{v_i(\mathcal{G} \setminus \mathcal{S})\} = v_i(\mathcal{G}_i^{2n+1}, \dots, \mathcal{G}_i^m). \quad (1)$$

fix pos of
subcap-
tions & of
agent 2

What is
the factor?

Algorithm 1: SMatch for the Asymmetric Additive NSW problem

Input : set \mathcal{A} of n agents with weights η_i for all agents $i \in \mathcal{A}$, set \mathcal{G} of indivisible m items, additive valuations $v_i: \mathcal{P}(\mathcal{G}) \rightarrow \mathbb{R}_0^+$ where $v_i(\mathcal{S})$ is the valuation of agent $i \in \mathcal{A}$ for each set $\mathcal{S} \subset \mathcal{G}$ of items

Output: $\frac{1}{2n}$ -approximation $\mathbf{x} = (\mathbf{x}_1, \dots, \mathbf{x}_n)$ of an optimal allocation

```

1  $\mathbf{x}_i \leftarrow \emptyset \quad \forall i \in \mathcal{A}$ 
2  $u_i \leftarrow v_i(\mathcal{G}_i^{2n+1}, \dots, \mathcal{G}_i^m) \quad \forall i \in \mathcal{A}$   $\triangleright$  est. valuations after the 1st matching
3  $\mathcal{W} \leftarrow \{ \eta_i \cdot \log(v_i(j) + u_i/n) \mid i \in \mathcal{A}, j \in \mathcal{G} \}$   $\triangleright$  edge weights
4  $G \leftarrow (\mathcal{A}, \mathcal{G}, \mathcal{W})$   $\triangleright$  bipartite graph
5  $\mathcal{M} \leftarrow \text{max\_weight\_matching}(G)$ 
6  $\mathbf{x}_i \leftarrow \{ j \mid (i, j) \in \mathcal{M} \} \quad \forall i \in \mathcal{A}$   $\triangleright$  assign according to matching
7  $\mathcal{G}^{\text{rem}} \leftarrow \mathcal{G} \setminus \{ j \mid (i, j) \in \mathcal{M} \}$   $\triangleright$  remove assigned items
8 while  $\mathcal{G}^{\text{rem}} \neq \emptyset$  do
9    $\mathcal{W} \leftarrow \{ \eta_i \cdot \log(v_i(j) + v_i(\mathbf{x}_i)) \mid i \in \mathcal{A}, j \in \mathcal{G}^{\text{rem}} \}$ 
10   $G \leftarrow (\mathcal{A}, \mathcal{G}^{\text{rem}}, \mathcal{W})$ 
11   $\mathcal{M} \leftarrow \text{max\_weight\_matching}(G)$ 
12   $\mathbf{x}_i \leftarrow \mathbf{x}_i \cup \{ j \mid (i, j) \in \mathcal{M} \} \quad \forall i \in \mathcal{A}$ 
13   $\mathcal{G}^{\text{rem}} \leftarrow \mathcal{G}^{\text{rem}} \setminus \{ j \mid (i, j) \in \mathcal{M} \}$ 
14 end while
15 return  $\mathbf{x}$ 

```

The set \mathcal{S} has less than $2n$ elements only if there are less than $2n$ items in total. From the second matching onwards, the edge weights are defined as $\eta_i \log(v_i(j) + v_i(\mathbf{x}_i))$, where \mathbf{x}_i is the continuously updated bundle of agent i . The addend $v_i(\mathbf{x}_i)$ could lead to better allocations in applications, but does not improve the approximation factor asymptotically.

For convenience, we order the items in the final bundle $\mathbf{x}_i = \{h_i^1, \dots, h_i^{\tau_i}\}$ of agent i by the order in which they were assigned, so that item h_i^t is assigned according to the t -th matching. To calculate the approximation factor of SMatch, we first need to establish a lower bound on the valuation of single items.

Lemma 1. *For each agent $i \in \mathcal{A}$ and her final bundle $\mathbf{x}_i = \{h_i^1, \dots, h_i^{\tau_i}\}$, the item h_i^t is worth at least as much as the overall tn -th most highly valued item \mathcal{G}_i^{tn} , i. e. $v_i(h_i^t) \geq v_i(\mathcal{G}_i^{tn})$, for all $t = 1, \dots, \tau_i$.*

Proof. At the start of the t -th round, no more than $(t-1)n$ items out of the tn most highly valued items $\mathcal{G}_i^1, \dots, \mathcal{G}_i^{tn}$ have been assigned in previous rounds since at most n items are assigned in each iteration. During the t -th round, at most $n-1$ more of those highly valued items could be assigned to all other agents $i' \neq i$, leaving at least one item in $\mathcal{G}_i^1, \dots, \mathcal{G}_i^{tn}$ unassigned. Since $v_i(\mathcal{G}_i^k) \geq v_i(\mathcal{G}_i^{tn})$ for all $k \leq tn$ by definition of \mathcal{G}_i^k , the lemma follows. \square

We can now establish $u_i/n = v_i(\mathcal{G}_i^{2n+1}, \dots, \mathcal{G}_i^m)/n$ as lower bound on the valuations of items assigned after the first matching.

Lemma 2. *For each agent $i \in \mathcal{A}$ and her final bundle $\mathbf{x}_i = \{h_i^1, \dots, h_i^{\tau_i}\}$, it holds $v_i(h_i^2, \dots, h_i^{\tau_i}) \geq u_i/n$, where n is the number of items and $u_i = v_i(\mathcal{G}_i^{2n+1}, \dots, \mathcal{G}_i^m)$.*

Proof. By lemma 1 and definition of \mathcal{G}_i^k , every item h_i^t is worth at least as much as each item \mathcal{G}_i^{tn+k} with $k \in \{0, \dots, n-1\}$ and, consequently, its valuation $v_i(h_i^t)$ is at least as high

as the mean valuation $\frac{1}{n}v_i(\mathcal{G}_i^{tn}, \dots, \mathcal{G}_i^{tn+n-1})$. Further, it holds $\tau_i n + n \geq m$ since each agent receives items for at least $\lfloor \frac{m}{n} \rfloor \geq \frac{m}{n} - 1$ rounds. Together, this yields

$$v_i(h_i^2, \dots, h_i^{\tau_i}) = \sum_{t=2}^{\tau_i} v_i(h_i^t) \geq \sum_{t=2}^{\tau_i} \frac{1}{n} v_i(\mathcal{G}_i^{tn}, \dots, \mathcal{G}_i^{tn+n-1}) \quad (2)$$

$$\geq \frac{1}{n} v_i(\mathcal{G}_i^{2n}, \dots, \mathcal{G}_i^{m-1}) \geq \frac{1}{n} v_i(\mathcal{G}_i^{2n+1}, \dots, \mathcal{G}_i^m) = \frac{u_i}{n} \quad (3)$$

with the last inequality stemming from $v_i(\mathcal{G}_i^{2n}) \geq v_i(\mathcal{G}_i^m)$. \square

Remark 1. In lemma 2, we assumed non-zero valuations for all items, hence the bundle lengths of $\tau_i \geq \lfloor \frac{m}{n} \rfloor$. Of course in an actual program, one would not assign items to agents who value them at zero. Inasmuch as additional zeros in eq. (3) do not change the sum, lemma 2 still holds nevertheless.

This allows us to calculate an approximation factor for SMatch by comparing its output with an optimal allocation \mathbf{x}^* .

Theorem 1. *SMatch has an approximation factor of $2n$.*

Proof. Lemma 2 can be plugged into the logarithmic NSW:

$$\log \text{NSW}(\mathbf{x}) = \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log v_i(h_i^1, \dots, h_i^{\tau_i}) \quad (4)$$

$$= \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log(v_i(h_i^1) + v_i(h_i^2, \dots, h_i^{\tau_i})) \quad (5)$$

$$\geq \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log(v_i(h_i^1) + u_i/n) \quad (6)$$

Notice that the first matching of SMatch maximises the sum in eq. (6). Thus, assigning all agents i their respective most highly valued item g_i^1 in an optimal bundle $\mathbf{x}_i^* = \{g_i^1, \dots, g_i^{\tau_i^*}\}$ yields the even lower bound

$$\log \text{NSW}(\mathbf{x}) \geq \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log(v_i(g_i^1) + u_i/n). \quad (7)$$

Recall the definition of u_i from eq. (1). Consider a slightly modified variant:

$$u_i = \min_{\substack{\mathcal{S} \subset \mathcal{G} \\ |\mathcal{S}| \leq 2n}} \{v_i(\mathcal{G} \setminus \mathcal{S})\} \quad \text{or, alternatively,} \quad u_i = v_i(\mathcal{G} \setminus \mathcal{S}_i) \quad \text{with} \quad \mathcal{S}_i := \arg \min_{\substack{\mathcal{S} \subset \mathcal{G} \\ |\mathcal{S}| \leq 2n}} \{v_i(\mathcal{G} \setminus \mathcal{S})\} \quad (8)$$

Moreover, consider the set \mathcal{S}_i^* of the (at most) $2n$ most highly valued items in the optimal bundle \mathbf{x}_i^* , i. e.

$$\mathcal{S}_i^* := \arg \min_{\substack{\mathcal{S} \subset \mathcal{G} \\ |\mathcal{S}| \leq 2n}} \{v_i(\mathbf{x}_i^* \setminus \mathcal{S})\}. \quad (9)$$

We get the lower bound $v_i(g_i^1) \geq \frac{1}{2n} v_i(\mathcal{S}^*)$ from a similar argument as in the proof of lemma 2. Further, it holds $u_i = v_i(\mathcal{G} \setminus \mathcal{S}_i) \geq v_i(\mathbf{x}_i^* \setminus \mathcal{S}_i) \geq v_i(\mathbf{x}_i^* \setminus \mathcal{S}_i^*)$. We can substitute these two inequalities into eq. (7) and prove the theorem thereby:

$$\log \text{NSW}(\mathbf{x}) \geq \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log \left(\frac{v_i(\mathcal{S}_i^*)}{2n} + \frac{v_i(\mathbf{x}_i^* \setminus \mathcal{S}_i^*)}{n} \right) \quad (10)$$

$$\geq \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log \left(\frac{v_i(\mathbf{x}_i^*)}{2n} \right) = \log \left(\frac{\text{NSW}(\mathbf{x}^*)}{2n} \right) \quad (11)$$

\square

3 RepReMatch

- SMatch does not work for general submodular valuations since we need to detect the set of lowest valuation. This is not possible independent of m [SF11].

what exactly did SF11 show?

First, we give a lower bound on the valuation of an agent i for her optimal items which still may be assigned to her in phase II.

Lemma 3. *During phase II, each agent $i \in \mathcal{A}$ gets assigned a bundle $\mathbf{x}_i^\Pi = \{h_i^1, \dots, h_i^{\tau_i^\Pi}\}$. For all rounds $r = 2, \dots, \tau_i^\Pi$, the following inequality about her set $\bar{\mathbf{x}}_{i,r}^*$ of optimal and attainable items holds true:*

$$v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1}) \geq u_i^* - \ell_{i,2} \cdot v_i(h_i^1) - \sum_{r'=2}^{r-1} \ell_{i,r'} \cdot v_i(h_i^{r'} \mid h_i^1, \dots, h_i^{r'-1}) - v_i(h_i^1, \dots, h_i^{r-1}),$$

where $\ell_{i,l}$ is the size of her set $\mathcal{L}_{i,l} \subset \bar{\mathbf{x}}_{i,l-1}^*$ of optimal items which were attainable in round $l-1$ and were assigned to other agents in round l , and $u_i^* = v_i(\bar{\mathbf{x}}_{i,1}^*)$ is her valuation of attainable and optimal items during the first round.

Proof. We prove the lemma by induction on the number r of rounds. In the beginning of the base case $r = 2$, agent i has already been assigned item h_i^1 but not the items in set $\mathcal{L}_{i,1}$. For each of the remaining optimal and attainable items j in round 1, the marginal valuation $v_i(j \mid \emptyset)$ over the empty set is at most $v_i(h_i^1 \mid \emptyset)$, as otherwise item h_i^1 would not have been assigned first. Furthermore, the marginal valuation $v_i(j \mid h_i^1)$ over $\{h_i^1\}$ is upper-bounded by $v_i(h_i^1 \mid \emptyset)$ due to the submodularity of valuations. During the round, a further $\ell_{i,2}$ out of these items are assigned to other agents, and item h_i^2 is assigned to agent i . We can bound the marginal valuation of the remaining optimal and attainable items in round 2 in the following way:

Case 1— $h_i^1 \in \bar{\mathbf{x}}_{i,1}^*$: It holds $v_i(\bar{\mathbf{x}}_{i,2}^* \mid h_i^1) = v_i(\bar{\mathbf{x}}_{i,2}^* \cup \{h_i^1\}) - v_i(h_i^1) = v_i(\bar{\mathbf{x}}_{i,1}^* \setminus \mathcal{L}_{i,2}) - v_i(h_i^1)$.

Case 2— $h_i^1 \notin \bar{\mathbf{x}}_{i,1}^*$: Due to the monotonicity of valuations, it holds $v_i(\bar{\mathbf{x}}_{i,2}^* \cup \{h_i^1\}) \geq v_i(\bar{\mathbf{x}}_{i,2}^*)$ and, therefore, $v_i(\bar{\mathbf{x}}_{i,2}^* \mid h_i^1) \geq v_i(\bar{\mathbf{x}}_{i,2}^*) - v_i(h_i^1) = v_i(\bar{\mathbf{x}}_{i,1}^* \setminus \mathcal{L}_{i,2}) - v_i(h_i^1)$.

In both cases, the base case is proved because

$$v_i(\bar{\mathbf{x}}_{i,2}^* \mid h_i^1) \geq v_i(\bar{\mathbf{x}}_{i,1}^* \setminus \mathcal{L}_{i,2}) - v_i(h_i^1) \quad (12)$$

$$\geq v_i(\bar{\mathbf{x}}_{i,2}^*) - v_i(\mathcal{L}_{i,2}) - v_i(h_i^1) \quad (13)$$

$$\geq u_i^* - \ell_{i,2} v_i(h_i^1) - v_i(h_i^1), \quad (14)$$

where the second inequality can be shown inductively with the definition of submodularity, and the third inequality is due all $\ell_{i,2}$ items j in $\mathcal{L}_{i,2}$ being attainable but not assigned in round 1, implying $v_i(j) \leq v_i(h_i^1)$.

As induction hypothesis, we assume that the lemma is true for all rounds up to some r . For the induction step $r \rightarrow r+1$, we differentiate the same two cases again:

Case 1— $h_i^r \in \bar{\mathbf{x}}_{i,r}^*$: Again we use the submodularity of valuations to obtain a lower bound on the marginal valuation of $\bar{\mathbf{x}}_{i,r+1}^*$.

$$v_i(\bar{\mathbf{x}}_{i,r+1}^* \mid h_i^1, \dots, h_i^r) = v_i(\bar{\mathbf{x}}_{i,r+1}^* \cup \{h_i^r\} \mid h_i^1, \dots, h_i^{r-1}) - v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1}) \quad (15)$$

$$= v_i(\bar{\mathbf{x}}_{i,r}^* \setminus \mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^{r-1}) - v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1}) \quad (16)$$

$$\geq v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1}) - v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1}) - v_i(\mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^{r-1}) \quad (17)$$

Do that or, alternatively, find a paper showing ditto other def.

Case 2— $h_i^r \notin \bar{\mathbf{x}}_{i,r}^*$: We use the monotonicity of valuations for the inequality

$$v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^r) = v_i(\bar{\mathbf{x}}_{i,r}^* \cup \{h_i^1, \dots, h_i^r\}) - v_i(h_i^1, \dots, h_i^r) \quad (18)$$

$$\geq v_i(\bar{\mathbf{x}}_{i,r}^* \cup \{h_i^1, \dots, h_i^{r-1}\}) - v_i(h_i^1, \dots, h_i^r) \quad (19)$$

$$= (v_i(\bar{\mathbf{x}}_{i,r}^* \cup \{h_i^1, \dots, h_i^{r-1}\}) - v_i(h_i^1, \dots, h_i^{r-1})) - (v_i(h_i^1, \dots, h_i^r) - v_i(h_i^1, \dots, h_i^{r-1})) \quad (20)$$

$$= v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1}) - v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1}) \quad (21)$$

after first using the submodularity twice to obtain the same lower bound again:

$$v_i(\bar{\mathbf{x}}_{i,r+1}^* \mid h_i^1, \dots, h_i^r) = v_i(\bar{\mathbf{x}}_{i,r}^* \setminus \mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^r) \quad (22)$$

$$\geq v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^r) - v_i(\mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^r) \quad (23)$$

$$\geq v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^r) - v_i(\mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^{r-1}) \quad (24)$$

$$\geq v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1}) - v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1}) - v_i(\mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^{r-1}) \quad (25)$$

rethink
formula-
tion

In both cases, we can replace $v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1})$ by the induction hypothesis and $v_i(\mathcal{L}_{i,r+1} \mid h_i^1, \dots, h_i^{r-1})$ by $\ell_{i,r+1} \cdot v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1})$ to prove the lemma. For more details we refer to Garg, Kulkarni and Kulkarni [1, p. 14]. \square

The lemma can be used to find a lower bound on the marginal valuation of the items assigned in each round r .

Corollary 1. *From lemma 3 follows*

$$v_i(h_i^r \mid h_i^1, \dots, h_i^{r-1}) \geq \left(u_i^* - \ell_{i,2} \cdot v_i(h_i^1) - \sum_{r'=2}^{r-1} \ell_{i,r'+1} \cdot v_i(h_i^{r'} \mid h_i^1, \dots, h_i^{r'-1}) - v_i(h_i^1, \dots, h_i^{r-1}) \right) / \left(\bar{\tau}_{i,0}^* - \sum_{l=1}^r \ell_{i,l} \right)$$

where $\bar{\tau}_{i,0}^* := |\bar{\mathbf{x}}_{i,0}^*|$ denotes the number of optimal and attainable items after phase I.

Proof. There are $\bar{\tau}_{i,0}^*$ optimal and attainable items in $\bar{\mathbf{x}}_{i,0}^*$ at the start of phase II. Of those, $\ell_{i,l}$ many are assigned to other agents in each round $l \leq r$, and also some items h_i^l assigned to agent i may be optimal, whence an upper bound of $\bar{\tau}_{i,0}^* - \sum_{l=1}^r \ell_{i,l}$ on the number $\bar{\tau}_{i,r}^*$ of items in the set $\bar{\mathbf{x}}_{i,r}^*$.

The valuations are monotonic, i.e., $v_i(\mathcal{S}_1) \leq v_i(\mathcal{S}_2)$ for all sets $\mathcal{S}_1 \subset \mathcal{S}_2 \subset \mathcal{G}$ of items. Induction shows that there must be an item $j \in \bar{\mathbf{x}}_{i,r}^*$ with a marginal valuation of at least $v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1}) / \bar{\tau}_{i,r}^*$. As item h_i^r was the one to be assigned, the marginal valuation of it cannot be smaller. Using lemma 3 for the value of $v_i(\bar{\mathbf{x}}_{i,r}^* \mid h_i^1, \dots, h_i^{r-1})$ proves the corollary. \square

This, finally, enables us to give a lower bound on the valuation of the whole bundle assigned in phase II.

Lemma 4. *For each agent $i \in \mathcal{A}$ and her bundle $\mathbf{x}_i^{\text{II}} = \{h_i^1, \dots, h_i^{\tau_i^{\text{II}}}\}$ assigned in phase II, her valuation $v_i(\mathbf{x}_i^{\text{II}})$ of her bundle is lower-bounded by her valuation $u_i^* = v_i(\bar{\mathbf{x}}_{i,1}^*)$ of the optimal and attainable items in $\bar{\mathbf{x}}_{i,1}^*$ after the first round divided by the number n of agents, i.e.,*

$$v_i(h_i^1, \dots, h_i^{\tau_i^{\text{II}}}) \geq u_i^* / n.$$

Possibly
this whole
estimation
can be
omitted as
we ditch
it in the
following
lemma.

Proof. In each round $r = 1, \dots, \tau_i^\Pi$, $\ell_{i,r}$ optimal and attainable items of agent i are assigned to other agents. As there are n agents in total, $n-1$ is an upper bound on $\ell_{i,r}$. Furthermore, after τ_i^Π rounds, the number $\bar{\tau}_{i,\tau_i^\Pi}^* \leq \bar{\tau}_{i,0}^* - \sum_{l=1}^{\tau_i^\Pi} \ell_{i,l}$ of optimal and attainable items is at most $n-1 \leq n$ else she would have been assigned yet another item. Together with corollary 1, this proves the lemma:

$$v_i(h_i^1, \dots, h_i^{\tau_i^\Pi}) = v_i(h_i^{\tau_i^\Pi} \mid h_i^1, \dots, h_i^{\tau_i^\Pi-1}) + v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1}) \quad (26)$$

$$\geq \left(u_i^* - \ell_{i,2} \cdot v_i(h_i^1) - \sum_{r'=2}^{\tau_i^\Pi-1} \ell_{i,r'+1} \cdot v_i(h_i^{r'} \mid h_i^1, \dots, h_i^{r'-1}) \right. \quad (27)$$

$$\left. - v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1}) \right) / \left(\bar{\tau}_{i,0}^* - \sum_{l=1}^{\tau_i^\Pi} \ell_{i,l} \right) + v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1})$$

$$\geq \left(u_i^* - (n-1)v_i(h_i^1) - \sum_{r'=2}^{\tau_i^\Pi-1} (n-1) \cdot v_i(h_i^{r'} \mid h_i^1, \dots, h_i^{r'-1}) \right. \quad (28)$$

$$\left. - v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1}) \right) / n + v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1})$$

$$\geq (u_i^* - (n-1)v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1}) - v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1})) / n \quad (29)$$

$$+ v_i(h_i^1, \dots, h_i^{\tau_i^\Pi-1})$$

$$= u_i^* / n \quad (30)$$

□

Remark 2. possibly not or shorter

After having obtained a lower bound on the valuation of items assigned in phase II, we need a lower bound for phase III as well. To this end, we introduce the concept of *overly good* items, that is items which some agent i values at least as high as her most valuable optimal item g_i^1 . The set of overly good items for an agent i is denoted by

$$\mathcal{G}_i^+ := \{ j \in \mathcal{G} \mid v_i(j) \geq v_i(g_i^1) \}. \quad (31)$$

Lemma 5. *In the beginning of phase III, there exists a matching such that each agent $i \in \mathcal{A}$ is matched to one of her overly good items in $\bigcup_{i' \in \mathcal{A}} \mathbf{x}_{i'}^1$.*

Proof.

i: Due to my departure and my other university obligations, I was unable to finish this proof. But I think I got it.

□

Theorem 2. *RepReMatch has an approximation factor of $2n(\log n + 2)$.*

Proof. Because of lemma 5, we can assign each agent i an overly good item $j_i^* \in \mathcal{G}_i^+$ of hers during the first matching of phase III. RepReMatch maximises the logarithmic Nash social welfare in that step, so we get

fix notation

$$\log \text{NSW}(\mathbf{x}_i^{\text{III}}) \geq \frac{1}{\sum_{i \in \mathcal{A}} \eta_i} \cdot \sum_{i \in \mathcal{A}} \eta_i \log v_i(j_i^*, h_i^1, \dots, h_i^{\tau_i^\Pi}) \quad (32)$$

as lower bound on the NSW after the first matching in phase III, whereby $\mathbf{x}_i^\Pi = \{h_i^1, \dots, h_i^{\tau_i^\Pi}\}$ is the bundle of agent i assigned in phase II.

Nulla mattis luctus nulla. Duis commodo velit at leo. Aliquam vulputate magna et leo. Nam vestibulum ullamcorper leo. Vestibulum condimentum rutrum mauris. Donec id mauris. Morbi molestie justo et pede. Vivamus eget turpis sed nisl cursus tempor. Curabitur mollis sapien condimentum nunc. In wisi nisl, malesuada at, dignissim sit amet, lobortis in, odio. Aenean consequat arcu a ante. Pellentesque porta elit sit amet orci. Etiam at turpis nec elit ultricies imperdiet. Nulla facilisi. In hac habitasse platea dictumst. Suspendisse viverra aliquam risus. Nullam pede justo, molestie nonummy, scelerisque eu, facilisis vel, arcu.

Curabitur tellus magna, porttitor a, commodo a, commodo in, tortor. Donec interdum. Praesent scelerisque. Maecenas posuere sodales odio. Vivamus metus lacus, varius quis, imperdiet quis, rhoncus a, turpis. Etiam ligula arcu, elementum a, venenatis quis, sollicitudin sed, metus. Donec nunc pede, tincidunt in, venenatis vitae, faucibus vel, nibh. Pellentesque wisi. Nullam malesuada. Morbi ut tellus ut pede tincidunt porta. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Etiam congue neque id dolor.

Donec et nisl at wisi luctus bibendum. Nam interdum tellus ac libero. Sed sem justo, laoreet vitae, fringilla at, adipiscing ut, nibh. Maecenas non sem quis tortor eleifend fermentum. Etiam id tortor ac mauris porta vulputate. Integer porta neque vitae massa. Maecenas tempus libero a libero posuere dictum. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Aenean quis mauris sed elit commodo placerat. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Vivamus rhoncus tincidunt libero. Etiam elementum pretium justo. Vivamus est. Morbi a tellus eget pede tristique commodo. Nulla nisl. Vestibulum sed nisl eu sapien cursus rutrum. □

Remark 3. possibly not or shorter

Other text in this section:

Nulla non mauris vitae wisi posuere convallis. Sed eu nulla nec eros scelerisque pharetra. Nullam varius. Etiam dignissim elementum metus. Vestibulum faucibus, metus sit amet mattis rhoncus, sapien dui laoreet odio, nec ultricies nibh augue a enim. Fusce in ligula. Quisque at magna et nulla commodo consequat. Proin accumsan imperdiet sem. Nunc porta. Donec feugiat mi at justo. Phasellus facilisis ipsum quis ante. In ac elit eget ipsum pharetra faucibus. Maecenas viverra nulla in massa.

Nulla ac nisl. Nullam urna nulla, ullamcorper in, interdum sit amet, gravida ut, risus. Aenean ac enim. In luctus. Phasellus eu quam vitae turpis viverra pellentesque. Duis feugiat felis ut enim. Phasellus pharetra, sem id porttitor sodales, magna nunc aliquet nibh, nec blandit nisl mauris at pede. Suspendisse risus risus, lobortis eget, semper at, imperdiet sit amet, quam. Quisque scelerisque dapibus nibh. Nam enim. Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nunc ut metus. Ut metus justo, auctor at, ultrices eu, sagittis ut, purus. Aliquam aliquam.

Etiam pede massa, dapibus vitae, rhoncus in, placerat posuere, odio. Vestibulum luctus commodo lacus. Morbi lacus dui, tempor sed, euismod eget, condimentum at, tortor. Phasellus aliquet odio ac lacus tempor faucibus. Praesent sed sem. Praesent iaculis. Cras rhoncus tellus sed justo ullamcorper sagittis. Donec quis orci. Sed ut tortor quis tellus euismod tincidunt. Suspendisse congue nisl eu elit. Aliquam tortor diam, tempus id, tristique eget, sodales vel, nulla. Praesent tellus mi, condimentum sed, viverra at, consectetur quis, lectus. In auctor vehicula orci. Sed pede sapien, euismod in, suscipit in, pharetra placerat, metus. Vivamus commodo dui non odio. Donec et felis.

Etiam suscipit aliquam arcu. Aliquam sit amet est ac purus bibendum congue. Sed in eros. Morbi non orci. Pellentesque mattis lacinia elit. Fusce molestie velit in ligula.

Nullam et orci vitae nibh vulputate auctor. Aliquam eget purus. Nulla auctor wisi sed ipsum. Morbi porttitor tellus ac enim. Fusce ornare. Proin ipsum enim, tincidunt in, ornare venenatis, molestie a, augue. Donec vel pede in lacus sagittis porta. Sed hendrerit ipsum quis nisl. Suspendisse quis massa ac nibh pretium cursus. Sed sodales. Nam eu neque quis pede dignissim ornare. Maecenas eu purus ac urna tincidunt congue.

Donec et nisl id sapien blandit mattis. Aenean dictum odio sit amet risus. Morbi purus. Nulla a est sit amet purus venenatis iaculis. Vivamus viverra purus vel magna. Donec in justo sed odio malesuada dapibus. Nunc ultrices aliquam nunc. Vivamus facilisis pellentesque velit. Nulla nunc velit, vulputate dapibus, vulputate id, mattis ac, justo. Nam mattis elit dapibus purus. Quisque enim risus, congue non, elementum ut, mattis quis, sem. Quisque elit.

Maecenas non massa. Vestibulum pharetra nulla at lorem. Duis quis quam id lacus dapibus interdum. Nulla lorem. Donec ut ante quis dolor bibendum condimentum. Etiam egestas tortor vitae lacus. Praesent cursus. Mauris bibendum pede at elit. Morbi et felis a lectus interdum facilisis. Sed suscipit gravida turpis. Nulla at lectus. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia Curae; Praesent nonummy luctus nibh. Proin turpis nunc, congue eu, egestas ut, fringilla at, tellus. In hac habitasse platea dictumst.

Vivamus eu tellus sed tellus consequat suscipit. Nam orci orci, malesuada id, gravida nec, ultricies vitae, erat. Donec risus turpis, luctus sit amet, interdum quis, porta sed, ipsum. Suspendisse condimentum, tortor at egestas posuere, neque metus tempor orci, et tincidunt urna nunc a purus. Sed facilisis blandit tellus. Nunc risus sem, suscipit nec, eleifend quis, cursus quis, libero. Curabitur et dolor. Sed vitae sem. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Maecenas ante. Duis ullamcorper enim. Donec tristique enim eu leo. Nullam molestie elit eu dolor. Nullam bibendum, turpis vitae tristique gravida, quam sapien tempor lectus, quis pretium tellus purus ac quam. Nulla facilisi.

Duis aliquet dui in est. Donec eget est. Nunc lectus odio, varius at, fermentum in, accumsan non, enim. Aliquam erat volutpat. Proin sit amet nulla ut eros consectetur cursus. Phasellus dapibus aliquam justo. Nunc laoreet. Donec consequat placerat magna. Duis pretium tincidunt justo. Sed sollicitudin vestibulum quam. Nam quis ligula. Vivamus at metus. Etiam imperdiet imperdiet pede. Aenean turpis. Fusce augue velit, scelerisque sollicitudin, dictum vitae, tempor et, pede. Donec wisi sapien, feugiat in, fermentum ut, sollicitudin adipiscing, metus.

Donec vel nibh ut felis consectetur laoreet. Donec pede. Sed id quam id wisi laoreet suscipit. Nulla lectus dolor, aliquam ac, fringilla eget, mollis ut, orci. In pellentesque justo in ligula. Maecenas turpis. Donec eleifend leo at felis tincidunt consequat. Aenean turpis metus, malesuada sed, condimentum sit amet, auctor a, wisi. Pellentesque sapien elit, bibendum ac, posuere et, congue eu, felis. Vestibulum mattis libero quis metus scelerisque ultrices. Sed purus.

Donec molestie, magna ut luctus ultrices, tellus arcu nonummy velit, sit amet pulvinar elit justo et mauris. In pede. Maecenas euismod elit eu erat. Aliquam augue wisi, facilisis congue, suscipit in, adipiscing et, ante. In justo. Cras lobortis neque ac ipsum. Nunc fermentum massa at ante. Donec orci tortor, egestas sit amet, ultrices eget, venenatis eget, mi. Maecenas vehicula leo semper est. Mauris vel metus. Aliquam erat volutpat. In rhoncus sapien ac tellus. Pellentesque ligula.

Algorithm 2: RepReMatch for the Asymmetric Submodular NSW problem

Input : set \mathcal{A} of n agents with weights η_i for all agents $i \in \mathcal{A}$, set \mathcal{G} of indivisible m items, submodular valuations $v_i: \mathcal{P}(\mathcal{G}) \rightarrow \mathbb{R}_0^+$ where $v_i(\mathcal{S})$ is the valuation of agent $i \in \mathcal{A}$ for each set $\mathcal{S} \subset \mathcal{G}$ of items

Output: $\frac{1}{2n(\log n + 2)}$ -approximation $\mathbf{x}^{\text{III}} = (\mathbf{x}_1^{\text{III}}, \dots, \mathbf{x}_n^{\text{III}})$ of an optimal allocation

Phase I:

```

1  $\mathbf{x}_i^{\text{I}} \leftarrow \emptyset \quad \forall i \in \mathcal{A}$ 
2  $\mathcal{G}^{\text{rem}} \leftarrow \mathcal{G}$ 
3 for  $t \leftarrow 1, \dots, \lceil \log_2 n \rceil + 2$  do
4   if  $\mathcal{G}^{\text{rem}} \neq \emptyset$  then
5      $\mathcal{W} \leftarrow \{ \eta_i \cdot \log(v_i(j)) \mid i \in \mathcal{A}, j \in \mathcal{G}^{\text{rem}} \}$ 
6      $G \leftarrow (\mathcal{A}, \mathcal{G}^{\text{rem}}, \mathcal{W})$ 
7      $\mathcal{M} \leftarrow \text{max\_weight\_matching}(G)$ 
8      $\mathbf{x}_i^{\text{I}} \leftarrow \mathbf{x}_i^{\text{I}} \cup \{j\} \quad \forall (i, j) \in \mathcal{M}$ 
9      $\mathcal{G}^{\text{rem}} \leftarrow \mathcal{G}^{\text{rem}} \setminus \{j \mid (i, j) \in \mathcal{M}\}$ 
10  end if
11 end for
```

Phase II:

```

12  $\mathbf{x}_i^{\text{II}} \leftarrow \emptyset \quad \forall i \in \mathcal{A}$   $\triangleright$  put allocation  $\mathbf{x}^{\text{I}}$  aside and start a new one
13 while  $\mathcal{G}^{\text{rem}} \neq \emptyset$  do
14    $\mathcal{W} \leftarrow \{ \eta_i \cdot \log(v_i(\mathbf{x}_i^{\text{II}} \cup \{j\})) \mid i \in \mathcal{A}, j \in \mathcal{G}^{\text{rem}} \}$ 
15    $G \leftarrow (\mathcal{A}, \mathcal{G}^{\text{rem}}, \mathcal{W})$ 
16    $\mathcal{M} \leftarrow \text{max\_weight\_matching}(G)$ 
17    $\mathbf{x}_i^{\text{II}} \leftarrow \mathbf{x}_i^{\text{II}} \cup \{j\} \quad \forall (i, j) \in \mathcal{M}$ 
18    $\mathcal{G}^{\text{rem}} \leftarrow \mathcal{G}^{\text{rem}} \setminus \{j \mid (i, j) \in \mathcal{M}\}$ 
19 end while
```

Phase III:

```

20  $\mathcal{G}^{\text{rem}} \leftarrow \bigcup_{i \in \mathcal{A}} \mathbf{x}_i^{\text{I}}$   $\triangleright$  release items assigned in phase I
21  $\mathcal{W} \leftarrow \{ \eta_i \cdot \log(v_i(\mathbf{x}_i^{\text{II}} \cup \{j\})) \mid i \in \mathcal{A}, j \in \mathcal{G}^{\text{rem}} \}$ 
22  $G \leftarrow (\mathcal{A}, \mathcal{G}^{\text{rem}}, \mathcal{W})$ 
23  $\mathcal{M} \leftarrow \text{max\_weight\_matching}(G)$ 
24  $\mathbf{x}_i^{\text{III}} \leftarrow \mathbf{x}_i^{\text{II}} \cup \{j\} \quad \forall (i, j) \in \mathcal{M}$ 
25  $\mathcal{G}^{\text{rem}} \leftarrow \mathcal{G}^{\text{rem}} \setminus \{j \mid (i, j) \in \mathcal{M}\}$ 
26  $\mathbf{x}_i^{\text{III}} \leftarrow \text{arbitrary\_allocation}(\mathcal{A}, \mathcal{G}^{\text{rem}}, \mathbf{x}_i^{\text{III}}, (v_i)_{i \in \mathcal{A}})$ 
28 return  $\mathbf{x}^{\text{III}}$ 
```

decide on \mathbf{x} or \mathbf{x}^{III} , discrepancies in orig paper in def of \mathbf{x}^{III} !

4 Hardness of Approximation

- probably close to the original section

Cras dapibus, augue quis scelerisque ultricies, felis dolor placerat sem, id porta velit odio eu elit. Aenean interdum nibh sed wisi. Praesent sollicitudin vulputate dui. Praesent iaculis viverra augue. Quisque in libero. Aenean gravida lorem vitae sem ullamcorper cursus. Nunc adipiscing rutrum ante. Nunc ipsum massa, faucibus sit amet, viverra vel, elementum semper, orci. Cras eros sem, vulputate et, tincidunt id, ultrices eget, magna. Nulla varius ornare odio. Donec accumsan mauris sit amet augue. Sed ligula lacus, laoreet non, aliquam sit amet, iaculis tempor, lorem. Suspendisse eros. Nam porta, leo sed congue tempor, felis est ultrices eros, id mattis velit felis non metus. Curabitur vitae elit non mauris varius pretium. Aenean lacus sem, tincidunt ut, consequat quis, porta vitae, turpis. Nullam laoreet fermentum urna. Proin iaculis lectus.

Sed mattis, erat sit amet gravida malesuada, elit augue egestas diam, tempus scelerisque nunc nisl vitae libero. Sed consequat feugiat massa. Nunc porta, eros in eleifend varius, erat leo rutrum dui, non convallis lectus orci ut nibh. Sed lorem massa, nonummy quis, egestas id, condimentum at, nisl. Maecenas at nibh. Aliquam et augue at nunc pellentesque ullamcorper. Duis nisl nibh, laoreet suscipit, convallis ut, rutrum id, enim. Phasellus odio. Nulla nulla elit, molestie non, scelerisque at, vestibulum eu, nulla. Ut odio nisl, facilisis id, mollis et, scelerisque nec, enim. Aenean sem leo, pellentesque sit amet, scelerisque sit amet, vehicula pellentesque, sapien.

Sed consequat tellus et tortor. Ut tempor laoreet quam. Nullam id wisi a libero tristique semper. Nullam nisl massa, rutrum ut, egestas semper, mollis id, leo. Nulla ac massa eu risus blandit mattis. Mauris ut nunc. In hac habitasse platea dictumst. Aliquam eget tortor. Quisque dapibus pede in erat. Nunc enim. In dui nulla, commodo at, consectetur nec, malesuada nec, elit. Aliquam ornare tellus eu urna. Sed nec metus. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas.

Phasellus id magna. Duis malesuada interdum arcu. Integer metus. Morbi pulvinar pellentesque mi. Suspendisse sed est eu magna molestie egestas. Quisque mi lorem, pulvinar eget, egestas quis, luctus at, ante. Proin auctor vehicula purus. Fusce ac nisl aliquam ante hendrerit pellentesque. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi wisi. Etiam arcu mauris, facilisis sed, eleifend non, nonummy ut, pede. Cras ut lacus tempor metus mollis placerat. Vivamus eu tortor vel metus interdum malesuada.

Sed eleifend, eros sit amet faucibus elementum, urna sapien consectetur mauris, quis egestas leo justo non risus. Morbi non felis ac libero vulputate fringilla. Mauris libero eros, lacinia non, sodales quis, dapibus porttitor, pede. Class aptent taciti sociosqu ad litora torquent per conubia nostra, per inceptos hymenaeos. Morbi dapibus mauris condimentum nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Etiam sit amet erat. Nulla varius. Etiam tincidunt dui vitae turpis. Donec leo. Morbi vulputate convallis est. Integer aliquet. Pellentesque aliquet sodales urna.

Nullam eleifend justo in nisl. In hac habitasse platea dictumst. Morbi nonummy. Aliquam ut felis. In velit leo, dictum vitae, posuere id, vulputate nec, ante. Maecenas vitae pede nec dui dignissim suscipit. Morbi magna. Vestibulum id purus eget velit laoreet laoreet. Praesent sed leo vel nibh convallis blandit. Ut rutrum. Donec nibh. Donec interdum. Fusce sed pede sit amet elit rhoncus ultrices. Nullam at enim vitae pede vehicula iaculis.

5 conclusion

- Of course a short rehearsal of the results for the now knowledgeable reader.
- An outlook would be nice to have. Its content would mostly depend on what recent research has not yet answered.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.

i: Minus the title page, the abstract, the todo list, the figure, the two algorithms, and this last page, the document is 11 pages long – with overestimating blindtext I hope. Possibly, section 6.3 might be worth a mention, too, although I haven't thoroughly read it yet.