

SPELLZEE ERP

Master Product & Business Requirements Draft 3 — Comprehensive Discovery Baseline

Student Operations • Academic Delivery • Teacher & HR • Finance • Customer Success •
Communication • Governance • Capacity Planning • Analytics • Future AI

Document Status: Comprehensive Working Draft

Immediate Product Focus: Spellzee Operations / Delivery Platform

Long-Term Product: Integrated Spellzee ERP

Purpose: Single consolidated business and product requirements reference for management, product and engineering

This document consolidates the product discovery discussion into a single structured baseline. It deliberately distinguishes business requirements from later technical implementation decisions.

Document Structure

- 1. Executive Summary
- 2. Why Spellzee Needs an ERP
- 3. Product Vision & Principles
- 4. Current-State Ecosystem
- 5. Proposed ERP Domain Architecture
- 6. Core Data & Identity Model
- 7. Student Lifecycle
- 8. Admission Handover & Onboarding
- 9. Coordinator & Ownership Management
- 10. Teacher & HR Management
- 11. Teacher Training & Certification
- 12. Teacher Observation, Quality & Incentives
- 13. Capacity Planning & Workforce Forecasting
- 14. Class Allocation & Scheduling
- 15. Session Lifecycle, Attendance & Compensation
- 16. Completion & Payment Forecasting
- 17. Academic Management
- 18. Student Continuity & Teacher Handover
- 19. Parent Portal & Communication
- 20. Tickets, SLA & Customer Success
- 21. Subscription & Finance
- 22. Governance, Segregation of Duties & Approvals
- 23. Integrations
- 24. Notifications
- 25. Operations & Management Dashboards
- 26. Analytics & KPIs
- 27. AI & Automation Roadmap
- 28. Security, Audit & Non-Functional Requirements
- 29. Implementation Roadmap
- 30. Open Decisions & Discovery Backlog
- 31. Glossary
- 32. Product North Star

1. Executive Summary

Spellzee is evolving from multiple operational tools and manual workflows into a controlled, connected ERP. The immediate build is a Student Operations & Delivery Platform, but the product should be architected as the foundation of a broader Spellzee ERP.

The purpose is not to reproduce spreadsheets or simply combine screens. The ERP should become a system of record and a system of control: it should know who the student is, what they purchased, what was scheduled, what was delivered, what was taught, who owns the relationship, what problems occurred, what capacity is available, what changes were approved, and what should happen next.

The foundation should be built before advanced AI. Reliable identities, relationships, workflows, history, permissions and event data will create the dataset required for later forecasting, recommendations and automation.

2. Why Spellzee Needs an ERP

- Multiple tools currently hold different parts of the student, sales, calling, class and communication journey.
- Allocation uses operational sheets and separate LMS/classroom processes.
- Parents may communicate through multiple WhatsApp accounts, making ownership and history difficult to control.
- Student duplicates can arise when returning families use a different email/phone or slightly different spelling.
- Teacher availability is complex and cannot be represented adequately by a simple Monday–Friday grid.
- Compensation and rescheduling require policy-based decisions to protect both student entitlement and business capacity.
- Teacher training, observation, performance and incentives are currently substantial processes that need structured records.
- Management needs to know capacity versus demand and future recruitment needs, not merely today's availability.
- Important changes need approval, segregation of duties and auditability.
- Student history must remain intact when teachers, schedules, courses or coordinators change.

3. Product Vision & Principles

3.1 Vision

Build Spellzee ERP as the trusted operating system for the complete student, employee and delivery lifecycle.

3.2 Core Principles

- One permanent Spellzee identity per student/person.
- Student, enrollment, subscription, payment, schedule and session are distinct concepts linked by identifiers.
- Never silently overwrite important history.
- Do not permanently delete critical business records without exceptional authorization.
- Every critical action is attributable and auditable.
- Maker and checker are separated for sensitive actions.
- Business rules should be configurable.
- Capacity must be measurable and forecastable.
- Communication, tickets, academic records and financial records are connected but not conflated.
- Spellzee owns its core identifiers even when external systems are integrated.
- Foundation first; analytics and AI after data quality is established.

North-star principle: Nothing important should happen invisibly.

4. Current-State Ecosystem

System / Tool	Current Role	Direction
Delicio	Current sales system mentioned in discovery.	Remain outside initial Operations build; integrate or reassess later.
TeliCRM	Current student database and sales system as later clarified.	Map/migrate core identity into Spellzee over time; exact ownership to confirm.
Merithub	Live classroom/LMS infrastructure; class scheduling, links, attendance, recordings and reports.	Integrate through API; Spellzee remains operational source of truth.
FreeJump	Calling system used for onboarding/coordinator calls; call time/duration available.	Integrate call activity if API capabilities support it.
WhatsApp	Parent and teacher communication, including teacher groups.	Move toward controlled direct communication and/or in-app communication; provider/API decision pending.
Spreadsheets	Current class allocation workflow.	Replace progressively with Spellzee allocation and capacity workflows.

5. Proposed ERP Domain Architecture

Domain	Scope
1. Identity & Master Data	Parent, student, employee, teacher, course, subject, master records, identifiers.
2. Sales & Admissions	Leads, demos, admission context; existing systems can remain during transition.
3. Student & Customer	Student 360, parent relationships, enrollments, lifecycle, history.
4. Operations / Delivery	Handover, verification, coordinator ownership, allocation, scheduling, compensation, SLA, tickets.
5. Academic	Curriculum, lessons, attendance, assessments, materials, activities, progress, recordings.
6. Teacher & HR	Recruitment, profile, availability, training, certification, observation, performance, leave, payroll.
7. Finance	Subscriptions, payments, credits, refunds, incentives and financial controls.
8. Communication	WhatsApp, in-app messages, calls, email and notifications.
9. Governance	Roles, permissions, approvals, segregation of duties, audit, duplicate controls.
10. Analytics	Operational, academic, teacher, financial, capacity and retention intelligence.
11. AI & Automation	Future recommendation, summarization, prediction and automation layer.

6. Core Data & Identity Model

6.1 Permanent Student Identity

A student receives a permanent Spellzee Student ID, for example STU-2026-000184. The ID never changes. A new phone number, email, spelling variation, course, teacher, schedule, break or return does not create a new identity.

6.2 Recommended Relationship Model

Parent/Guardian → Student → Enrollment → Subscription → Payment

Enrollment → Class Schedule → Individual Sessions

Session → Attendance + Lesson + Recording + Academic/Operational outcome

6.3 Identifier Set

- Student ID — permanent person identity.
- Enrollment ID — participation in a specific program/course.
- Subscription ID — purchased commercial entitlement.
- Payment ID — individual financial transaction.
- Class Schedule ID — recurring/planned delivery arrangement.
- Session ID — individual class occurrence.
- Teacher ID — permanent teacher identity.
- Ticket ID — tracked operational issue/request.
- Observation ID — teacher quality observation.
- Training/Course/Certification IDs — employee learning records.

6.4 Duplicate Prevention

- Search existing students before creation.
- Match across student/parent names, phone numbers, alternate numbers, emails and other approved attributes.
- Show probable matches before allowing creation.
- Block or require approval for high-confidence duplicates.
- Support controlled merge while preserving original audit references.
- Store historical contact details rather than creating identities for every new contact detail.

7. Student Lifecycle

Recommended lifecycle: Admission Completed → Operations Handover → Parent Verification → Teacher/Time Matching → Allocation Confirmed → LMS Class Created → Parent/Teacher Notified → First Class → Ongoing Sessions → Attendance/Lessons/Progress → Support/Changes/Break/Reallocation → Renewal/Completion/Pause/Cancellation.

7.1 Student 360

- Parent/guardian relationship.
- Current and historical enrollments.
- Subscriptions and payments.
- Current/previous teachers.
- Schedules and session history.
- Attendance.
- Lessons, assessments and progress.
- Recordings/materials where permitted.
- Coordinator ownership.
- Tickets and communication.
- Retention interactions and health/risk.

8. Admission Handover & Onboarding

- Receive parent/student details, address, primary and alternate contacts and required operational information.
- Receive course/subject, preferred days and one or more timing options.
- Carry demo assessment and teacher feedback into Operations.
- Start an operational SLA after handover.

- Coordinator verifies the details with the parent and records outcome/attempts.
- Match teacher using timing, subject, level, skill, language, capacity and other rules.
- Coordinator selects/approves final match according to authority.
- Create/update class schedule in Merithub through integration.
- Notify parent and teacher.
- Teacher receives student context and demo feedback before teaching.

9. Coordinator & Ownership Management

Ownership must be explicit. The system should never rely on employees remembering who is responsible.

- Current owner and historical owners.
- Assigned students and parents.
- Responsibility start/end dates.
- Lifecycle responsibility type: onboarding, student success, retention, operations, academic, ticket or escalation.
- Ownership transfer reason.
- Tasks and SLA attached to the responsible owner.
- Parent-facing coordinator details where appropriate.

Current operating model discussed: one person handles onboarding through first class; one coordinator handles the student during the first month; another coordinator/retention owner may take over later. Exact rules remain configurable.

10. Teacher & HR Management

10.1 Teacher Master Profile

- Permanent Teacher ID.
- Personal/contact details.
- Qualifications and experience.
- Subjects and levels.
- Languages and bilingual capability.
- Skills/specializations.
- Documents and employment status.
- Joining/exit information.
- Payroll/bank information.
- Availability, leave and capacity.

10.2 Teacher Lifecycle

Recruitment → Screening → Selection → Joining → Training → Mock/Assessment → Certification/Approval → Eligible for Allocation → Teaching → Observation → Performance → Incentive/Payroll → Leave/Availability → Exit.

10.3 Teacher Allocation Relationship

Teacher assignments must preserve history. The system should show current students, historical students, current schedules, historical schedules, load, utilization and upcoming capacity.

11. Teacher Training & Certification

Spellzee already runs a structured onboarding program, including approximately two weeks of training, mock teaching and assessments. This should become a formal Learning & Development workflow.

- Training program and version.
- Modules/courses.
- Trainer assignment.
- Attendance/progress.
- Learning materials.
- Mock class.
- Assessment criteria and scores.
- Pass/fail decision.
- Remediation/retraining.
- Certification/approval date.
- Eligibility rule preventing unapproved teachers from being allocated.

The same training engine can later support Sales, Coordinator and other employee training.

12. Teacher Observation, Quality & Incentives

Spellzee has a teacher quality process for a large teacher workforce with trainers conducting observations/audits against defined criteria. This should be modeled as a first-class quality system.

12.1 Observation Record

- Teacher and session.
- Observer/trainer.
- Observation date and round.
- Evaluation criteria.
- Score per criterion.
- Overall score.
- Strengths.
- Improvement areas.
- Action plan.
- Re-observation date.
- Final outcome.

12.2 Performance Rounds

Observation rounds may follow defined norms. If performance remains aligned with required criteria, the teacher may qualify for a defined incentive level. Exact percentages, thresholds and frequency should be configurable.

12.3 Quality → Coaching → Incentive

Observation → score → performance band → feedback/action → re-observation where required → incentive eligibility. The system should preserve evidence rather than only storing a final rating.

13. Capacity Planning & Workforce Forecasting

Availability answers whether a person is free at a point in time. **Capacity planning** answers how much Spellzee can realistically deliver and how much additional demand it can absorb.

13.1 Capacity Dimensions

- Teacher total capacity.

- Occupied/allocated capacity.
- Free capacity.
- Capacity by day/time slot.
- Subject/level capacity.
- Language/bilingual capacity such as Tamil-English or Hindi-English.
- 1-to-1 versus group capacity.
- Teacher leave/unavailability.
- Temporary capacity from student breaks.
- Capacity released by expected subscription completion.
- Teacher utilization.

13.2 Current vs Forecast Capacity

Current capacity is available now. Forecast capacity includes known or predicted future releases. A student taking a two-month break can temporarily release teacher capacity; the system should represent the expected release period and avoid treating it as permanent capacity.

13.3 Capacity vs Demand

Compare current and forecast capacity against expected new admissions. Example: 32 free sessions + 8 expected releases versus 45 expected demand = projected gap of 5. Management can then decide on recruitment, reallocation or demand management.

13.4 Recruitment Forecast

Capacity gaps by subject, language, level and time should feed HR recruitment planning. Historical admissions, breaks, churn, teacher attrition and seasonality can later support prediction.

13.5 Utilization

Measure allocated/used capacity versus available capacity. Avoid optimizing for 100% utilization; management should define a healthy target range that preserves flexibility.

14. Class Allocation & Scheduling

14.1 Allocation Types

- New Admission Allocation.
- Teacher Change.
- Schedule Change.
- Day Change.
- Session Type Change: 1-to-1/group.
- Course/Subject Change.
- Student-requested Reallocation.
- Teacher Unavailability.
- Academic Reallocation.
- Break.
- Resume.
- Other approved operational changes.

14.2 Allocation Workflow

Requirement capture → capacity/match search → coordinator review → teacher/time selection → approval where required → schedule creation/update → external LMS synchronization → parent notification → teacher notification → audit/history.

14.3 History

Every change records old teacher/time/days/session type, new teacher/time/days/session type, reason, initiator, effective date, approver and related ticket/request.

15. Session Lifecycle, Attendance & Compensation

15.1 Session States/Outcomes

- Scheduled.
- Reminder sent.
- Parent confirmation/response where used.
- Live.
- Completed.
- Student attended.
- Partial/late/absent according to policy.
- Parent advance cancellation.
- Late cancellation.
- Teacher absent.
- Teacher-side technical issue.
- Student-side technical issue.
- Spellzee cancellation.
- Rescheduled.
- Compensation required.
- Compensation completed.
- Cancelled/no-show.

15.2 Reminder Rules

For a 3 PM class, the system can send a configurable reminder several hours before the class, and optionally another reminder closer to start time. The exact timing is a business policy setting.

15.3 Cancellation Rules

Spellzee should define a configurable cancellation cutoff. If the parent provides sufficient advance notice, the session credit may remain protected. A late cancellation may consume credit or follow a defined exception policy. This must be transparent internally and consistently applied.

15.4 Teacher/Spellzee Failure

Teacher absence or verified teacher/Spellzee-side failure should generally protect the student's entitlement and trigger compensation. Student-side technical failure may follow a separate policy.

15.5 Compensation

Compensation is a separate session and must not modify the normal recurring schedule. A Monday missed session can produce a Saturday compensation class while Monday remains the regular schedule.

15.6 Rescheduling Limits

- Minimum notice.

- Maximum reschedules within a subscription.
- Late cancellation treatment.
- Compensation validity period.
- Maximum completion extension.
- Repeated absence escalation.
- Coordinator intervention threshold.

15.7 Session Ledger

Maintain purchased, scheduled, completed, consumed, protected, compensated and remaining session counts. Every adjustment must have a reason and history.

16. Completion & Payment Forecasting

When a student starts a 12-, 20- or other session plan, the system can calculate a planned completion date from start date, schedule and session entitlement. Actual attendance and compensation then produce a projected completion date.

- Planned completion date.
- Projected completion date.
- Delay versus original plan.
- Missed sessions and reasons.
- Compensation backlog.
- Expected renewal/payment window for internal planning.
- Forecast changes as sessions are completed or missed.

This forecast should help Operations and Finance understand when the next payment/renewal may occur without exposing internal business calculations unnecessarily to parents.

17. Academic Management

17.1 Academic Model

Keep four concepts distinct: Attendance = whether/how much the student attended; Lesson = what was taught; Assessment = how the student performed; Progress = whether the student is improving.

17.2 Academic Records

- Academic program.
- Course/subject/level.
- Curriculum.
- Lesson plans and lesson records.
- Topics taught.
- Activities.
- Homework/outcomes.
- Worksheets/materials.
- Student submissions where applicable.
- Assessments.
- Teacher academic feedback.
- Progress.
- Recordings where permitted.

17.3 Demo Assessment

Demo assessment is a pre-admission academic context record. It should be available to Operations and the assigned teacher so the teacher understands the starting point.

17.4 Student Activities

Parents may access appropriate worksheets, materials, assessments and learning activities through the Parent Portal; teachers and academic teams manage the content according to permissions.

18. Student Continuity & Teacher Handover

When a student changes teacher, the new teacher should receive meaningful historical context.

- Previous teachers.
- Previous and current schedules.
- Subjects/levels.
- Topics already taught.
- Student strengths and learning difficulties.
- Demo assessment.
- Later assessment results.
- Academic feedback.
- Attendance patterns.
- Parent/student preferences.
- Open tickets/issues.
- Relevant communication context.

Future AI: produce a concise, permission-controlled student history summary from verified records. It should summarize, not replace, the source history.

19. Parent Portal & Communication

19.1 Parent Portal

- My Children.
- Student status.
- Current teacher.
- Current coordinator and contact details.
- Upcoming classes and links.
- Completed classes.
- Attendance.
- Missed and compensation sessions.
- Worksheets/materials/activities.
- Assessments and academic progress.
- Permitted recordings.
- Subscription/session balance.
- Messages.
- Help & Support.

- Ticket status.

19.2 Communication

Parents should have a single controlled way to contact the concerned Spellzee team/person, using in-app communication and/or integrated WhatsApp. Communication history should remain connected even when a conversation moves between owners.

19.3 Communication vs Ticket

A conversation is a communication channel. A ticket is a tracked issue/request with owner, category, priority, SLA, resolution and audit. A conversation may create or attach to a ticket.

20. Tickets, SLA & Customer Success

20.1 Ticket Fields

- Ticket ID.
- Student.
- Parent.
- Category.
- Priority.
- Description.
- Created time.
- Assigned team.
- Assigned person.
- SLA target.
- Status.
- Communication history.
- Resolution.
- Escalation/history.

20.2 Categories

- Class: teacher didn't join, student couldn't join, technical issue, cancellation, reschedule.
- Teacher: teacher change, availability, quality concern.
- Academic: progress/learning/assessment.
- Schedule: timing/day changes.
- Subscription: renewal/payment/expiry.
- General: requests, complaints, information.

20.3 SLA

Current discussed target is a 48-hour resolution window, subject to final policy. A general SLA engine should support start event, owner, target time, warning, escalation and resolution rather than hard-coding one duration.

20.4 Retention Workflow

A session-count trigger, such as every three sessions or another configurable interval, can create a retention task. The retention owner reviews attendance, feedback, open issues, progress, schedule changes and subscription status, contacts the parent, records feedback and creates a ticket/follow-up when needed.

20.5 Student Health

Possible internal states: Healthy, Watch, At Risk. Inputs can include low attendance, repeated rescheduling, complaints, teacher changes, long breaks, low progress and subscription proximity. The goal is action, not a score alone.

21. Subscription & Finance

- Upfront subscription record.
- Purchased session entitlement.
- Payment ID and mapping.
- Sessions consumed/remaining.
- Validity/expiry.
- Credits and protected sessions.
- Refunds.
- Adjustments.
- Renewals.
- Teacher incentive/payroll inputs.
- Financial audit and approvals.

The commercial subscription should remain distinct from the academic enrollment and the individual payment transaction.

22. Governance, Segregation of Duties & Approvals

22.1 Why

ERP controls should reduce accidental corruption, unauthorized changes, duplicate identities and financial manipulation. The system should support management control without making normal work unnecessarily difficult.

22.2 Role-Based Access

Permissions should determine who may view, create, edit, approve, cancel, merge, archive, export or administer each class of information.

22.3 Maker–Checker

For sensitive actions, the requester should not approve their own request. Examples: refunds, duplicate merges, historical corrections, high-impact subscription changes and restricted deletion.

22.4 Example Authority Matrix

Action	Staff/Coordinator	Team Lead/Manager	Finance	Restricted Admin
Create student	Yes, subject to duplicate check	Review exceptions	—	—
Merge duplicate	Request	Approve	—	Execute if authorized
Change basic contact	Yes	—	—	—
Teacher change	Request	Approve per policy	—	—
Refund/payment adjustment	Request only	Approve business side	Approve financial side	—
Historical correction	Request	Approve	If financial	Execute under control
Permanent deletion	No	No	No	Highly restricted / preferably prohibited

This is an illustrative starting point, not the final permission matrix.

22.5 Overrides

Authorized overrides must record who performed the override, what changed, why, old value, new value and approval.

22.6 No Silent History Changes

Completed payments, classes, allocations, tickets and academic records should not simply disappear or be overwritten.

23. Integrations

23.1 Merithub

Merithub is the live classroom/LMS specialist. Spellzee should create/update classes through the integration, store external IDs and receive relevant attendance, recording and status events. The integration should include authentication, error handling, retry, logging and webhook validation.

23.2 TeliCRM / Delicio

During transition, external sales/student records can be mapped to Spellzee IDs. The long-term source of truth and migration boundary must be explicitly decided.

23.3 FreeJump

Where API support permits, capture call time, duration, coordinator, purpose/outcome and attempts for onboarding/coordinator calls.

23.4 WhatsApp

Select an approved provider/API for controlled parent communication, templates, delivery status and conversation mapping. Exact provider remains a discovery decision.

23.5 Integration Principle

External IDs map to Spellzee IDs. External systems should not silently overwrite critical Spellzee records.

24. Notifications

- Admission handover notification.
- Coordinator task/SLA notification.
- Parent verification reminder.
- Teacher allocation notification.
- Teacher preparation notification with student context.
- Parent class confirmation.
- Class reminders.
- Cancellation/reschedule notification.
- Compensation confirmation.
- Teacher absence/technical issue workflow notification.
- Ticket assignment and SLA warnings.
- Retention task.
- Subscription/renewal reminders.
- Management capacity alerts.

Notification templates, channels, timing and recipients should be configurable and permission-aware.

25. Operations & Management Dashboards

25.1 Operations Dashboard

- New admissions awaiting action.

- Students by lifecycle stage.
- Allocation pending/in progress/completed.
- SLA within/approaching/breached.
- Today's/upcoming classes.
- Compensation backlog.
- Break/resume cases.
- Teacher capacity and matching.
- Open tickets.
- Students with repeated changes.
- Upcoming renewal/expiry.
- Retention tasks.

25.2 Teacher Dashboard

- Current load.
- Schedule.
- Available slots.
- Upcoming sessions.
- Student list.
- Training/certification status.
- Observation history.
- Performance/incentive status.
- Leave/unavailability.

25.3 Management Dashboard

- Capacity vs demand.
- Teacher utilization.
- Recruitment gap.
- Admissions pipeline.
- Student retention/health.
- Completion delays.
- Teacher quality.
- SLA performance.
- Revenue/renewal forecasts where authorized.
- Operational exceptions.

26. Analytics & KPIs

Area	Example KPI / Question
Student Operations	Time from admission handover to confirmed allocation; SLA breach rate.
Scheduling	Teacher changes; timing changes; compensation rate; reschedule rate.
Capacity	Current free capacity; forecast free capacity; utilization; capacity gap.
Academic	Attendance; completion; progress; assessment trends.

Area	Example KPI / Question
Teacher	Observation score; training completion; utilization; quality improvement.
Customer Success	Open issues; resolution time; repeated issues; retention interventions.
Finance	Sessions consumed; renewal forecast; refunds/credits; subscription completion.
Workforce	Teachers needed by subject/language/time; recruitment pipeline.
Management	Where is demand exceeding delivery capability? Which process causes the most operational friction?

27. AI & Automation Roadmap

AI should be a layer above reliable operational data.

27.1 Future AI Use Cases

- Teacher/student allocation recommendation.
- Duplicate student detection assistance.
- Student history summary for new teacher.
- Retention risk prediction.
- Recommended retention actions.
- Academic progress summaries.
- Teacher observation summaries and coaching recommendations.
- Employee sales pitch/call analysis.
- Capacity and demand forecasting.
- Workforce recruitment forecasting.
- Workflow automation and next-best-action suggestions.

27.2 AI Governance

- AI should use verified system records.
- Sensitive information must follow permissions.
- AI should not silently change critical records.
- Users should be able to inspect source context where appropriate.
- AI outputs should be treated as recommendations unless explicitly approved by business rules.

28. Security, Audit & Non-Functional Requirements

- Role-based access control.
- Segregation of duties.
- Approval workflows.
- Audit trail.
- Secure authentication and authorization.
- Backups and recovery.
- Monitoring and error logging.
- API security and secret management.
- Data retention and privacy policies.
- Scalability.

- Reliable integration processing.
- Development/test/staging/production separation.
- Company-controlled cloud accounts, repositories and secrets.
- Technical and operational documentation.
- No critical single-person dependency.

29. Implementation Roadmap

Phase 0 — Product Discovery & Foundation

Finalize business processes, data entities, identifiers, permission concepts, approval rules, current-system mapping, policy parameters and MVP boundaries.

Phase 1 — Operations MVP

Student identity/duplicate controls, admission handover, coordinator ownership, teacher availability/capacity basics, allocation, scheduling, session ledger, compensation rules, Merithub integration, notifications, tickets, SLA and audit.

Phase 2 — Academic & Parent Experience

Lessons, assessments, worksheets/materials, progress, attendance, recordings, parent portal, communication and retention workflows.

Phase 3 — Teacher & HR

Recruitment, teacher onboarding/training, certification, observation, performance, incentives, leave and payroll integration.

Phase 4 — Finance & Enterprise Controls

Subscriptions/payments, refunds, credits, stronger approval matrix, maker-checker and financial governance.

Phase 5 — Analytics & AI

Capacity forecasting, management intelligence, intelligent matching, retention prediction, AI summaries and automation.

30. Open Decisions & Discovery Backlog

- Exact admission allocation SLA and ticket SLA definitions.
- Exact cancellation cutoff and late-cancellation credit policy.
- Teacher versus student technical failure rules.
- Maximum reschedules and compensation validity.
- Maximum completion extension and renewal policy.
- Whether parent sees planned/projected completion dates.
- Exact approval hierarchy and financial thresholds.
- Fields requiring approval to edit.
- Duplicate matching confidence and merge rules.
- Capacity calculation unit: hours, minutes, sessions or weighted slots.
- Target teacher utilization range.
- Academic curriculum and assessment model.
- Teacher incentive formula.
- Payroll process and source data.
- TeliCRM versus Delicio ownership and migration boundaries.

- FreeJump API capabilities.
- WhatsApp provider/API.
- Data privacy, retention and access policies.
- Parent portal release scope.
- Teacher/employee HR scope for first release.
- Management reporting definitions.

31. Glossary

Term	Meaning
Student	Permanent person identity.
Parent/Guardian	Person responsible for the student relationship.
Enrollment	Student's participation in a specific course/program.
Subscription	Commercial purchase/entitlement, such as a defined number of sessions.
Payment	Individual financial transaction.
Class Schedule	Recurring/planned delivery arrangement.
Session	One specific class occurrence.
Allocation	Teacher assignment plus class schedule/arrangement.
Compensation Class	Separate class used to fulfil a protected/missed session entitlement.
Capacity	Realistic delivery capability available to Spellzee.
Utilization	Allocated/used capacity divided by available capacity.
SLA	Service-level time target for an operational action.
Ticket	Tracked issue/request with owner, priority, SLA and resolution.
Maker–Checker	Requester and approver are separated for controlled actions.
RBAC	Role-Based Access Control.
Audit Trail	History of important actions and changes.
Student 360	Connected operational, academic, commercial and support view.
Forecast Capacity	Expected future capacity based on known/predicted changes.
Planned Completion	Original expected end date based on schedule and entitlement.
Projected Completion	Current expected end date after actual attendance and changes.

32. Product North Star

Spellzee ERP should not become a larger spreadsheet.

It should become a controlled operating system for Spellzee: one identity, one connected history, clear ownership, capacity-backed commitments, policy-driven delivery, protected student entitlement, accountable employees, governed financial actions, measurable academic outcomes and a reliable foundation for future intelligence.

The document should now be treated as the comprehensive product/business baseline. The next discipline is not to jump directly into code. The next step is to validate the workflows and decisions, then translate this baseline into a detailed product requirements specification, UX flows, technical architecture, data model, integration contracts, permission matrix and implementation backlog.