

Операционные системы

Редактор Vi

Сухоруков Сергей Андреевич

2026-03-30

Цели и задачи работы

Процесс выполнения лабораторной работы


Выводы по проделанной работе

1. Цели и задачи работы

Познакомиться с операционной системой Linux. Получить практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах.


1 Изучить возможности редактора Vi

2. Процесс выполнения лабораторной работы

A terminal window with a dark background and green text. It shows three lines of commands entered at the prompt 'sasuhorukov@sasuhorukov:~\$'. The first line is 'cd', the second is 'touch hello.sh', and the third is an empty line with a white cursor. The text is:

```
sasuhorukov@sasuhorukov:~$ cd  
sasuhorukov@sasuhorukov:~$ touch hello.sh  
sasuhorukov@sasuhorukov:~$
```

Рисунок 1: Создание каталога



The image shows a terminal window with a dark background. The title bar at the top right displays the username 'sasuhorukov@sasuh'. The terminal content shows a bash shell prompt '#!/bin/bash' followed by a script: 'HELL=Hello', 'function hello', '{', 'LOCAL HELLO=World', 'echo \$HELLO', '}', 'echo \$HELLO', and 'hello'. Below the script, there are several tilde '~' characters, indicating the prompt character. The terminal window has a standard macOS-style title bar with a red close button, a yellow maximize button, and a green full-screen button.

```
#!/bin/bash
HELL=Hello
function hello
{
LOCAL HELLO=World
echo $HELLO
}
echo $HELLO
hello
~
~
~
~
~
~
```


Рисунок 2: Работа в редакторе Vi


```
sasuhorukov@sasuhorukov:~$ cd
sasuhorukov@sasuhorukov:~$ touch hello.sh
sasuhorukov@sasuhorukov:~$ vi hello.sh
sasuhorukov@sasuhorukov:~$ chmod +x hello.sh
sasuhorukov@sasuhorukov:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

sasuhorukov@sasuhorukov:~$
```

Рисунок 3: Запуск файла



The image shows a terminal window with a dark background. The title bar at the top right displays the username and host: `sasuhorukov@sasuhorukov: ~`. The terminal content shows a bash shell prompt `#` followed by the command `#!/bin/bash`. Below this, a script is being edited, containing the following lines: `HELLO=Hello`, `function hello`, `{`, `local HELLO=World`, `echo $HELLO`, `}`, `echo $HELLO`, and `hello`. The script is followed by several tilde characters (`~`) on separate lines, indicating the end of the file or a sequence of lines. The cursor is positioned at the end of the last tilde character.

Рисунок 4: Работа в редакторе Vi

```
sasuhorukov@sasuhorukov:~$ cd
sasuhorukov@sasuhorukov:~$ touch hello.sh
sasuhorukov@sasuhorukov:~$ vi hello.sh
sasuhorukov@sasuhorukov:~$ chmod +x hello.sh
sasuhorukov@sasuhorukov:~$ ./hello.sh

./hello.sh: line 5: LOCAL: command not found

sasuhorukov@sasuhorukov:~$ vi hello.sh
sasuhorukov@sasuhorukov:~$ ./hello.sh
Hello
World
sasuhorukov@sasuhorukov:~$
```

Рисунок 5: Повторный запуск файла

3. Выводы по проделанной работе

В ходе работы мы получили практические навыки работы с редактором vi, установленным по умолчанию практически во всех дистрибутивах UNIX. А также освоили основные режимы и команды