

Contents

About	2
Features	2
Future	2
Notes	2
About Customizability	3
About Translations	3
Sections&Co.	4
Part (=)	4
Deactivating the part keyword	4
Translation	4
Customized background on part page	5
Chapter (==)	5
Section (===)	5
Subsection (====)	5
Subsubsection (=====)	5
Parahraph (=====)	5
Subparahraph (=====)	6
Extra: Image on Top of Heading	6
Special Sections	7
Feat (dnd-feat)	7
Items (dnd-item)	7
Spells (dnd-spell)	7
Map Regions (dnd-area)	8
0.0.3.	8
Text Boxes	9
Read Aloud (dnd-readaloud)	9
Sidebar (dnd-sidebar)	9
Comment (dnd-comment)	9
Tables	9
Special functions	10
Dropcap (dnd-dropcap)	10
Monster (dnd-monster)	11
Utility - Quality of Life	13
dnd-dice	13
easy-colors	13
Fonts, font size, weight, colors, etc.	14
flex-heading	14
Customization	15
Inline	16
Global	16

About

Mythographer-5e is a *fast* package that lets you write and format D&D adventures without wasting too much time on formatting.

The package is still under development, it already supports many features, I'll try my best to keep it backward compatible. If you find any issue please open one on [the repo](#).

Features

- Everything¹ is customizable modifying a simple parameters.
- Modules can be divided in *Parts*, this, of course, it up to the user to decide.
- Heading in 5e's style.
- Map regions, with automatic indexes.
- Items, features, spells, sidebars, read aloud, comment boxes, and tables are formatted as in official modules.
- Colors: colors are 100% customizable.
- Footers: customizable (you just need to draw a new footer in svg/png), number position and text is parametric: you can move it as you prefer.
- Automatic translation (for template keywords/phrases), currently only English and Italian are supported.
 - Adding new languages is pretty easy tho ;)
- Monsters can be rendered using 5e.tools jsons
 - This makes possible to create the monster using 5e.tools, incorporate it in the module you are working on and possibly on multiple VTTs (like FoundryVTT and Roll20) painlessly and without having to do the same thing multiple times.

Future

I'd like to create a script that parses a custom adventure so that it can be also directly used e.g. on FoundryVTT, but this is not high priority at all.

It's possible to make *spells*, *feat* and *items* to work with json files from 5e.tools. Open an issue if needed.

Notes

So far this project has been a solo developer adventure... Support would be amazing!

Also due to the nature of Typst it doesn't exist a LaTeX equivalent of `minipage`, I can't visually show here how the background can be changed, functions will be explained anyway.

¹Close to

About Customizability

Everything runs around a dictionary that specifies colors, fonts, font sizes, alignments, styles, etc. The template uses a default config constructor (`default-config`) when nothing else is specified. A utility function (`merge-dicts`) is provided to help merging dictionaries “automagically”: when a key is present in multiple ones, the “left-most” dictionary content is kept.

```
// Default usage          // Custom config (19/02/2026)
#show: dnd-template      #show: dnd-template.with(
                          default-config(lang:"it"))
```

All modifications done to this dictionary on the show rule are applied on the current context. You can also apply customized styles for some methods, this is explained in later.

Note: in the entire template it’s highly probable that if some text has a specific style (italic, smallcaps, etc) it can be changed or removed by modifying a “flag” in the config. In this document I won’t show everything as it’s pretty self-explanatory, but if you have any doubt please open an issue or send me an email, I’ll be happy to help :)

About Translations

Multiple languages are supported using `transl`. Languages are referred to by [ISO 639-1](#).

Supported Languages	Code
English	en
Italian	it

The translation language is taken by the language set on the document, this is passed to the template by the `lang` variable. Translations are automatically applied where possible e.g. part (en) → parte (it). At the moment there’s no “big turn off button” for this feature and there’s not plan to add it.

Adding a new language is pretty easy and it doesn’t require much time :)

Sections&Co.

Seven heading levels are managed by the template, these are:

Heading Level	Description	Example	Code
=	Part	PART 1: LOREM ² LOREM	= Lorem , togglable in config: show-part (true/false)
==	Chapter	CHAPTER 1: LOREM IPSUM. ³	== #lorem(2) , togglable with show-chapter (true/false)
===	Section	LOREM IPSUM. Lorem ipsum dolor sit.	=== #lorem(2) . #lorem(4)
====	Subsection	LOREM IPSUM. Lorem ipsum dolor sit.	==== #lorem(2) . #lorem(4)
=====	Subsubsection	LOREM IPSUM. Lorem ipsum dolor sit.	===== #lorem(2) . #lorem(4)
=====	Par ⁴	Lorem ipsum.. Lorem ipsum dolor sit.	===== #lorem(2) . #lorem(4)
=====	Subpar ⁵	Lorem ipsum. Lorem ipsum dolor sit.	===== #lorem(2) . #lorem(4)

Let's see them more in details.

Part (=)

Parts go to a **new page by default** when called. Setting headers-level-1-to to either none, odd or even sets the behavior of the pagebreak to go to that page.

By default an heading level 1 (=) page has the default paper as background and the text written by the body of =.

Deactivating the part keyword

The keyword can be easily deactivated by setting show-part to false. The result is clear: only the body is rendered.

LOREM

```
#show: dnd-template.with(  
  default-config(show-part: false))
```

Translation

The Part keyword can be translated to supported languages simply by setting lang to the specified language in the configuration dictionary.

PART 1: LOREM PARTE 1: LOREM
English Italian

²Reduced size to fit in the table.

³Reduced size to fit in the table.

⁴Also as a function: dnd-par

⁵Also as a function: dnd-subpar

Customized background on part page

A customized background image can be set with:

```
#dnd-image-heading-part(<your-image>, [<heading>],  
  title-unstyled: [<outline text>],  
)
```

where `your-image` is an image object, `heading` is the text shown in the page and `title unstyled` is an optional argument that overrides what's written on the outline for this heading. This way you can format the text on this heading and have a different outline entry, this is useful if you want to better align your text, or to show another image in this page.

Chapter (==)

Like Part the keyword can be **toggled off**:

LOREM `#show: dnd-template.with(
 default-config(show-chapter: false))`

And translated:

PART 1: LOREM **PARTE 1: LOREM**
English Italian

Section (===)

Sections divide chapters into major thematic groups.

LOREM IPSUM. `=== #lorem(2).
#lorem(5)`
Lorem ipsum dolor sit amet.

Subsection (====)

Subsections further organize content for clarity.

LOREM IPSUM. `==== #lorem(2).
#lorem(5)`
Lorem ipsum dolor sit amet.

Note that the *gold* bar is set to extend for all the width of the context⁶

Subsubsection (=====)

Subsubsections represent the deepest level of division that still uses a block header. Deeper levels display headers inline.

LOREM IPSUM. `===== #lorem(2).
#lorem(5)`
Lorem ipsum dolor sit amet.

Parahraph (=====)

The paragraph format is rarely used in the core rulebooks, but remains available as an alternative to the “normal” style. By default it adds a . (dot) at the end of the body. This feature is hardcoded and cannot be disabled without modifying the template. Of course it works bad if you are using `#lorem` and the phrase ends :/

⁶This is not a customizable parameter, hit me up if you need it modifiable.

It can also be called using **dnd-par**.

Lorem ipsum.. Lorem ipsum dolor sit amet.	===== #lorem(2) #lorem(5) .
Random Body. Lorem ipsum dolor sit amet.	===== #lorem(2) #lorem(5) . #dnd-par [Random Body] #lorem(5)

Subparahraph (=====)

The subparagraph format, which includes a paragraph indent, will likely feel more familiar to readers.

It can also be set with **dnd-subpar**.

Lorem ipsum. Lorem ipsum dolor sit amet.	===== #lorem(2) #lorem(5) . #dnd-subpar (lorem(2)) #lorem(5)
--	---

Extra: Image on Top of Heading

Yes, it's possible!

With **dnd-image-heading-section** you can put an image on top of your headings. Args:

```
#let dnd-image-heading-section(  
  img: content,                                // the img you want to use  
  depth: int,                                  // heading depth  
  title-styled: any,                           // heading you see in the page  
  alignment: alignment = alignment,            //  
  config: arguments | dictionary = (:),        // local config injection  
  img-fit: str = "cover",                      //  
  img-height: auto | fraction | relative = auto, // if manual rescale is needed  
  img-width: auto = auto,                      // ^^  
  offset: length = 0pt,                        // vertical offset from the img  
  title-unstyled: none = none,                 // heading in the outline  
)
```

Below is a toy example with a colored rectangle. I can't show it here :(

```
#dnd-image-heading-section(rect(fill: red, height: 20em, width: 62em), 2, [A New  
Beginning'])
```

Special Sections

Currently these work with data typed directly in the document, mostly because it's simple and I'm not sure anyone would use json data from 5e.tools for these are writing them is fast.

Feat (dnd-feat)

FEAT NAME

Prerequisite: you awesome prerequisite

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

```
#dnd-feat[  
  = Feat Name  
  == you awesome prerequisite  
  #lorem(20)  
]
```

Items (dnd-item)

ITEM NAME

Wondrous item, rare Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

```
#dnd-item[  
  = Name  
  == Wondrous item, rare  
  #lorem(20)  
]
```

Spells (dnd-spell)

Spells currently need 7 arguments:

```
#let spell(  
  title: content,  
  level: str,  
  time: str,  
  range: str,  
  components: str,  
  duration: str,  
  body: any,  
  config: arguments | dictionary = (:)  
)
```

They can be named or not. Personally I don't like this solution, suggestions are accepted :)

BEAUTIFUL TYPESETTING

4th level illusion

Casting Time: 1 action

Range: 5 feet

Components: S, M

duration: Until dispelled

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

```
#dnd-spell[Beautiful Typesetting]  
[4th level illusion][1 action][5  
feet][S, M][Until dispelled][  
  #lorem(20)  
]
```

Map Regions (dnd-area)

The dnd-area function formats map regions. Numbering is automatic and resets with each new dnd-area block.

1 VILLAGE OF HOMMLET

A small, welcoming village.

1.A INN OF THE WELCOME WENCH

The village's central gathering place.

1.B BLACKSMITH'S FORGE

The local blacksmith's workshop.

2 Foo's CASTLE

Foo's modest residence

2.A MOAT

A shallow ditch crossed by a single plank.

> **As you can see it resets when you exit the region**

1 DUCKTOWN

Lorem ipsum.

1.A DUCK'S POND

Lorem ipsum dolor sit amet.

1.B DUCK'S NEST

Lorem ipsum.

2 CREEPER'S LAIR

Lorem.

```
#show: dnd-template.with(is-first:
false)
```

```
#dnd-area[
  = Village of Hommlet
  A small, welcoming village.
  == Inn of the Welcome Wench
  The village's central gathering
  place.
  == Blacksmith's Forge
  The local blacksmith's workshop.
  = Foo's Castle
  Foo's modest residence
  == Moat
  A shallow ditch crossed by a
  single plank.
]
```

> ***As you can see it resets when you exit the region***

```
#dnd-area[
  = Village of Hommlet
  #lorem(2)
  == Inn of the Welcome Wench
  #lorem(5)
  == Blacksmith's Forge
  #lorem(2)
  = Foo's Castle
  #lorem(1)
]
```


Text Boxes

Read Aloud (dnd-readaloud)

Meant to be read aloud by the GM, dnd-readaloud has only the body argument (other than config):

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

```
#dnd-readaloud[  
  #lorem(20)  
]
```

Sidebar (dnd-sidebar)

Is designed for supplementary content. It doesn't break across columns.

Arguments:

- title
- body

Title
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

```
#dnd-sidebar[Title][  
  #lorem(20)  
]
```

Comment (dnd-comment)

It provides minimal visual highlighting for text, while lacking the ornamentation of dnd-sidebar.

Title
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

```
#dnd-comment[Title][  
  #lorem(20)  
]
```

Tables

The table style automatically colors even-numbered rows and defaults to the width of the column.

Nice Table

Table head	Table head
January	The Great Gatsby
February	To Kill a Mockingbird
March	1984
April	The Catcher in the Rye

```
#figure(  
  table(  
    columns: (auto, 1fr),  
    table.header[Table head][Table head],  
    [January], [The Great Gatsby],  
    [February], [To Kill a Mockingbird],  
    [March], [1984],  
    [April], [The Catcher in the Rye],  
  ),  
  caption: [Nice Table],  
)
```

Special functions

Dropcap (`dnd-dropcap`)

`dnd-dropcap` makes possible to have a cool-styled initial letter attached to later text. This is possible because of the droplet package.



NOTHER DAGGER WAS PUS
ed through his heart.
Lorem ipsum dolor
sit amet, consectetur
adipiscing elit, sed do.

```
#dnd-dropcap("A")[nother dagger was pus][ed  
through his heart. #lorem(10)]
```

Monster (dnd-monster)

Monsters are managed using json files exported by [5e.tools](#). The idea is that if you are writing an adventure module or e.g. a monster manual it's highly probable that you will also need the stats written for VVTs⁷ such as FoundryVTT or Roll20. If you create your monster using 5e.tools utility you can export it for many VTTs, thus you don't have to waste much time copying monster stats for each VTT specifications.

If you find any issue with a monster please open an issue on the [template repo](#) or send me an email at "ettore" dot "saggiorato" "+dndtemplate" at "proton" dot "me", I'll try to fix it as soon as possible :) (please provide the json file of the monster if possible, it makes my life easier).

At the time of writing (23/02/2026) only JSON files are supported, an "inline" writing could be added if requested. It isn't hard to develop, it just requires some time.

At the time of writing (23/02/2026) only 2014's style has been implemented, 2024's may be added in the future. You will be able to change monster style (if it ever gets developed) by modifying monster-style from 2014 to 2024 in the config. Hit me up if you need it, as currently it isn't on my priority list as monsters are quite time consuming.

Once you have a JSON for your monster, everything is straightforward. Arguments:

- monster: loaded/generated dict of the monster, following 5e.tools specs
- correction-factor: needed to correctly set the height of the monster box. This is needed as typst currently doesn't support "top-balancing" columns
- columns: amount of columns show the monster to

Usage: `#dnd-monster(json("unicorn.json"), correction-factor: 1.06)`

⁷Virtual Table Tops

Unicorn

Celestial Large, Legal Good

Armor Class:

Hit Points: 67 (9d10 + 18)

Speed: 50 ft.

STR	DEX	CON	INT	WIS	CHA
18	14	15	11 (0)	17	16
(+4)	(+2)	(+2)		(+3)	(+3)

Senses: Passive perception 13, Darkvision 60 ft.

Languages: Celestial, Elvish, Sylvan, Telepathy 60 ft.

Damage Immunity: Poison

Condition Immunity: Charmed, Paralyzed, Poisoned

CR: 5 (1800 XP)

Proficiency Bonus: +3

Charge. If the unicorn moves at least 20 ft. straight toward a target and then hits it with a horn attack on the same turn, the target takes an extra 9 (2d8) piercing damage. If the target is a creature, it must succeed on a CD 15 Strength saving throw or be knocked prone.

Magic Resistance. The unicorn has advantage on saving throws against spells and other magical effects.

Magic Weapons. The unicorn's weapon attacks are magical.

Innate Spellcasting. The unicorn's innate spellcasting ability is Charisma (spell save CD 14). The unicorn can innately cast the following spells, requiring no components:

will: detect evil and good, druidcraft, pass without trace

le/each: calm emotions, dispel evil and good, entangle

Actions

Multiattack: The unicorn makes two attacks: one with its hooves and one with its horn.

Hooves: Melee Weapon Attack 7 to hit, reach 5 ft., one target. Hit: 11 (2d6 + 4) bludgeoning damage.

Horn: Melee Weapon Attack 7 to hit, reach 5 ft., one target. Hit: 8 (1d8 + 4) piercing damage.

Healing Touch (3/Day): The unicorn touches another creature with its horn. The target magically regains 11 (2d8 + 2) hit points. In addition, the touch removes all diseases and neutralizes all poisons afflicting the target.

Teleport (1/Day): The unicorn magically teleports itself and up to three willing creatures it can see within 5 feet of it, along with any equipment they are wearing or carrying, to a location the unicorn is familiar with, up to 1 mile away.

Legendary Actions

Legendary Action Uses: 3. Immediately after another creature's turn, asd can expend a use to take one of the following actions. asd regains all expended uses at the start of each of its turns.

Hooves: The unicorn makes one attack with its hooves.

Shimmering Shield (Costs 2 Actions): The unicorn creates a shimmering, magical field around itself or another creature it can see within 60 feet of it. The target gains a +2 bonus to AC until the end of the unicorn's next turn.

Heal Self (Costs 3 Actions): The unicorn magically regains 11 (2d8 + 2) hit points.

Utility - Quality of Life

Useful utility functions and data structures are exposed by the template so simplify module/adventure writing and customization.

dnd-dice

Makes possible to automatically calculate and show the average of a throw plus the dice formula.

Dices can be written as either content or str:

- [3d8]
- [3d8+3]
- [3d8 + 3]
- the same as strings, e.g. "3d8", "3d8+3", "3d8 + 3"

13 (3d8)	<code>#dnd-dice([3d8])</code>
16 (3d8+3)	<code>#dnd-dice([3d8+3])</code>
16 (3d8 + 3)	<code>#dnd-dice([3d8 + 3])</code>
13 (3d8)	<code>#dnd-dice("3d8")</code>
16 (3d8+3)	<code>#dnd-dice("3d8+3")</code>
16 (3d8 + 3)	<code>#dnd-dice("3d8 + 3")</code>

easy-colors

Creates a dictionary that can be applied, using `merge-dicts` on e.g. the default configuration so that you can easily remap default colors to others. This is not done granually, which you have to do creating a custom config, but it sets your chosen colors keeping the default color schema (new colors, same logic).

Arguments:

- primary: red,
- secondary: red,
- tertiary: red,
- fourth: black,
- text-fill: black,
- readaloud-background: `colors.bgtan`,
- monster-ribbon: `colors.statblockribbon`,
- monster-background: `colors.statblockbg`,
- monster-bar: `colors.ruledred`,

Fonts, font size, weight, colors, etc.

Name	Description								
colors	Contains the same colors specified in the LaTeX template. These are most of the colors used in official books.								
font-size	Font sizes similar to the same used in LaTeX. This is for a fast reference if you are used to that system.								
font-weight	A dict representing all supported font weight by Typst. Note that fonts are not guaranteed to change weight granuarly as they need to support that.								
font-family	A dict naming the three font styles used by default:<table><tr><th>Font Name</th><th>Dictionary Key</th></tr><tr><td>Tex Gyre Bonum</td><td>main</td></tr><tr><td>Gillius ADF No2</td><td>secondary</td></tr><tr><td>Royal Initialen</td><td>initial</td></tr></table>	Font Name	Dictionary Key	Tex Gyre Bonum	main	Gillius ADF No2	secondary	Royal Initialen	initial
Font Name	Dictionary Key								
Tex Gyre Bonum	main								
Gillius ADF No2	secondary								
Royal Initialen	initial								

flex-heading

A utility function to create headings that show different content between the heading and the outline.

`#flex-heading[<heading-on-page>][<heading-in-outline>]`

Customization

While using this template you might want to have some personal space by customizing many of its aspects. This is possible both *inline* and at a *global* level, the main difference relies in how you apply the custom *style*, which can be e.g. on either a specific `dnd-commentbox` or to all comment boxes around the document.

The main idea is that you can create custom configurations, which are dictionaries with the same structure as `default-config` but with different values, and apply them to specific blocks of the document.

To simplify the process of creating custom configurations, utility functions are provided to create and merge dictionaries:

Function	Description
<code>merge-dicts</code>	Merges multiple dictionaries, keeping the left-most value for each key. This is used to merge or append custom configurations to the default one. See how <code>default-config</code> works behind the scenes for an example on how it's used.
<code>config-area</code>	Sets <code>dnd-area</code> style.
<code>config-comment</code>	Sets <code>dnd-comment</code> style.
<code>config-dropcap</code>	Sets <code>dnd-dropcap</code> style.
<code>config-feat</code>	Sets <code>dnd-feat</code> style.
<code>config-item</code>	Sets <code>dnd-item</code> style.
<code>config-readloud</code>	Sets <code>dnd-readaloud</code> style.
<code>config-sidebar</code>	Sets <code>dnd-sidebar</code> style.
<code>config-spell</code>	Sets <code>dnd-spell</code> style.
<code>config-monster</code>	Sets <code>dnd-monster</code> style.
<code>config-table</code>	Sets <code>dnd-table</code> style.
<code>config-global</code>	Sets the global text style.




All configs default to a 2014s D&D style.

> In the future a “default” 2024 style may be added, please open an issue if you want this feature :)

Inline

All the parts of the template that are shown via a function (`dnd-area`, `dnd-comment`, `dnd-dropcap`, `dnd-feat`, `dnd-item`, `dnd-readlaoud`, `dnd-sidebar`, `dnd-spell`, `dnd-monster`) can be customized on the fly, when called, by passing a custom configuration dictionary. This way you can have different styles for different blocks of the same type without the need to create an entire custom template for that.

This is very easy to do:

	<pre>#dnd-comment(config: config-comment(fill: rgb(100, 160, 40)))[This is a Comment Box!][#lorem(10)]</pre>
	<pre>#dnd-readaloud(config: config- readaloud(edges-fill: rgb(220, 60, 120), background-fill: rgb(230,220,120,)))[#lorem(20)]</pre>
	<pre>#dnd-sidebar(config: config-sidebar(edge- fill: rgb(100, 80, 60), background-fill: black))[Behold the DndSidebar!][#lorem(20)]</pre>

Global

You change, by setting different values in the constructor, variables of `default-config`. Most variables are self explanatory.

This is applied to the entire document.

```
#show: dnd-template.with(
  default-config(lang: "it")
)
```

When calling `#show: dnd-template.with()` you can also pass `is-first`, which is a boolean that sets if outline and footers are shown on the next pages or not. This is useful if you want to have completely different styles on the same document (having a single outline and continuous page numbering)