

Semantic Image Search → Development ✓
Deployment ✗

web threat-detection → Phishing attack

Phishing website detection

Problem statement

EDA ← Data analysis

ML/DL/GenAI

RAAG
Agent

(Data ingestion)

Parse the data
 clean the data
 store the data

GenAI

Data Parsing

Docx

MDI

Requirement/Classification

tabular

Structure



Analysis

csv/Excel

Web threat- Detection System for Phishing attack (Phishing website detection Platform)

Phishing websites are one of the largest causes of digital financial fraud worldwide. Attackers create visually identical copies of legitimate websites to steal sensitive user information. Manual blacklist-based systems fail to detect newly generated phishing URLs. Therefore, an automated machine learning-based real-time phishing detection system is required to analyze URL, domain, SSL, traffic, and behavioral features to prevent fraud at scale.

- ① Bank
- ② Cybersecurity Companies
- ③ Browser Security team
- ④ Govt cyber crime units
- ⑤ Ecomm companies (Payment Protection)





ML ⇒ tabular data

GenAI + ML + DS


GenAI + DS

ML v/s GENAI healthcare



Data (Image) (Text) (Video) (Audio)

- 1 unstructure
- 2 structure



way

img		
Audio		

- document
- Docx
 - PDF
 - PPT