
CSIT248 Lab Work 5 - Registan Travel


Student name: _____ Student ID: _____

Screenshots

Phone (390 px, 1 card per row)



Desktop (1280 px, 3 cards per row)



Part C - comparison

In Part A I wrote about 170 lines of CSS (style.css, shared with the booking page) to build the layout, while the Bootstrap version needed only 16 lines of brand-colour overrides because the navbar, grid and card classes already did the layout work.

Part D - Client bug reports

Bug 1 - Cause: wrong order of the link pseudo-classes (LVHA). :visited is written after :hover and has the same specificity, so for a visited link the later rule (background: none) wins the cascade and hides the gold hover.

```
nav a:link    { color: white; }
nav a:visited { color: white; }
nav a:hover   { background: #E0A526; }   /* hover after visited */
nav a:active  { background: #c48d14; }
```

Bug 2 - Cause: an element with position: absolute is placed relative to its nearest positioned ancestor (containing block). .card is position: static, so the badge uses the page (initial containing block). The parent must be position: relative.

```
.card  { position: relative; padding: 16px; border-radius: 10px; }
.badge { position: absolute; top: 10px; right: 10px; }
```

Bug 3 - Cause: the box model. With the default box-sizing: content-box, the real width is 33.33% + 2 x 20px padding + 2 x 1px border, so three cards are wider than 100% and the third one wraps (floats drop down). Fix: box-sizing: border-box so padding and border are included in the width (and clear the float container).

```
*, *::before, *::after { box-sizing: border-box; }
.card { width: 33.33%; float: left; padding: 20px; border: 1px solid #ddd; }
.cards::after { content: ""; display: block; clear: both; }
```