QuickDrop AI Session Logs

Clean, professional submission guide for the ProcureYard take-home assignment

Purpose. This guide captures the correct way to prepare the **ai-logs/** directory without misrepresenting an incomplete or incorrectly generated transcript as a full AI session.

Important: The instructions below are based on the actual state described in the working notes. They should be followed truthfully; do not claim a complete transcript if the exported file is only a draft or fragment.

1. What was discovered

The file **ai-logs/01-build-session.md** was checked using PowerShell. Its beginning and end contained documentation text such as “AI Session Logs”, “Session Index”, and instructions to update transcripts. It did not contain the actual project-building conversation.

Therefore, treating that file as a raw transcript or even as a partial transcript would be misleading. The correct action is to remove the incorrect file and capture the real conversation.

2. Remove the incorrect log

Run the following from the project directory:

```
cd C:\dev\qd-payout-desk
Remove-Item ai-logs\01-build-session.md
```

3. Capture the real AI session

The recommended approach is to save the complete browser conversation as a PDF. This preserves the session in a readable format and avoids manually copying a long conversation.

1. Open the relevant chat in the browser.
2. Scroll from the top toward the bottom so the conversation is fully loaded.
3. Press Ctrl+P.
4. Choose Save as PDF as the print destination.
5. Save it as 01-build-session.pdf inside C:\dev\qd-payout-desk\ai-logs\.
6. Open the PDF and verify that it contains the real conversation, not just the README draft.

4. Verify the PDF

Use the PDF search function to verify that it contains recognizable content from the actual conversation. For example, search for “Hi Md” and another distinctive recent phrase from the session. The document should be substantially larger than the previous 227-line draft file.

Also search the PDF for common credential patterns such as gsk_, Bearer, and org_. If a real secret is present, do not commit it. Redact only the secret value and document the redaction in the README.

5. Create ai-logs/README.md

Use a short index that accurately describes what the file is. The README should not call a fragment a “raw transcript” or “complete session” unless that is actually true.

Suggested README structure

```
# AI session logs

## Files

| File | Tool | What it is |

|---|---|---|

| `01-build-session.pdf` | [tool name] | The full conversation in which the project was designed, built, tested and debugged, saved from the browser as a PDF |

| `02-run-and-test-session.md` | [tool name] | *(delete this row and the file if no second tool was used)* |

## Who did what

[Your own words, true statements only: who built the project, and what you ran, checked and studied yourself.]

## Notes

- **How it was captured:** the chat interface has no per-conversation export, so the whole conversation was printed to PDF. Tool runs from the assistant's sandbox appear only as collapsed blocks or abbreviated. The code, with its history, is in this repository.

- **Redactions:** [none / what was replaced with `[REDACTED]`]. No API key appears in the log.

- **Runtime model:** Groq `openai/gpt-oss-120b` (fallback `openai/gpt-oss-20b`), free tier. The final evaluation output is in `evals/real_model_report.txt`.
```

6. Who did what — keep it truthful

The assignment explicitly allows AI tools, but the AI-session documentation should still distinguish between AI assistance and your own work. State what you personally implemented, ran, checked, debugged, studied, and validated. Do not invent contributions for an AI tool or claim that you manually performed work that you did not perform.

7. If there was no second AI session

If only one AI tool was actually used, remove the second session row and remove the second file if it exists. Do not leave placeholder files or documentation that implies a second session happened.

8. Commit and push

After the real PDF and README are in place, verify the directory and commit them:

```
dir ai-logs
git add ai-logs
git commit -m "Add AI session log (PDF) and index"
git push
git status --short
```

The directory should contain the actual log file and README, with no misleading empty, draft, or placeholder transcript.

9. If PDF capture is not acceptable

The alternative is to manually copy the complete conversation into ai-logs/01-build-session.md and save it as UTF-8. Then verify that the file contains the first message and a substantial amount of session content.

```
(Get-Content ai-logs\01-build-session.md -Encoding utf8).Count
Select-String -Path ai-logs\01-build-session.md -Pattern "Hi Md" -List | Select-Object -ExpandProperty Line
```

10. Final submission checklist

☐ Incorrect draft transcript removed.

☐ Actual AI conversation captured as PDF or complete Markdown transcript.

☐ ai-logs/README.md accurately describes every log file.

☐ No API keys, bearer tokens, or other secrets are committed.

☐ Redactions, if any, are explicitly documented.

☐ Who-did-what section is truthful.

☐ Final evaluation report is present if referenced by the README.

☐ GitHub Actions is green.

☐ Repository is private.

☐ pratham-saraf is added as collaborator.

☐ Submission link is ready for the email before the stated deadline.

Professional standard: The strongest submission is not the one with the most documentation; it is the one whose documentation is accurate, reproducible, and easy for a reviewer to verify.