

## Lesson Objectives



In this lesson, you will learn about:

- Numbered List
- Bulleted List

HTML provides support for ordered, unordered and other types of lists

### Numbered List



List of items can be numbered or ordered is called numbered/ordered List

Tags can be used for creating ordered list are:

- <!i><!i><
- taq
- Defines a list item.
- Should be used as a child tag of either <OL> or <UL> tag.


tag

- defines an ordered list.
- An ordered list can be numerical or alphabetical.
- Attributes in tag are
  - start
  - type

#### Numbered List:

HTML enables you to create a numbered, or ordered list that will automatically generate numbers in front of each item in the list.

The number placed in front of an item depends on the location of the item in the list.



## Attributes in <OL> tag



#### Type Attribute:

- Specifies the kind of marked to use in the list
- Valid values for the Type Attribute
  - · A-Uppercase letters
  - · a-Lowercase letters
  - · I-Uppercase Roman letters
  - · i-Lowercase Roman letters
  - · 1-Standard numbers, default


#### Start Attribute

· Specifies the start value of an ordered list


#### Numbered List:

HTML enables you to create a numbered, or ordered list that will automatically generate numbers in front of each item in the list.

The number placed in front of an item depends on the location of the item in the list.




3.1: Numbered List Demo	•
NumberedList.html	



#### Numbered List:

HTML enables you to create a numbered, or ordered list that will automatically generate numbers in front of each item in the list.


The number placed in front of an item depends on the location of the item in the list.



#### Numbered List:

HTML enables you to create a numbered, or ordered list that will automatically generate numbers in front of each item in the list.

The number placed in front of an item depends on the location of the item in the list.




#### Numbered List:

HTML enables you to create a numbered, or ordered list that will automatically generate numbers in front of each item in the list.

The number placed in front of an item depends on the location of the item in the list.

3.2 Bulleted List Demo	•
BulletedList.html	



# Lesson Summary In this lesson, you have learnt about: • Types of available list items • Create bulleted, numbered and glossary listed items

## Review Question: Questions




Question 1:Which tag is used at the beginning of an Ordered List

- >

Question 2:To create a bulleted list <UL> tag is used

■ True/ False





## Review Question: Match the Following



- 1. <dd>>
- 2. <dt>
- 3.
- 4.
- 5.
- 6. type:circle">

- a. 1-Standard numbers
- b. Square Form
- c. A-Uppercase letters
- d. I-Uppercase Roman letters
- e. Data Definition
- f. Data Term

