

PAKY TILES

MASTER TILING BUSINESS KNOWLEDGE BASE, SALES MANUAL & OPERATIONS MANUAL

Important: All business details and prices in this document are fictional and created for demonstration/training purposes.

1. BUSINESS PROFILE

Business Name

Paky Tiles

Business Type

Australian residential and light-commercial tiling business.

Location

Pakenham, Victoria 3810, Australia

Operating Area

Paky Tiles primarily services customers within **25 km of Pakenham**.

Fictional Business Details

- **Established:** 2014
- **Experience:** 12 years
- **Owner:** Daniel Parker
- **Business phone:** 03 5900 2481
- **Email:** hello@pakytiles.com.au
- **Website:** www.pakytiles.com.au
- **Trading hours:** Monday–Friday 7:00 am–5:00 pm; Saturday 8:00 am–1:00 pm
- **Quote validity:** 14 days
- **Minimum job charge:** \$350
- **Standard call-out/inspection fee:** \$95
- **Standard payment structure:** 30% deposit, 40% progress payment and 30% completion payment where permitted by the applicable contract and Victorian requirements.

Paky Tiles specialises in:

- Bathroom tiling
- Ensuite tiling
- Laundry tiling

- Kitchen splashbacks
 - Floor tiling
 - Wall tiling
 - Outdoor tiling
 - Porcelain tiling
 - Ceramic tiling
 - Mosaic tiling
 - Large-format tiles
 - Natural stone
 - Tile removal
 - Regrouting
 - Silicone replacement
 - Tile repairs
 - Surface preparation
 - Screeding
 - Floor levelling
 - Waterproofing
 - New-build tiling
 - Renovation tiling
 - Selected commercial projects
-

2. SERVICE AREA

Primary suburbs

Paky Tiles services Pakenham and surrounding areas including:

- Pakenham
- Pakenham Upper
- Pakenham South
- Officer
- Officer South
- Beaconsfield
- Beaconsfield Upper
- Nar Nar Goon
- Nar Nar Goon North
- Tynong
- Tynong North
- Garfield
- Bunyip
- Koo Wee Rup
- Clyde
- Clyde North
- Cardinia
- Lang Lang
- Tooradin
- Cranbourne
- Cranbourne East
- Cranbourne North

- Berwick
- Narre Warren
- Narre Warren South
- Harkaway

Travel outside the normal service area may attract a **\$75 travel charge** if accepted.

3. CORE SERVICES

Floor Tiling

Paky Tiles installs:

- Ceramic tiles
- Porcelain tiles
- Rectified porcelain
- Stone
- Marble
- Travertine
- Limestone
- Slate
- Terrazzo
- Quarry tiles
- Mosaic
- Outdoor porcelain
- Large-format porcelain

Fictional labour prices

Service	Unit	Exact Price
Standard floor tiling	m ²	\$65
Porcelain floor tiling	m ²	\$72
Large-format 600×1200	m ²	\$88
900×900 tiles	m ²	\$95
1200×1200 tiles	m ²	\$110
Herringbone floor tiling	m ²	\$115
Outdoor porcelain	m ²	\$85
Natural stone installation	m ²	\$125

These are example base prices and are subject to the quoted scope.

4. WALL TILING

Service	Unit	Exact Price
Standard wall tiling	m ²	\$68
Subway tile installation	m ²	\$78
Feature tile installation	m ²	\$85
Kit Kat/mosaic installation	m ²	\$120
Large-format wall tile	m ²	\$95
Natural stone wall tile	m ²	\$130

5. BATHROOM TILING

Example Paky Tiles bathroom pricing

Service	Exact Price
Standard bathroom floor installation	\$650
Standard bathroom wall installation	\$1,850
Shower floor tiling	\$550
Shower wall tiling	\$850
Bathroom waterproofing	\$950
Bathroom screeding	\$480
Bathroom floor preparation	\$350
Bathroom tile removal	\$650
Complete standard bathroom tiling package	\$4,850

The complete package does not automatically include plumbing, electrical work, fixtures, demolition of structural elements, shower screens or unrelated building work.

6. KITCHEN SPLASHBACKS

Service	Exact Price
Standard splashback installation	\$580
Subway tile splashback	\$680

Service	Exact Price
Mosaic splashback	\$850
Large-format splashback	\$720
Splashback tile removal	\$290
Silicone replacement	\$180

Electrical modifications and plumbing are excluded.

7. CUSTOMER-SUPPLIED TILE MODEL

Paky Tiles accepts selected projects where the customer purchases the tiles themselves.

The customer is responsible for supplying:

- Correct tile
- Correct quantity
- Correct colour
- Correct batch
- Correct size
- Correct finish
- Suitable tile for the intended application
- Sufficient spare tiles
- Feature pieces
- Matching trims where required

Paky Tiles will inspect the tiles before installation where practicable.

Customer-supplied tile installation prices

Service	Exact Price
Standard floor installation	\$65/m ²
Standard wall installation	\$68/m ²
Porcelain installation	\$72/m ²
Large-format installation	\$88/m ²
Mosaic installation	\$120/m ²
Herringbone installation	\$115/m ²
Natural stone installation	\$125/m ²

Installation prices do **not** transfer responsibility for manufacturing defects or an unsuitable customer-selected product to Paky Tiles.

8. TILE QUANTITY POLICY

Customers should purchase sufficient tiles for:

- Measured area
- Cutting
- Pattern requirements
- Breakages
- Future repairs
- Batch consistency

Paky Tiles does not guarantee that the quantity purchased by the customer will be sufficient.

If additional tiles are required after installation has commenced:

Additional tiles must be purchased by the customer.

Additional labour caused by waiting for replacement tiles is charged at:

\$95 per hour.

9. CUSTOMER-SUPPLIED TILE EXCLUSIONS

Paky Tiles is not responsible for:

- Incorrect tile selection
- Incorrect quantity
- Incorrect colour
- Incorrect batch
- Manufacturer defects
- Damaged tiles supplied by the customer
- Tiles unsuitable for floors
- Tiles unsuitable for walls
- Tiles unsuitable for wet areas
- Tiles unsuitable for outdoor applications
- Incorrect thickness
- Missing feature pieces
- Missing trims
- Discontinued tiles
- Shade variation
- Natural variation in stone
- Tiles damaged before installation
- Tiles damaged during customer-controlled transport

If a product is clearly unsuitable before installation, Paky Tiles may refuse to install it.

10. TILE SUPPLY + INSTALLATION

Paky Tiles can also supply the complete tiling system.

This can include:

- Tiles
- Adhesive
- Grout
- Silicone
- Trims
- Waterproofing materials
- Levelling products
- Delivery
- Installation

Fictional tile examples

Tile	Price
Classic White Ceramic 300×600	\$32/m ²
Urban Grey Porcelain 600×600	\$45/m ²
Pakenham Stone Porcelain 600×1200	\$59/m ²
Coastal Sand Porcelain 900×900	\$68/m ²
Carrara-look Porcelain 600×1200	\$62/m ²
Matte Black Porcelain 600×600	\$55/m ²
Subway White Gloss 75×300	\$38/m ²
Kit Kat Mosaic	\$79/m ²
Premium Marble Mosaic	\$125/m ²
Outdoor Grip Porcelain 600×600	\$52/m ²

11. PREPARATION

Preparation is priced separately unless specifically included in the quotation.

Exact example prices

Preparation	Exact Price
Surface preparation	\$350
Floor grinding	\$420

Preparation	Exact Price
Primer application	\$180
Floor levelling	\$650
Screeding	\$480
Adhesive removal	\$380
Existing tile removal	\$650
Rubbish removal	\$290
Crack treatment	\$250
Additional substrate repair	\$95/hour

Hidden substrate problems may require a variation.

12. WATERPROOFING

Fictional Paky Tiles waterproofing prices

Service	Exact Price
Standard bathroom waterproofing	\$950
Ensuite waterproofing	\$850
Laundry waterproofing	\$650
Shower waterproofing	\$550
Balcony waterproofing	\$1,250
Waterproofing repair	\$480
Additional waterproofing preparation	\$95/hour

Waterproofing must be treated as a complete system involving the substrate, membrane, junctions, penetrations, falls, drains and compatible products.

Paky Tiles must not claim that tiles, grout or silicone alone constitute a waterproofing system.

For regulated work, current Victorian requirements, the applicable NCC provisions, relevant Australian Standards and manufacturer instructions must be confirmed before work commences.

13. GROUTING

Service	Exact Price
Standard regrouting	\$55/m ²
Premium grout	\$65/m ²
Epoxy grout	\$95/m ²
Grout removal	\$45/m ²
Small grout repair	\$250
Bathroom grout restoration	\$750

Grout is not a substitute for flexible sealant at applicable movement/change-of-plane locations.

14. SILICONE

Service	Exact Price
Standard silicone replacement	\$180
Shower silicone replacement	\$250
Bathroom silicone package	\$350
External silicone joint	\$95 per linear metre

Existing silicone must be properly removed and surfaces prepared before replacement.

15. TILE REPAIRS

Repair	Exact Price
Single standard tile replacement	\$195
Two-tile replacement	\$260
Five-tile replacement	\$420
Cracked tile assessment	\$95
Small grout repair	\$180
Loose tile repair	\$220
Small repair visit	\$350

Exact colour matching cannot always be guaranteed, particularly where tiles are discontinued or batches have changed.

16. LARGE-FORMAT TILES

Large-format tiles require additional consideration for:

- Handling
- Storage
- Substrate flatness
- Cutting
- Adhesive coverage
- Back-buttering
- Alignment
- Lippage
- Movement
- Transport
- Breakage

Example prices

- 600×1200 installation: **\$88/m²**
- 900×900 installation: **\$95/m²**
- 1200×1200 installation: **\$110/m²**
- 1200×2400 installation: **\$145/m²**

17. MOSAIC TILING

Mosaic installation costs more because of:

- Individual pieces
- Sheet alignment
- Numerous joints
- Cutting
- Corners
- Adhesive coverage
- Grouting
- Cleaning

Exact example price

Mosaic installation: \$120/m²

Glass mosaic:

\$135/m²

Complex feature mosaic:

\$155/m²

18. TILE REMOVAL

Service	Exact Price
Ceramic tile removal	\$45/m ²
Porcelain removal	\$55/m ²
Stone removal	\$75/m ²
Mosaic removal	\$65/m ²
Adhesive removal	\$38/m ²
Bathroom demolition tiling component	\$850

Structural demolition, asbestos removal and specialist hazardous-material work are excluded.

19. QUOTING PROCESS

Every quote should follow this process:

1. Customer enquiry
2. Confirm address
3. Confirm project type
4. Confirm tile type
5. Confirm tile size
6. Confirm tile supplier
7. Determine whether customer or Paky Tiles supplies tiles
8. Request photographs
9. Conduct site inspection where required
10. Measure area
11. Assess substrate
12. Assess access
13. Determine preparation
14. Determine waterproofing requirements
15. Determine tile layout
16. Calculate labour
17. Calculate materials
18. Calculate disposal
19. Identify exclusions
20. Prepare written quotation
21. Obtain customer acceptance
22. Schedule project
23. Complete installation
24. Conduct quality inspection
25. Clean site
26. Handover
27. Record warranty documentation

20. STANDARD QUOTE INCLUSIONS

Unless specifically excluded or varied, a standard installation quotation may include:

- Installation labour
- Standard tile cutting
- Standard adhesive
- Standard grout
- Standard silicone
- Standard spacers
- Basic site clean-up

The quotation must state exactly what is included.

21. STANDARD EXCLUSIONS

Unless specifically quoted:

- Plumbing
 - Electrical
 - Carpentry
 - Painting
 - Structural repairs
 - Major demolition
 - Asbestos removal
 - Engineering
 - Building surveying
 - Shower screens
 - Joinery
 - Fixtures
 - Appliances
 - Landscaping
 - Scaffolding
 - Specialist access equipment
 - Major substrate replacement
 - Hidden water damage
 - Structural movement
 - Rotten timber
 - Mould remediation
 - Customer's tile purchase
 - Customer's tile delivery
 - Replacement customer-supplied tiles
-

22. VARIATIONS

A variation may be required where unexpected conditions are discovered.

Examples include:

- Rotten substrate
- Uneven substrate
- Hidden water damage
- Additional demolition
- Unexpected waterproofing requirements
- Additional levelling
- Additional screeding
- Insufficient customer-supplied tiles
- Customer changing tile selection
- Customer changing layout
- Additional trims
- Structural movement
- Additional preparation

Variation labour

\$95 per hour

Variation material administration charge

\$75 per variation

Variations should be documented and accepted before additional work proceeds where practicable and legally appropriate.

23. QUALITY CONTROL

Before handover, Paky Tiles checks:

- Tile alignment
- Joint consistency
- Tile level
- Wall plumb
- Lippage
- Cuts
- Corners
- Grout
- Silicone
- Trims
- Drainage
- Falls
- Cleanliness

- Chips
 - Cracks
 - Adhesive residue
 - Visible defects
-

24. CUSTOMER EXPERIENCE

Stage 1 — Enquiry

Respond professionally and collect:

- Name
- Contact details
- Address
- Project type
- Approximate area
- Tile type
- Tile size
- Photos
- Desired timeframe

Stage 2 — Assessment

Determine:

- Scope
- Preparation
- Access
- Materials
- Tile supply responsibility
- Waterproofing
- Removal
- Disposal

Stage 3 — Quote

Provide a written quotation containing:

- Scope
- Price
- Inclusions
- Exclusions
- Payment requirements
- Expected schedule
- Variation procedure

Stage 4 — Installation

Protect surrounding areas, complete preparation, install tiles and complete finishing.

Stage 5 — Handover

Clean the work area, inspect the completed work and provide relevant care information.

25. SALES OBJECTIONS

"Your price is too expensive."

Explain that the price includes the required labour, preparation, installation system, finishing and quality-control process rather than simply the act of placing tiles.

"I already bought the tiles."

That's fine. Paky Tiles can quote installation-only work. The customer remains responsible for ensuring that the supplied product is suitable and available in sufficient quantity.

"Another tiler is cheaper."

Paky Tiles should explain the difference in scope, preparation, materials, workmanship and exclusions rather than criticising another contractor.

"Can you guarantee there will never be cracks?"

No contractor should provide an unconditional guarantee against every possible future crack because cracking can arise from substrate movement, structural movement, product issues and other causes outside the tiler's control.

"Can you waterproof it forever?"

Do not promise perpetual waterproofing. Explain what system is being installed and what contractual or statutory protections actually apply.

26. AI CUSTOMER SERVICE RULES

The Paky Tiles AI assistant must:

1. Never invent a customer quote.
2. Use the exact approved prices contained in the pricing database.
3. Never provide a price range.
4. Never imply an indicative price is a guaranteed final quotation.
5. Ask for measurements.
6. Ask what tile is being used.
7. Ask whether the customer supplies the tile.
8. Ask whether demolition is required.
9. Ask about substrate condition.
10. Ask whether waterproofing is involved.
11. Ask about tile size.

12. Ask about patterns.
 13. Ask about access.
 14. Ask about drains and niches.
 15. Identify possible variations.
 16. Explain exclusions.
 17. Escalate technical questions when necessary.
 18. Never invent Australian Standards.
 19. Never claim legal compliance without verification.
 20. Never guarantee waterproofing outcomes.
 21. Never guarantee structural outcomes.
 22. Never blame customers or other trades without evidence.
 23. Clearly distinguish company policy from Australian legal requirements.
 24. State when an on-site inspection is required.
-

27. PHOTO-BASED QUOTING

Customers should ideally provide photographs showing:

- Entire room
- Floor
- Walls
- Shower
- Drains
- Corners
- Existing tiles
- Damage
- Doorways
- Stairs
- Access
- Outdoor areas
- Tile packaging
- Existing waterproofing where visible

Photos are useful for preliminary assessment but do not necessarily replace an on-site inspection.

28. FICTIONAL FAQ

How much does Paky Tiles charge for standard floor tiling?

The example standard installation price is **\$65 per m²**.

How much is porcelain installation?

The example price is **\$72 per m²**.

How much is large-format tiling?

The example 600×1200 installation price is **\$88 per m²**.

How much is mosaic installation?

The example standard mosaic price is **\$120 per m²**.

How much is bathroom waterproofing?

The example price is **\$950** for a standard bathroom waterproofing service.

Can I supply my own tiles?

Yes, subject to inspection and suitability.

What if I don't have enough tiles?

The customer must purchase additional tiles. Additional labour caused by waiting is charged at **\$95 per hour**.

Can you tile over existing tiles?

Potentially, depending on the existing installation, substrate, tile condition, levels and suitability of the proposed system. It must be assessed before acceptance.

Can you tile over timber?

Potentially, but substrate construction and suitability must be assessed first.

Can you install large-format tiles?

Yes.

Do you install mosaics?

Yes.

Do you remove old tiles?

Yes. The example ceramic removal price is **\$45 per m²**.

Do you replace cracked tiles?

Yes. A single standard tile replacement is priced at **\$195** in the fictional pricing database.

29. WARRANTY PRINCIPLES

Paky Tiles distinguishes between:

Workmanship

Issues caused by installation workmanship.

Product defects

Issues caused by the tile, adhesive, grout, membrane or other supplied product.

Substrate defects

Problems originating from the underlying surface.

Structural movement

Movement of the building or substrate that may affect the tile installation.

Customer damage

Damage caused after completion.

The business must not invent warranty periods. Actual warranty terms should be stated in the applicable contract and comply with applicable Victorian law.

30. SAFETY

Paky Tiles prioritises:

- PPE
- Silica exposure controls
- Dust control
- Wet-saw safety
- Grinder safety
- Manual handling
- Large-format tile lifting
- Chemical handling
- Waterproofing-product safety
- Electrical safety
- Ladder safety
- Working-at-height controls
- Site isolation
- Public safety
- Child safety
- Pet safety
- Slip and trip prevention

Safety procedures must comply with applicable Victorian workplace requirements.

31. TOOLS

Typical equipment includes:

- Manual tile cutters
- Wet saw
- Angle grinder
- Diamond blades
- Hole saws
- Mixing drill
- Buckets
- Laser level
- Spirit level
- Notched trowels
- Spacers
- Levelling systems
- Suction lifters
- Knee pads
- Vacuum
- Dust extraction
- Waterproofing tools
- Grouting tools
- Silicone tools
- PPE

32. 12 YEARS OF FICTIONAL TRADE LESSONS

Paky Tiles' operating philosophy is built around several principles:

1. Preparation is as important as installation.
 2. Cheap quotes often omit preparation.
 3. Customer-supplied products need clear responsibility boundaries.
 4. Tile quantity should be confirmed before installation.
 5. Large tiles require appropriate handling and substrate preparation.
 6. Waterproofing should never be treated as an afterthought.
 7. Photos are valuable but cannot reveal every hidden condition.
 8. Written variations prevent misunderstandings.
 9. Good communication prevents many disputes.
 10. Natural stone requires realistic expectations.
 11. Quality control should happen before the customer discovers a problem.
 12. Every quotation should clearly state what is and isn't included.
-

33. MASTER PRICE DATABASE

Service	Exact Price
Minimum job charge	\$350
Site inspection	\$95
Travel outside standard area	\$75
Standard floor tiling	\$65/m ²
Standard wall tiling	\$68/m ²
Porcelain tiling	\$72/m ²
600×1200 large-format	\$88/m ²
900×900	\$95/m ²
1200×1200	\$110/m ²
1200×2400	\$145/m ²
Herringbone	\$115/m ²
Standard mosaic	\$120/m ²
Glass mosaic	\$135/m ²
Complex feature mosaic	\$155/m ²
Natural stone	\$125/m ²
Outdoor porcelain	\$85/m ²
Ceramic removal	\$45/m ²
Porcelain removal	\$55/m ²
Stone removal	\$75/m ²
Adhesive removal	\$38/m ²
Standard regrouting	\$55/m ²
Epoxy grout	\$95/m ²
Standard silicone	\$180
Shower silicone	\$250
Standard waterproofing	\$950
Ensuite waterproofing	\$850
Laundry waterproofing	\$650
Shower waterproofing	\$550
Balcony waterproofing	\$1,250

Service	Exact Price
Screeding	\$480
Floor levelling	\$650
Standard tile replacement	\$195
Small repair visit	\$350
Variation labour	\$95/hour

All prices above are fictional training data created for Paky Tiles and must not be represented as actual current business pricing.

34. FINAL BUSINESS SUMMARY

Paky Tiles is a fictional Pakenham-based Victorian tiling business specialising in residential renovations, bathrooms, kitchens, floor and wall tiling, waterproofing, preparation, repairs, mosaics, large-format tiles and outdoor installations.

The business operates using two primary models:

Model A — Supply + Install

Paky Tiles supplies the tiles and installation system and completes the installation.

Model B — Customer Supplies Tiles

The customer purchases the tiles while Paky Tiles provides the installation labour and quoted installation materials.

The business places particular emphasis on:

- Clear quotations
- Exact pricing
- Preparation
- Waterproofing
- Quality workmanship
- Customer communication
- Customer-supplied tile policies
- Written variations
- Safety
- Quality control
- Clear exclusions
- Professional handover

The AI assistant representing Paky Tiles must always distinguish between **company policy, fictional pricing data, industry practice, manufacturer requirements and applicable legal/regulatory requirements**.

It must never invent laws, Australian Standards or regulatory obligations.

For regulated work, the assistant should state:

"Confirm the current requirement with the relevant Victorian authority, building surveyor, manufacturer or applicable Australian Standard before commencing work."

The objective is for this document to function as the fictional company's:

**MASTER TILING KNOWLEDGE BASE + SALES MANUAL + QUOTING MANUAL + OPERATIONS MANUAL
+ CUSTOMER FAQ + AI KNOWLEDGE BASE.**