

A Scoping Review of Human–Computer Interaction Research on the Accessibility of Data Visualizations: New Technologies, Procedures, and Designs

Saad Hassan
Department of Computer Science
Tulane University
New Orleans, Louisiana, USA
saadhassan@tulane.edu

Areen Khalaila
Computer Science
Tulane University
New Orleans, Louisiana, USA
akhalaila@tulane.edu

Dylan Cashman
Department of Computer Science
Brandeis University
Waltham, Massachusetts, USA
dylan.cashman@brandeis.edu

Ather Sharif
Capital One
McLean, Virginia, USA
ather.sharif@gmail.com

Rebecca Faust
Computer Science
Tulane University
New Orleans, Louisiana, USA
rfaust1@tulane.edu

Abstract

Data visualizations are vital for communication and decision-making, yet accessibility barriers limit their effectiveness for people with disabilities. While earlier literature reviews examined Human-Computer Interaction (HCI) research on visualization accessibility, there has not been an analysis that accounts for recent seismic shifts in software, hardware, design and experimental protocols due to Artificial Intelligence (AI), the COVID-19 pandemic, and greater awareness of accessible technologies. To analyze the impacts of this shift on accessible visualization research, we reviewed 280 HCI publications and coded target communities, visualization types, interaction types, and methods, contrasting articles published before and after 2021. Our corpus identified a sharp increase in publications after 2021 along with an expansion to a broader range of target communities, including people with CVD, IDD, and ADHD. Empirical and artifact contributions still dominate, with studies after 2021 showing a higher proportion of empirical studies. Participatory approaches are increasing but still remain limited. Research mainly focuses on charts and web-based, text-driven interactions, with articles after 2021 indicating a growing interest in multimodal and AI-driven systems. We further dissect this recent surge, positioning it against earlier work to identify trends, limitations, and open questions to guide future research.

CCS Concepts

• **Human-centered computing** → *Accessibility theory, concepts and paradigms; Visualization theory, concepts and paradigms.*

Keywords

Literature Review, Survey, Accessibility, Data Visualization

ACM Reference Format:

Saad Hassan, Areen Khalaila, Dylan Cashman, Ather Sharif, and Rebecca Faust. 2026. A Scoping Review of Human–Computer Interaction Research on the Accessibility of Data Visualizations: New Technologies, Procedures, and Designs. In *The 28th International ACM SIGACCESS Conference on Computers and Accessibility (ASSETS '26)*, October 25–28, 2026, Vila Nova de Gaia, Portugal. ACM, New York, NY, USA, 25 pages. <https://doi.org/10.1145/3797867.3829030>

1 Introduction

Data visualizations offer an efficient way to engage with quantitative information. They help people interpret insights about health, education, finance, news, and broader personal, community, and societal issues as data literacy expands [112, 152, 218]. By leveraging visual perception and preattentive processing, they communicate complex ideas and support decision-making more effectively than many other modalities [122].

Although visualizations are designed to make complex information more comprehensible, they often exclude large segments of the population, including people with disabilities [147]. People who are *blind or have low vision (BLV)* are among the most directly affected, as the visual modality is central to most visualization techniques [28]. People who are BLV experience varying levels of blindness, which shape their distinct accessibility needs for engaging with data visualization [85]. Accessibility barriers also extend beyond this community to people with *intellectual and developmental disabilities (IDD)* [270] as well as *cognitive disabilities* [178], who may face challenges when processing dense or abstract graphical representations. People who are *DeafBlind* often depend on tactile communication systems and devices as primary channels for accessing information [56]. People with *color vision deficiencies (CVD)* can struggle when designs rely solely on hue differences [15]. For people without disabilities, *situational impairments*, e.g., accessing visualizations on small mobile screens or in low-light conditions can also limit data visualization comprehension [211].

There is a growing push to make data visualizations more accessible, with contributions from industry and non-profit sectors



This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License.

ASSETS '26, Vila Nova de Gaia, Portugal

© 2026 Copyright held by the owner/author(s).

ACM ISBN 979-8-4007-2521-0/26/10

<https://doi.org/10.1145/3797867.3829030>

[112, 122]. Efforts range from implementing web accessibility standards [239] to developing commercial devices, such as dynamic tactile displays [114], and more recently, using deep learning and generative AI to create multimodal representations [124, 215, 283]. Within academic research, visualization accessibility has long been overlooked, particularly at premier venues where accessible design has lagged behind the field's rapid growth [147]. Still, the area is gaining traction as scholars in HCI, visualization, and related disciplines increasingly collaborate.

As work in this domain has increased, we are seeing more contributions that take the form of surveys, theoretical frameworks, guidelines, or opinion pieces [112, 157, 166, 239]. For example, researchers have employed the *crip technoscience* lens as a critical framework for reimagining how accessible data visualizations might be created [112], while other studies have examined how visualizations “in the wild” are made accessible (if at all) and the challenges practitioners face in designing them [122]. A handful of surveys have also reviewed accessibility in data visualizations, spanning both the HCI and visualization communities as well as underlying technologies explored primarily within the machine learning (ML) community. HCI and visualization surveys have outlined design spaces and identified open challenges [137, 248, 265], while ML-oriented surveys have focused on approaches such as alt text generation [35], automatic chart understanding [78], and data physicalization [64].

Over the past five years, research on accessible data visualizations has expanded rapidly in both volume and scope, with increasing contributions from HCI and accessibility communities, greater methodological diversity, and broader attention to disability groups beyond people who are BLV. There are many reasons why 2020–2021 may serve as an inflection point for accessibility research. The wide availability of natural language processing and image processing AI models has drastically lowered the barrier to entry for building accessibility software. The COVID-19 pandemic changed the ways of working for people across the globe, putting greater emphasis on technology for equal participation for all [253]. There has also been greater attention on novel methodologies for design and experimentation, including participatory design, design justice, and other inclusive design principles. We believe this is a timely moment to take stock of the field and examine how work published after 2021 differs from earlier efforts, particularly in terms of design and user engagement. To address this need, we present the most current survey of HCI research on accessible data visualizations, covering work through March 2026.

We present a scoping review and analysis of 280 publications on accessibility of data visualizations published between 1996 and March 2026. Our team, with expertise in accessibility, HCI, and visualization, reviewed research from the ACM Digital Library¹, IEEE Xplore², Eurographics proceedings in Wiley Online Library³, Springer Nature Link⁴, and Taylor and Francis Online⁵. We focused on HCI papers on accessible data visualization and used descriptive and qualitative analyses to identify trends before and after 2021.

¹ACM Digital Library: <https://dl.acm.org/>

²IEEE Xplore: <https://ieeexplore.ieee.org/Xplore/home.jsp>

³Wiley Online Library: <https://www.wiley.com/en-us>

⁴Springer Nature Link: <https://link.springer.com/>

⁵Taylor and Francis Online: <https://www.tandfonline.com/>

Our review was guided by four questions that build on prior surveys [137, 265] and help identify broader thematic changes in this research in the past five years.

RQ1: How has the consideration of and engagement with *participants and target populations* in HCI research on accessible data visualization within computing venues changed over the last five years?

RQ2: What *technologies* involved in accessible visualizations have changed most drastically in the last five years?

RQ3: How has the volume of published HCI research on accessible data visualization within computing research communities changed in recent years?

RQ4: What open questions and future research opportunities emerge from this review?

To investigate these research questions, we coded 280 papers gathered in our corpus, as described in Section 3. The contributions of this work lie in both the scoping review of these 280 publications and the qualitative analysis of current trends and open questions that can guide future research. We conduct a quantitative analysis of the resulting code frequencies, comparing **prior to 2021** and **2021 & beyond** in Section 4. We then present qualitative findings derived from close readings of the corpus, highlighting thematic changes in research on the accessibility of visualizations in Section 5. Finally, we discuss open questions and identify future research directions in Section 6.

2 Background and Related Work

2.1 Literature Reviews in HCI, Accessibility, and Visualization Research

Literature reviews and surveys have long been important contributions in HCI [237], accessibility [159], and visualization [153, 170, 197]. They synthesize prior work, surface trends, and articulate shared conceptual frameworks [266]. We situate our survey within this tradition to provide methodological grounding and context.

Reviews in *HCI* often analyze large corpora of publications to trace research trajectories and shifts in the field (e.g., [37, 154]). Most use qualitative coding to derive themes. Common dimensions include contribution types, user communities, and research methods. Reviews also extract information such as topical focus [58] and participant sample sizes [36]. Some incorporate quantitative techniques, including clustering and network analysis, to map trends [154], and others examine alternative corpora such as patents [37]. Despite these variations, qualitative synthesis remains the dominant approach in HCI.

A similar pattern appears in *accessibility* research. Reviews in this area often combine qualitative coding with descriptive statistics to report on communities of focus, research problems, contributions, participant engagement, researcher roles, and temporal trends [159]. Large-scale surveys consistently show that work on accessibility for people who are BLV receives the most attention, followed by research on motor impairments and Deaf or Hard-of-Hearing (DHH) communities [210]. Smaller reviews report similar findings [14]. Mack et al. [159] also note that usability studies, interviews, and controlled experiments dominate, while participatory methods remain comparatively rare.

Surveys in *visualizations*, such as State-of-the-Art Reports (STARs), similarly examine research trajectories, often in emerging areas, by employing qualitative coding of survey corpora [137] to derive common themes and patterns of design. Specifically, surveys on data visualizations often surface characteristics of design [209], taxonomies [82], and guidelines and principles for future design [137].

Our review sits at the intersection of these three areas, building on literature survey practices commonly employed in HCI research. We focus on ❶ **HCI research** that examines ❷ **data visualization** in the context of ❸ **accessibility for people with disabilities**.

2.2 Relevant Surveys, Theoretical Perspectives, and Opinion Papers

We summarize the insights from related surveys presented in Table 1. We identify Wimer et al. [265], Kim et al. [137], and Tlapa-Monge and Montané-Jiménez [248] as directly comparable to our study, as they are the closest survey works at the intersection of accessibility, HCI, and visualization. Other relevant surveys are highlighted later in this section but were not directly comparable to ours due to differences in scope, including a focus on non-visualization domains, modality-specific systems, or machine learning tasks.

Most closely related, Kim et al. [137] mapped the design space of accessible visualization for BLV readers across seven dimensions and proposed a four-part model for accessibility. Similarly, Tlapa-Monge and Montané-Jiménez [248] evaluate the space of existing solutions for BLV accessibility, synthesizing practical implications and design guidelines. Wimer et al. [265] take a broader view of accessibility to include non-visual disabilities, creating a corpus of research for people who are BLV as well as people with non-visual disabilities. Using the full corpus, they present a classification scheme for accessible data representations and then subsequently reduce their corpus to articles focused on communities with non-visual disabilities for an in-depth synthesis of the current state of research. Together these three surveys provide a comprehensive prior synthesis of the space of accessible visualization research across disability communities.

A cross-corpus comparison with these three surveys reveals limited overlap with our corpus (11.4% with Kim et al. [137], 15.6% with Wimer et al. [265], 8.2% with Tlapa-Monge and Montané-Jiménez [248] and 27.9% across all three)⁶, despite their conceptual proximity. This reflects differences in scope and temporal coverage—all reviews conclude prior to 2023, with the most similar ([137]) concluding prior to 2021—whereas our survey extends through 2026 with HCI-focused inclusion criteria. Together, this highlights the rapid expansion of the field and positions our work as a comprehensive and up-to-date synthesis of accessibility research in data visualization.

The primary way we extend prior research is by adopting a scoping review approach common in recent HCI and accessibility field or domain-spanning surveys (e.g., [10, 159]) to examine accessibility within the data visualization literature. While prior surveys have primarily developed taxonomies of techniques and models, our approach focuses on engagement with design considerations, user engagement, and study details. We explicitly compare publications pre- and post-2021, a bifurcation motivated in part by notable

changes in the landscape of research beginning around 2021, from factors such as the availability of AI and the COVID-19 pandemic, as well as by the temporal scope of the directly comparable surveys, to assess how earlier agendas have materialized and to outline open HCI research questions.

2.2.1 Surveys of Research on Automatic Chart Understanding and Alt Text Methods. ML researchers have surveyed automatic tools for analyzing and converting visualizations, outlining pipelines for chart extraction, classification, data extraction, and higher-level interpretation [57]. These reviews categorize work by chart types, data extraction methods, modality-based techniques, traditional image processing, and deep learning approaches [78, 217]. They also highlight applications such as chart redesign, captioning, and chart question answering, along with persistent challenges. Complementary surveys examine technologies for making figures accessible, such as alt text generation tools [276]. Together, insights from these surveys show that while many tools exist for readers and creators, performance gaps remain and must be addressed for reliable use, and they illuminate complexity dimensions that inform HCI work relying on off-the-shelf ML solutions.

2.2.2 Surveys of Research on Haptics, Tactile Displays & Data Physicalization. Researchers have also surveyed a range of haptic, tactile, and multimodal approaches for making data visualizations accessible [161]. O'Modhrain et al. [183] studied existing literature to identify the challenges and opportunities with designing visual media for refreshable touch displays. Early reviews of haptic visualization [184, 205] traced historical milestones (e.g., Project GROPE, PHANTOM), advances in haptic rendering and perception, and applications across visualization, while more recent surveys [119] highlight growing use of haptic technologies along with challenges related to efficiency, detail extraction, memory load, and support for complex visualizations. Other reviews examine touch-based graphics in STEM contexts [34]. Surveys of data physicalization [20] further expand beyond screen-based tools by showing how form, volume, texture, vibrotactile signals, and light can supplement encodings. Broadly speaking, these reviews highlight multimodality as central to advancing accessibility in data visualization.

2.2.3 Relevant Surveys and Perspectives on Disability-Focused Data Visualization Research. Researchers have argued for expanding the intellectual scope of accessibility and visualization research by moving beyond narrow paper types and recognizing a broader set of twenty-five contribution types, including interaction techniques, new domains, and visions, to better capture how visualization advances knowledge [148].

Torres and Barwaldt [250] systematically reviewed approaches for making diagrammatic representations accessible to BLV users and found that most work centered on auditory interfaces and refreshable braille displays, with limited attention to navigation, editing, or collaboration. Complementing this, Vargas and Trevisan [254] surveyed 82 studies on making graphics, diagrams, flowcharts, shapes, maps, and educational images accessible for BLV users, categorizing work by task, modality, and assistive technology, and identifying ongoing challenges with automation, real-world evaluation, and the need for more personalized multimodal solutions. While both of these surveys aim to support visual accessibility,

⁶The underlying data for these calculations is provided in the supplementary material.

Table 1: Comparison of prior relevant literature surveys. The first group of rows contains the most relevant and directly comparable surveys, with subsequent rows grouped by research communities (HCI & Visualization, Machine Learning, and Haptics and Data Physicalization). The Review column identifies the author(s) and publication year. Venue indicates the publication venue. Papers reports the number of works included in each review. End Year reports the final year included in the survey corpus. Comm. refers to the communities considered, categorized as *BLV* (Blind or Low Vision), *DLD* (Developmental Language Disabilities), *Broad* (multiple disability communities or general populations), or *None*. Vis. Types are simplified into *Charts* (a single type) or *Multiple* (two or more types). Auth. captures whether authoring practices or tools for creating accessible visualizations were discussed. AI indicates whether automation or machine-learning-based approaches were reviewed. Finally, User Studies denotes whether findings from empirical studies were synthesized. All checkmarks, along with entries coded as *Broad* and *Multiple*, are highlighted to mark coverage. Three works at the intersection of HCI, visualization, and accessibility are identified as direct comparables, while four others at this intersection (identified by #) are not comparable because of differences in scope.

Review	Venue	Papers	End Year	Comm.	Vis. Types	Auth.	AI	User Studies
<i>Direct Comparables</i>								
Hassan et al. (This review)	ASSETS	280	2026	Broad	Multiple	✓	✓	✓
Wimer et al. [265] (2024)	TVCG	152	2022	Broad	Multiple	✓	✓	✓
Kim et al. [137] (2021)	EuroVis	56	2020	BLV	Multiple	✗	✗	✓
Tlapa-Monge & Montané-Jiménez [248] (2023)	CONISOFT	45	2022	BLV	Multiple	✓	✓	✓
<i>Visualization & HCI—Not Comparable[#]</i>								
Enge et al. [70] (2024)	EuroVis	57	2023	None	Multiple	✗	✗	✓
Vargas and Trevisan [254] (2024)	IHC	82	2023	BLV	Multiple	✗	✗	✓
Devane et al. [59] (2024)	IJLCD	6	2023	DLD	Multiple	✗	✗	✓
Torres and Barwaldt [250] (2019)	FIE	26	2018	BLV	Diagrams	✓	✗	✓
<i>ML Chart Understanding & Alt-Text Generation</i>								
Yan et al. [276] (2025)	IEEE Access	38	2024	BLV	Charts	✓	✓	✓
Farahani et al. [78] (2023)	IEEE Access	~120	2023	None	Charts	✗	✓	✗
Shahira and Lijiya [217] (2021)	IEEE Access	–	2020	BLV	Charts	✓	✓	✗
Davila et al. [57] (2020)	TPAMI	~130	2019	None	Charts	✗	✓	✗
<i>Haptics, Tactile Displays, & Data Physicalization</i>								
Jiang et al. [119] (2025)	TACCESS	132	2024	BLV	Multiple	✓	✗	✓
Mallouk et al. [161] (2024)	ICICT	–	2024	None	Multiple	✗	✗	✗
Butler et al. [34] (2021)	CHI	292	2020	BLV	Multiple	✓	✗	✓
O’Modhrain et al. [183] (2015)	ToH	–	2015	BLV	Multiple	✓	✗	✗
Bae et al. [20] (2022)	CHI	47	2021	Broad	Multiple	✓	✗	✓
Paneels and Roberts [184] (2009)	ToH	~70–100	2009	BLV	Multiple	✗	✓	✗
Roberts and Paneels [205] (2007)	WHC	–	2006	BLV	Multiple	✓	✗	✗

they differ from ours in scope as they do not focus directly on data visualizations.

3 Method

Since the goal of this work was to understand research trends, we employed a scoping review as our research method [19]. Like systematic reviews, a scoping review involves analyzing how research is conducted, summarizing findings, identifying gaps, and presenting open questions. However, unlike a systematic review, it does not assess the quality of the studies, as its goal is to capture the full scope of the literature, including artifacts [177, 188]. We also adapt elements of systematic literature review checklists, including PRISMA, that are identified as relevant for scoping reviews by prior work [252]. We describe our literature search, screening process, inclusion and exclusion criteria, data extraction, and coding in detail in this section.

3.1 Selection of Digital Libraries

Our selection of digital libraries was informed by prior surveys we build upon [137, 265] as well as our team’s expertise, which is largely grounded in visualization, accessibility, and HCI research. We began by focusing on the digital libraries emphasized in prior work [137, 265], which are also primary outlets for accessibility-focused visualization and HCI research: ACM and IEEE. Specifically, we included the full ACM Digital Library, which hosts major HCI and accessibility venues such as ASSETS, W4A, and CHI (including accessibility- and visualization-related tracks and committees). IEEE Xplore was included for its leading visualization venues, including TVCG and VIS, as well as related conferences central to the field. Following an initial pass, we expanded our scope by reviewing citations and references from papers in these core libraries and through internal consultation. This led to the inclusion of Eurographics (via Wiley Online Library), given its longstanding role




Figure 1: An overview of the corpus identification and screening process using a PRISMA-style flow diagram. Initially, we performed targeted keyword searches in the ACM Digital Library, IEEE Xplore, and Eurographics Digital Library, yielding an initial corpus of 170 records. We then expanded the corpus by searching the citations and references of the initial records and conducting additional targeted searches in Springer Nature Link and Taylor & Francis Online, yielding 285 additional records and 455 records in total. Next, we assessed all records against our inclusion and exclusion criteria for HCI contributions toward data visualization accessibility. We excluded 175 records that did not meet the inclusion criteria, yielding a final corpus of 280 studies included in the scoping review.

in graphics and visualization and its recurring contributions to accessibility research. We also added Springer Nature Link, which hosts several relevant HCI venues such as Universal Access in HCI and HCI International, as well as Taylor & Francis, which publishes the International Journal of Human–Computer Interaction.

Our team does not include experts in disability studies, so we did not examine disability-focused journals and venues. We also constrained our corpus to maintain a consistent coding rubric, particularly for descriptive HCI research methods and contributions [266] and for interaction-modality taxonomies described in prior work. We acknowledge that this choice limits cross-disciplinary insights but enables a focused view of recent trends and recent developments within HCI research on accessible data visualization.

In the following, we describe our dataset collection, curation, and coding framework.

3.2 Dataset Collection and Curation

Two of the authors met to systematically construct a list of keywords based on their domain expertise and prior taxonomies of accessibility in visualization literature [78, 137, 250].

We constructed three types of keywords: general terms such as DATA VISUALIZATION* AND DISABILIT* and INFORMATION VISUALIZATION* AND ACCESSIBILITY; disability-specific terms using VISUALIZATION* AND paired with BLIND*, LOW VISION, IMPAIRMENT*, COLOR VISION DEFICIENCY*, COLOR BLIND*, DYSLEXIA, APHASIA, ADHD, AUTISM, DEAF, HARD OF HEARING, DEAFBLIND*, INTELLECTUAL DISABILIT*, COGNITIVE DISABILIT*, and MOBILITY AND LIMITED; and method-focused terms such as SCREEN READER, TACTILE, SONIFICATION, PHYSICALIZATION, and CAPTIONS combined with DATA VISUALIZATION*, as well as CHARTS, PLOTS, and GRAPHIC combined with ACCESSIBILITY. We used the “Advanced Search” feature in libraries to run these queries in abstracts and titles only, and manually reviewed the abstract of each result to assess relevance. Minor adjustments were made to the search terms to fit the configurations of each digital library.

We began our search with ACM, IEEE Xplore, and Eurographics, yielding 170 papers after screening. To improve coverage given the diverse terminology at the intersection of accessibility and visualization, we expanded the corpus by examining both the reference lists of these papers and the works citing them, restricting inclusion to venues within ACM, IEEE, or Eurographics.

To support this process, we developed three scripts: one to convert BibTeX entries into a Python-readable tabular format, and two using Selenium to automatically retrieve references and citations from ACM and IEEE. For Eurographics, parts of this process were completed manually.

During this expansion, we identified additional HCI venues outside our initial scope, including HCI International (HCII) and Universal Access in Human–Computer Interaction (UAHCI) (Springer Nature Link), and the International Journal of Human–Computer Interaction (IJHCI) (Taylor & Francis). We therefore included these digital libraries and applied the same keyword-based search strategy. This process resulted in an extended corpus of 455 papers, of which 280 were retained after applying the exclusion criteria described in the next section. Figure 1 summarizes the identification, screening, and inclusion process.

3.3 Paper Screening, Selection, and Eligibility Criteria

The initial screening was based on titles and abstracts, followed by a full-text review. When needed, two authors collaboratively discussed a subset of papers to reach agreement.

Our inclusion criteria were:

IC1 We include HCI work that makes at least one of the seven recognized contribution types in HCI [266]. Accordingly, our corpus includes not only publications reporting empirical findings but also those that contribute artifacts, including, digital visualization prototypes, systems, and designs spanning web, mobile, and desktop platforms; tactile graphics; 3D-printed or fabricated models; sonified or audio-haptic representations; or multimodal surfaces⁷. We additionally

⁷We focus on artifacts following the ACM SIGCHI definition of HCI as a discipline concerned with the design, evaluation, and implementation of interactive computing systems for human use, along with the study of the phenomena surrounding them. Artifact contributions in HCI present new inventions, e.g., systems, techniques, or designs, that enable novel opportunities or insights. They are typically instantiated as

include contributions that introduce datasets and benchmarks⁸.

IC2 We include research on data visualization (graphical representation of data and information through visual elements, e.g., charts, maps, and dashboards).

IC3 The work must focus on people with disabilities or disability communities (e.g., content creators designing for people with disabilities).

During the final screening stage, we excluded papers for several reasons.

EC1 We removed work that focused on “visualization for accessibility” rather than the accessibility of data visualizations, e.g., systems that use visual markers to indicate a speaker in a virtual environment [151] or techniques supporting wayfinding and navigation [179]; in these cases, the visual content conveys contextual, spatial, or conversational cues rather than structured data intended for analysis.

EC2 We excluded work that did not include support for data visualization, including schematics [88], structural diagrams [185], or visual cues that do not encode data [186], because their accessibility requirements differ from those of data visualizations.

EC3 We removed papers that mentioned accessibility only as future work. We included work where improving the accessibility of data visualizations was an explicit goal, even without evaluation. However, we excluded papers that referenced accessibility merely as a possible application, such as chart-summarization models lacking empirical grounding [141], because including such work would dilute our analysis.

EC4 We excluded papers whose contributions consisted solely of computing algorithms, even when intended for data visualization (e.g., pipelines for chart classification and data extraction [4]), as algorithm-only work fell outside our scope of artifacts within HCI.

3.4 Coding Framework and Process

We analyzed our dataset using a combination of (1) descriptive summarization and (2) individual publication reviews as recommended by methodological work on scoping reviews [19]. We developed a coding rubric through an iterative process conducted across two meetings. Building on prior work [10, 159] and domain-specific considerations [137, 265], we designed our rubric to include the following categories:

- (1) **Publication Metadata**, including title, year, venue, page length, DOI, and length of paper, coded as either full or short.
- (2) **Types of Contributions**, recorded across three columns: primary, secondary, and other stated contributions. We adopted the contribution categories from [266], including empirical, artifact, methodological, theoretical, benchmark/dataset, survey, and opinion.

prototypes, mockups, demos, or other envisionsments of a previously unseen idea, and may be partially or fully functional.

⁸Following Wobbrock and Kientz [266], benchmark or dataset contributions provide new corpora—often with accompanying analysis—to support future research. Benchmarks are typically paired with standard tests that enable comparison across projects, while datasets facilitate the evaluation of algorithms, systems, or methods.

(3) **Communities of Focus**, captured in four columns: final-users-engaged (whether ultimate users were engaged, coded as Yes or No), primary, secondary, and additional communities.

(4) **Visualization-Specific Categories** captured visualization type, interaction modality, interface design, and AI use. After the initial coding, we consolidated codes into broader groups for insights, which were in turn defined directly from the coded content. Visualization types included charts, maps, tables, diagrams, broad focus, and an “other” category preserving original labels. Interaction modalities included tactile, haptic, refreshable tactile displays, and braille (later merged for some analyses); text-to-speech/screen readers and question-answer systems (also merged); and sonification. We added an additional code to indicate when a paper used multiple modalities. For interface and design, secondary codes covered surfaces, e.g., web, mobile, and tablets; head-mounted displays and wearables; braille and 3D prints; and applications, e.g., notebooks and Excel.

(5) **Research Methods** were recorded across three separate columns: primary, secondary, and other methods (for cases with more than two), as well as evaluation methods. Since papers conceptualized methods in diverse ways, we conducted a second round of categorization. We collapsed methods into broader methodological groups by merging highly similar forms, e.g., grouping all interview variants (semi-structured, guided, informal); combining all user studies that did not use a controlled experimental design or another specific qualitative approach, e.g., task-based and observational studies; and consolidating all literature survey methods (literature analyses, systematic reviews), while retaining distinctions for participatory design, co-design⁹, automatic analysis, corpus collection, and longitudinal work.

(6) **Participant Information**, including how participants were engaged, the number of participants (with breakdowns across groups when applicable), the recruitment source (universities, organizations, schools, mailing lists), and whether demographic information or visualization expertise was reported.

(7) **Contribution Type**, describing the nature of the contribution and the main findings.

The two authors independently coded an initial subset of ($N=16$, 5.71%) papers using the draft rubric motivated by prior work [10, 137, 159, 168], discussing both the categorizations and their interpretations to calibrate their approach. While no changes were made to the column names, the authors refined their coding strategies to ensure consistency, particularly in how scope and definitions were applied. Although prior reviews offered useful starting points, our rubric differed by combining HCI contribution types with methodological detail and visualization taxonomies for modalities and visualization types, whereas earlier work typically examined only one of these dimensions. These discussions helped refine how we categorized contributions (e.g., determining when

⁹Participatory design (PD) is the overarching research tradition that emphasizes democratic involvement and shared power throughout the design process, whereas co-design refers to the specific, hands-on design activities or sessions used within (and sometimes outside of) PD to collaboratively generate ideas, artifacts, and solutions with participants.

a work with user study is primarily empirical rather than artifact-based and what constitutes a methodological contribution) and how we applied modality and visualization taxonomies. After reaching shared understanding, authors updated initial codes as needed and then independently coded the remaining corpus. We later met synchronously to review all codes, ensure consistency, and define broader categories.

Next, two authors qualitatively reviewed 45 papers, rotating roles as lead reviewer and note-taker, briefly summarizing each paper and its contributions, discussing insights, and recording emerging themes. They then reviewed and took notes on the remaining papers independently and held several follow-up meetings. Finally, the full team met to outline findings and open questions. During this process, the codes helped guide emerging themes while insights were ultimately derived by reading the papers. For instance, our codes for target communities identified education, professionals and public health communication as target audiences, leading to more in-depth analysis during this phase.

4 Descriptive Statistics of the Corpus

The following provides an overview description of our study corpus. The full corpus can be searched and reviewed through the anonymized interactive interface at <https://accessvizcorpus.pages.dev/>.

4.1 Publication Types, Venues & Contribution Types, and Total Publications by Year

Our dataset comprised 280 publications, including ($N=179$, 63.93 %) full-length papers and ($N=101$, 36.07 %) short papers. We analyze the year and venue of publications in figure 2 (RQ3). In terms of temporal distribution, ($N=24$, 8.57 %) papers were published between 1996 and 2005, ($N=53$, 18.93 %) appeared between 2006 and 2015, ($N=47$, 16.79 %) between 2016 and 2020, and ($N=156$, 55.71 %) were published from 2021 through March, 2026. The most frequent accessibility and HCI venues were ASSETS ($N=53$, 18.93 %), CHI ($N=46$, 16.43 %), and W4A ($N=9$, 3.21 %), while the most common visualization venues were TVCG ($N=15$, 5.36 %), CGF ($N=11$, 3.93 %), and VIS ($N=6$, 2.14 %).

2021 & Beyond. In 2021 and beyond, we note a significant finding that **accessible research appears to be growing exponentially** within our target research venues. Additionally, our corpus saw more work published in CHI and TVCG during this period (28 and 13 articles, respectively) than prior to 2021 (18 and 2 articles, respectively).

We also analyzed the types of research conducted, and what types of contributions were claimed. The top two types of primary research contributions were empirical ($N=135$, 48.21 %) and artifact ($N=103$, 36.79 %). Other contributions included survey ($N=17$, 6.07 %), theoretical ($N=14$, 5 %), opinion ($N=8$, 2.86 %), dataset ($N=2$, 0.71 %), and methodological ($N=1$, 0.36 %). Similarly, the top two types of secondary research contributions were artifact ($N=73$, 26.07 %) and empirical ($N=72$, 25.71 %), followed by theoretical ($N=16$, 5.71 %), methodological ($N=13$, 4.64 %), survey ($N=6$, 2.14 %), dataset ($N=4$, 1.43 %), and opinion ($N=3$, 1.07 %). Most publications centered on

reading support tools ($N=200$, 71.43 %), with fewer—but increasing—publications focused on tools for creating accessible visualizations ($N=43$, 15.36 %) or on both reading and creation ($N=37$, 13.21 %).

2021 & Beyond. Recent years saw a higher proportion of Empirical studies as the primary contribution (55%, compared to 38% pre-2021) and a lower proportion of primary artifact contributions (26%, compared to 49% pre-2021). We found no noteworthy difference in the proportion of work focusing on read vs write pre- and post-2021.

4.2 Users and Evaluations

We identified the target communities, user engagement, and evaluation methods in our corpus and examined global trends as well as recent trends (RQ1).

In our corpus, most publications focused on the BLV community ($N=208$, 74.29 %). Additionally, there were ($N=10$, 3.57 %) publications that focused on screen-reader users, which included people who are BLV. Other communities included people with CVD ($N=7$, 2.5 %), IDD ($N=5$, 1.79 %), ADHD ($N=2$, 0.71 %), Down syndrome ($N=1$, 0.36 %), Autism ($N=1$, 0.36 %), language disabilities ($N=1$, 0.36 %) and disabilities more broadly ($N=6$, 2.14 %). Some papers also focused on creators, researchers, and visualization authors primarily ($N=34$, 12.14 %).

2021 & Beyond. Notably, only from 2021 onward did work centered on communities beyond visual disabilities begin to appear. Additionally, recent years saw an increase in work supporting creators in authoring accessible visualizations (7 publications post-2021, 1 pre-2021).

Figure 3 illustrates methods employed, compared between pre- and post-2021. We analyzed all methods used across the publications, with some publications employing multiple methods. The most common research methods were user studies ($N=62$, 22.14 %), followed by interviews ($N=58$, 20.71 %) and experiments ($N=48$, 17.14 %). Co-design ($N=11$, 3.93 %) and participatory design ($N=6$, 2.14 %) were less frequently used. Only ($N=2$, 0.71 %) studies employed longitudinal designs. Among ($N=222$, 79.29 %) papers that reported at least one method, ($N=99$, 35.36 %) employed two or more. Across the full corpus, ($N=174$, 62.14 %) papers included participants from the target audience. Studies ranged in scale from small pilots with a single participant to large-scale crowdsourcing studies with up to 432 participants (median = 12).

Age demographics were reported in ($N=134$, 47.86 %) studies, covering children, university students, and adults, while a substantial number of papers with user studies did not provide explicit age information ($N=68$, 24.29 %). Gender was explicitly reported in ($N=110$, 39.29 %) studies, whereas ($N=92$, 32.86 %) works with user studies either omitted gender or provided only partial details (e.g., “balanced” or “diverse”). Visualization experience was discussed in most publications with studies ($N=130$, 46.43 %), but ($N=56$, 20 %) did not specify it. Regarding recruitment sources, most participants were recruited from universities ($N=65$, 23.21 %), followed by BLV organizations and schools ($N=48$, 17.14 %), and mailing lists ($N=33$, 11.79 %).

2021 & Beyond. Notably, from 2021 and onwards, we saw a substantial increase in interview studies, user studies, surveys,




Figure 2: This stacked bar chart shows how publications from 1996 to 2026 are distributed across three focus areas: Read (blue), Create (orange), and Both (green). Reading-focused work dominates across all periods, but starting around 2016 there is clear growth in papers on creating accessible visualizations. The sharp increase during 2021–2026 reflects accelerated activity across all three areas. In our corpus, the average number of papers increased from 9.4 in 2016–2020 to 29.2 in 2021–2025 (210.6% increase). For context, averaged over 2016–2020, CHI accepted 659 papers, increasing to 914 over 2021–2025 (38.7% increase). Similarly, ASSETS increased from 33 to 55 (66.7% increase), while VIS remained relatively stable, increasing from 122 to 123 (0.8% increase).




Figure 3: Horizontal bar chart showing more common methods, comparing pre- and post-2021, including user studies, interviews, and experiments as the three most common research methods. Less frequently used approaches included co-design and observational studies.

and co-design. Additionally, during this period, our corpus saw increased engagement with BLV schools (13 post-2021, 3 pre-2021).

4.3 Visualization Types, Interaction Modalities, Devices, and Use of AI

Across our corpus we identified the types of visualizations supported, interaction modalities and devices used, and whether the research employed AI (RQ2).

The majority of research focused on basic charts (e.g., bar, line and pie) ($N=199$, 71.07 %) and data visualization broadly ($N=104$, 37.14 %), followed by maps ($N=56$, 20 %), and tables ($N=16$, 5.71 %). Although papers that focused solely on diagrams were excluded, some works addressed diagrams in addition to other visualizations ($N=48$, 17.14 %).

2021 & Beyond. In recent years, a higher proportion of works have aimed to support broader data visualization (42% of our post-2021 corpus, compared to 31% pre-2021), rather than specific chart types. Only a small portion of papers ($N=10$, 3.57 %) aimed to support more complex, scientific visualizations.

Among specific modalities, combined speech- and text-based interactions, including text-to-speech, screen-reader, and question-answer (QA) systems, were most common ($N=158$, 56.43 %), followed by tactile ($N=134$, 47.86 %), sonification ($N=67$, 23.93 %), haptics ($N=53$, 18.93 %), and braille ($N=17$, 6.07 %). Nearly half of the publications focused on more than one modality in their work ($N=135$, 48.21 %). As illustrated in Fig. 4, there has generally been a steady increase in support across modalities.

2021 & Beyond. Recent years saw a sharp increase in speech- and text-based methods. These methods include AI-based question-answering systems which may account for some of this growth. This growth is further reflected by the increase in the proportion of works employing speech- and text-based interactions (60% post-2021, 52% pre-2021). In contrast, despite its raw growth, our post-2021 corpus saw a notable decline in the proportion of studies employing tactile and haptic modalities (35% post-2021, 65% pre-2021).

In terms of interfaces and devices, the most common interface was desktop/web ($N=109$, 38.93 %). ($N=77$, 27.5 %) studies focused partially or fully on mobile platforms and tablets. Other devices included tactile prints ($N=78$, 27.86 %), wearables ($N=11$, 3.93 %), and refreshable tactile displays ($N=11$, 3.93 %). Some papers also focused on specific web applications, e.g., Microsoft Excel ($N=4$, 1.43 %), platforms, e.g., computational notebooks ($N=3$, 1.07 %), and programming libraries ($N=4$, 1.43 %).

Given the rapidly changing landscape of AI in the past five years, we examined the use of AI in accessibility research. Our corpus contained ($N=48$, 17.14 %) publications that incorporated AI into the design of their tools with about two-thirds occurring after 2021 (33 post-2021, 15 pre-2021). Of these, a smaller subset of publications ($N=10$, 3.57 %) focused specifically on AI-based question-answering systems.

5 Findings: Communities and Use

In this section, we report on qualitative findings derived from close readings of the 280 papers in our corpus. We categorize our findings in accordance with our first two research questions. Broadly, we

identify changes over the last five years in the **human experience** (RQ1) and the **technologies** (RQ2) being used and studied. Table 2 summarizes the findings.

5.1 Human Experience

We found many changes in accessibility research in the data visualization community that affect both the people involved in the studies and those served by the goals of the research (RQ1). We find that the characterization of user needs, the methods of engaging with users, the context of use of accessible artifacts, and the communities involved in research have all seen significant research changes in the last five years. In this section, we tag findings as relating to the user (U), the research methods (M), and considerations of equity in research (E).

5.1.1 Characterizing Considerations of User Needs and Engagement Practices.

Enabling “Born Accessible” Design. (E) In 2023, Lazar [144] formalized two models for accessible content: the “born accessible” model and the “retrofitting” model. Born accessible design treats accessibility as a core goal from the start. Retrofitting fixes existing technology after the fact. Lazar argues that early attention to accessibility offers richer and more flexible access for more people and does so at lower cost. Chundury et al. [50] report similar findings in professional settings, noting that many visualization platforms remain inaccessible.

Prior to 2021 A substantial portion of our corpus focuses on retrofitting existing visualizations, often on the web, to enable the use of assistive technology [47, 117]. These instances are often born out of necessity - the visualizations are already published without considering accessibility, e.g., in technical documentation [178] and printed charts [47]. Under the retrofitting model, many early approaches focus on directly translating visual representations into accessible modalities. We frequently see translational approaches in tactile representations from automated charts [139, 140, 263]. Engel and Weber [72] and Xu et al. [275] note, however, that tactile graphics cannot simply replicate visual encodings and require distinct empirical design guidance.

2021 & Beyond. Recent work still often employs the retrofitting model - the need for access to existing materials has not changed. For example, Punyabukkana and Suchato [195] retrofitted an entire engineering curriculum to support a BLV student. Such solutions are likely to encounter barriers from inconsistencies in visualization design, implementation, and application of accessibility guidelines [50, 165]. Towards addressing this, we note a shift to support accessibility as a first-order design consideration. To encourage early adoption of accessibility design, several tools support rich accessibility at the authoring stage via visualization equivalence [203] and multi-modal systems [215, 295]. Better methods for auditing accessibility [6, 67] and training designers [218] have also been proposed.

Accessibility is not one-size-fits-all. (E) Across the corpus, accessibility emerges as not one-size-fits-all [296]. Studies note that, although there are some preferences exhibited by the group at large, people still bring diverse needs shaped by personal experience and




Figure 4: Line chart showing how the number of papers using sonification (blue solid line), speech and text (orange dashed line), and tactile, physicalization, and haptic (green dotted line) interaction methods changed across six time periods spanning 1996 to 2026. While sonification and tactile/haptic modalities grew steadily, speech- and text-based methods experienced a much sharper and more recent rise, particularly after 2011 and accelerating dramatically beginning in 2021.

visualization tasks. Prior to 2021 we saw instances of this in audio representations [262] and color [15, 84], and more broadly [296].

2021 & Beyond. In more recent years, several other studies identified that universal design often falls short of universal access [265], with users expressing a desire for configurations to customize data representations [223], including sonification [221], conversational interfaces [214], personal health tracking [17], screen-reader experiences [121], among others [5, 166, 193]. Additionally, several studies found that personalization enhanced comprehension [132, 254] and that access to representations in multiple modalities helps enable personalization [215]. Recently, Elavsky et al. [69] introduced the concept of “softerware”, a design approach that provides end-users with agency to customize and adapt visualizations to their needs and preferences.

When and How are Final Users (Not) Engaged? **M** As demonstrated in Fig. 3, the majority of studies engaged users through user studies, experiments, and evaluations. Few studies employed participatory or co-design. However, recent shifts in discourse around equitable research emphasize the need for user-centered and participatory design methods, equitable compensation, and alignment with disability communities’ lived experiences [157, 212]. In their position paper, Angerbauer and Sedlmair [16] argue for shifting participatory design approaches from “being like” to “being with”. In our corpus, seven participatory or co-design studies appeared prior to 2021 [30, 40, 83, 94, 113, 198, 296], whereas 10 were published 2021 and beyond [49, 214, 222, 232, 236, 247, 271, 279, 285, 294]. Our findings support the earlier calls for greater employment of participatory design in accessibility research [265].

5.1.2 Context of Use.

Pedagogy and Educational Use. **U** We found a corpus of work centered around designing and studying methods and pedagogical practices for enabling accessible data visualization in the classroom [13, 138].¹⁰ Our findings demonstrate a shift from primarily tactile approaches prior to 2020, to a broader range of modalities in recent years.

Prior to 2021. Early work put significant focus on enabling tactile graphics, typically with multi-modal interaction [29, 94, 143, 189]. However, early studies identified challenges for introducing tactile graphics into the classroom, such as durability [198] and formatting [90]. To address these issues, many approaches demonstrate the benefits of pairing tactile graphics with complementary audio and tactile feedback [52, 90, 198, 249] or other multi-modal representations [32, 127].

2021 & Beyond. In more recent work we still see some continued emphasis on tactile representations, in areas such as statistics [77] and computer science education [55]. Additional technologies have been studied, including a mobile audio-tactile system [172], skin-stretch haptics with audio [40], other wearable devices [240, 241], and a general push towards cheaper, adaptable alternatives to support long-term inclusion in resource-constrained educational settings [74, 195].

Beyond tactile representations, sonification has been studied in remote learning contexts [182] and for storytelling settings [105]. Recent studies also investigate pedagogy for teaching accessible visualization creation and design to students [25, 33].

¹⁰We recognize that our decision to focus solely on data visualization and HCI/Visualization publishers excludes a corpus of work on creating accessible diagrams in the classroom [128] and may overlook education-centric venues.

Table 2: Summary of user-centered and technological findings emerging from the qualitative analysis of papers described in Section 5, comparing work published prior to 2021 and in 2021 & beyond.

Finding	Prior to 2021	2021 & beyond
User-centered findings		
Design approach	Largely retrofitted existing data visualizations. Many systems translated visual encodings into tactile or assistive formats.	Retrofitting remains common. More work treats accessibility as a first-order design concern through authoring tools, audits, and training.
Personalization	Varied preferences for audio, color, and other representations.	Customization and multimodal access receive greater emphasis. Personalization is often found to improve comprehension.
User engagement	User studies, experiments, and evaluations dominated. Participatory and co-design methods were rare.	Participatory and co-design research increased. Equity, compensation, and lived experience receive more attention.
Educational use	Research emphasized tactile graphics, often paired with audio or haptic feedback. Durability and formatting were common challenges.	Research includes mobile audio-tactile systems, wearables, sonification, and lower-cost tools. Studies also examine teaching accessible visualization design.
Professional & public use	Little work addressed professional workflows. Accessible web visualization was a recurring goal.	Studies identify gaps in professional tools and workflows. COVID-19 visualizations exposed barriers in public information access.
User communities	Research centered on people who are BLV. Work beyond BLV communities mainly addressed CVD.	Research expands to IDD, language disabilities, ADHD, and seizure risks. More studies establish perceptual and behavioral baselines.
Technological findings		
Tactile & haptic access	Work often translated charts into tactile graphics or physicalizations. Few studies established baseline perceptual guidance.	Research increasingly establishes tactile mappings and perceptual guidance while expanding authoring support.
Sonification	Systems supported specific data types and proposed foundational design guidance.	Studies examine acoustic parameters, usability, spatial audio, audio load, and narrative design.
Speech and text	Work focused on summary generation and chart navigation. Later systems introduced richer screen-reader navigation.	Research addresses alt-text quality, text presentation, automated summaries, and richer screen-reader experiences.
Multimodal access	Audio-tactile systems were common and often outperformed individual modalities. Some systems supported multimodal authoring.	Work expands to mobile access, dynamic feedback, multimodal authoring, and support for multiple input modalities.
AI and automation	Models supported chart classification, data extraction, summary generation, and interaction with tactile charts.	AI supports authoring, automatic accessibility enhancement, rich descriptions, and conversational interfaces. Errors, bias, and security risks also emerge.
Complex visualizations	A small body of work explored coordinated views, node-link diagrams, glyphs, geospatial data, and scientific visualizations.	More work addresses uncertainty, 3D fields, heatmaps, tables, and design guidance. Overall support remains limited.

Professional Use .  Another recurrent theme in our analysis is the gap between research design and practical support for professionals in data-related positions with little work prior to 2020.

2021 & Beyond . In our corpus, this theme surfaced almost exclusively in 2021 or later. By eliciting experiences through online surveys [11, 50], analyzing accessibility of academic articles [279], considering the authoring of academic articles [173] and computational notebooks [192], recent research has surfaced gaps in the toolchain of available accessible professional software and workflows. These gaps have influenced career paths, inhibited research progress and presented barriers for accessing the work of peers [44].

Public Dissemination of Information .  Though a substantial portion of work prior to 2021 aimed to enable accessible web visualization [220, 239], the COVID-19 pandemic served as the first major test of the application of accessibility technologies and guidelines in public-facing visualizations of critical information [60, 284].

2021 & Beyond . Several post-pandemic studies found the BLV community to be particularly under-served when it came to effectively disseminating information via visualizations during this time of crisis [108, 163, 233]. For example, Fan et al. [76] studied the accessibility barriers for screen-reader users in online COVID-19 visualizations, finding that only 14% of top results were very accessible.

5.1.3 User Communities: Perception, Behavior, and Preference. To better support use and enable born accessible design, visualization designers must first understand the baseline perceptions, preferences, and behaviors of readers of varying ability.

Prior to 2021 . the vast majority of work in our corpus focused on communities with visual impairments, as similarly noted by Wimer et al. [265], and often focused on building and evaluating individual tools for accessible visualization rather than establishing baselines to guide effective design.

2021 & Beyond . From 2021 onwards, we see a significant increase in perceptual and behavioral studies aiming at setting base-lines for perception and preference, across both sensory modalities and broader user communities. The following highlights some of these studies, organized by target community.

People who are Blind or have Low Vision . **U** **2021 & Beyond** .

In recent years, we saw a substantial uptick in work on perception and behavior in accessible visualization for blind or low vision users. Most studies focused on a specific modality or approach such as text-based support [132], establishing foundational guidelines for how people read or interact with visualizations in that format [135]. We leave greater discussion of modality-specific studies for Sec. 5.2.1.

As noted by Kim et al. [136], though many studies broadly target BLV communities, designs are often geared towards and evaluated by people who are blind rather than people with low vision. We found a similar trend in our corpus, with only two studies specifically targeting individuals with low vision [166, 262].

Beyond Visual Impairment . **U** **Prior to 2021** , the only accessibility support outside of visual impairment in our corpus came from accessibility for color vision deficiencies. These studies focused on designing color vision deficient-friendly mappings - both static [208] and personalized [84, 255] as well as color differentiability under color vision deficiencies [202].

2021 & Beyond . From 2021 onwards, our corpus contained continued research for color vision deficiencies relative to the subjectivity of color accessibility [15] and the need for personalization [231]. Additionally, recent studies have broadened community support to include people with intellectual and developmental disabilities, language disabilities, ADHD, as well as people prone to seizures. Research into the perception of and accessibility needs for people with intellectual and developmental disabilities has only begun to emerge in the last few years, with studies characterizing everyday data encounters [273], studying perceptual strategies used by people with IDD [269], identifying what makes a visualization (in)accessible [12, 268, 270], and designing cognitively accessible visualizations [271, 272]. Recent studies have also examined the barriers to accessibility for people with language disabilities [267], the effect of ADHD on perception and comprehension of charts [17, 251] as well as the seizure-inducing risk of animated and interactive data visualizations [235].

5.2 Technological Changes

Recent rapid changes in both hardware and software have led to significant changes in research into accessibility for data visualization (**RQ2**). We find that the types of sensory modalities studied, the types of technologies used to create accessible representations and experiences, and the complexity of data representations being studied have all led to significant changes in recent years. We broadly categorize these changes in sensory modalities and devices to allow for greater personalization to diverse user needs (**P**), trends in technological approaches relating to AI-driven software (**T**), and the support for visualization and interaction beyond basic statistical charts (**C**).

5.2.1 Non-Visual Sensory Modalities. As outlined by Kim et al. [137], there are two primary non-visual sensory modalities for conveying data: tactile and auditory. Tactile approaches leverage touch as the primary sense, such as with embossed or raised line graphics, as well as haptic feedback such as vibrations. Auditory modalities contain two types of audio: speech-based and non-speech-based audio, often called sonification. We scope speech-based audio to include any technologies that are speech-based by design or that provide text that can be read aloud by a text-to-speech device. In line with findings from Vargas and Trevisan [254], we found that the majority of studies identify multi-modal representations and systems to be more effective than singular modalities. In the following, we highlight key trends in each modality but refer readers to prior reviews, such as Kim et al. [137] for deeper descriptions.

Tactile . **P** Tactile and haptic visualizations are often studied in the context of supplementing traditional visualizations to foster engagement, as demonstrated in the multiple reviews of this space [34, 184, 254]. Our examination focuses on technologies specifically designed to enable access to data visualizations.

Prior to 2021 . In line with prior findings, we identify several strategies to promote active exploration rather than static reading [102, 142, 244, 282]. Beyond the findings of prior studies, we note a substantial portion of early research focused on translating visual encodings into corresponding tactile representations in both 2D charts [95, 139, 140, 263] and 3D physicalizations [29, 113], as discussed in Sec. 5.1.1. Subsequently, we note very few studies establishing baseline perceptual guidelines. Those that exist largely focus on chart-specific perception [18, 24, 228], with only one aiming to establish the effectiveness of material channels (friction, stiffness, and texture) for data representation [257]. Additionally, several works support BLV users in creating tactile graphics through various mediums including: tangible interfaces [63, 169], grammar-based tools [181], rapid 3D-printed prototyping [30, 109], automated conversion from textbook figures [117] and text files [93], refreshable tactile displays [156], and textured tokens [75].

2021 & Beyond . Recent years saw a shift from specific instances of tactile approaches, to baseline design guidance and broad authoring support. Several recent studies aim to better understand tactile perception of graphics [21, 118, 164, 290] and outline effective mappings from data to tactile channels [48, 65]. These studies signify a shift from the traditional “translational” approach of prior works towards more “born-accessible” design by establishing the effectiveness of low-level tactile channels, as well as strategies for perception. To that end, we also note advances in authoring tactile visualizations. Pittarello and Semenzato [191] designed a physicalization toolkit to build and explore data representations from tabular descriptions, offering design guidelines for creating accessible, modular physicalizations [190]. Other works provide tools to more easily create graphics with tactile feedback during the creation process [229] or through more logical, automated means [42, 129].

Auditory - Non-speech . **P**

Non-speech audio or sonification aims at leveraging non-speech channels for representing data and conveying insights [70], often coupled with other modalities to drive interaction [254].

Prior to 2021 . In earlier works, sonification was used to enable exploration of particular types of data, such as 3D data [174] or geo-referenced data [287]. Various works proposed foundational guidance for the design, use, and translation of sonified data [86, 134, 289], including specific visualization paradigms such as multiple coordinated views [288] or tours through the data [87].

2021 & Beyond . In recent years, we see an expansion of foundational perceptual and behavioral studies to define the design space of effective sonifications in terms of acoustic parameters [256, 259, 291] and usability [219, 221]. Further studies consider environmental effects, including reducing audio load via importance-based audio emphasis [31], leveraging spatial audio to improve trend identification [206], and the impact of musical background on sonification perception [111]. Kim et al. [133] distill the findings of prior perceptual studies into *Erie*, a grammar for authoring effective and expressive data sonifications. Other recent work explores guidance [110] and design principles in sonification narratives [232].

Auditory - Speech. **P** While speech and text descriptions of visualizations are one of the most frequently supported accessibility paradigms, we note that Kim et al. [136] find that existing visualization tools rarely support accessibility beyond alt text.

Prior to 2021 . Earlier studies in our corpus largely focus on strategies for effective summary generation [107, 175, 246] and navigation of charts [79, 80].

In the late 2010's, some work shifted from text generation to screen-reader navigation, aiming to enable hierarchical navigation of visualizations [83] and interfaces for rich interaction [296] on statistical charts.

2021 & Beyond . We note a substantial broadening of the landscape of research around speech-based audio in recent years.

Recent studies note issues with the adoption and execution of alt-text in the wild, such as low prevalence and inconsistent quality of alt text for figures in CHI publications [264], insufficient detail for rich SVG visualizations [238], and a focus on explaining visual elements rather than underlying data [123]. Building on these limitations, we note subsequent research in three primary directions: (1) effective presentation of text descriptions [149, 158, 194, 234], (2) (automatic) summary generation [171, 230, 274], and (3) enabling richer screen-reader experiences [96, 155, 224, 247, 294].

Multi-modal access. **P** Kim et al. identified that approaches leveraging multiple sensory modalities often provide richer and more interactive experiences [137]. In our analysis, we found similar trends, with repeated findings that multi-modal approaches excelled over individual modalities.

Prior to 2021 . In earlier research, the most common pairing we saw was tactile graphics and navigation with audio feedback, such as non-speech auditory cuing to guide navigation [53, 145, 286], speech audio to provide detail to tactile interactions [90, 103, 104, 162], or a combination of both [3, 292]. Finally, several works paired tactile graphics with both audio and haptic feedback [1, 2, 125, 130] with some finding that multi-modal approaches better support both active exploratory interaction and passive guided interaction [2]. Many of these studies found multi-modal tactile-audio interaction to be more effective than individual modalities, leading to higher accuracy and faster task performance [99, 116, 280, 281]. Finally,

two studies in our corpus support BLV users in authoring of audio-tactile charts [71, 150].

2021 & Beyond . Recent studies still trend towards multi-modal audio-tactile approaches [61, 160, 207], though some integrate more recent technological advances enabling fingertip recognition [199] or dynamic feedback [200, 201]. Two emerging areas we saw in recent years were multi-modal access to graphs on mobile devices [49, 196, 285] and authoring tools for creating multi-modal data representations [215, 222, 225, 295]. Finally, rather than providing multi-modal outputs, Elavsky et al. [68] examine how to support interaction from a variety of input modalities. These studies highlight the importance of multi-modal access to visualizations to enable personalization to the skills and preferences of individual users.

5.2.2 Automated and AI-enabled Accessibility.

Intelligent Technologies and Software. **T** The drastic changes in AI- and data-science-driven tools have resulted in new assistive technologies incorporating automation. Our examination focuses on automated HCI studies with accessibility at the forefront.

Prior to 2021 . Studies incorporating predictive models typically focused on generating datasets and machine learning artifacts (e.g., chart classifiers and data extractors) for downstream access support [41, 46, 131], intelligently decomposing visualizations to generate natural language summaries [38, 92, 100, 101], and applying machine vision to track user navigation [90] and enable gestural interaction [227] in tactile charts.

2021 & Beyond . In contrast, recent years saw a wide expansion of AI-enabled accessibility, expanding beyond summary generation to support more efficient authoring of accessible visualizations, automatic enhancement of accessibility, and rich natural language interactions for comprehending visualizations. To lower the overhead of designing accessible visualization, some studies automated components of authoring [27, 146]. The second direction identified was automatic enhancement of accessibility in existing visualizations that lack accessibility features. Several works aimed at automatically generating rich text descriptions [8, 62, 81, 180]. Generative models have also been used to transform non-text data such as tables [261] or generate tags or semantic representations of images [176, 187]. Other contributions include new datasets to support generation of alt-text [39, 45]. The third direction we identified was the use of LLM-driven conversational interfaces to enable rich natural language interactions [97, 98, 201, 214].

There has been increased awareness of the limitations of AI-generated content which may limit the value of this thrust of research. In studies of AI-generated alt-text, poor classification of graphical features has been found to lead to incorrect and misleading alt-text [62, 230]. In addition, recent research has uncovered implicit societal bias against disabled communities in large language models that could impact the usefulness and potential harm of generated descriptions [91]. In general, the incorporation of potentially transformational capabilities of AI holds much promise, but could potentially exacerbate equality issues by providing sub-standard solutions with unanticipated consequences [9, 66]. For example, BLV users of visual assistance technology may be exposed

to greater security risks [7]. Potential harms should be considered in the application of AI to intelligent technologies and software.

5.2.3 Beyond Statistical Charts and Simple Navigation.

Expanding Accessible Chart Types. **C** In line with the findings of past surveys, the vast majority of approaches focus on simple charts, such as bar, line, or pie charts, and basic navigation interactions for reading static charts [137]. One of the greatest gaps we surfaced is the support for scientific visualization. Scientific visualization encompasses some of the most complex designs but our corpus revealed very few dedicated accessibility studies.

Prior to 2021. Earlier studies did explore complex charts, including multiple coordinated views [287, 288], node-link representations [22, 52], glyphs [204, 278], and geospatial data [145, 216]. For scientific visualization, there were studies that explored color-accessible transfer function design [43], and haptic visualizations for 1D, 2D, and 3D scientific data [89].

2021 & Beyond. We observe a greater volume of work supporting more complex visualizations and interactions. Towards supporting scientific visualization, recent studies investigated uncertainty [226], accessible representations of 3D scalar fields [126], complex visualizations such as cluster heatmaps [106], complex graphs and navigation tasks via audio-tactile representations of node-link diagrams [292], and tactile representations of node-link diagrams and adjacency matrices [277]. We also saw advances in supporting accessible tables, which are often a default representation for assistive technologies such as screen-readers [120, 136, 260, 261]. Finally, we saw foundational studies to establish design guidelines for complex visualizations [233, 236].

6 Discussion

Our findings and analysis demonstrate that significant growth in accessibility research for visualizations is leading to changes in user-centered research and technologies.

Our first three research questions focused on recent changes in participant and target-population engagement (**RQ1**), technologies used in accessible visualization (**RQ2**), and publication volume within the visualization research community (**RQ3**).

To answer **RQ1**, we examined changes in the *target users* considered in accessible visualization research, the *methodological* approaches used to understand these users, and the growing emphasis on *equity* as a priority for responsible and effective research. We found most earlier work focuses on people who are BLV or who use screen readers, but that some more recent work addresses creators and visualization authors, along with communities such as people with CVD, IDD, ADHD, or Down syndrome. Empirical and artifact contributions dominate the corpus, with experiments, user studies, interviews, and pilot studies as the primary methodological approaches in earlier works, and only a small number of studies use longitudinal methods. More recently, co-design and participatory design have become methods for greater involvement and equity with affected communities.

To answer **RQ2**, we examined recent changes in *AI*, *new hardware*, and the growing *variety* and *personalization* of accessible data representations. Recent progress in *AI* has caused upheaval in many computing research domains, and many new avenues of

interaction have become available to researchers. *New hardware* including tactile, auditory, and haptic interfaces could enable greater *variety* and *personalization* of representations of data. We find that across our whole corpus, charts are the most common visualization type, followed by maps and tables. Text and screen-reader support remain the dominant interaction modalities and have expanded rapidly with recent AI systems, compared with sonification, haptics, tactile interfaces, and braille. The web is the most frequently studied platform, with additional work on mobile and tablet interfaces, wearables, refreshable tactile displays, and software ecosystems, e.g., Excel and notebooks.

For **RQ3**, we considered whether greater awareness of accessibility research and methods is leading to a greater volume of work contributing to the accessibility of data visualizations. We found that the rate of published works has grown exponentially within our venues of study, while those venues have only grown linearly or stayed about the same size. This suggests that accessibility will become a more significant pillar of those research venues.

Based on trends and identified gaps in recent research, we present open questions to help drive and organize future research in this space (**RQ4**). We present open questions and future research directions organized, consistent with our qualitative findings, into user-centered and technological themes.

6.1 Users and Research Methods

Our findings underscore a growing need to move away from visualization-first representations and toward born-accessible design [144]. In line with prior work, our findings also reinforce that personalization, participatory design, and broader community inclusion [265] are essential for research on accessible data visualization. Finally, although work for BLV readers remains essential, expanding attention to cognitive disabilities, ADHD, CVD, and other groups is needed to build more inclusive design principles reflective of the diverse barriers people encounter in everyday data use [265].

By focusing on usage contexts, our analysis surfaced insights for both pedagogical and professional settings.

We also highlight a persistent gap between research innovations and the needs of professionals and the general public. Many tools used in data-centric workplaces remain inaccessible, limiting participation and career trajectories for data-oriented professionals with disabilities [44], and public-facing visualizations struggle to support accessible insight generation despite nominal compliance with guidelines [108].

We outline some open questions below:

- U** *How do access challenges and strategies differ across disability types as more heterogeneous populations are considered?* Our research built on findings from prior surveys that noted that most accessible visualization research has centered on BLV users, with limited attention to other disability groups or intersections. More recent work included other considerations such as congenital versus acquired conditions and multi-disability contexts, suggesting that a paradigmatic shift could be needed to balance or personalize needs. For example, users with congenital blindness may develop distinct tactile exploration strategies compared to those with acquired vision loss

[213], while DeafBlind users require solutions that combine or extend modalities [56].

- U** *How should accessible visualization tools differ for distinct contexts of use or user groups?* Example contexts of use include pedagogical or professional settings, and example user groups include children, graduate students working with scientific visualizations, professionals managing cognitive load, and older adults. While prior work highlights user diversity, systematic comparisons remain limited. Our review identified that some usage contexts such as pedagogy continue to be actively studied, but more recently, professional settings have been highlighted as a setting with a dearth of available resources. Learning frameworks such as comparative organizers, schema theory, and the distinction between declarative and procedural knowledge offer structured steps for introducing new concepts [26].
- M** *What new evaluation frameworks can capture accessibility outcomes that unfold beyond momentary task performance?* As the context of use and user groups differ, the barriers to use might be measured by different objectives, such as fatigue or long-term learning. These outcomes should also be measured in authentic, everyday contexts. Controlled studies rarely reveal issues that emerge over sustained use, such as durability, shifting user goals, or when AI-generated summaries are “good enough” for trend scanning yet insufficient for scientific or professional precision.
- E** *Who bears the labor of accessibility: creators, platforms, or auditors?* The development of effective and usable technology for accessible data representations should include sufficient resources and incentives for all stakeholders, including designers and creators. Prior work emphasizes embedding accessibility features into authoring tools so creators can design inclusively without relying solely on external audits [215]. Yet much of the burden still falls on people with disabilities, who must identify gaps and advocate for fixes. Open questions remain around how platforms can integrate accessibility by default and how incentives can encourage authors, toolmakers, and institutions to prioritize inclusive design.

6.2 Chart Types, Interaction Modalities, Technologies

To support the shift away from visualization-first representations, we note a complementary trend in studies defining the design space of non-visual representations, relative to perceptual and behavioral baselines. We saw this across sensory modalities, but more heavily in tactile and speech-based audio, where existing approaches were often tied to prior visual encodings.

Subsequently, we saw an increase in authoring support for customizable, multi-modal visualizations. As noted in Sec. 5.2.1, multi-modal representations are frequently found to be more effective and engaging than individual sensory modalities.

AI presents an opportunity for enriched accessibility along several axes, such as automated integration of accessibility features

into existing visualization [62], semi-automatic or guided authoring of accessible visualizations [27], and enriched interactions for navigating and querying visualizations [97].

Finally, we note a continued lack of support for complex visualizations and rich data interactions. Surprisingly little work even mentions scientific visualizations [39, 45, 126], despite their importance in many educational and professional domains.

We outline some specific questions below:

- C** *How can accessibility techniques support complex visualizations?* Prior work notes the need to move beyond simple chart types [50], and some studies show that people with disabilities may prefer familiar or lower-load visualizations [272]. Yet our review found only a small amount of work on complex visualizations, such as scientific visualizations.
- T** *What is the role of automation in accessible visualizations, and is it welcome?* Significant recent work has focused on automating the generation of accessible artifacts, or even automating evaluation or auditing of accessible representations [67]. At the same time, there may be significant reluctance to remove the human from the loop in the design and evaluation of these artifacts. A research challenge is how to design hybrid auditing pipelines that combine fast, automated checks with structured points for human evaluation.
- T** *What is the design space of interactions between user and AI that prioritizes accessibility?* AI-generated chart summaries and question-answering are a popular area of research, but as they become more ubiquitous in accessibility, there are opportunities to incorporate collaborations between user and AI. Certain question-answering strategies (e.g., compare, contrast, summarize, what-if) might effectively support non-visual exploratory analysis while giving users fine-grained control over automated outputs.
- T** *What are the limitations of material properties of tactile charts, and can they change?* We found that more chart types are being explored, and we suggest that accessible representations of complex data will be tackled in the near future. As the tactile complexity of these representations increases, material properties (e.g., friction, stiffness, sinusoidal texture) affect tactile chart readability and recognition accuracy. Prior research has shown that tactile perception is sensitive to variations in texture and friction, but systematic guidelines for their use in accessible visualization are still lacking [257].
- P** *How can non-visual visualization systems learn from a user’s interaction history to personalize and adapt?* Prior work notes the need for within-modality personalization [254], yet it remains unclear how systems—especially those powered by emerging LLM-based tools—should adapt to users’ navigation patterns, task goals, and preferred levels of detail. Frameworks such as Multimodal Complementarity [258], the Information-Seeking Mantra [54], and Levels of Description [158] offer guidance for distributing information and structuring overviews and details. A challenge is enabling fluid shifts between different data needs, e.g., between fine-grained, datum-level reading and higher-level skimming.
- P** *What fidelity is lost or preserved when exporting charts between modalities?* Our review found that translation of visual

representations to accessible representations (e.g., SVG → tactile, chart → CSV/audio) is still a common solution that is likely to continue. A persistent challenge in accessible visualization is maintaining semantic fidelity during conversion. Prior work has shown that critical information, e.g., spatial layout, perceptual grouping, or higher level statistical properties may be lost when a chart is flattened into a tactile or auditory form [263]. More research is needed to establish templates and metadata standards that can preserve perceptual levels (e.g., construction details, statistical properties) across modalities.

7 Limitations and Future Work

We limited our search to ACM, IEEE, Eurographics, Springer Nature Link, and Taylor & Francis venues because they align with our expertise, reflect our initial data-visualization focus, and offer consistent indexing and metadata standards. We acknowledge that relevant work also appears in other digital libraries, disability-focused journals (e.g., the Journal of Visual Impairment and Blindness and the Journal of Blindness Innovation and Research), and adjacent fields such as health, education, vision science, psychology, and communication studies. As a result, our review reflects primarily *intradisciplinary* HCI trends, and future research could take a more *interdisciplinary* approach.

Our methodology relied on qualitative coding and descriptive statistics, which allowed deeper engagement with individual contributions but carries risks of subjectivity and missing relevant work. Future reviews could incorporate quantitative techniques such as bibliometrics or topic modeling. In line with recent surveys addressing similar research questions [10, 159], we did not fully adopt standardized systematic review reporting frameworks such as PRISMA [245] or QUOROM [51], which are widely used in health-related reviews. However, we incorporated the relevant elements for scoping reviews identified by prior work [252]. Including a full PRISMA protocol in future multidisciplinary surveys may better align HCI reviews with broader reporting standards and make them more accessible to clinical, educational, and policy communities. Further, although reviews involving multiple coders may use inter-rater reliability (IRR) to assess coding consistency, we did not calculate IRR because our codes were descriptive rather than interpretive [167]. Instead, we discussed coding decisions during regular meetings and resolved disagreements through consensus.

Our inclusion and exclusion criteria may have led to the omission of borderline papers. Foundational visualization work not explicitly framed around accessibility but potentially insightful, such as abstract graph-drawing models or advances in sonification, also fell outside our scope. Because our review covers work only up to March 2026, and accessible visualization is evolving quickly with advances in AI, generative models, and new tactile hardware, regular updates will be needed to capture emerging developments.

Our coding and data collection did not include an accounting of disability justice; for example, HCI research that considers oppression on a single identity axis (e.g. race-only, gender-only, disability-only) can propagate harmful biases rather than serve the intended user base [242, 243]. This can result in research that produces “disability dongles”, a term coined by Liz Jackson to describe artifacts

that do not address real needs of disabled people but glorify their creators through quick fixes [115]. There are many dimensions of disability justice beyond axes of identity that would be important to consider, including appropriate compensation and citational justice [293], factors affecting practicality of design [23], and downstream effects of technology on climate change [73]. By not engaging with these issues in our analysis, we risk propagating biases and injustices in our findings. We acknowledge this as a limitation, but did not include these dimensions in our coding process because the scale of our included set of papers did not allow for a deeper study of each paper to identify factors that may be implicit or inconsistently reported.

8 Conclusion

We present a survey of 280 HCI, data visualization, and accessibility publications from ACM, IEEE, Eurographics, Springer Link, and Taylor & Francis venues that focus on HCI contributions to accessible data visualization. This review highlights a breadth of work, with a strong emphasis on empirical and artifact contributions but limited engagement in participatory design. Most research in this space focuses on BLV communities and simple visualizations, with recent attention to people with non-vision-based disabilities but limited support for complex visual interactions and scientific visualization. We distill our findings into a set of open questions for future research. Topics include integrating AI-driven descriptions while preserving fidelity across modalities, personalization across and within modalities, and better visualization auditing tools.

Acknowledgments

The authors acknowledge the use of OpenAI’s ChatGPT and Google’s Gemini as editorial tools for improving the clarity of the text and assisting with table processing in Google Sheets. We also used Google’s Gemini in Google Colaboratory to generate graphs, and Claude to help create the anonymized webpage hosted on Cloudflare.

References

- [1] Iyad Abu Doush, Enrico Pontelli, Dominic Simon, Tran Cao Son, and Ou Ma. 2009. Making Microsoft Excel™: Multimodal Presentation of Charts. In *Proceedings of the 11th International ACM SIGACCESS Conference on Computers and Accessibility* (Pittsburgh, Pennsylvania, USA) (Assets '09). Association for Computing Machinery, New York, NY, USA, 147–154. doi:10.1145/1639642.1639669
- [2] Iyad Abu Doush, Enrico Pontelli, Tran Cao Son, Dominic Simon, and Ou Ma. 2010. Multimodal Presentation of Two-Dimensional Charts: An Investigation Using Open Office XML and Microsoft Excel. *ACM Trans. Access. Comput.* 3, 2, Article 8 (11 2010), 50 pages. doi:10.1145/1857920.1857925
- [3] Dragan Ahmetovic, Cristian Bernareggi, João Guerreiro, Sergio Mascetti, and Anna Capietto. 2019. AudioFunctions.web: Multimodal Exploration of Mathematical Function Graphs. In *Proceedings of the 16th International Web for All Conference* (San Francisco, CA, USA) (W4A '19). Association for Computing Machinery, New York, NY, USA, Article 21, 10 pages. doi:10.1145/3315002.3317560
- [4] Yasmin Al-Kady, Nurhan Abdel-Wahab, Farah Hassanein, Rana Al-Alfy, Lama El-Malatawy, Rowym Ammar, Mirna Al-Shetairy, and Salsabil Amin. 2023. Chartlytics: Chart Image Classification and Data Extraction. In *2023 Eleventh International Conference on Intelligent Computing and Information Systems (ICICIS)*. IEEE, Cairo, Egypt, 515–522. doi:10.1109/ICICIS58388.2023.10391160
- [5] Rubén Alcaraz-Martínez, Mireia Ribera, Adrià Adeva Fillol, and Afra Pascual Almenara. 2022. Validation of a heuristic set to evaluate the accessibility of statistical charts. In *Proceedings of the XXII International Conference on Human Computer Interaction* (Teruel, Spain) (Interacción '22). Association for Computing Machinery, New York, NY, USA, Article 2, 9 pages. doi:10.1145/3549865.3549893
- [6] Ruben Alcaraz Martinez, Mireia Ribera Turro, and Toni Granollers Saltiveri. 2022. Methodology for heuristic evaluation of the accessibility of statistical

- charts for people with low vision and color vision deficiency. *Universal access in the information society* 21, 4 (2022), 863–894.
- [7] Rahaf Alharbi, Angela D Cheong, Jaylin Herskovitz, Robin N Brewer, and Sarita Schoenebeck. 2025. "Trying to Piece It Together": Exploring Accessible Error Detection in Emerging Privacy Techniques with Blind People. In *Proceedings of the 27th International ACM SIGACCESS Conference on Computers and Accessibility*. Association for Computing Machinery, New York, NY, USA, 1–20. doi:10.1145/3663547.3746376
 - [8] Wajdi Aljedaani, Uday Kiran Chimpiri, Durgasantosh Gaddam, Vaseem Ahammed Shaik, Yaswita Karasala, and Marcelo M. Eler. 2024. Beyond Sight: Empowering Visually Impaired Users with Audible Graphs. In *Proceedings of the 21st International Web for All Conference* (Singapore, Singapore) (W4A '24). Association for Computing Machinery, New York, NY, USA, 39–41. doi:10.1145/3677846.3677864
 - [9] Maram Fahad Almufareh, Sumaira Kausar, Mamoon Humayun, and Samabia Tehsin. 2024. A conceptual model for inclusive technology: advancing disability inclusion through artificial intelligence. *Journal of Disability Research* 3, 1 (2024), 20230060. doi:10.5719/jdr-2023-0060
 - [10] Oliver Alonzo and Saad Hassan. 2025. A Review of 25 Years of Human-Computer Interaction Research on Reading Support Technologies for People with Disabilities Published in the ACM Digital Library. In *Proceedings of the 27th International ACM SIGACCESS Conference on Computers and Accessibility* (ASSETS '25). Association for Computing Machinery, New York, NY, USA, Article 67, 21 pages. doi:10.1145/3663547.3746355
 - [11] Haifa Alshehri, Stephanie Ludi, and Wajdi Aljedaani. 2026. Towards Inclusive Data Visualization: Investigating Accessibility in Scientific and Technical Charts. In *HCI International 2025 – Late Breaking Papers*, Margherita Antona and Constantine Stephanidis (Eds.). Springer Nature Switzerland, Cham, 3–17. doi:10.1007/978-3-032-12781-5_1
 - [12] Mona Alzahrani, Alexandra L. Uitdenbogerd, Beth Johnson, Benjamin Tag, and Michael Wybrow. 2025. Exploring Data Visualisation Barriers and Needs of Autistic Adults. In *2025 IEEE Workshop on Accessible Data Visualization (AccessViz)* (Vienna, Austria). IEEE, 10–13. doi:10.1109/AccessViz68666.2025.00007
 - [13] Katharina Anderer, Matthias Wölfel, and Jan Niehues. 2024. Identifying the information gap for visually impaired students during lecture talks. In *2024 IEEE Symposium on Visual Languages and Human-Centric Computing (VL/HCC)*. IEEE, Liverpool, United Kingdom, 168–173.
 - [14] Sarah Andrew, Stacey Watson, Tae Oh, and Garreth W. Tigwell. 2020. A Review of Literature on Accessibility and Authentication Techniques. In *Proceedings of the 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (ASSETS '20). Association for Computing Machinery, New York, NY, USA, Article 55, 4 pages. doi:10.1145/3373625.3418005
 - [15] Katrin Angerbauer, Nils Rodrigues, Rene Cutura, Seyda Öney, Nelusa Pathmanathan, Cristina Morariu, Daniel Weiskopf, and Michael Sedlmair. 2022. Accessibility for Color Vision Deficiencies: Challenges and Findings of a Large Scale Study on Paper Figures. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 134, 23 pages. doi:10.1145/3491102.3502133
 - [16] Katrin Angerbauer and Michael Sedlmair. 2022. Toward Inclusion and Accessibility in Visualization Research: Speculations on Challenges, Solution Strategies, and Calls for Action (Position Paper). In *2022 IEEE Evaluation and Beyond - Methodological Approaches for Visualization (BELIV)*. IEEE, 20–27. doi:10.1109/BELIV57783.2022.00007
 - [17] Elizabeth A. Ankrah, Franceli L. Cibrán, Lucas M. Silva, Arya Tavakoulia, Jesus A. Beltran, Sabrina E.B. Schuck, Kimberley D. Lakes, and Gillian R. Hayes. 2023. Me, My Health, and My Watch: How Children with ADHD Understand Smartwatch Health Data. *ACM Trans. Comput.-Hum. Interact.* 30, 4, Article 59 (9 2023), 25 pages. doi:10.1145/3577008
 - [18] Kosuke Araki and Tetsuya Watanabe. 2013. Comparison of reading accuracy between tactile pie charts and tactile band charts. In *Proceedings of the 15th International ACM SIGACCESS Conference on Computers and Accessibility* (Bellevue, Washington) (ASSETS '13). Association for Computing Machinery, New York, NY, USA, Article 43, 2 pages. doi:10.1145/2513383.2513404
 - [19] Hilary Arksey and Lisa O'malley. 2005. Scoping studies: towards a methodological framework. *International journal of social research methodology* 8, 1 (2005), 19–32. doi:10.1080/1364557032000119616
 - [20] S. Sandra Bae, Clement Zheng, Mary Etta West, Ellen Yi-Luen Do, Samuel Huron, and Danielle Albers Szafir. 2022. Making Data Tangible: A Cross-Disciplinary Design Space for Data Physicalization. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 81, 18 pages. doi:10.1145/3491102.3501939
 - [21] Muhammad Ikmal Hakim Shamsul Bahrin, Hazlina Md Yusof, and Shahrlul Na'im Sidek. 2019. Tactile Graphics Exploration Studies Using Fingertip Tracking Based on Colour Markers Detection for Visually Impaired People. In *2019 7th International Conference on Mechatronics Engineering (ICOM)*. IEEE, Putrajaya, Malaysia, 1–6. doi:10.1109/ICOM47790.2019.8952039
 - [22] Suzanne P. Balik, Sean P. Mealín, Matthias F. Stallmann, Robert D. Rodman, Michelle L. Glatz, and Veronica J. Sigler. 2014. Including blind people in computing through access to graphs. In *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility* (Rochester, New York, USA) (ASSETS '14). Association for Computing Machinery, New York, NY, USA, 91–98. doi:10.1145/2661334.2661364
 - [23] Giulia Barbareschi, Dafne Zuleima Morgado-Ramirez, Catherine Holloway, Swami Manohar Swaminathan, Aditya Vashistha, and Edward Cutrell. 2021. Disability Design and Innovation in Low Resource Settings: Addressing Inequality Through HCI. In *Extended Abstracts of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI EA '21). Association for Computing Machinery, New York, NY, USA, Article 124, 5 pages. doi:10.1145/3411763.3441340
 - [24] Sandra Bardot, Marcos Serrano, Bernard Oriola, and Christophe Jouffrais. 2017. Identifying How Visually Impaired People Explore Raised-Line Diagrams to Improve the Design of Touch Interfaces. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems* (Denver, Colorado, USA) (CHI '17). Association for Computing Machinery, New York, NY, USA, 550–555. doi:10.1145/3025453.3025582
 - [25] William Bares and Jordan Wirfs-Brock. 2023. Haptics for Accessible Graphics in Csl. In *ACM SIGGRAPH 2023 Educator's Forum* (Los Angeles, CA, USA) (SIGGRAPH '23). Association for Computing Machinery, New York, NY, USA, Article 1, 2 pages. doi:10.1145/3587424.3595584
 - [26] Brian R Belland. 2017. *Instructional Scaffolding in STEM Education: Strategies and Efficacy Evidence*. Springer Cham. doi:10.1007/978-3-319-02565-0
 - [27] Matthew Blanco, Jonathan Zong, and Arvind Satyanarayan. 2022. Olli: An Extensible Visualization Library for Screen Reader Accessibility. *IEEE VIS Posters* 6 (2022).
 - [28] Rupert RA Bourne, Seth R Flaxman, Tasanee Braithwaite, Maria V Cicinelli, Aditi Das, Jost B Jonas, Jill Keffe, John H Kempen, Janet Leasher, Hans Limburg, et al. 2017. Magnitude, temporal trends, and projections of the global prevalence of blindness and distance and near vision impairment: a systematic review and meta-analysis. *The Lancet Global Health* 5, 9 (2017), e888–e897. doi:10.1016/s2214-109x(17)30293-0
 - [29] Jonas Braier, Katharina Lattenkamp, Benjamin Räthel, Sandra Schering, Michael Wojatzki, and Benjamin Weyers. 2014. Haptic 3D Surface Representation of Table-Based Data for People With Visual Impairments. *ACM Trans. Access. Comput.* 6, 1, Article 1 (12 2014), 35 pages. doi:10.1145/2700433
 - [30] Craig Brown and Amy Hurst. 2012. VizTouch: automatically generated tactile visualizations of coordinate spaces. In *Proceedings of the Sixth International Conference on Tangible, Embedded and Embodied Interaction* (Kingston, Ontario, Canada) (TEI '12). Association for Computing Machinery, New York, NY, USA, 131–138. doi:10.1145/2148131.2148160
 - [31] Egil Bru, Thomas Trautner, and Stefan Bruckner. 2023. Line Harp: Importance-Driven Sonification for Dense Line Charts. In *2023 IEEE Visualization and Visual Analytics (VIS)*. IEEE, 186–190. doi:10.1109/VIS54172.2023.00046
 - [32] Emeline Brule, Gilles Bailly, Anke Brock, Frederic Valentin, Grégoire Denis, and Christophe Jouffrais. 2016. MapSense: Multi-Sensory Interactive Maps for Children Living with Visual Impairments. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI '16). Association for Computing Machinery, New York, NY, USA, 445–457. doi:10.1145/2858036.2858375
 - [33] Kevin Buffardi, JoAna Brooks, and David Alexander. 2024. Designing a CURE for Csl. In *Proceedings of the 2024 on Innovation and Technology in Computer Science Education V. 1* (Milan, Italy) (ITI'CE 2024). Association for Computing Machinery, New York, NY, USA, 660–666. doi:10.1145/3649217.3653573
 - [34] Matthew Butler, Leona M Holloway, Samuel Reinders, Catayay Goncu, and Kim Marriott. 2021. Technology Developments in Touch-Based Accessible Graphics: A Systematic Review of Research 2010–2020. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 278, 15 pages. doi:10.1145/3411764.3445207
 - [35] Shahira K C. Pulkit Joshi, and Lijiya A. 2023. Data Extraction and Question Answering on Chart Images Towards Accessibility and Data Interpretation. *IEEE Open Journal of the Computer Society* 4 (2023), 314–325. doi:10.1109/OJCS.2023.3328767
 - [36] Kelly Caine. 2016. Local Standards for Sample Size at CHI. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI '16). Association for Computing Machinery, New York, NY, USA, 981–992. doi:10.1145/2858036.2858498
 - [37] Hancheng Cao, Yujie Lu, Yuting Deng, Daniel McFarland, and Michael S. Bernstein. 2023. Breaking out of the Ivory Tower: A Large-Scale Analysis of Patent Citations to HCI Research. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 760, 24 pages. doi:10.1145/3544548.3581108
 - [38] Sandra Carberry, Stephanie Elzer Schwartz, Kathleen McCoy, Seniz Demir, Peng Wu, Charles Greenbacker, Daniel Chester, Edward Schwartz, David Oliver, and

- Priscilla Moraes. 2013. Access to multimodal articles for individuals with sight impairments. *ACM Trans. Interact. Intell. Syst.* 2, 4, Article 21 (1 2013), 49 pages. doi:10.1145/2395123.2395126
- [39] Marco Cardia, Marina Buzzi, Giulio Galesi, and Barbara Leporini. 2025. A Descriptive Review of Image Datasets for Accessible Alternative Descriptions in STEM Domains. In *Proceedings of the 16th Biannual Conference of the Italian SIGCHI Chapter (CHIItaly '25)*. Association for Computing Machinery, New York, NY, USA, Article 9, 7 pages. doi:10.1145/3750069.3750122
- [40] Elyse D. Z. Chase, Alexa Fay Siu, Abena Boadi-Agyemang, Gene S-H Kim, Eric J Gonzalez, and Sean Follmer. 2020. PantoGuide: A Haptic and Audio Guidance System To Support Tactile Graphics Exploration. In *Proceedings of the 22nd International ACM SIGACCESS Conference on Computers and Accessibility (Virtual Event, Greece) (ASSETS '20)*. Association for Computing Machinery, New York, NY, USA, Article 77, 4 pages. doi:10.1145/3373625.3418023
- [41] Charles Chen, Ruiyi Zhang, Sungchul Kim, Scott Cohen, Tong Yu, Ryan Rossi, and Razvan Bunescu. 2019. Neural caption generation over figures. In *Adjunct Proceedings of the 2019 ACM International Joint Conference on Pervasive and Ubiquitous Computing and Proceedings of the 2019 ACM International Symposium on Wearable Computers (London, United Kingdom) (UbiComp/ISWC '19 Adjunct)*. Association for Computing Machinery, New York, NY, USA, 482–485. doi:10.1145/3341162.3345601
- [42] Mengzhu (Katie) Chen, Isabella Pedraza Pineros, Arvind Satyanarayan, and Jonathan Zong. 2025. Tactile Vega-Lite: Rapidly Prototyping Tactile Charts with Smart Defaults. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems (CHI '25)*. Association for Computing Machinery, New York, NY, USA, Article 931, 23 pages. doi:10.1145/3706598.3714132
- [43] Weifeng Chen, Wei Chen, and Hujun Bao. 2011. An Efficient Direct Volume Rendering Approach for Dichromats. *IEEE Transactions on Visualization and Computer Graphics* 17, 12 (2011), 2144–2152. doi:10.1109/TVCG.2011.164
- [44] Nihanth W. Cherukuru, David A. Bailey, Tiffany Fourment, Becca Hatheway, Marika M. Holland, and Matt Rehme. 2022. Beyond Visuals: Examining the Experiences of Geoscience Professionals with Vision Disabilities in Accessing Data Visualizations. In *2022 IEEE Visualization and Visual Analytics (VIS)*. IEEE, New York, NY, USA, 160–164. doi:10.1109/VIS54862.2022.00041
- [45] Sanjana Shivani Chintalapati, Jonathan Bragg, and Lucy Lu Wang. 2022. A Dataset of Alt Texts from HCI Publications: Analyses and Uses Towards Producing More Descriptive Alt Texts of Data Visualizations in Scientific Papers. In *Proceedings of the 24th International ACM SIGACCESS Conference on Computers and Accessibility (Athens, Greece) (ASSETS '22)*. Association for Computing Machinery, New York, NY, USA, Article 30, 12 pages. doi:10.1145/3517428.3544796
- [46] Jinho Choi, Sanghun Jung, Deok Gun Park, Jaegul Choo, and Niklas Elmquist. 2019. Visualizing for the Non-Visual: Enabling the Visually Impaired to Use Visualization. *Computer Graphics Forum* 38, 3 (2019), 249–260. doi:10.1111/cgf.13686 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.13686
- [47] Stephen H. Choi and Bruce N. Walker. 2010. Digitizer auditory graph: making graphs accessible to the visually impaired. In *CHI '10 Extended Abstracts on Human Factors in Computing Systems (Atlanta, Georgia, USA) (CHI EA '10)*. Association for Computing Machinery, New York, NY, USA, 3445–3450. doi:10.1145/1753846.1753999
- [48] Pramod Chundury, Biswaksen Patnaik, Yasmin Reyazuddin, Christine Tang, Jonathan Lazar, and Niklas Elmquist. 2022. Towards Understanding Sensory Substitution for Accessible Visualization: An Interview Study. *IEEE Transactions on Visualization and Computer Graphics* 28, 1 (2022), 1084–1094. doi:10.1109/TVCG.2021.3114829
- [49] Pramod Chundury, Yasmin Reyazuddin, J. Bern Jordan, Jonathan Lazar, and Niklas Elmquist. 2024. TactualPlot: Spatializing Data as Sound Using Sensory Substitution for Touchscreen Accessibility. *IEEE Transactions on Visualization and Computer Graphics* 30, 1 (1 2024), 836–846. doi:10.1109/TVCG.2023.3326937
- [50] Pramod Chundury, Urja Thakkar, Yasmin Reyazuddin, J. Bern Jordan, Niklas Elmquist, and Jonathan Lazar. 2024. Understanding the Visualization and Analytics Needs of Blind and Low-Vision Professionals. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility (St. John's, NL, Canada) (ASSETS '24)*. Association for Computing Machinery, New York, NY, USA, Article 111, 5 pages. doi:10.1145/3663548.3688496
- [51] Mike Clarke. 2000. The QUORUM Statement. *The Lancet* 355, 9205 (2000), 756–757. doi:10.1016/s0140-6736(05)72172-3
- [52] Robert F. Cohen, Arthur Meacham, and Joelle Skaff. 2006. Teaching graphs to visually impaired students using an active auditory interface. In *Proceedings of the 37th SIGCSE Technical Symposium on Computer Science Education (Houston, Texas, USA) (SIGCSE '06)*. Association for Computing Machinery, New York, NY, USA, 279–282. doi:10.1145/1121341.1121428
- [53] Robert F. Cohen, Rui Yu, Arthur Meacham, and Joelle Skaff. 2005. PLUMB: displaying graphs to the blind using an active auditory interface. In *Proceedings of the 7th International ACM SIGACCESS Conference on Computers and Accessibility (Baltimore, MD, USA) (ASSETS '05)*. Association for Computing Machinery, New York, NY, USA, 182–183. doi:10.1145/1090785.1090820
- [54] Brock Craft and Paul Cairns. 2005. Beyond guidelines: what can we learn from the visual information seeking mantra?. In *Ninth International Conference on Information Visualisation (IV'05)*. IEEE, 110–118. doi:10.1109/iv.2005.28
- [55] April R. Crockett and Gerald C. Gannod. 2020. Improving Understanding of Data Structures for the Blind with Tactile Media and a User-Centered Iterative Approach. In *2020 IEEE Frontiers in Education Conference (FIE)*. IEEE, 1–8. doi:10.1109/FIE44824.2020.9273978
- [56] Sándor Darányi, Nasrine Olson, Eva Lindell, Nils-Krister Persson, Marina Riga, Efstratios Kontopoulos, and Ioannis Kompatsiaris. 2020. Communicating semantic content to persons with deafblindness by haptograms and smart textiles: theoretical approach and methodology. *Int. J. Adv. Intell. Syst.* 13, 1 (2020), 103–113.
- [57] Kenny Davila, Srirangaraj Setlur, David Doermann, Bhargava Urala Kota, and Venu Govindaraju. 2021. Chart Mining: A Survey of Methods for Automated Chart Analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 43, 11 (2021), 3799–3819. doi:10.1109/TPAMI.2020.2992028
- [58] Nicola Dell and Neha Kumar. 2016. The Ins and Outs of HCI for Development. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (San Jose, California, USA) (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 2220–2232. doi:10.1145/2858036.2858081
- [59] Niamh Devane, Nicola Botting, Madeline Cruice, Abi Roper, Danielle Szafr, Jo Wood, and Stephanie Wilson. 2024. Data Visualization and Decision Making in Adults with Acquired and Developmental Language Disabilities: A Scoping Review. *International Journal of Language & Communication Disorders* 59, 6 (2024), 2617–2631. doi:10.1111/1460-6984.13105
- [60] G.A. Di Luca, A.R. Fasolino, and P. Tramontana. 2005. Web site accessibility: identifying and fixing accessibility problems in client page code. In *Seventh IEEE International Symposium on Web Site Evolution*. IEEE, 71–78. doi:10.1109/WSE.2005.22
- [61] Stacy A. Doore, Justin R. Brown, Saki Imai, Justin K. Dimmel, and Nicholas A. Giudice. 2024. Non-Visual Interfaces for Visual Learners: Multisensory Learning of Graphic Primitives. *IEEE Access* 12 (2024), 189926–189940. doi:10.1109/ACCESS.2024.3513712
- [62] Diogo Duarte, Rita Costa, Pedro Bizarro, and Carlos Duarte. 2024. AutoVizuA11y: A Tool to Automate Screen Reader Accessibility in Charts. *Computer Graphics Forum* 43, 3 (2024), e15099. doi:10.1111/cgf.15099 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.15099
- [63] Julie Ducasse, Marc J-M Macé, Marcos Serrano, and Christophe Jouffrais. 2016. Tangible Reels: Construction and Exploration of Tangible Maps by Visually Impaired Users. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems (San Jose, California, USA) (CHI '16)*. Association for Computing Machinery, New York, NY, USA, 2186–2197. doi:10.1145/2858036.2858058
- [64] Sander Dullaert, Champika Ranasinghe, Auriol Degbelo, and Nacir Bouali. 2024. Data Physicalization with Haptic Variables: Exploring Resistance and Friction. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems (Honolulu, HI, USA) (CHI EA '24)*. Association for Computing Machinery, New York, NY, USA, Article 94, 8 pages. doi:10.1145/3613905.3651011
- [65] Julian Ebermann and Mandy Keck. 2024. From Sight to Touch: Designing Tactile Data Physicalizations for Non-Sighted Users. In *2024 1st Workshop on Accessible Data Visualization (AccessViz)*. IEEE, 9–13. doi:10.1109/AccessViz64636.2024.00007
- [66] Christo El Morr, Bushra Kundi, Fariah Mobeen, Sarah Taleghani, Yahya El-Lahib, and Rachel Gorman. 2024. AI and Disability: A Systematic Scoping Review. *Health Informatics Journal* 30, 3 (2024), 14604582241285743. doi:10.1177/14604582241285743
- [67] Frank Elavsky, Cynthia Bennett, and Dominik Moritz. 2022. How Accessible Is My Visualization? Evaluating Visualization Accessibility with Chartability. *Computer Graphics Forum* 41, 3 (2022), 57–70. doi:10.1111/cgf.14522 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.14522
- [68] Frank Elavsky, Lucas Nadolskis, and Dominik Moritz. 2023. Data navigator: an accessibility-centered data navigation toolkit. *IEEE transactions on visualization and computer graphics* 30, 1 (2023), 803–813. doi:10.1109/tvcg.2023.3327393
- [69] Frank Elavsky, Marita Vindedal, Ted Gies, Patrick Carrington, Dominik Moritz, and Øystein Moseng. 2026. Toward Software: Enabling Personalization of Interactive Data Representations for Users With Disabilities. *IEEE Computer Graphics and Applications* 46, 2 (2026), 57–69. doi:10.1109/MCG.2025.3609294
- [70] K. Enge, E. Elmquist, V. Caiola, N. Rönnerberg, A. Rind, M. Iber, S. Lenzi, F. Lan, R. Höldrich, and W. Aigner. 2024. Open Your Ears and Take a Look: A State-of-the-Art Report on the Integration of Sonification and Visualization. *Computer Graphics Forum* 43, 3 (2024), e15114. doi:10.1111/cgf.15114 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.15114
- [71] Christin Engel, Emma Franziska Müller, and Gerhard Weber. 2019. SVGPlott: an accessible tool to generate highly adaptable, accessible audio-tactile charts for and from blind and visually impaired people. In *Proceedings of the 12th ACM International Conference on Pervasive Technologies Related to Assistive Environments (Rhodes, Greece) (PETRA '19)*. Association for Computing Machinery, New York, NY, USA, 186–195. doi:10.1145/3316782.3316793
- [72] Christin Engel and Gerhard Weber. 2017. Analysis of Tactile Chart Design. In *Proceedings of the 10th International Conference on Pervasive Technologies Related*

- to Assistive Environments (Island of Rhodes, Greece) (PETRA '17). Association for Computing Machinery, New York, NY, USA, 197–200. doi:10.1145/3056540.3064955
- [73] Alina Engelman, Leyla Craig, and Alastair Iles. 2022. Global Disability Justice in Climate Disasters: Mobilizing People with Disabilities as Change Agents: Analysis Describes Disability Justice in Climate Emergencies and Disasters, Mobilizing People with Disabilities as Change Agents. *Health Affairs* 41, 10 (2022), 1496–1504. doi:10.1377/hlthaff.2022.00474
- [74] Robert J. Erhardt and Michael P. Shuman. 2015. Assistive Technologies for Second-Year Statistics Students who are Blind. *Journal of Statistics Education* 23, 2 (2015). doi:10.1080/10691898.2015.11889733 arXiv:https://doi.org/10.1080/10691898.2015.11889733
- [75] Danyang Fan, Alexa Fay Siu, Sile O'Modhrain, and Sean Follmer. 2020. Constructive Visualization to Inform the Design and Exploration of Tactile Data Representations. In *Proceedings of the 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (ASSETS '20). Association for Computing Machinery, New York, NY, USA, Article 60, 4 pages. doi:10.1145/3373625.3418027
- [76] Danyang Fan, Alexa Fay Siu, Hrishikesh Rao, Gene Sung-Ho Kim, Xavier Vazquez, Lucy Greco, Sile O'Modhrain, and Sean Follmer. 2023. The Accessibility of Data Visualizations on the Web for Screen Reader Users: Practices and Experiences During COVID-19. *ACM Trans. Access. Comput.* 16, 1, Article 4 (3 2023), 29 pages. doi:10.1145/3557899
- [77] Danyang Fan, Gene S-H Kim, Olivia Tomassetti, Shloke Nirav Patel, Sile O'Modhrain, Victor R Lee, and Sean Follmer. 2024. Tangible Stats: An Embodied and Multimodal Platform for Teaching Data and Statistics to Blind and Low Vision Students. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI EA '24). Association for Computing Machinery, New York, NY, USA, Article 310, 9 pages. doi:10.1145/3613905.3650793
- [78] Ali Mazraeh Farahani, Peyman Adibi, Mohammad Saeed Ehsani, Hans-Peter Hutter, and Alireza Darvishy. 2023. Automatic Chart Understanding: A Review. *IEEE Access* 11 (2023), 76202–76221. doi:10.1109/ACCESS.2023.3298050
- [79] Leo Ferres, Gitte Lindgaard, Livia Sumegi, and Bruce Tsuji. 2013. Evaluating a Tool for Improving Accessibility to Charts and Graphs. *ACM Trans. Comput.-Hum. Interact.* 20, 5, Article 28 (11 2013), 32 pages. doi:10.1145/2533682.2533683
- [80] Leo Ferres, Petro Verkhoglyad, Gitte Lindgaard, Louis Boucher, Antoine Chretien, and Martin Lachance. 2007. Improving accessibility to statistical graphs: the iGraph-Lite system. In *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility* (Tempe, Arizona, USA) (Assets '07). Association for Computing Machinery, New York, NY, USA, 67–74. doi:10.1145/1296843.1296857
- [81] Santiago Figueroa-Gutiérrez, Luis Gerardo Montané-Jiménez, Juan Carlos Pérez-Arriaga, José Rafael Rojano-Cáceres, and Guadalupe Toledo-Toledo. 2021. Towards Automatic Interpretation of Statistical Graphs for the Visually Impaired. In *2021 9th International Conference in Software Engineering Research and Innovation (CONISOFT)*. IEEE, 180–188. doi:10.1109/CONISOFT52520.2021.00033
- [82] Velitchko Filipov, Alessio Arleo, and Silvia Miksch. 2023. Are We There Yet? A Roadmap of Network Visualization from Surveys to Task Taxonomies. *Computer Graphics Forum* 42, 6 (2023), e14794. doi:10.1111/cgf.14794 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.14794
- [83] Donal Fitzpatrick, A. Jonathan R. Godfrey, and Volker Sorge. 2017. Producing Accessible Statistics Diagrams in R. In *Proceedings of the 14th International Web for All Conference* (Perth, Western Australia, Australia) (W4A '17). Association for Computing Machinery, New York, NY, USA, Article 22, 4 pages. doi:10.1145/3058555.3058564
- [84] David R. Flatla and Carl Gutwin. 2010. Individual models of color differentiation to improve interpretability of information visualization. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Atlanta, Georgia, USA) (CHI '10). Association for Computing Machinery, New York, NY, USA, 2563–2572. doi:10.1145/1753326.1753715
- [85] Abraham D. Flaxman, John S. Wittenborn, Toshana Robalik, Rohit Gulia, Robert B. Gerzoff, Elizabeth A. Lundeen, Jinan Saaddine, and David B. Rein. 2021. Prevalence of Visual Acuity Loss or Blindness in the US: A Bayesian Meta-Analysis. *JAMA Ophthalmology* 139, 7 (7 2021), 717–723. doi:10.1001/jamaophthalmol.2021.0527
- [86] K.M. Franklin and J.C. Roberts. 2003. Pie chart sonification. In *Proceedings on Seventh International Conference on Information Visualization, 2003. IV 2003*. IEEE, 4–9. doi:10.1109/IV.2003.1217949
- [87] K.M. Franklin and J.C. Roberts. 2004. A path based model for sonification. In *Proceedings. Eighth International Conference on Information Visualisation, 2004. IV 2004*. IEEE, 865–870. doi:10.1109/IV.2004.1320242
- [88] Z. Ben Fredj and D. A. Duce. 2006. GraSSML: accessible smart schematic diagrams for all. In *Proceedings of the 2006 International Cross-Disciplinary Workshop on Web Accessibility (W4A): Building the Mobile Web: Rediscovering Accessibility?* (Edinburgh, United Kingdom) (W4A '06). Association for Computing Machinery, New York, NY, USA, 57–60. doi:10.1145/1133219.1133229
- [89] J.P. Fritz and K.E. Barner. 1999. Design of a haptic data visualization system for people with visual impairments. *IEEE Transactions on Rehabilitation Engineering* 7, 3 (1999), 372–384. doi:10.1109/86.788473
- [90] Giovanni Fusco and Valerie S. Morash. 2015. The Tactile Graphics Helper: Providing Audio Clarification for Tactile Graphics Using Machine Vision. In *Proceedings of the 17th International ACM SIGACCESS Conference on Computers & Accessibility* (Lisbon, Portugal) (ASSETS '15). Association for Computing Machinery, New York, NY, USA, 97–106. doi:10.1145/2700648.2809868
- [91] Vinitha Gadiraju, Shaun Kane, Sunipa Dev, Alex Taylor, Ding Wang, Remi Denton, and Robin Brewer. 2023. "I wouldn't say offensive but...": Disability-Centered Perspectives on Large Language Models. In *Proceedings of the 2023 ACM Conference on Fairness, Accountability, and Transparency* (Chicago, IL, USA) (FAccT '23). Association for Computing Machinery, New York, NY, USA, 205–216. doi:10.1145/3593013.3593989
- [92] Gagatay Goncu, Simone Marinai, and Kim Marriott. 2014. Generation of accessible graphics. In *22nd Mediterranean Conference on Control and Automation*. IEEE, 169–174. doi:10.1109/MED.2014.6961366
- [93] Gagatay Goncu and Kim Marriott. 2008. Tactile chart generation tool. In *Proceedings of the 10th International ACM SIGACCESS Conference on Computers and Accessibility* (Halifax, Nova Scotia, Canada) (Assets '08). Association for Computing Machinery, New York, NY, USA, 255–256. doi:10.1145/1414471.1414525
- [94] Gagatay Goncu and Kim Marriott. 2015. GraCALC: An Accessible Graphing Calculator. In *Proceedings of the 17th International ACM SIGACCESS Conference on Computers & Accessibility* (Lisbon, Portugal) (ASSETS '15). Association for Computing Machinery, New York, NY, USA, 311–312. doi:10.1145/2700648.2811353
- [95] Gagatay Goncu, Kim Marriott, and Frances Aldrich. 2010. Tactile Diagrams: Worth Ten Thousand Words?. In *Diagrammatic Representation and Inference*, Ashok K. Goel, Mateja Jamnik, and N. Hari Narayanan (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 257–263. doi:10.1007/978-3-642-14600-8_25
- [96] Ricardo E. Gonzalez Penuela, Fannie Liu, Blair MacIntyre, and David Saffo. 2025. TapNav: Adaptive Spatiotactile Screen Readers for Tactually Guided Touchscreen Interactions for Blind and Low Vision People. *Proc. ACM Interact. Mob. Wearable Ubiquitous Technol.* 9, 4, Article 178 (12 2025), 29 pages. doi:10.1145/3770654
- [97] Joshua Gorniak, Yoon Kim, Donglai Wei, and Nam Wook Kim. 2024. VizAbility: Enhancing Chart Accessibility with LLM-based Conversational Interaction. In *Proceedings of the 37th Annual ACM Symposium on User Interface Software and Technology* (Pittsburgh, PA, USA) (UIST '24). Association for Computing Machinery, New York, NY, USA, Article 89, 19 pages. doi:10.1145/3654777.3676414
- [98] Joshua Gorniak, Jacob Ottiger, Donglai Wei, and Nam Wook Kim. 2023. VizAbility: Multimodal Accessible Data Visualization with Keyboard Navigation and Conversational Interaction. In *Adjunct Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology* (San Francisco, CA, USA) (UIST '23 Adjunct). Association for Computing Machinery, New York, NY, USA, Article 18, 3 pages. doi:10.1145/3586182.3616669
- [99] T. Götzelmann. 2018. Visually Augmented Audio-Tactile Graphics for Visually Impaired People. *ACM Trans. Access. Comput.* 11, 2, Article 8 (6 2018), 31 pages. doi:10.1145/3186894
- [100] Heather Granz, Merve Tuccar, Shweta Purushe, and Georges Grinstein. 2013. Implementing Disability Accommodations in a Widely Distributed Web Based Visualization and Analysis Platform – Weave. In *Universal Access in Human-Computer Interaction. Design Methods, Tools, and Interaction Techniques for eInclusion*, Constantine Stephanidis and Margherita Antona (Eds.). Springer Berlin Heidelberg, Berlin, Heidelberg, 31–39. doi:10.1007/978-3-642-39188-0_4
- [101] Charles F. Greenbacker. 2012. Summarizing multimodal documents in popular media for people with visual impairments. *SIGACCESS Access. Comput.* 102 (1 2012), 13–16. doi:10.1145/2140446.2140449
- [102] Darren Guinness, Annika Muehlbradt, Daniel Szafr, and Shaun K. Kane. 2019. RoboGraphics: Dynamic Tactile Graphics Powered by Mobile Robots. In *Proceedings of the 21st International ACM SIGACCESS Conference on Computers and Accessibility* (Pittsburgh, PA, USA) (ASSETS '19). Association for Computing Machinery, New York, NY, USA, 318–328. doi:10.1145/3308561.3353804
- [103] Yuta Hashimoto and Noboru Takagi. 2018. Development of Audio-Tactile Graphic System Aimed at Facilitating Access to Visual Information for Blind People. In *2018 IEEE International Conference on Systems, Man, and Cybernetics (SMC)*. IEEE, 2283–2288. doi:10.1109/SMC.2018.00392
- [104] Liang He, Zijian Wan, Leah Findlater, and Jon E. Froehlich. 2017. TacTILE: A Preliminary Toolchain for Creating Accessible Graphics with 3D-Printed Overlays and Auditory Annotations. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, Maryland, USA) (ASSETS '17). Association for Computing Machinery, New York, NY, USA, 397–398. doi:10.1145/3132525.3134818
- [105] Shui He and Lingyun Yu. 2024. Charting Beyond Sight with DataStory: Sensory Substitution and Storytelling in Visual Literacy Education for Visually Impaired Children. In *Extended Abstracts of the CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI EA '24). Association for Computing

- Machinery, New York, NY, USA, Article 73, 8 pages. doi:10.1145/3613905.3650800
- [106] Tingying He, Maggie McCracken, Daniel Hajas, Sarah Creem-Regehr, and Alexander Lex. 2026. Using Tactile Charts to Support Comprehension and Learning of Complex Visualizations for Blind and Low-Vision Individuals. *IEEE Transactions on Visualization and Computer Graphics* 32, 1 (2026), 199–209. doi:10.1109/TVCG.2025.3633874
- [107] Ivan Herman and Daniel Dardailler. 2002. SVG Linearization and Accessibility. *Computer Graphics Forum* 21, 4 (2002), 777–786. doi:10.1111/1467-8659.00635 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/1467-8659.00635
- [108] Leona Holloway, Matthew Butler, Samuel Reinders, and Kim Marriott. 2020. Non-Visual Access to Graphical Information on COVID-19. In *Proceedings of the 22nd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, Greece) (ASSETS '20). Association for Computing Machinery, New York, NY, USA, Article 75, 3 pages. doi:10.1145/3373625.3418015
- [109] Leona Holloway, Kim Marriott, Matthew Butler, and Samuel Reinders. 2019. 3D Printed Maps and Icons for Inclusion: Testing in the Wild by People Who Are Blind or Have Low Vision. In *Proceedings of the 21st International ACM SIGACCESS Conference on Computers and Accessibility* (Pittsburgh, PA, USA) (ASSETS '19). Association for Computing Machinery, New York, NY, USA, 183–195. doi:10.1145/3308561.3353790
- [110] Leona M Holloway, Cagatay Goncu, Alon Ilisar, Matthew Butler, and Kim Marriott. 2022. Infsonics: Accessible Infographics for People Who Are Blind Using Sonification and Voice. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 480, 13 pages. doi:10.1145/3491102.3517465
- [111] Md Naimul Hoque, Md Ehtesham-Ul-Haque, Niklas Elmqvist, and Syed Masum Billah. 2023. Accessible Data Representation with Natural Sound. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 826, 19 pages. doi:10.1145/3544548.3581087
- [112] Stacy Hsueh, Beatrice Vincenzi, Akshata Murdeshwar, and Marianela Ciolfi Felice. 2023. Crippling Data Visualizations: Crip Technoscience as a Critical Lens for Designing Digital Access. In *Proceedings of the 25th International ACM SIGACCESS Conference on Computers and Accessibility* (New York, NY, USA) (ASSETS '23). Association for Computing Machinery, New York, NY, USA, Article 25, 16 pages. doi:10.1145/3597638.3608427
- [113] Michele Hu. 2015. Exploring New Paradigms for Accessible 3D Printed Graphs. In *Proceedings of the 17th International ACM SIGACCESS Conference on Computers & Accessibility* (Lisbon, Portugal) (ASSETS '15). Association for Computing Machinery, New York, NY, USA, 365–366. doi:10.1145/2700648.2811330
- [114] humanware. 2025. Monarch — The 1st Dynamic Tactile and Multi-Line Braille Tablet. <https://store.humanware.com/hau/monarch-the-1st-dynamic-tactile-and-multi-line-braille-tablet.html>
- [115] Liz Jackson, Alex Haagaard, and Rua Mae Williams. 2022. Disability Dongle. <https://blog.castac.org/2022/04/disability-dongle/>
- [116] Caroline Jay, Robert Stevens, Roger Hubbard, and Mashhuda Glencross. 2008. Using haptic cues to aid nonvisual structure recognition. *ACM Trans. Appl. Percept.* 5, 2, Article 8 (5 2008), 14 pages. doi:10.1145/1279920.1279922
- [117] Chandrika Jayant, Matt Renzelmann, Dana Wen, Satria Krisnandi, Richard Ladner, and Dan Comden. 2007. Automated tactile graphics translation: in the field. In *Proceedings of the 9th International ACM SIGACCESS Conference on Computers and Accessibility* (Tempe, Arizona, USA) (Assets '07). Association for Computing Machinery, New York, NY, USA, 75–82. doi:10.1145/1296843.1296858
- [118] Chutian Jiang, Yinan Fan, Junan Xie, Emily Kuang, Kaihao Zhang, and Mingming Fan. 2024. Designing Unobtrusive Modulated Electrotactile Feedback on Fingertip Edge to Assist Blind and Low Vision (BLV) People in Comprehending Charts. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 425, 20 pages. doi:10.1145/3613904.3642546
- [119] Chutian Jiang, Emily Kuang, and Mingming Fan. 2025. How Can Haptic Feedback Assist People with Blind and Low Vision (BLV): A Systematic Literature Review. *ACM Trans. Access. Comput.* 18, 1, Article 2 (2 2025), 57 pages. doi:10.1145/3711931
- [120] Meredith A. Johnson and Lauren E. Cagle. 2025. Designing Accessible Tables: When Technical Communication Competencies Come into Conflict. *Commun. Des. Q. Rev* 13, 1 (7 2025), 1–14. doi:10.1145/3718959.3718960
- [121] Shuli Jones, Isabella Pedraza Pineros, Daniel Hajas, Jonathan Zong, and Arvind Satyanarayan. 2024. “Customization is Key”: Reconfigurable Textual Tokens for Accessible Data Visualizations. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 47, 14 pages. doi:10.1145/3613904.3641970
- [122] Shakila Cherise S Joyner, Amalia Riegelhuth, Kathleen Garrity, Yea-Seul Kim, and Nam Wook Kim. 2022. Visualization Accessibility in the Wild: Challenges Faced by Visualization Designers. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 83, 19 pages. doi:10.1145/3491102.3517630
- [123] Crescentia Jung, Shubham Mehta, Atharva Kulkarni, Yuhang Zhao, and Yea-Seul Kim. 2022. Communicating Visualizations Without Visuals: Investigation of Visualization Alternative Text for People with Visual Impairments. *IEEE Transactions on Visualization and Computer Graphics* 28, 1 (2022), 1095–1105. doi:10.1109/TVCG.2021.3114846
- [124] Kushal Kafle, Brian Price, Scott Cohen, and Christopher Kanan. 2018. DVQA: Understanding Data Visualizations via Question Answering. In *2018 IEEE/CVF Conference on Computer Vision and Pattern Recognition*. IEEE, 5648–5656. doi:10.1109/CVPR.2018.00592
- [125] Nikolaos Kaklanis, Konstantinos Votis, Panagiotis Moschonas, and Dimitrios Tzovaras. 2011. HapticRiaMaps: towards interactive exploration of web world maps for the visually impaired. In *Proceedings of the International Cross-Disciplinary Conference on Web Accessibility* (Hyderabad, Andhra Pradesh, India) (W4A '11). Association for Computing Machinery, New York, NY, USA, Article 20, 2 pages. doi:10.1145/1969289.1969316
- [126] Sanchita S. Kamath, Aziz N Zeidieh, and JooYoung Seo. 2025. Explore, Listen, Inspect: Supporting Multimodal Interaction with 3D Surface and Point Data Visualizations. In *Proceedings of the 27th International ACM SIGACCESS Conference on Computers and Accessibility* (ASSETS '25). Association for Computing Machinery, New York, NY, USA, Article 106, 6 pages. doi:10.1145/3663547.3759765
- [127] Shaun K. Kane and Jeffrey P. Bigham. 2014. Tracking @Stemxcomet: Teaching Programming to Blind Students via 3D Printing, Crisis Management, and Twitter. In *Proceedings of the 45th ACM Technical Symposium on Computer Science Education* (Atlanta, Georgia, USA) (SIGCSE '14). Association for Computing Machinery, New York, NY, USA, 247–252. doi:10.1145/2538862.2538975
- [128] Andrea R. Kennel. 1996. Audiograf: a diagram-reader for the blind. In *Proceedings of the Second Annual ACM Conference on Assistive Technologies* (Vancouver, British Columbia, Canada) (Assets '96). Association for Computing Machinery, New York, NY, USA, 51–56. doi:10.1145/228347.228357
- [129] Areen Khalaila and Dylan Cashman. 2025. Speculating a Tactile Grammar: Toward Task-Aligned Chart Design for Non-Visual Perception. In *Proceedings of the 27th International ACM SIGACCESS Conference on Computers and Accessibility* (ASSETS '25). Association for Computing Machinery, New York, NY, USA, Article 123, 4 pages. doi:10.1145/3663547.3759744
- [130] Da-jung Kim and Youn-kyung Lim. 2011. Handscope: enabling blind people to experience statistical graphics on websites through haptics. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, BC, Canada) (CHI '11). Association for Computing Machinery, New York, NY, USA, 2039–2042. doi:10.1145/1978942.1979237
- [131] Edward Kim and Kathleen F. McCoy. 2018. Multimodal Deep Learning Using Images and Text for Information Graphic Classification. In *Proceedings of the 20th International ACM SIGACCESS Conference on Computers and Accessibility* (Galway, Ireland) (ASSETS '18). Association for Computing Machinery, New York, NY, USA, 143–148. doi:10.1145/3234695.3236357
- [132] Gyeongri Kim, Jiho Kim, and Yea-Seul Kim. 2023. “Explain What a Treemap is”: Exploratory Investigation of Strategies for Explaining Unfamiliar Chart to Blind and Low Vision Users. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 805, 13 pages. doi:10.1145/3544548.3581139
- [133] Hyeok Kim, Yea-Seul Kim, and Jessica Hullman. 2024. Erie: A Declarative Grammar for Data Sonification. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 986, 19 pages. doi:10.1145/3613904.3642442
- [134] Jeongyeon Kim, Yoonah Lee, and Inho Seo. 2019. Math Graphs for the Visually Impaired: Audio Presentation of Elements of Mathematical Graphs. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland UK) (CHI EA '19). Association for Computing Machinery, New York, NY, USA, 1–6. doi:10.1145/3290607.3308452
- [135] Jiho Kim, Arjun Srinivasan, Nam Wook Kim, and Yea-Seul Kim. 2023. Exploring Chart Question Answering for Blind and Low Vision Users. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 828, 15 pages. doi:10.1145/3544548.3581532
- [136] N. W. Kim, G. Ataguba, S. C. Joyner, Chuangdian Zhao, and Hyejin Im. 2023. Beyond Alternative Text and Tables: Comparative Analysis of Visualization Tools and Accessibility Methods. *Computer Graphics Forum* 42, 3 (2023), 323–335. doi:10.1111/cgf.14833 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.14833
- [137] N. W. Kim, S. C. Joyner, A. Riegelhuth, and Y. Kim. 2021. Accessible Visualization: Design Space, Opportunities, and Challenges. *Computer Graphics Forum* 40, 3 (2021), 173–188. doi:10.1111/cgf.14298
- [138] Mario Konecki, Charles LaPierre, and Keith Jervis. 2018. Accessible data visualization in higher education. In *2018 41st International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO)*. IEEE, 0733–0737. doi:10.23919/MIPRO.2018.8400136

- [139] Stephen E. Krufka and Kenneth E. Barner. 2005. Automatic production of tactile graphics from scalable vector graphics. In *Proceedings of the 7th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, MD, USA) (Assets '05). Association for Computing Machinery, New York, NY, USA, 166–172. doi:10.1145/1090785.1090816
- [140] Stephen E. Krufka, Kenneth E. Barner, and Tuncer Can Aysal. 2007. Visual to Tactile Conversion of Vector Graphics. *IEEE Transactions on Neural Systems and Rehabilitation Engineering* 15, 2 (2007), 310–321. doi:10.1109/TNSRE.2007.897029
- [141] Indra Kumari and Hansung Lee. 2025. MultiSHTM: Multi-Level Attention Enabled Bi-Directional Model for the Summarization of Chart Images. *IEEE Access* 13 (2025), 101789–101800. doi:10.1109/ACCESS.2025.3568849
- [142] Martin Kurze. 1998. TGuide: a guidance system for tactile image exploration. In *Proceedings of the Third International ACM Conference on Assistive Technologies* (Marina del Rey, California, USA) (Assets '98). Association for Computing Machinery, New York, NY, USA, 85–91. doi:10.1145/274497.274514
- [143] Richard E. Ladner, Melody Y. Ivory, Rajesh Rao, Sheryl Burgstahler, Dan Comden, Sangyun Hahn, Matthew Renzelmann, Satria Krisnandi, Mahalakshmi Ramasamy, Beverly Slabosky, Andrew Martin, Amelia Lacenski, Stuart Olsen, and Dmitri Groce. 2005. Automating tactile graphics translation. In *Proceedings of the 7th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, MD, USA) (Assets '05). Association for Computing Machinery, New York, NY, USA, 150–157. doi:10.1145/1090785.1090814
- [144] Jonathan Lazar. 2023. A Framework for Born-Accessible Development of Software and Digital Content. In *Human-Computer Interaction – INTERACT 2023*, José Abdehnour Nocera, Marta Kristín Lárusdóttir, Helen Petrie, Antonio Piccinno, and Marco Winckler (Eds.). Springer Nature Switzerland, Cham, 333–338. doi:10.1007/978-3-031-42293-5_32
- [145] Jonathan Lazar, Suranjan Chakraborty, Dustin Carroll, Robert Weir, Bryan Sizemore, and Haley Henderson. 2013. Development and evaluation of two prototypes for providing weather map data to blind users through sonification. *J. Usability Studies* 8, 4 (8 2013), 93–110.
- [146] Théo Lecardonnell, Christophe Hurter, and Thomas Hurtut. 2025. GenQA: A Method for Generating and Validating Question/Answer Pairs from Journalistic Data Material. In *2025 IEEE 18th Pacific Visualization Conference (PacificVis)*. IEEE, IEEE, 296–306. doi:10.1109/pacificvis64226.2025.00036
- [147] Bongshin Lee, Eun Kyoung Choe, Petra Isenberg, Kim Marriott, and John Stasko. 2020. Reaching Broader Audiences with Data Visualization. *IEEE Computer Graphics and Applications* 40, 2 (2020), 82–90. doi:10.1109/MCG.2020.2968244
- [148] Bongshin Lee, Kate Isaacs, Danielle Albers Szafir, G. E. Marai, Catagay Turkey, Melanie Tory, Sheelagh Carpendale, and Alex Endert. 2019. Broadening Intellectual Diversity in Visualization Research Papers. *IEEE Computer Graphics and Applications* 39, 4 (2019), 78–85. doi:10.1109/MCG.2019.2914844
- [149] Chu Li, Rock Yuren Pang, Ather Sharif, Arnavi Chheda-Kothary, Jeffrey Heer, and Jon E. Froehlich. 2024. AltGeoViz: Facilitating Accessible Geovisualization. In *2024 IEEE Visualization and Visual Analytics (VIS)*. IEEE, 61–65. doi:10.1109/VIS55277.2024.00020
- [150] Jingyi Li, Son Kim, Joshua A. Miele, Maneesh Agrawala, and Sean Follmer. 2019. Editing Spatial Layouts Through Tactile Templates for People with Visual Impairments. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems* (Glasgow, Scotland UK) (CHI '19). Association for Computing Machinery, New York, NY, USA, 1–11. doi:10.1145/3290605.3300436
- [151] Ziming Li, Shannon Connell, Wendy Dannels, and Roshan Peiris. 2022. Sound-VizVR: Sound Indicators for Accessible Sounds in Virtual Reality for Deaf or Hard-of-Hearing Users. In *Proceedings of the 24th International ACM SIGACCESS Conference on Computers and Accessibility* (Athens, Greece) (ASSETS '22). Association for Computing Machinery, New York, NY, USA, Article 5, 13 pages. doi:10.1145/3517428.3544817
- [152] Maxim Lisnic, Zach Cutler, Marina Kogan, and Alexander Lex. 2025. Visualization Guardrails: Designing Interventions Against Cherry-Picking in Interactive Data Explorers. In *Proceedings of the 2025 CHI Conference on Human Factors in Computing Systems* (CHI '25). Association for Computing Machinery, New York, NY, USA, Article 624, 19 pages. doi:10.1145/3706598.3713385
- [153] Shixia Liu, Weiwei Cui, Yingcai Wu, and Mengchen Liu. 2014. A survey on information visualization: recent advances and challenges. *The Visual Computer* 30, 12 (2014), 1373–1393. doi:10.1007/s00371-013-0892-3
- [154] Yong Liu, Jorge Goncalves, Denzil Ferreira, Bei Xiao, Simo Hosio, and Vassilis Kostakos. 2014. CHI 1994–2013: mapping two decades of intellectual progress through co-word analysis. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Toronto, Ontario, Canada) (CHI '14). Association for Computing Machinery, New York, NY, USA, 3553–3562. doi:10.1145/2556288.2556969
- [155] Julia Loitzenbauer and Mandy Keck. 2024. A Screen Reader and Sonification Approach for Non-Sighted Users to Explore Data Visualizations on the Internet. In *2024 1st Workshop on Accessible Data Visualization (AccessViz)*. IEEE, 19–23. doi:10.1109/AccessViz64636.2024.00009
- [156] Francesco Lombardi, Catagay Goncu, and Simone Marini. 2019. Line recognition for generating accessible line plots. In *2019 International Conference on Document Analysis and Recognition Workshops (ICDARW)*, Vol. 1. IEEE, 14–19. doi:10.1109/icdarw.2019.00008
- [157] Alan Lundgard, Crystal Lee, and Arvind Satyanarayan. 2019. Sociotechnical Considerations for Accessible Visualization Design. In *2019 IEEE Visualization Conference (VIS)*. IEEE, 16–20. doi:10.1109/VISUAL.2019.8933762
- [158] Alan Lundgard and Arvind Satyanarayan. 2022. Accessible Visualization via Natural Language Descriptions: A Four-Level Model of Semantic Content. *IEEE Transactions on Visualization and Computer Graphics* 28, 1 (2022), 1073–1083. doi:10.1109/TVCG.2021.3114770
- [159] Kelly Mack, Emma McDonnell, Dhruv Jain, Lucy Lu Wang, Jon E. Froehlich, and Leah Findlater. 2021. What Do We Mean by “Accessibility Research”? A Literature Survey of Accessibility Papers in CHI and ASSETS from 1994 to 2019. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 371, 18 pages. doi:10.1145/3411764.3445412
- [160] Michał Maćkowski, Piotr Brzoza, Mateusz Kawulok, Rafał Meisel, and Dominik Spinczyk. 2023. Multimodal Presentation of Interactive Audio-Tactile Graphics Supporting the Perception of Visual Information by Blind People. *ACM Trans. Multimedia Comput. Commun. Appl.* 19, 5s, Article 167 (6 2023), 22 pages. doi:10.1145/3586076
- [161] Nazih Mallouk, Majid Roshanfar, Pedram Fekri, and Javad Dargahi. 2024. A Brief Review on Recent Advances in Haptic Technology for Human-Computer Interaction: Force, Tactile, and Surface Haptic Feedback. In *2024 7th International Conference on Information and Computer Technologies (ICICT)*. IEEE, 34–39. doi:10.1109/ICICT62343.2024.00012
- [162] Muhanad S. Manshad, Enrico Pontelli, and Shakir J. Manshad. 2011. MICOO (multimodal interactive cubes for object orientation): a tangible user interface for the blind and visually impaired. In *The Proceedings of the 13th International ACM SIGACCESS Conference on Computers and Accessibility* (Dundee, Scotland, UK) (ASSETS '11). Association for Computing Machinery, New York, NY, USA, 261–262. doi:10.1145/2049536.2049597
- [163] João Marcelo Dos Santos Marques and Simone Bacellar Leal Ferreira. 2024. How to Promote Descriptions in Dynamic Charts in Light of Transparency? A Study on the Accessibility Barriers Faced by Citizens with Severe Visual Impairment: Como Promover descrições Em Gráficos dinâmicos À Luz Da transparência? Um Estudo Sobre as Barreiras De Acessibilidade Enfrentadas Por cidadãos Com deficiência Visual Grave. In *Proceedings of the 20th Brazilian Symposium on Information Systems* (Juiz de Fora, Brazil) (SBSI '24). Association for Computing Machinery, New York, NY, USA, Article 6, 10 pages. doi:10.1145/3658271.3658277
- [164] Kim Marriott, Matthew Butler, Leona Holloway, William Jolley, Bongshin Lee, Bruce Maguire, and Danielle Albers Szafir. 2026. From Vision to Touch: Bridging Visual and Tactile Principles for Accessible Data Representation. *IEEE Transactions on Visualization and Computer Graphics* 32, 1 (2026), 659–669. doi:10.1109/TVCG.2025.3634254
- [165] Kim Marriott, Bongshin Lee, Matthew Butler, Ed Cutrell, Kirsten Ellis, Catagay Goncu, Marti Hearst, Kathleen McCoy, and Danielle Albers Szafir. 2021. Inclusive data visualization for people with disabilities: a call to action. *Interactions* 28, 3 (4 2021), 47–51. doi:10.1145/3457875
- [166] Rubén Alcaraz Martínez, Mireia Ribera Turró, and Toni Granollers i Saltiveri. 2020. Accessible statistical charts guidelines for people with low vision. In *2020 15th Iberian Conference on Information Systems and Technologies (CISTI)*. IEEE, 1–6. doi:10.23919/CISTI49556.2020.9140814
- [167] Nora McDonald, Sarita Schoenebeck, and Andrea Forte. 2019. Reliability and Inter-rater Reliability in Qualitative Research: Norms and Guidelines for CSCW and HCI Practice. *Proc. ACM Hum.-Comput. Interact.* 3, CSCW, Article 72 (Nov. 2019), 23 pages. doi:10.1145/3359174
- [168] Emma J McDonnell and Leah Findlater. 2024. Envisioning Collective Communication Access: A Theoretically-Grounded Review of Captioning Literature from 2013–2023. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility* (St. John's, NL, Canada) (ASSETS '24). Association for Computing Machinery, New York, NY, USA, Article 23, 18 pages. doi:10.1145/3663548.3675649
- [169] David McGookin, Euan Robertson, and Stephen Brewster. 2010. Clutching at straws: using tangible interaction to provide non-visual access to graphs. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Atlanta, Georgia, USA) (CHI '10). Association for Computing Machinery, New York, NY, USA, 1715–1724. doi:10.1145/1753326.1753583
- [170] Liam McNabb and Robert S. Laramée. 2017. Survey of Surveys (SoS) - Mapping The Landscape of Survey Papers in Information Visualization. *Computer Graphics Forum* 36, 3 (2017), 589–617. doi:10.1111/cgf.13212 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.13212
- [171] A. McNutt, M. K. McCracken, I. J. Eliza, D. Hajas, J. Wagoner, N. Lanza, J. Wilburn, S. Creem-Regehr, and A. Lex. 2025. Accessible Text Descriptions for UpSet Plots. *Computer Graphics Forum* 44, 3 (2025), e70102. doi:10.1111/cgf.70102 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.70102
- [172] Giuseppe Melfi, Karin Müller, Thorsten Schwarz, Gerhard Jaworek, and Rainer Stiefelhausen. 2020. Understanding what you feel: A Mobile Audio-Tactile System for Graphics Used at Schools with Students with Visual Impairment. In

- Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–12. doi:10.1145/3313831.3376508
- [173] Rachel Menzies, Garreth W. Tigwell, and Michael Crabb. 2022. Author Reflections on Creating Accessible Academic Papers. *ACM Trans. Access. Comput.* 15, 4, Article 33 (10 2022), 36 pages. doi:10.1145/3546195
- [174] Stephen W. Mereu and Rick Kazman. 1996. Audio Enhanced 3D Interfaces for Visually Impaired Users. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems* (Vancouver, British Columbia, Canada) (CHI '96). Association for Computing Machinery, New York, NY, USA, 72–78. doi:10.1145/238386.238406
- [175] Priscilla Moraes, Gabriel Sina, Kathleen McCoy, and Sandra Carberry. 2014. Evaluating the accessibility of line graphs through textual summaries for visually impaired users. In *Proceedings of the 16th International ACM SIGACCESS Conference on Computers & Accessibility* (Rochester, New York, USA) (ASSETS '14). Association for Computing Machinery, New York, NY, USA, 83–90. doi:10.1145/2661334.2661368
- [176] Omar Moured, Morris Baumgarten-Egemole, Karin Müller, Alina Roitberg, Thorsten Schwarz, and Rainer Stiefelhegen. 2024. Chart4blind: An Intelligent Interface for Chart Accessibility Conversion. In *Proceedings of the 29th International Conference on Intelligent User Interfaces* (Greenville, SC, USA) (IUI '24). Association for Computing Machinery, New York, NY, USA, 504–514. doi:10.1145/3640543.3645175
- [177] Zachary Munn, Micah DJ Peters, Cindy Stern, Catalin Tufanaru, Alexa McArthur, and Edoardo Aromataris. 2018. Systematic Review or Scoping Review? Guidance for Authors When Choosing Between a Systematic or Scoping Review Approach. *BMC medical research methodology* 18, 1 (2018), 143. doi:10.1186/s12874-018-0611-x
- [178] Steve Murphy. 2005. Accessibility of graphics in technical documentation for the cognitive and visually impaired. In *Proceedings of the 23rd Annual International Conference on Design of Communication: Documenting & Designing for Pervasive Information* (Coventry, United Kingdom) (SIGDOC '05). Association for Computing Machinery, New York, NY, USA, 12–17. doi:10.1145/1085313.1085320
- [179] Sebastian Möser, Patrick Degener, Roland Wahl, and Reinhard Klein. 2008. Context Aware Terrain Visualization for Wayfinding and Navigation. *Computer Graphics Forum* 27, 7 (2008), 1853–1860. doi:10.1111/j.1467-8659.2008.01332.x arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/j.1467-8659.2008.01332.x
- [180] Kai Nylund, Jennifer Mankoff, and Venkatesh Potluri. 2025. Matplotlib: A Python Library for Adding Alt Text to Matplotlib Figures in Computational Notebooks. *Computer Graphics Forum* 44, 3 (2025), e70119. doi:10.1111/cgf.70119 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.70119
- [181] James Ohene-Djan and Sandra Fernando. 2016. Drawing for Blind Learners: Assistive Technology for Graphical Design. In *2016 IEEE 16th International Conference on Advanced Learning Technologies (ICALT)*. IEEE, 436–440. doi:10.1109/ICALT.2016.47
- [182] Keita Ohshiro, Amy Hurst, and Luke DuBois. 2021. Making Math Graphs More Accessible in Remote Learning: Using Sonification to Introduce Discontinuity in Calculus. In *Proceedings of the 23rd International ACM SIGACCESS Conference on Computers and Accessibility* (Virtual Event, USA) (ASSETS '21). Association for Computing Machinery, New York, NY, USA, Article 77, 4 pages. doi:10.1145/3441852.3476533
- [183] Sile O'Modhrain, Nicholas A. Giudice, John A. Gardner, and Gordon E. Legge. 2015. Designing Media for Visually-Impaired Users of Refreshable Touch Displays: Possibilities and Pitfalls. *IEEE Transactions on Haptics* 8, 3 (2015), 248–257. doi:10.1109/TOH.2015.2466231
- [184] Sabrina Paneels and Jonathan C. Roberts. 2010. Review of Designs for Haptic Data Visualization. *IEEE Transactions on Haptics* 3, 2 (2010), 119–137. doi:10.1109/TOH.2009.44
- [185] Emma C. Pender and John J. Healy. 2022. Accessible Circuit Diagrams. In *2022 33rd Irish Signals and Systems Conference (ISSC)*. IEEE, 1–6. doi:10.1109/ISSC55427.2022.9826152
- [186] Minoli Perera, Bongshin Lee, Eun Kyoung Choe, and Kim Marriott. 2024. Visual Cues for Data Analysis Features Amplify Challenges for Blind Spreadsheet Users. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 42, 16 pages. doi:10.1145/3613904.3642753
- [187] Angel Perez-Muñoz and Edwin Marquez-Lozano. 2023. Web tool for generating image maps with YOLO, OCR, Python and Angular based on the W3C Web Accessibility Initiative (WAI). In *2023 IEEE International Humanitarian Technology Conference (IHTC)*. IEEE, 1–5. doi:10.1109/IHTC58960.2023.10508865
- [188] Micah DJ Peters, Christina M Godfrey, Hanan Khalil, Patricia McInerney, Deborah Parker, and Cassia Baldini Soares. 2015. Guidance for conducting systematic scoping reviews. *JBI Evidence Implementation* 13, 3 (2015), 141–146. doi:10.1097/xeb.0000000000000050
- [189] Grégory Petit, Aude Dufresne, Vincent Levesque, Vincent Hayward, and Nicole Trudeau. 2008. Refreshable tactile graphics applied to schoolbook illustrations for students with visual impairment. In *Proceedings of the 10th International ACM SIGACCESS Conference on Computers and Accessibility* (Halifax, Nova Scotia, Canada) (Assets '08). Association for Computing Machinery, New York, NY, USA, 89–96. doi:10.1145/1414471.1414489
- [190] Fabio Pittarello and Manuel Semenzato. 2024. Experimenting with Dataphys, a Physicalization Toolkit for Representing Spatio-Temporal Environmental Data. In *Proceedings of the 2024 International Conference on Advanced Visual Interfaces* (Arenzano, Genoa, Italy) (AVI '24). Association for Computing Machinery, New York, NY, USA, Article 24, 9 pages. doi:10.1145/3656650.3656682
- [191] Fabio Pittarello and Manuel Semenzato. 2024. Towards a Data Physicalization Toolkit for Non-Sighted Users. In *2024 IEEE 21st Consumer Communications & Networking Conference (CCNC)*. IEEE, 1–6. doi:10.1109/CCNC51664.2024.10454861
- [192] Venkatesh Potluri, Sudheesh Singanamalla, Nussara Tieanklin, and Jennifer Mankoff. 2023. Notably Inaccessible — Data Driven Understanding of Data Science Notebook (In)Accessibility. In *Proceedings of the 25th International ACM SIGACCESS Conference on Computers and Accessibility* (New York, NY, USA) (ASSETS '23). Association for Computing Machinery, New York, NY, USA, Article 13, 19 pages. doi:10.1145/3597638.3608417
- [193] Yash Prakash, Pathan Aseef Khan, Akshay Kolgar Nayak, Sampath Jayarathna, Hae-Na Lee, and Vikas Ashok. 2025. Towards Enhancing Low Vision Usability of Data Charts on Smartphones. *IEEE Transactions on Visualization and Computer Graphics* 31, 1 (2025), 853–863. doi:10.1109/TVCG.2024.3456348
- [194] Yash Prakash, Akshay Kolgar Nayak, Shoaib Mohammed Alyaan, Pathan Aseef Khan, Hae-Na Lee, and Vikas Ashok. 2024. Improving Usability of Data Charts in Multimodal Documents for Low Vision Users. In *Proceedings of the 26th International Conference on Multimodal Interaction* (San Jose, Costa Rica) (ICMI '24). Association for Computing Machinery, New York, NY, USA, 498–507. doi:10.1145/3678957.3685714
- [195] Proadpran Punyabukkana and Atiwong Suchato. 2025. Pioneering Inclusion: A Low-Cost, Low-Tech Approach to Educating Thailand's First Blind Engineering Student. In *Proceedings of the 2025 Conference on Research on Equitable and Sustained Participation in Engineering, Computing, and Technology* (Newark, NJ, USA) (RESPECT 2025). Association for Computing Machinery, New York, NY, USA, 90–97. doi:10.1145/3704637.3734758
- [196] Zico Pratama Putra, Deni Setiawan, Bagus Priambodo, Yuwan Jumaryadi, and Mila Desi Anasanti. 2020. Multi-Touch Gesture of Mobile Auditory Device for Visually Impaired Users. In *2020 2nd International Conference on Broadband Communications, Wireless Sensors and Powering (BCWSP)*. IEEE, 90–95. doi:10.1109/BCWSP50066.2020.9249457
- [197] Xuedi Qin, Yuyu Luo, Nan Tang, and Guoliang Li. 2020. Making data visualization more efficient and effective: a survey. *The VLDB Journal* 29, 1 (2020), 93–117. doi:10.1007/s00778-019-00588-3
- [198] Rameshsharma Ramloll, Wai Yu, Stephen Brewster, Beate Riedel, Mike Burton, and Gisela Dimigen. 2000. Constructing sonified haptic line graphs for the blind student: first steps. In *Proceedings of the Fourth International ACM Conference on Assistive Technologies* (Arlington, Virginia, USA) (Assets '00). Association for Computing Machinery, New York, NY, USA, 17–25. doi:10.1145/354324.354330
- [199] Gaspar Ramôa, Omar Moured, Thorsten Schwarz, Karin Müller, and Rainer Stiefelhegen. 2023. Enabling People with Blindness to Distinguish Lines of Mathematical Charts with Audio-Tactile Graphic Readers. In *Proceedings of the 16th International Conference on Pervasive Technologies Related to Assistive Environments* (Corfu, Greece) (PETRA '23). Association for Computing Machinery, New York, NY, USA, 384–391. doi:10.1145/3594806.3594818
- [200] Gaspar Ramôa and Karin Müller. 2025. Leveraging Dynamic Audio-Tactile UIs to Assist Visually Impaired Users in Exploring Line Charts through Tactile Graphic Readers. In *Proceedings of the 27th International ACM SIGACCESS Conference on Computers and Accessibility* (ASSETS '25). Association for Computing Machinery, New York, NY, USA, Article 28, 15 pages. doi:10.1145/3663547.3746398
- [201] Samuel Reinders, Matthew Butler, Ingrid Zukerman, Bongshin Lee, Lizhen Qu, and Kim Marriott. 2025. When Refreshable Tactile Displays Meet Conversational Agents: Investigating Accessible Data Presentation and Analysis with Touch and Speech. *IEEE Transactions on Visualization and Computer Graphics* 31, 1 (1 2025), 864–874. doi:10.1109/TVCG.2024.3456358
- [202] Katharina Reinecke, David R. Flatla, and Christopher Brooks. 2016. Enabling Designers to Foresee Which Colors Users Cannot See. In *Proceedings of the 2016 CHI Conference on Human Factors in Computing Systems* (San Jose, California, USA) (CHI '16). Association for Computing Machinery, New York, NY, USA, 2693–2704. doi:10.1145/2858036.2858077
- [203] J.C. Roberts. 2004. Visualization equivalence for multisensory perception: learning from the visual. *Computing in Science & Engineering* 6, 3 (2004), 61–65. doi:10.1109/MCISE.2004.1289310
- [204] J.C. Roberts and K. Franklin. 2005. Haptic glyphs (hlyphs) - structured haptic objects for haptic visualization. In *First Joint Eurohaptics Conference and Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems. World Haptics Conference*. IEEE, 369–374. doi:10.1109/WHC.2005.68
- [205] Jonathan C. Roberts and Sabrina Paneels. 2007. Where Are We with Haptic Visualization?. In *Second Joint EuroHaptics Conference and Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems* (WHC'07). IEEE,

- 316–323. doi:10.1109/WHC.2007.126
- [206] Wilfredo Joshua Robinson Moore, Medhani Kalal, Jennifer L. Tennison, Nicholas A Giudice, and Jenna Gorlewicz. 2024. Spatial Audio-Enhanced Multimodal Graph Rendering for Efficient Data Trend Learning on Touchscreen Devices. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 206, 12 pages. doi:10.1145/3613904.3641959
- [207] Tanumon Roy and Lakshmi Boppana. 2022. Interactive Web-Based Image and Graph Analysis Using Sonification for the Blind. In *2022 IEEE Region 10 Symposium (TENSYP)*. IEEE, 1–6. doi:10.1109/TENSYP54529.2022.9864411
- [208] Behzad Sajadi, Aditi Majumder, Manuel M. Oliveira, Rosália G. Schneider, and Ramesh Raskar. 2013. Using Patterns to Encode Color Information for Dichromats. *IEEE Transactions on Visualization and Computer Graphics* 19, 1 (2013), 118–129. doi:10.1109/TVCG.2012.93
- [209] Alper Sarikaya, Michael Correll, Lyn Bartram, Melanie Tory, and Danyel Fisher. 2019. What Do We Talk About When We Talk About Dashboards? *IEEE Transactions on Visualization and Computer Graphics* 25, 1 (2019), 682–692. doi:10.1109/TVCG.2018.2864903
- [210] Zhanna Sarsenbayeva, Niels Van Berkel, Danula Hettiachchi, Benjamin Tag, Eduardo Velloso, Jorge Goncalves, and Vassilis Kostakos. 2023. Mapping 20 Years of Accessibility Research in HCI: A Co-Word Analysis. *International Journal of Human-Computer Studies* 175 (2023), 103018. doi:10.1016/j.ijhcs.2023.103018
- [211] Zhanna Sarsenbayeva, Niels van Berkel, Chu Luo, Vassilis Kostakos, and Jorge Goncalves. 2017. Challenges of situational impairments during interaction with mobile devices. In *Proceedings of the 29th Australian Conference on Computer-Human Interaction* (Brisbane, Queensland, Australia) (OzCHI '17). Association for Computing Machinery, New York, NY, USA, 477–481. doi:10.1145/3152771.3156161
- [212] Ana Paula Scariot, Luis G. Montané-Jiménez, and Carmen Mezura-Godoy. 2021. Towards the creation of accessible charts for the visually impaired. In *Proceedings of the XXI International Conference on Human Computer Interaction* (Málaga, Spain) (Interacción '21). Association for Computing Machinery, New York, NY, USA, Article 3, 5 pages. doi:10.1145/3471391.3471425
- [213] Roelof Schellingerhout, Ad W Smitsman, and Gerard P Van Galen. 1998. Haptic object exploration in congenitally blind infants. *Journal of visual impairment & blindness* 92, 9 (1998), 674–678. doi:10.1177/0145482x9809200911
- [214] JooYoung Seo, Sanchita S. Kamath, Aziz Zeidieh, Saairam Venkatesh, and Sean McCurry. 2024. MAIDR Meets AI: Exploring Multimodal LLM-Based Data Visualization Interpretation by and with Blind and Low-Vision Users. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility* (St. John's, NL, Canada) (ASSETS '24). Association for Computing Machinery, New York, NY, USA, Article 57, 31 pages. doi:10.1145/3663548.3675660
- [215] JooYoung Seo, Yilin Xia, Bongshin Lee, Sean Mccurry, and Yu Jun Yam. 2024. MAIDR: Making Statistical Visualizations Accessible with Multimodal Data Representation. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 211, 22 pages. doi:10.1145/3613904.3642730
- [216] Irena Serna-Marjanović, Anel Tanovic, and Ajla Cerimagic. 2020. Accessibility Standards and Their Implementation in Custom Data-Driven Maps. In *2020 43rd International Convention on Information, Communication and Electronic Technology (MIPRO)*. IEEE, 1674–1679. doi:10.23919/MIPRO48935.2020.9245417
- [217] K. C. Shahira and A. Lijiya. 2021. Towards Assisting the Visually Impaired: A Review on Techniques for Decoding the Visual Data from Chart Images. *IEEE Access* 9 (2021), 52926–52943. doi:10.1109/ACCESS.2021.3069205
- [218] Ather Sharif. 2024. Workshop as an Educational Intervention: Improving the Knowledge and Understanding of Data Visualization Accessibility for Visualization Creators. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility* (St. John's, NL, Canada) (ASSETS '24). Association for Computing Machinery, New York, NY, USA, Article 92, 6 pages. doi:10.1145/3663548.3688489
- [219] Ather Sharif, Neha Aitharaju, Srihari Krishnaswamy, and Jacob Wobbrock. 2025. Data Sonification for Screen-Reader Users: When and When Not to Use. In *Proceedings of the 22nd International Web for All Conference (W4A '25)*. Association for Computing Machinery, New York, NY, USA, 160–171. doi:10.1145/3744257.3744263
- [220] Ather Sharif and Babak Fouraghli. 2018. evoGraphs — A jQuery plugin to create web accessible graphs. In *2018 15th IEEE Annual Consumer Communications & Networking Conference (CCNC)*. IEEE, 1–4. doi:10.1109/CCNC.2018.8319239
- [221] Ather Sharif, Olivia H. Wang, and Alida T. Muongchan. 2022. “What Makes Sonification User-Friendly?” Exploring Usability and User-Friendliness of Sonified Responses. In *Proceedings of the 24th International ACM SIGACCESS Conference on Computers and Accessibility* (Athens, Greece) (ASSETS '22). Association for Computing Machinery, New York, NY, USA, Article 45, 5 pages. doi:10.1145/3517428.3550360
- [222] Ather Sharif, Olivia H. Wang, Alida T. Muongchan, Katharina Reinecke, and Jacob O. Wobbrock. 2022. VoxLens: Making Online Data Visualizations Accessible with an Interactive JavaScript Plug-In. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 478, 19 pages. doi:10.1145/3491102.3517431
- [223] Ather Sharif, Andrew Zhang, and Jacob Wobbrock. 2025. Increasing Agency of Screen-Reader Users in Consuming Information From Online Data Visualizations. In *Proceedings of the 22nd International Web for All Conference (W4A '25)*. Association for Computing Machinery, New York, NY, USA, 147–159. doi:10.1145/3744257.3744262
- [224] Ather Sharif, Andrew M. Zhang, Katharina Reinecke, and Jacob O. Wobbrock. 2023. Understanding and Improving Drilled-Down Information Extraction from Online Data Visualizations for Screen-Reader Users. In *Proceedings of the 20th International Web for All Conference* (Austin, TX, USA) (W4A '23). Association for Computing Machinery, New York, NY, USA, 18–31. doi:10.1145/3587281.3587284
- [225] Ather Sharif, Andrew Mingwei Zhang, Anna Shih, Jacob O. Wobbrock, and Katharina Reinecke. 2022. Understanding and Improving Information Extraction From Online Geospatial Data Visualizations for Screen-Reader Users. In *Proceedings of the 24th International ACM SIGACCESS Conference on Computers and Accessibility* (Athens, Greece) (ASSETS '22). Association for Computing Machinery, New York, NY, USA, Article 61, 5 pages. doi:10.1145/3517428.3550363
- [226] Ather Sharif, Ruican Zhong, and Yadi Wang. 2023. Conveying Uncertainty in Data Visualizations to Screen-Reader Users Through Non-Visual Means. In *Proceedings of the 25th International ACM SIGACCESS Conference on Computers and Accessibility* (New York, NY, USA) (ASSETS '23). Association for Computing Machinery, New York, NY, USA, Article 67, 6 pages. doi:10.1145/3597638.3614502
- [227] Lei Shi, Ross McLachlan, Yuhang Zhao, and Shiri Azenkot. 2016. Magic Touch: Interacting with 3D Printed Graphics. In *Proceedings of the 18th International ACM SIGACCESS Conference on Computers and Accessibility* (Reno, Nevada, USA) (ASSETS '16). Association for Computing Machinery, New York, NY, USA, 329–330. doi:10.1145/2982142.2982153
- [228] M. Shinohara, Y. Shimizu, and A. Mochizuki. 1998. Three-dimensional tactile display for the blind. *IEEE Transactions on Rehabilitation Engineering* 6, 3 (1998), 249–256. doi:10.1109/86.712218
- [229] Anurag Kumar Singh and Anirudha Joshi. 2023. Grapho: Bringing Line Chart Accessibility to the Visually Impaired. In *Proceedings of the 13th Indian Conference on Human-Computer Interaction* (Hyderabad, India) (Indi-aHCI '22). Association for Computing Machinery, New York, NY, USA, 20–29. doi:10.1145/3570211.3570213
- [230] Nikhil Singh, Lucy Lu Wang, and Jonathan Bragg. 2024. FigurA11y: AI Assistance for Writing Scientific Alt Text. In *Proceedings of the 29th International Conference on Intelligent User Interfaces* (Greenville, SC, USA) (IUI '24). Association for Computing Machinery, New York, NY, USA, 886–906. doi:10.1145/3640543.3645212
- [231] Anshu Singla and Meenakshi S. 2021. A Fuzzy Based Naturalness Preserving Image Color Compensation Method for Colorblindness. In *2021 Sixth International Conference on Image Information Processing (ICIIP)*, Vol. 6. IEEE, 353–358. doi:10.1109/ICIIP53038.2021.9702638
- [232] Alexa Siu, Gene S-H Kim, Sile O'Modhrain, and Sean Follmer. 2022. Supporting Accessible Data Visualization Through Audio Data Narratives. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (CHI '22). Association for Computing Machinery, New York, NY, USA, Article 476, 19 pages. doi:10.1145/3491102.3517678
- [233] Alexa F. Siu, Danyang Fan, Gene S-H Kim, Hrishikesh V. Rao, Xavier Vazquez, Sile O'Modhrain, and Sean Follmer. 2021. COVID-19 highlights the issues facing blind and visually impaired people in accessing data on the web. In *Proceedings of the 18th International Web for All Conference* (Ljubljana, Slovenia) (W4A '21). Association for Computing Machinery, New York, NY, USA, Article 11, 15 pages. doi:10.1145/3430263.3452432
- [234] Thomas C. Smits, Sehi L'Yi, Huyen N. Nguyen, Andrew P. Mar, and Nils Gehlenborg. 2024. Explaining Unfamiliar Genomics Data Visualizations to a Blind Individual Through Transitions. In *2024 1st Workshop on Accessible Data Visualization (AccessViz)*. IEEE, 24–28. doi:10.1109/AccessViz64636.2024.00010
- [235] Laura South and Michelle A Borkin. 2022. Photosensitive accessibility for interactive data visualizations. *IEEE Transactions on Visualization and Computer Graphics* 29, 1 (2022), 374–384. doi:10.1109/tvcg.2022.3209359
- [236] Arjun Srinivasan, Tim Harshbarger, Darrell Hilliker, and Jennifer Mankoff. 2023. Azimuth: Designing Accessible Dashboards for Screen Reader Users. In *Proceedings of the 25th International ACM SIGACCESS Conference on Computers and Accessibility* (New York, NY, USA) (ASSETS '23). Association for Computing Machinery, New York, NY, USA, Article 49, 16 pages. doi:10.1145/3597638.3608405
- [237] Evropi Stefanidi, Marit Bentvelzen, Pawel W. Woźniak, Thomas Kosch, Mikołaj P. Woźniak, Thomas Mildner, Stefan Schneegass, Heiko Müller, and Jasmin Niess. 2023. Literature Reviews in HCI: A Review of Reviews. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 509, 24 pages. doi:10.1145/3544548.3581332
- [238] Adam Strantz. 2021. Beyond “Alt-Text”: Creating Accessible Data Visualizations with Code. In *Proceedings of the 39th ACM International Conference on Design of*

- Communication* (Virtual Event, USA) (*SIGDOC '21*). Association for Computing Machinery, New York, NY, USA, 331–337. doi:10.1145/3472714.3473661
- [239] Adam Strantz. 2021. Using Web Standards to Design Accessible Data Visualizations in Professional Communication. *IEEE Transactions on Professional Communication* 64, 3 (2021), 288–301. doi:10.1109/TPC.2021.3091784
- [240] Chinmay Sultania, Divyansh Singhal, Mayank Kabra, Anshul Madurwar, Soham Pawar, and Madhav Rao. 2023. Wearable Haptic Braille Device for Enhancing Classroom Learning. In *2023 IEEE SENSORS*. IEEE, 1–4. doi:10.1109/SENSORS56945.2023.10324924
- [241] Chinmay Sultania, Divyansh Singhal, Soham Pawar, Mayank Kabra, Anshul Madurwar, and Madhav Rao. 2023. Wearable Haptic Sensing - Enriching Accessibility of Pictorial Information for Visually Impaired. In *2023 IEEE SENSORS*. IEEE, 1–4. doi:10.1109/SENSORS56945.2023.10325014
- [242] Cella M Sum, Rahaf Alharbi, Francesca Spektor, Cynthia L Bennett, Christina N Harrington, Katta Spiel, and Rua Mae Williams. 2022. Dreaming Disability Justice in HCI. In *Extended Abstracts of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (*CHI EA '22*). Association for Computing Machinery, New York, NY, USA, Article 114, 5 pages. doi:10.1145/3491101.3503731
- [243] Cella M Sum, Francesca Spektor, Rahaf Alharbi, Leya Breanna Baltaxe-Admony, Erika Devine, Hazel Anneke Dixon, Jared Duval, Tessa Eagle, Frank Elavsky, Kim Fernandes, et al. 2024. Challenging Ableism: A Critical Turn Toward Disability Justice in HCI. *XRDS: Crossroads, The ACM Magazine for Students* 30, 4 (2024), 50–55. doi:10.1145/3665602
- [244] Ryo Suzuki, Abigale Stangl, Mark D. Gross, and Tom Yeh. 2017. FluxMarker: Enhancing Tactile Graphics with Dynamic Tactile Markers. In *Proceedings of the 19th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, Maryland, USA) (*ASSETS '17*). Association for Computing Machinery, New York, NY, USA, 190–199. doi:10.1145/3132525.3132548
- [245] Bahi Takkouche and Guy Norman. 2011. PRISMA statement. *Epidemiology* 22, 1 (2011), 128. doi:10.1097/ede.0b013e3181fe7999
- [246] Cynthia Leticia Teles De Oliveira, Alan Trindade De Almeida Silva, Erick Modesto Campos, Tiago Davi Oliveira Araújo, Marcelle Pereira Mota, Bianchi Serique Meiguins, and Jefferson Magalhães De Moraes. 2019. Proposal and Evaluation of Textual Description Templates for Bar Charts Vocalization. In *2019 23rd International Conference Information Visualisation (IV)*. IEEE, 163–169. doi:10.1109/IV.2019.00036
- [247] John R Thompson, Jesse J Martinez, Alper Sarikaya, Edward Cutrell, and Bongshin Lee. 2023. Chart Reader: Accessible Visualization Experiences Designed with Screen Reader Users. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (*CHI '23*). Association for Computing Machinery, New York, NY, USA, Article 802, 18 pages. doi:10.1145/3544548.3581186
- [248] Luis R. Tlapa-Monge and Luis G. Montané-Jiménez. 2023. A Systematic Mapping Study on Accessibility in Data Visualizations for Visually Impaired Users. In *2023 11th International Conference in Software Engineering Research and Innovation (CONISOFT)*. IEEE, 186–196. doi:10.1109/CONISOFT58849.2023.00032
- [249] Brianna J. Tomlinson, Jared Batterman, Yee Chieh Chew, Ashley Henry, and Bruce N. Walker. 2016. Exploring Auditory Graphing Software in the Classroom: The Effect of Auditory Graphs on the Classroom Environment. *ACM Trans. Access. Comput.* 9, 1, Article 3 (11 2016), 27 pages. doi:10.1145/2994606
- [250] Márcio Josué Ramos Torres and Regina Barwaldt. 2019. Approaches for diagrams accessibility for blind people: a systematic review. In *2019 IEEE Frontiers in Education Conference (FIE)*. IEEE, 1–7. doi:10.1109/FIE43999.2019.9028522
- [251] Tien Tran, Hae-Na Lee, and Ji Hwan Park. 2024. Discovering Accessible Data Visualizations for People with ADHD. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (*CHI '24*). Association for Computing Machinery, New York, NY, USA, Article 64, 19 pages. doi:10.1145/3613904.3642112
- [252] Andrea C Tricco, Erin Lillie, Wasifa Zarin, Kelly K O'Brien, Heather Colquhoun, Danielle Levac, David Moher, Micah DJ Peters, Tanya Horsley, Laura Weeks, et al. 2018. PRISMA extension for scoping reviews (PRISMA-ScR): checklist and explanation. *Annals of internal medicine* 169, 7 (2018), 467–473. doi:10.7326/m18-0850
- [253] Kristin van Barneveld, Michael Quinlan, Peter Kriesler, Anne Junor, Fran Baum, Anis Chowdhury, PN (Raja) Junankar, Stephen Clibborn, Frances Flanagan, Chris F Wright, Sharon Friel, Joseph Halevi, and Al Rainnie. 2020. The COVID-19 Pandemic: Lessons on Building More Equal and Sustainable Societies. *The economic and labour relations review* 31, 2 (2020), 133–157. doi:10.1177/1035304620927107
- [254] Pablo Nunes Vargas and Daniela Gorski Trevisan. 2024. Revisiting visual accessibility with non-textual content: challenges and solutions for human-computer interaction. In *Proceedings of the XXIII Brazilian Symposium on Human Factors in Computing Systems (IHC '24)*. Association for Computing Machinery, New York, NY, USA, Article 67, 18 pages. doi:10.1145/3702038.3702105
- [255] Nicholas Waldin, Matthias Bernhard, Peter Rautek, and Ivan Viola. 2016. Individualization of 2D Color Maps for People with Color Vision Deficiencies. In *Proceedings of the 32nd Spring Conference on Computer Graphics* (Slovenice, Slovakia) (*SCCG '16*). Association for Computing Machinery, New York, NY, USA, 49–50. doi:10.1145/2948628.2948643
- [256] B. N. Walker and L. M. Mauney. 2010. Universal Design of Auditory Graphs: A Comparison of Sonification Mappings for Visually Impaired and Sighted Listeners. *ACM Trans. Access. Comput.* 2, 3, Article 12 (3 2010), 16 pages. doi:10.1145/1714458.1714459
- [257] Steven A. Wall and Steven A. Brewster. 2003. Assessing haptic properties for data representation. In *CHI '03 Extended Abstracts on Human Factors in Computing Systems* (Ft. Lauderdale, Florida, USA) (*CHI EA '03*). Association for Computing Machinery, New York, NY, USA, 858–859. doi:10.1145/765891.766034
- [258] Daheng Wang, Tong Zhao, Wenhao Yu, Nitesh V Chawla, and Meng Jiang. 2022. Deep multimodal complementarity learning. *IEEE Transactions on Neural Networks and Learning Systems* 34, 12 (2022), 10213–10224. doi:10.1109/tnnls.2022.3165180
- [259] R. Wang, C. Jung, and Y. Kim. 2022. Seeing Through Sounds: Mapping Auditory Dimensions to Data and Charts for People with Visual Impairments. *Computer Graphics Forum* 41, 3 (2022), 71–83. doi:10.1111/cgf.14523 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.14523
- [260] Yanan Wang, Arjun Srinivasan, and Yea-Seul Kim. 2024. Enabling Tabular Data Exploration for Blind and Low-Vision Users. In *Proceedings of the 2024 ACM Designing Interactive Systems Conference* (Copenhagen, Denmark) (*DIS '24*). Association for Computing Machinery, New York, NY, USA, 1218–1233. doi:10.1145/3643834.3661609
- [261] Yanan Wang, Ruobin Wang, Crescentia Jung, and Yea-Seul Kim. 2022. What Makes Web Data Tables Accessible? Insights and a Tool for Rendering Accessible Tables for People with Visual Impairments. In *Proceedings of the 2022 CHI Conference on Human Factors in Computing Systems* (New Orleans, LA, USA) (*CHI '22*). Association for Computing Machinery, New York, NY, USA, Article 595, 20 pages. doi:10.1145/3491102.3517469
- [262] Yanan Wang, Yuhang Zhao, and Yea-Seul Kim. 2024. How Do Low-Vision Individuals Experience Information Visualization?. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (*CHI '24*). Association for Computing Machinery, New York, NY, USA, Article 43, 15 pages. doi:10.1145/3613904.3642188
- [263] T.P. Way and K.E. Barner. 1997. Automatic Visual to Tactile Translation. I. Human Factors, Access Methods and Image Manipulation. *IEEE Transactions on Rehabilitation Engineering* 5, 1 (1997), 81–94. doi:10.1109/86.559353
- [264] Candace Williams, Lilian de Greef, Ed Harris, Leah Findlater, Amy Pavel, and Cynthia Bennett. 2022. Toward supporting quality alt text in computing publications. In *Proceedings of the 19th International Web for All Conference* (Lyon, France) (*W4A '22*). Association for Computing Machinery, New York, NY, USA, Article 20, 12 pages. doi:10.1145/3493612.3520449
- [265] Brianna Lynn Wimer, Laura South, Keke Wu, Danielle Albers Szafir, Michelle A. Borkin, and Ronald A. Metoyer. 2024. Beyond Vision Impairments: Redefining the Scope of Accessible Data Representations. *IEEE Transactions on Visualization and Computer Graphics* 30, 12 (2024), 7619–7636. doi:10.1109/TVCG.2024.3356566
- [266] Jacob O. Wobbrock and Julie A. Kientz. 2016. Research contributions in human-computer interaction. *Interactions* 23, 3 (4 2016), 38–44. doi:10.1145/2907069
- [267] Jo Wood, Niamh Devane, Abi Roper, Nicola Botting, Madeline Cruice, Ulfa Octavian, and Stephanie Wilson. 2026. Experiencing Data Visualization with Language Disability. *IEEE Computer Graphics and Applications* 46, 02 (3 2026), 20–29. doi:10.1109/MCG.2025.3642747
- [268] Rachel Wood, Jinjuan Heidi Feng, and Jonathan Lazar. 2024. Health Data Visualization Literacy Skills of Young Adults with Down Syndrome and the Barriers to Inference-Making. *ACM Trans. Access. Comput.* 17, 1, Article 4 (3 2024), 1 pages. doi:10.1145/3648621
- [269] Keke Wu. 2021. Towards a universal cognitive tool: designing accessible visualization for people with intellectual and developmental disabilities. *SIGACCESS Access. Comput.* 131, Article 1 (12 2021), 6 pages. doi:10.1145/3507912.3507913
- [270] Keke Wu, Emma Petersen, Tahmina Ahmad, David Burlinson, Shea Tanis, and Danielle Albers Szafir. 2021. Understanding Data Accessibility for People with Intellectual and Developmental Disabilities. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (*CHI '21*). Association for Computing Machinery, New York, NY, USA, Article 606, 16 pages. doi:10.1145/3411764.3445743
- [271] Keke Wu, Ghulam Jilani Quadri, Arran Zeyu Wang, David Kwame Osei-Tutu, Emma Petersen, Varsha Koushik, and Danielle Albers Szafir. 2024. Our Stories, Our Data: Co-Designing Visualizations with People with Intellectual and Developmental Disabilities. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility* (St. John's, NL, Canada) (*ASSETS '24*). Association for Computing Machinery, New York, NY, USA, Article 58, 17 pages. doi:10.1145/3663548.3675615
- [272] Keke Wu and Danielle Albers Szafir. 2023. Empowering People with Intellectual and Developmental Disabilities Through Cognitively Accessible Visualizations. In *2023 IEEE Workshop on Visualization for Social Good (VIS4Good)*. IEEE, 1–5. doi:10.1109/VIS4Good60218.2023.00007

- [273] Keke Wu, Michelle Ho Tran, Emma Petersen, Varsha Koushik, and Danielle Albers Szafr. 2023. Data, Data, Everywhere: Uncovering Everyday Data Experiences for People with Intellectual and Developmental Disabilities. In *Proceedings of the 2023 CHI Conference on Human Factors in Computing Systems* (Hamburg, Germany) (CHI '23). Association for Computing Machinery, New York, NY, USA, Article 804, 17 pages. doi:10.1145/3544548.3581204
- [274] Qiang Xu and Thomas Hurtut. 2024. From Graphs to Words: A Computer-Assisted Framework for the Production of Accessible Text Descriptions. In *2024 IEEE Visualization and Visual Analytics (VIS)*. IEEE, 296–300. doi:10.1109/VIS55277.2024.00067
- [275] Zhongzheng Xu, Kristin Williams, and Emily Wall. 2023. Let's Get Vysical: Perceptual Accuracy in Visual & Tactile Encodings. In *2023 IEEE Visualization and Visual Analytics (VIS)*. IEEE, 16–20. doi:10.1109/VIS54172.2023.00012
- [276] Chuqiao Yan, Hans-Peter Hutter, Felix M. Schmitt-Koopmann, and Alireza Darvishy. 2025. Chart Accessibility: A Review of Current Alt Text Generation. *IEEE Access* 13 (2025), 94040–94056. doi:10.1109/ACCESS.2025.3571626
- [277] Yalong Yang, Kim Marriott, Matthew Butler, Cagatay Goncu, and Leona Holloway. 2020. Tactile Presentation of Network Data: Text, Matrix or Diagram?. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '20). Association for Computing Machinery, New York, NY, USA, 1–12. doi:10.1145/3313831.3376367
- [278] Shamima Yasmin. 2019. A Glyph-Based Multimodal Presentation of Multivariate Data. In *Proceedings of the 25th ACM Symposium on Virtual Reality Software and Technology* (Parramatta, NSW, Australia) (VRST '19). Association for Computing Machinery, New York, NY, USA, Article 45, 2 pages. doi:10.1145/3359996.3364735
- [279] Alyson Yin, Riya Sogani, Bruna Owel, Karen Phan, Jaime Shin Young Park, Mia Ashley Yeo, Lindsay Ann Yazzolino, Karen Arcos, Ali Abdolrahmani, Emily Blank, Michael Dean Gilbert, and Stacy M. Branham. 2024. "Malicious" Pictorials: How Alt Text Matters to Screen Reader Users' Experience of Image-Dense Media. In *Proceedings of the 2024 ACM Designing Interactive Systems Conference* (Copenhagen, Denmark) (DIS '24). Association for Computing Machinery, New York, NY, USA, 1262–1274. doi:10.1145/3643834.3660747
- [280] Wai Yu and S. Brewster. 2002. Comparing two haptic interfaces for multimodal graph rendering. In *Proceedings 10th Symposium on Haptic Interfaces for Virtual Environment and Teleoperator Systems. HAPTICS 2002*. IEEE, 3–9. doi:10.1109/HAPTIC.2002.998934
- [281] Wai Yu and Stephen Brewster. 2002. Multimodal virtual reality versus printed medium in visualization for blind people. In *Proceedings of the Fifth International ACM Conference on Assistive Technologies* (Edinburgh, Scotland) (Assets '02). Association for Computing Machinery, New York, NY, USA, 57–64. doi:10.1145/638249.638261
- [282] Wai Yu, R. Ramloll, S. Brewster, and B. Ridel. 2001. Exploring computer-generated line graphs through virtual touch. In *Proceedings of the Sixth International Symposium on Signal Processing and its Applications* (Cat.No.01EX467), Vol. 1. IEEE, 72–75 vol.1. doi:10.1109/ISSPA.2001.949778
- [283] Xingchen Zeng, Haichuan Lin, Yilin Ye, and Wei Zeng. 2025. Advancing Multimodal Large Language Models in Chart Question Answering with Visualization-Referenced Instruction Tuning. *IEEE Transactions on Visualization and Computer Graphics* 31, 1 (2025), 525–535. doi:10.1109/TVCG.2024.3456159
- [284] Yixuan Zhang, Yifan Sun, Lace Padilla, Sumit Barua, Enrico Bertini, and Andrea G Parker. 2021. Mapping the Landscape of COVID-19 Crisis Visualizations. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 608, 23 pages. doi:10.1145/3411764.3445381
- [285] Zhuohao Zhang, John R Thompson, Aditi Shah, Manish Agrawal, Alper Sarikaya, Jacob O. Wobbrock, Edward Cutrell, and Bongshin Lee. 2024. ChartA11y: Designing Accessible Touch Experiences of Visualizations with Blind Smartphone Users. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility* (St. John's, NL, Canada) (ASSETS '24). Association for Computing Machinery, New York, NY, USA, Article 55, 15 pages. doi:10.1145/3663548.3675611
- [286] Haixia Zhao, Catherine Plaisant, and Ben Shneiderman. 2005. "I hear the pattern": interactive sonification of geographical data patterns. In *CHI '05 Extended Abstracts on Human Factors in Computing Systems* (Portland, OR, USA) (CHI EA '05). Association for Computing Machinery, New York, NY, USA, 1905–1908. doi:10.1145/1056808.1057052
- [287] Haixia Zhao, Catherine Plaisant, and Ben Shneiderman. 2005. iSonic: interactive sonification for non-visual data exploration. In *Proceedings of the 7th International ACM SIGACCESS Conference on Computers and Accessibility* (Baltimore, MD, USA) (Assets '05). Association for Computing Machinery, New York, NY, USA, 194–195. doi:10.1145/1090785.1090826
- [288] Haixia Zhao, Catherine Plaisant, Ben Shneiderman, and Jonathan Lazar. 2008. Data Sonification for Users with Visual Impairment: A Case Study with Geo-referenced Data. *ACM Trans. Comput.-Hum. Interact.* 15, 1, Article 4 (5 2008), 28 pages. doi:10.1145/1352782.1352786
- [289] Haixia Zhao, B.K. Smith, K. Norman, C. Plaisant, and B. Shneiderman. 2005. Interactive sonification of choropleth maps. *IEEE MultiMedia* 12, 2 (2005), 26–35. doi:10.1109/MMUL.2005.28
- [290] Kaixing Zhao, Sandra Bardot, Marcos Serrano, Mathieu Simonnet, Bernard Oriola, and Christophe Jouffrais. 2021. Tactile Fixations: A Behavioral Marker on How People with Visual Impairments Explore Raised-Line Graphics. In *Proceedings of the 2021 CHI Conference on Human Factors in Computing Systems* (Yokohama, Japan) (CHI '21). Association for Computing Machinery, New York, NY, USA, Article 27, 12 pages. doi:10.1145/3411764.3445578
- [291] Yichun Zhao, Jingyi Lu, and Miguel A Nacenta. 2024. Speech-Based Mark for Data Sonification. In *Proceedings of the 26th International ACM SIGACCESS Conference on Computers and Accessibility* (St. John's, NL, Canada) (ASSETS '24). Association for Computing Machinery, New York, NY, USA, Article 98, 5 pages. doi:10.1145/3663548.3688514
- [292] Yichun Zhao, Miguel A Nacenta, Mahadeo A. Sukhai, and Sowmya Somanath. 2024. TADA: Making Node-link Diagrams Accessible to Blind and Low-Vision People. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 45, 20 pages. doi:10.1145/3613904.3642222
- [293] Jonathan Zong. 2025. Using Real Names of Disabled Participant-Contributors to Practice Citational Justice in Accessibility. In *2025 IEEE Workshop on Accessible Data Visualization (AccessViz)*. IEEE, 30–33. doi:10.1109/accessviz68666.2025.00011
- [294] Jonathan Zong, Crystal Lee, Alan Lundgard, JiWoong Jang, Daniel Hajas, and Arvind Satyanarayan. 2022. Rich Screen Reader Experiences for Accessible Data Visualization. *Computer Graphics Forum* 41, 3 (2022), 15–27. doi:10.1111/cgf.14519 arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1111/cgf.14519
- [295] Jonathan Zong, Isabella Pedraza Pineros, Mengzhu (Katie) Chen, Daniel Hajas, and Arvind Satyanarayan. 2024. Umwelt: Accessible Structured Editing of Multi-Modal Data Representations. In *Proceedings of the 2024 CHI Conference on Human Factors in Computing Systems* (Honolulu, HI, USA) (CHI '24). Association for Computing Machinery, New York, NY, USA, Article 46, 20 pages. doi:10.1145/3613904.3641996
- [296] Hong Zou and Jutta Treviranus. 2015. ChartMaster: A Tool for Interacting with Stock Market Charts using a Screen Reader. In *Proceedings of the 17th International ACM SIGACCESS Conference on Computers & Accessibility* (Lisbon, Portugal) (ASSETS '15). Association for Computing Machinery, New York, NY, USA, 107–116. doi:10.1145/2700648.2809862