CAMERA AGENT · STEP 7 RUN SHEET

Plan: FINAL, frozen at tag step7-plan-final
87 takes and blocks · ● = agent take (recording switch on)

PEOPLE (NAMES ON PAPER ONLY)

Person A: _____ Person B: _____

☐ A agrees to be filmed ☐ A agrees to clips shown privately to raters

☐ B agrees to be filmed ☐ B agrees to clips shown privately to raters

Face memory: A ☐ yes, set once ☐ declined (scored vs +0.5) B ☐ yes, set once ☐ declined

README or demo video use needs a separate OK from each person.

BEFORE EACH SESSION

☐ 23.98p, S-Log3 (Flexible ISO) ☐ USB Remote Shoot/Trn., airplane mode

☐ Bridge started with --allow-iso-while-recording (Step 7 sessions only)

☐ Restart the bridge WITHOUT that flag after the session

☐ Kill switch reachable: SPACE / dashboard / USB cable

Date _____ Place _____ Sunset (session 2) _____

Every take: reset the scene; set by hand the start ISO, 1/48 shutter, the look's f-stop, WB Kelvin and ND start; take is 50 s (S6: 60 s); after agent takes, let the runner put ISO back. Which takes go to the blind test is deliberately not on this sheet.

SESSION 1 · DAYTIME, INDOORS (S1 NEEDS DAYLIGHT IN THE WINDOW)

S1 · WINDOW-BACKLIT FACE look interview, f/4, shutter 1/48

Event: At 15 s open the blind fully, press m. Hold 35 s.

Start ISO _____ WB _____ K ND start _____ Focal length _____ mm Framing marked ☐

#	TAKE	WHO	METHOD	COMMAND	CHECKS	SESSION FOLDER / NOTES
1	**S1_R1_A_agent** ●	Person A	Agent	`run_agent.py --live --dashboard --look interview --take S1_R1_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
2	**S1_R1_A_manual**	Person A	Manual	`run_agent.py --look interview --take S1_R1_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
3	**S1_R1_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look interview --take S1_R1_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
4	**S1_R2_B_agent** ●	Person B	Agent	`run_agent.py --live --dashboard --look interview --take S1_R2_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
5	**S1_R2_B_manual**	Person B	Manual	`run_agent.py --look interview --take S1_R2_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
6	**S1_R2_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look interview --take S1_R2_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
7	**S1_R3_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look interview --take S1_R3_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	

8	**S1_R3_A_agent •**	Person A	Agent	`run_agent.py --live --dashboard --look interview --take S1_R3_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
9	**S1_R3_A_manual**	Person A	Manual	`run_agent.py --look interview --take S1_R3_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
10	**S1_R4_B_manual**	Person B	Manual	`run_agent.py --look interview --take S1_R4_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
11	**S1_R4_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look interview --take S1_R4_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
12	**S1_R4_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look interview --take S1_R4_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
13	**S1_R5_A_manual**	Person A	Manual	`run_agent.py --look interview --take S1_R5_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
14	**S1_R5_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look interview --take S1_R5_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
15	**S1_R5_A_agent •**	Person A	Agent	`run_agent.py --live --dashboard --look interview --take S1_R5_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
16	**S1_R6_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look interview --take S1_R6_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
17	**S1_R6_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look interview --take S1_R6_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
18	**S1_R6_B_manual**	Person B	Manual	`run_agent.py --look interview --take S1_R6_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
19	**S1_BONUS_A_agent •**	Person A	Agent (bonus)	`run_agent.py --live --dashboard --look interview --take S1_BONUS_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Follow its advice ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
20	**S1_BONUS_B_agent •**	Person B	Agent (bonus)	`run_agent.py --live --dashboard --look interview --take S1_BONUS_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Follow its advice ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q

S3 · INDOOR TUNGSTEN look cinematic, f/2.8, shutter 1/48

Event: At 15 s one lamp off, press m. At 35 s back on, press m.

Start ISO _____ WB _____ K ND start _____ Focal length _____ mm Framing marked ☐

#	TAKE	WHO	METHOD	COMMAND	CHECKS	SESSION FOLDER / NOTES
1	**S3_R1_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look cinematic --take S3_R1_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
2	**S3_R1_B_manual**	Person B	Manual	`run_agent.py --look cinematic --take S3_R1_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
3	**S3_R1_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look cinematic --take S3_R1_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
4	**S3_R2_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look cinematic --take S3_R2_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
5	**S3_R2_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look cinematic --take S3_R2_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
6	**S3_R2_B_manual**	Person B	Manual	`run_agent.py --look cinematic --take S3_R2_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
7	**S3_R3_B_manual**	Person B	Manual	`run_agent.py --look cinematic --take S3_R3_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
8	**S3_R3_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look cinematic --take S3_R3_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
9	**S3_R3_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look cinematic --take S3_R3_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
10	**S3_BONUS_B_agent •**	Person B	Agent (bonus)	`run_agent.py --live --dashboard --look cinematic --take S3_BONUS_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Follow its advice ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	

S4 · LOW LIGHT look low_light, f/2.8, shutter 1/48

Event: At 15 s dim about 1 stop, press m.

Start ISO _____ WB _____ K ND start _____ Focal length _____ mm Framing marked ☐

#	TAKE	WHO	METHOD	COMMAND	CHECKS	SESSION FOLDER / NOTES
1	**S4_R1_A_manual**	Person A	Manual	`run_agent.py --look low_light --take S4_R1_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	

2	**S4_R1_A_agent •**	Person A	Agent	`run_agent.py --live --dashboard --look low_light --take S4_R1_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
3	**S4_R1_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look low_light --take S4_R1_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
4	**S4_R2_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look low_light --take S4_R2_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
5	**S4_R2_B_manual**	Person B	Manual	`run_agent.py --look low_light --take S4_R2_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
6	**S4_R2_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look low_light --take S4_R2_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
7	**S4_R3_A_agent •**	Person A	Agent	`run_agent.py --live --dashboard --look low_light --take S4_R3_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
8	**S4_R3_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look low_light --take S4_R3_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
9	**S4_R3_A_manual**	Person A	Manual	`run_agent.py --look low_light --take S4_R3_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
10	**S4_R4_B_manual**	Person B	Manual	`run_agent.py --look low_light --take S4_R4_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
11	**S4_R4_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look low_light --take S4_R4_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
12	**S4_R4_B_agent •**	Person B	Agent	`run_agent.py --live --dashboard --look low_light --take S4_R4_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
13	**S4_R5_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look low_light --take S4_R5_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
14	**S4_R5_A_manual**	Person A	Manual	`run_agent.py --look low_light --take S4_R5_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
15	**S4_R5_A_agent •**	Person A	Agent	`run_agent.py --live --dashboard --look low_light --take S4_R5_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
16	**S4_R6_B_fx2auto**	Person B	FX2 auto	`run_agent.py --look low_light --take S4_R6_B_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off

17	**S4_R6_B_agent** •	Person B	Agent	`run_agent.py --live --dashboard --look low_light --take S4_R6_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
18	**S4_R6_B_manual**	Person B	Manual	`run_agent.py --look low_light --take S4_R6_B_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
19	**S4_BONUS_A_agent** •	Person A	Agent (bonus)	`run_agent.py --live --dashboard --look low_light --take S4_BONUS_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Follow its advice ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
20	**S4_BONUS_B_agent** •	Person B	Agent (bonus)	`run_agent.py --live --dashboard --look low_light --take S4_BONUS_B_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Follow its advice ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q

S6 · STATIC CONTROL look cinematic, f/2.8, shutter 1/48

Event: Nothing changes. 60 s. No mark.

Start ISO _____ WB _____ K ND start _____ Focal length _____ mm Framing marked ☐

#	TAKE	WHO	METHOD	COMMAND	CHECKS	SESSION FOLDER / NOTES
1	**S6_R1_fx2auto**	nobody needed	FX2 auto	`run_agent.py --look cinematic --take S6_R1_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
2	**S6_R1_agent** •	nobody needed	Agent	`run_agent.py --live --dashboard --look cinematic --take S6_R1_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
3	**S6_R1_manual**	nobody needed	Manual	`run_agent.py --look cinematic --take S6_R1_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
4	**S6_R2_agent** •	nobody needed	Agent	`run_agent.py --live --dashboard --look cinematic --take S6_R2_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
5	**S6_R2_manual**	nobody needed	Manual	`run_agent.py --look cinematic --take S6_R2_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
6	**S6_R2_fx2auto**	nobody needed	FX2 auto	`run_agent.py --look cinematic --take S6_R2_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
7	**S6_R3_manual**	nobody needed	Manual	`run_agent.py --look cinematic --take S6_R3_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
8	**S6_R3_fx2auto**	nobody needed	FX2 auto	`run_agent.py --look cinematic --take S6_R3_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	

9	**S6_R3_agent** •	nobody needed	Agent	`run_agent.py --live --dashboard --look cinematic --take S6_R3_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ q	☐ Rec started ☐ m at event ☐ Rec stopped

SESSION 2 · A CLEAR DAY: SHADE → SUN AROUND MIDDAY, THEN THE SUNSET

S2 · SHADE → SUN WALK look run_and_gun, f/5.6, shutter 1/48

Event: At ~15 s walk into the sun on the marked line, press m. Stand there.

Start ISO _____ WB _____ K ND start _____ Focal length _____ mm Framing marked ☐

#	TAKE	WHO	METHOD	COMMAND	CHECKS	SESSION FOLDER / NOTES
1	**S2_R1_A_agent** •	Person A	Agent	`run_agent.py --live --dashboard --look run_and_gun --take S2_R1_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
2	**S2_R1_A_manual**	Person A	Manual	`run_agent.py --look run_and_gun --take S2_R1_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
3	**S2_R1_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look run_and_gun --take S2_R1_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
4	**S2_R2_A_manual**	Person A	Manual	`run_agent.py --look run_and_gun --take S2_R2_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
5	**S2_R2_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look run_and_gun --take S2_R2_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
6	**S2_R2_A_agent** •	Person A	Agent	`run_agent.py --live --dashboard --look run_and_gun --take S2_R2_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
7	**S2_R3_A_fx2auto**	Person A	FX2 auto	`run_agent.py --look run_and_gun --take S2_R3_A_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
8	**S2_R3_A_agent** •	Person A	Agent	`run_agent.py --live --dashboard --look run_and_gun --take S2_R3_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
9	**S2_R3_A_manual**	Person A	Manual	`run_agent.py --look run_and_gun --take S2_R3_A_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
10	**S2_BONUS_A_agent** •	Person A	Agent (bonus)	`run_agent.py --live --dashboard --look run_and_gun --take S2_BONUS_A_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Follow its advice ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	

S5 · SUNSET look cinematic, f/2.8, shutter 1/48

Event: The light falls on its own. Start ~25 min before sunset. Press m at each block start.

Start ISO _____ WB _____ K ND start _____ Focal length _____ mm Framing marked ☐

#	TAKE	WHO	METHOD	COMMAND	CHECKS	SESSION FOLDER / NOTES
1	**S5_R1_manual**	one person	Manual	`run_agent.py --look cinematic --take S5_R1_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
2	**S5_R1_agent** •	one person	Agent	`run_agent.py --live --dashboard --look cinematic --take S5_R1_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
3	**S5_R1_fx2auto**	one person	FX2 auto	`run_agent.py --look cinematic --take S5_R1_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
4	**S5_R2_fx2auto**	one person	FX2 auto	`run_agent.py --look cinematic --take S5_R2_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
5	**S5_R2_manual**	one person	Manual	`run_agent.py --look cinematic --take S5_R2_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
6	**S5_R2_agent** •	one person	Agent	`run_agent.py --live --dashboard --look cinematic --take S5_R2_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
7	**S5_R3_agent** •	one person	Agent	`run_agent.py --live --dashboard --look cinematic --take S5_R3_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
8	**S5_R3_fx2auto**	one person	FX2 auto	`run_agent.py --look cinematic --take S5_R3_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
9	**S5_R3_manual**	one person	Manual	`run_agent.py --look cinematic --take S5_R3_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
10	**S5_R4_manual**	one person	Manual	`run_agent.py --look cinematic --take S5_R4_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
11	**S5_R4_fx2auto**	one person	FX2 auto	`run_agent.py --look cinematic --take S5_R4_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off	
12	**S5_R4_agent** •	one person	Agent	`run_agent.py --live --dashboard --look cinematic --take S5_R4_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
13	**S5_R5_agent** •	one person	Agent	`run_agent.py --live --dashboard --look cinematic --take S5_R5_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	
14	**S5_R5_manual**	one person	Manual	`run_agent.py --look cinematic --take S5_R5_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q	

15	**S5_R5_fx2auto**	one person	FX2 auto	`run_agent.py --look cinematic --take S5_R5_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
16	**S5_R6_fx2auto**	one person	FX2 auto	`run_agent.py --look cinematic --take S5_R6_fx2auto`	☐ Camera Auto ISO on (800–12800) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q ☐ Camera Auto ISO back off
17	**S5_R6_agent** •	one person	Agent	`run_agent.py --live --dashboard --look cinematic --take S5_R6_agent --allow-iso-while-recording`	☐ Auto on (press twice) ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q
18	**S5_R6_manual**	one person	Manual	`run_agent.py --look cinematic --take S5_R6_manual`	☐ Dashboard not visible to you ☐ Rec started ☐ m at event ☐ Rec stopped ☐ q

Built by Saad Hilal · S4D · generated by tools/make_run_sheet.py from the frozen order (seed 20261018)