



HeeraMon

Software Requirements Specification

SRS Document

Date of Preparation: September 30, 2026

Document ID	HM-DOC-02
Title	Software Requirements Specification (SRS)
Classification	SRS Document
Status	Draft
Version	1.0
Owner	Product / Engineering
Audience	All project contributors
Related Documents	See Relationship to Other Documents (Section 8)

Contents

1	Purpose	3
2	Product Scope	3
3	Actors	3
3.1	User	3
3.2	HeeraMon Agent	3
3.3	External Job Sources	3
3.4	External Application Systems	3
4	Functional Requirements	3
4.1	FR-01 — User Authentication	3
4.2	FR-02 — Conversational Onboarding	4
4.3	FR-03 — Preference Classification	4
4.4	FR-04 — Preference Persistence	4
4.5	FR-05 — Job Discovery	5
4.6	FR-06 — Job Normalization and Deduplication	5
4.7	FR-07 — Job Matching	5
4.8	FR-08 — Trade-off Analysis	5
4.9	FR-09 — Opportunity Presentation	6
4.10	FR-10 — Conversational Job Investigation	6
4.11	FR-11 — User Decision	6
4.12	FR-12 — Continuous Search	6
4.13	FR-13 — Application Assistance	6
4.14	FR-14 — Human Approval	7
4.15	FR-15 — CV Management	7
4.16	FR-16 — Notifications	7
4.17	FR-17 — Conversation History	7
4.18	FR-18 — Error and Uncertainty Handling	7
5	Non-Functional Requirements	7
5.1	NFR-01 — Security	7
5.2	NFR-02 — Privacy	8
5.3	NFR-03 — Reliability	8
5.4	NFR-04 — Explainability	8
5.5	NFR-05 — Extensibility	8
5.6	NFR-06 — Cost Efficiency	8
5.7	NFR-07 — Performance	8
5.8	NFR-08 — Observability	9
6	Boundaries and Deferred Scope	9
7	Core Success Criteria	9
8	Relationship to Other Documents	10

9 Document Control	11
-------------------------------------	-----------

1 Purpose

This document defines the functional and non-functional requirements for HeeraMon.

HeeraMon is a conversational AI job-seeking assistant that understands a user's desired job and lifestyle, continuously searches available job sources, evaluates opportunities against user preferences, and assists with applications while keeping the user in control of consequential actions.

This document defines **what** HeeraMon must do, not how it is technically implemented.

2 Product Scope

HeeraMon must demonstrate the complete core product loop:

User describes desired job → HeeraMon understands preferences → jobs are discovered → jobs are evaluated → relevant opportunities are presented → user discusses/approves → HeeraMon assists with application.

The product shall prioritize a complete, reliable loop over breadth of integrations or large-scale automation.

3 Actors

3.1 User

The person seeking employment and interacting with HeeraMon.

3.2 HeeraMon Agent

The AI-powered system responsible for understanding user intent, searching for opportunities, evaluating matches, remembering relevant preferences, and coordinating available tools.

3.3 External Job Sources

Job boards, company career pages, APIs, feeds, or other permitted sources from which job information is obtained.

3.4 External Application Systems

Third-party career pages, ATS platforms, or other systems through which applications may eventually be submitted.

4 Functional Requirements

4.1 FR-01 — User Authentication

The system shall allow users to securely create and access a personal HeeraMon account.

The system shall maintain user-specific preferences, conversations, jobs, applications, and other private data separately.

Authentication should require minimal user effort.

4.2 FR-02 — Conversational Onboarding

After entering HeeraMon, the user shall be able to begin describing their desired job using natural language.

The system shall not require a long configuration form before the user can begin searching.

HeeraMon shall identify relevant information from the conversation, including where applicable:

- Desired role/domain
- Salary expectations
- Location
- Commute
- Working hours
- Work arrangement
- Workplace preferences
- Benefits
- Technical requirements
- Lifestyle requirements
- Other user-specific priorities

4.3 FR-03 — Preference Classification

HeeraMon shall distinguish between:

- **Hard constraints:** requirements that should normally disqualify an opportunity.
- **Soft preferences:** desirable characteristics that may be compromised.
- **Learned preferences:** preferences inferred from previous conversations, decisions, or repeated behavior.

When the user's intent is ambiguous, HeeraMon should ask for clarification rather than make an unsafe assumption.

4.4 FR-04 — Preference Persistence

The system shall persist relevant user preferences across sessions.

Users shall be able to modify, override, or clarify previously established preferences through conversation.

A temporary request shall not automatically become a permanent preference.

4.5 FR-05 — Job Discovery

HeeraMon shall periodically search configured job sources for new opportunities.

The search system shall collect sufficient information to evaluate a job, including where available:

- Job title
- Company
- Location
- Compensation
- Working arrangement
- Working hours
- Responsibilities
- Requirements
- Benefits
- Posting date
- Application URL
- Source

Missing information shall be represented as unknown rather than fabricated.

4.6 FR-06 — Job Normalization and Deduplication

Jobs obtained from different sources shall be normalized into a common internal representation.

The system should detect and avoid presenting obvious duplicates of the same opportunity.

4.7 FR-07 — Job Matching

HeeraMon shall evaluate discovered jobs against the user's current preferences.

The evaluation shall consider hard constraints separately from soft preferences.

A job that violates a hard constraint shall normally not be presented as a normal match unless HeeraMon explicitly explains the violation and the user has allowed such exceptions.

4.8 FR-08 — Trade-off Analysis

When a job partially matches the user's requirements, HeeraMon shall be able to explain:

- What matches
- What does not match
- Which preferences are affected

- What information is uncertain
- Why the opportunity was surfaced

HeeraMon shall not silently convert a user's hard requirement into a soft preference.

4.9 FR-09 — Opportunity Presentation

HeeraMon shall notify or inform the user when a relevant opportunity is discovered.

The presentation should be concise initially, with the ability to request further details conversationally.

“I found a close match. It meets your salary and AI/ML requirements, but the commute is approximately one hour instead of thirty minutes.”

4.10 FR-10 — Conversational Job Investigation

The user shall be able to ask follow-up questions about a discovered job.

HeeraMon shall use the available job information and relevant user preferences when answering.

It shall distinguish known information from assumptions or missing information.

4.11 FR-11 — User Decision

The user shall be able to indicate whether an opportunity is:

- Interesting
- Not interesting
- Acceptable despite specific trade-offs
- Rejected
- Needs further investigation

Relevant decisions may contribute to future learned preferences.

4.12 FR-12 — Continuous Search

The user shall be able to configure or communicate how frequently HeeraMon should search for new opportunities.

HeeraMon shall be capable of continuing the search without requiring the user to manually initiate every search.

4.13 FR-13 — Application Assistance

For supported application workflows, HeeraMon shall be able to prepare an application using the user's stored information and CV.

Before consequential submission, HeeraMon shall show the user the information it intends

to submit.

4.14 FR-14 — Human Approval

HeeraMon shall require explicit user approval before submitting an application or performing another consequential external action.

The user shall be able to review, correct, or cancel the action.

4.15 FR-15 — CV Management

The system shall allow the user to provide a CV for use during application preparation.

The CV shall be treated as private user data.

HeeraMon shall not invent qualifications, experience, education, or other application information.

4.16 FR-16 — Notifications

The system shall notify users about relevant events, such as:

- Newly discovered strong matches
- Close matches requiring a decision
- Application preparation requiring approval
- Application status where supported
- Search or system errors where user action is required

4.17 FR-17 — Conversation History

Relevant conversations shall be retained so HeeraMon can maintain continuity between sessions.

The system should avoid unnecessarily storing sensitive conversational information when it is not required for product functionality.

4.18 FR-18 — Error and Uncertainty Handling

When information is unavailable, stale, ambiguous, or unreliable, HeeraMon shall communicate the uncertainty.

The system shall never fabricate job information, employer information, salary, benefits, application status, or user qualifications.

5 Non-Functional Requirements

5.1 NFR-01 — Security

User authentication, authorization, secrets, CVs, conversations, and personal information shall be protected using appropriate security practices.

Users shall only be able to access their own private data.

5.2 NFR-02 — Privacy

Personal information shall only be collected and retained where required for product functionality.

External application data shall not be submitted without user authorization.

5.3 NFR-03 — Reliability

A temporary failure of one job source, AI provider, notification channel, or external application system should not unnecessarily bring down the entire product.

Failures should be recoverable where practical.

5.4 NFR-04 — Explainability

Important matching and application decisions shall have understandable explanations.

The system should expose the relevant facts and trade-offs rather than presenting unexplained scores as absolute truth.

5.5 NFR-05 — Extensibility

The architecture shall allow additional:

- AI providers
- Job sources
- Notification channels
- Application systems
- Matching strategies

without requiring fundamental redesign.

5.6 NFR-06 — Cost Efficiency

The system shall be designed to operate using free or locally available infrastructure wherever practical.

The architecture shall not assume that paid AI APIs or commercial job-search APIs are permanently available.

5.7 NFR-07 — Performance

Normal conversational interactions should feel responsive.

Long-running operations such as job discovery, parsing, evaluation, and application preparation should run asynchronously where appropriate.

5.8 NFR-08 — Observability

The system should provide sufficient logging and error information to diagnose failures in agent decisions, job ingestion, background tasks, and application workflows without exposing private user data unnecessarily.

6 Boundaries and Deferred Scope

The following are explicitly not required for the initial release unless necessary to prove the core loop:

- Large-scale multi-agent architecture
- Dozens of job-source integrations
- Full automatic application to arbitrary websites
- Complex recommendation algorithms
- Mobile-native applications
- Desktop-native applications
- Paid infrastructure
- Subscription/billing system
- Enterprise administration
- Large-scale analytics
- Advanced personalization beyond useful learned preferences

These may be addressed in later versions.

7 Core Success Criteria

The product is considered functionally successful when a new user can:

1. Enter HeeraMon.
2. Describe their desired job naturally.
3. Have HeeraMon identify and persist their important preferences.
4. Allow HeeraMon to search available job sources.
5. Receive relevant opportunities.
6. Ask HeeraMon about a job and understand its trade-offs.
7. Reject or accept opportunities.
8. See their decisions influence future recommendations.
9. Select an opportunity for application assistance.
10. Review the prepared application.
11. Explicitly approve or cancel the final action.

The goal is not to prove that HeeraMon can search the entire internet. The goal is to prove that the complete personal job-seeking loop works.

8 Relationship to Other Documents

This SRS defines what HeeraMon must accomplish.

Detailed implementation decisions belong to:

1. **User Journeys and Use Cases** — User scenarios, workflows, and major interaction paths.
2. **AI / Agent Specification** — Agent architecture, tools, memory, reasoning, autonomy, and human-in-the-loop behavior.
3. **Job Ingestion Specification** — Job sources, fetching, parsing, normalization, deduplication, and ingestion pipeline.
4. **Matching and Preference Specification** — Hard constraints, soft preferences, learned preferences, matching, trade-offs, and decision logic.
5. **Technical Architecture Specification** — Frontend, backend, services, infrastructure, integrations, deployment, and extensibility.
6. **Data Model / Database Specification** — Entities, relationships, schemas, indexes, and persistence rules.
7. **UI / UX Specification** — Visual language, screens, interaction patterns, bird behavior, animations, and responsive design.
8. **API Specification** — Internal and external APIs, endpoints, contracts, authentication, and data exchange.
9. **Security and Privacy Specification** — Authentication, authorization, API keys, CVs, personal data, secrets, and security requirements.
10. **Notification and Background-Agent Specification** — Scheduled searches, background execution, notifications, monitoring, and agent lifecycle.
11. **Application Automation Specification** — CV handling, application preparation, form filling, validation, approval, and submission.
12. **Testing and QA Specification** — Unit, integration, end-to-end, agent, UI, security, and reliability testing.
13. **Development Roadmap** — Development phases, priorities, milestones, dependencies, and definition of done.
14. **Future Evolution Notes** — Deliberately deferred ideas, scalability, monetization, integrations, and future capabilities.

9 Document Control

Version	Date	Author / Role	Changes
1.0	September 30, 2026	Product / Engineering	Initial release

Approval: This document defines the functional and non-functional requirements for HeeraMon. All subsequent specifications must remain consistent with the requirements stated herein.

HeeraMon flies to help people find job that fits not only their career, but the life they want to live.



Saadman Sakib
Product Engineer