Practice Test

Revision Example - Pool Schedule

Prices:

- Free - Infants (0-3)
- £3 - Child (4-12)
- £4 - Youth (13-17)
- £5 - Adult

	7:00-8:00	8:00-9:00	9:00-11:00	11:00-5:00	5:00-7:00
Monday	SwimFit	Lane Swim		Public Swim	Adult Swim Club
Tuesday	Lane Swim		Parents and Tots		Junior Swim Club
Wednesday	SwimFit	Lane Swim			Adult Swim Club
Thursday	Lane Swim		Parents and Tots		Junior Swim Club
Friday	SwimFit	Lane Swim			Closed
Saturday	Public Swim				
Sunday	Public Swim				

Notes:

- The table is centred on the page, using an automatic margin that will always split the remaining space between left and right.

Below is the code for the **CSS file** and the **HTML file** for the above screenshot. The code contains gaps numbered from **1 to 14.** Enter the missing code into the **associated Blackboard test**.

NOTE, in the CSS section, the semicolon ';' is not part of the gap, so DO NOT ADD A SEMICOLON AT THE END OF YOUR ANSWER. E.g.,

margin-left: [3] _ _ _ _ _ _ _ _ _ _ ;

Also that '< >''</>' are not part of the gap.

HTML/CSS:

<!doctype html>

<html lang="en">

<head>

<meta charset="UTF-8">

[1] _ <title> ## </title> / <meta name="viewport" content="width=device-width, initial-scale=1.0">

[2] _ _ <style> _ _ _ _

not sure about one [1] can be one of these. mostly probable towards the title tag ,cause there can be few more meta tags

```
table,th,td {
        border: 2px ridge blue ;
```

```
        margin-left: [3] _ _ _ _auto_ _ _ _ _ ;
        margin-right: [3] _ _auto_ _ _ _ _ _ _ ;
}

th, td { padding: 5px; }

.lane { [4] _background-color_ _ _ _ _ _ _ _ _ _ : lightblue; }

.fit { [4] _ _background-color_ _ _ _ _ _ _ _ _ _ : #E0FFFF; }

.public { [4] _background-color_ _ _ _ _ _ _ _ _ _ : #F0FFF0; }

.club { [4] _background-color_ _ _ _ _ _ _ _ _ _  :  #B0C4DE; }

.tots { [4] _background-color_ _ _ _ _ _ _ _ _ _  :  #FFFFE0; }

h1 { [5] _ _ _text-align_ _ _ _ _ _ _ _ _ :  center; }

tr:first-of-type { font-size: 20px; }

</[2] _style_ _ _ _ _ _ _ _ _ >
[6] _ _</head_ _ _ _ _ _ _ _ _ _
<body>
   [7] _<h1>Revision Example - Pool Schedule </h1>
   <[8] _table_ _ _ _ _ _ _ _ _ >
    <tr>
      <td colspan="6">
       Prices:
       <[9] _ _ _ul_ _ _ _ _ _ _ _ >
         <li>Free - Infants (0-3)</li>
         <li>&#163;3 - Child (4-12)</li>
         <li>&#163;4 - Youth (13-17)</li>
         <li>&#163;5 - Adult</li>
       </[9] _ _ul_ _ _ _ _ _ _ _ >
      </td>
   </tr>
   <tr>
      <td>
      </td>
      <th> 7:00-8:00 </th>
      <th> 8:00-9:00 </th>
      <th> 9:00-11:00 </th>
      <th> 11:00-5:00 </th>
      <th> 5:00-7:00 </th>
```

```
</tr>
<tr>
  <th>Monday</th>
  <td class="fit">SwimFit</td>
  <td class="lane" [10] colspan="2"_ _ _ _ _ _ _ _ _ > Lane Swim</td>
  <td [11] rowspan="7"_ _ _ _ _ _ _ _ _ class="public">Public Swim</td>
  <td class="club"> Adult Swim Club </td>
</tr>
<tr>
  <th>Tuesday </th>
  <td colspan="2" class="lane"> Lane Swim </td>
  <td class="tots"> Parents and Tots </td>
  <td class="club"> Junior Swim Club </td>
</tr>
<tr>
  <th> Wednesday </th>
  <td class="fit"> SwimFit</td>
  <td class="lane" colspan="2"> Lane Swim</td>
  <td class="club">Adult Swim Club</td>
</tr>
<tr>
  <th>Thursday</th>
  <td colspan="2" class="lane">Lane Swim</td>
  <td class="tots">Parents and Tots</td>
  <td class="club">Junior Swim Club</td>
</tr>
<tr>
  <th>Friday</th>
  <td class="fit">SwimFit</td>
  <td class="lane" colspan="2">Lane Swim</td>
  <td rowspan="3">Closed</td>
</tr>
<tr>
  <th>Saturday</th>
  <td colspan="3" class="public">Public Swim</td>
</tr>
<tr>
  <th>Sunday</th>
  <td colspan="3" class="public">Public Swim</td>
</tr>
<[12] table_ _ _ _ _ _ _ _ _ >
<[13] _ _ _body_ _ _ >
<[14] html_ _ _ _ _ _ _ _ >
```