Sample Data

For the purpose of this assessment, the table ***Item*** was created in the MySQL database management system.

Item

itemId	itemName	itemPicName	itemDescrip	itemPrice	itemStock
2166	Mini Speakers	speakers.jpg	Stylish USB speakers	36.99	25
2235	Camera Lens	camlens.jpg	Digital Camera Lens	72.99	12
2415	Phone Charger	charger.jpg	Light Portable Charger	28.75	36
2891	Fitness Tracker	tracker.jpg	Cool-looking Tracker	102.50	11
2995	Digital Watch	digiwatch.jpg	Stunning Digital Watch	143.99	10

PHP Code

For the purpose of this assessment, the following **three PHP files** were created: **pageone.php, pagetwo.php** and **pagethree.php** (see overleaf).

pageone.php

```
<?php
session_start();
include ("db.php");
$words="A Lovely Page";

echo "<link rel=stylesheet type=text/css href=lovelysheet.css>";
echo "<title>".$words."</title>";

include ("headfile.html");
echo "<h2>".$words."</h2>";

$this="select itemId, itemName, itemPicName, itemPrice from Item";
$dothis=mysqli_query($conn,$this) or die (mysqli_error($conn));

while ($them=mysqli_fetch_array($dothis))
{
      echo "<p><a href=pagetwo.php?thenb=".$them['itemId'].">";
      echo $them['itemName'];
      echo "</a>";
      echo "<br>";
      echo "<img src=images/".$them['itemPicName'].">";
      echo "<br>&pound".format_number($them['itemPrice'],2);
      echo "<br>";
      echo "<br>";
}

include ("footfile.html");
?>
```

pagetwo.php

```
<?php
session_start();
include ("db.php");
$words="A Pretty Page";

echo "<link rel=stylesheet type=text/css href=lovelysheet.css>";
echo "<title>".$words"</title>";

include ("headfile.html");
echo "<h2>".$words."</h2>";

$thevalue=$_GET['thenb'];

$that="select * from Item where itemId=".$thevalue;
$dothat=mysqli_query($conn,$that) or die (mysqli_error($conn));
$it=mysqli_fetch_array($dothat);

echo "<p><b>".$it['itemName']."</b>";
echo "<br><img src=images/".$it['itemPicName']."><";
echo "<br>".$it['itemDescrip'];
echo "<p>&pound".format_number($it['itemPrice'],2);
echo "<p>Available: ".$it['itemStock'];

echo "<form action=pagethree.php method=post>";
echo "<p>select stuff: ";
echo "<select name=qu>";
for ($j=1; $j<=$it['itemStock']; $j++)
{
            echo "<option value=".$j.">".$j."</option>";
}
echo "</select>";
echo "<input type=hidden name=nb value=".$thevalue.">";
echo "<input type=submit value='Add'>";
echo "</form>";

include ("footfile.html");
?>
```

pagethree.php

```
<?php
session_start();
include ("db.php");
$words="A Gorgeous Page";

echo "<link rel=stylesheet type=text/css href=lovelysheet.css>";
echo "<title>".$words"</title>";

include ("headfile.html");
echo "<h2>".$words."</h2>";

$to=0;
if (isset($_POST['nb']))
{
      $newitemid=$_POST['nb'];
      $thequ=$_POST['qu'];
      $_SESSION['cart'][$newitemid]=$thequ;
}

if (isset($_POST['delnb']))
{
      $delitemid=$_POST['delnb'];
      unset($_SESSION['cart'][$delitemid]);
}

echo "<p><table border=1 cellpadding=5>";

if (isset($_SESSION['cart']))
{
      foreach($_SESSION['cart'] as $key => $value)
      {
            $getit="select * from Item where itemId=".$key;
            $runit=mysqli_query($conn,$getit) or die (mysqli_error($conn));
            $recs=mysqli_fetch_array($runit);
            echo "<tr>";
            echo "<td>".$recs['itemName']."</td>";
            echo "<td>&pound".number_format($recs['itemPrice'],2)."</td>";
            echo "<td>".$value."</td>";
            $subto=$recs['itemPrice'] * $value;
            $to=$to+$subto;
            echo "<td>&pound".number_format($subto,2)."</td>";

            echo "<form action=pagethree.php method=post>";
            echo "<td>";
            echo "<input type=submit value='Remove'>";
            echo "</td>";
            echo "<input type=hidden name=delnb value=".$recs['itemId'].">";
            echo "</form>";
            echo "</tr>";
      }
}
else
{
      echo "<p>Empty basket";
}
echo "<tr><td colspan=4>Total: &pound."number_format($to,2)."</td></tr>";
echo "</table>";

include ("footfile.html");
```