Project.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Projects - Saad Mazhar</title>
  <meta name="description" content="Explore projects by Saad Mazhar - Full Stack Developer & Tech Entrepreneur">
  <link rel="stylesheet" href="assets/css/style.css">
  <link href="https://unpkg.com/boxicons@2.1.4/css/boxicons.min.css" rel="stylesheet">

</head>
<body>
  <header>
    <div class="container">
      <nav>
        <div class="logo">&lt; Saad Mazhar /&gt;</div>
        <ul class="nav-links">
          <li><a href="index.html">Home</a></li>
          <li><a href="about.html">About</a></li>
          <li><a href="projects.html">Projects</a></li>
          <li><a href="blog.html">Blog</a></li>
          <li><a href="contact.html">Contact</a></li>
        </ul>
        <button class="mobile-menu-toggle">☰</button>
      </nav>
    </div>
  </header>
```

```
  <main>
    <section class="section" style="padding-top: 6rem;">
      <div class="container">
        <h1 class="text-center mb-4">My Projects</h1>
        <p class="text-center tagline mb-4">A showcase of my work across various industries and technologies</p>

        <div class="grid grid-2">
          <div class="card project-card">
            <div class="project-img">Tank Sudda Image
              <img src="assets/img/Project Tank Sudda.png">
            </div>
            <h3>Tank Sudda</h3>
            <p>  Semantic elements in HTML5 are tags that clearly convey their meaning to both the browser and the developer, describing the role or purpose of the content they contain. Unlike non- semantic tags like div and span, semantic elements help structure web content in a way that is both meaningful and accessible. Examples include header, footer, article, section, and nav </p>
            <div class="tech-stack">
              <span class="tech-tag">Marketing Strategy</span>
              <span class="tech-tag">Branding</span>
              <span class="tech-tag">Web Development</span>
              <span class="tech-tag">SEO</span>
            </div>
          </div>

          <div class="card project-card">
            <div class="project-img">LunarLync Image
              <img src="assets/img/Project LunarLync.png">
            </div>
            <h3>LunarLync</h3>
            <p> CSS specificity is a set of rules that determines which style declarations are applied to an element when multiple selectors target the same element. Each selector has a specificity value, and the style with the highest specificity takes precedence.
```

Specificity helps resolve conflicts by determining which rule is more "specific" to an element.

SEO

Social Media

Web Development

Tourism

POS App Image

<img src="assets/img/Project POS + E-commerce App.png">

<h3>POS + E-commerce App</h3>

 HTML is used to create and structure the content of web pages using elements like headings, paragraphs, links, and images. It provides the foundation for all websites. HTML5, the modern version of HTML, introduces semantic elements such as , , , and , making the structure more meaningful. It also supports built-in form validation, multimedia elements, and APIs like local storage and canvas for graphics.

Node.js

MySQL

React

API Integration

PhysioConnect Image

<img src="assets/img/Project PhysioConnect.png">

<h3>PhysioConnect</h3>

Health-tech application for physiotherapy booking and professional networking with real-time messaging and appointment management.

```
        <div class="tech-stack">
          <span class="tech-tag">Flutter</span>
          <span class="tech-tag">Node.js</span>
          <span class="tech-tag">Real-time Messaging</span>
          <span class="tech-tag">Healthcare</span>
        </div>
      </div>

      <div class="card project-card">
        <div class="project-img">Stock Lanka Image
          <img src="assets/img/Project Stock Lanka.png">
        </div>
        <h3>Stock Lanka</h3>
        <p> HTML is the backbone of all web pages. It structures content using elements such as headings (<h1>), links (<a>), and images (<img>). HTML5 extends these features by introducing semantic tags like <article> for self-contained content and <aside> for supplementary information, improving page structure and accessibility. </p>
        <div class="tech-stack">
          <span class="tech-tag">Content Creation</span>
          <span class="tech-tag">AI Tools</span>
          <span class="tech-tag">Financial Education</span>
          <span class="tech-tag">Newsletter</span>
        </div>
      </div>

      <div class="card project-card">
        <div class="project-img">Statstorm Image
          <img src="assets/img/Project Statstorm (Data Analytics).png">
        </div>
        <h3>Statstorm (Data Analytics)</h3>
        <p> Bootstrap is a popular open-source CSS framework that helps developers build responsive and mobile-first websites quickly using pre-designed components and a grid system.
```

Bootstrap uses a 12-column responsive grid system. Rows contain columns (.col), which automatically adjust based on screen size. Navbar: create responsive navigation menus. Card: flexible container for text, images, and links. Modal: pop-up dialog box </p>

```
            <div class="tech-stack">
              <span class="tech-tag">Python</span>
              <span class="tech-tag">Tableau</span>
              <span class="tech-tag">Business Analytics</span>
              <span class="tech-tag">Data Science</span>
            </div>
          </div>
        </div>
      </section>

      <section class="section">
        <div class="container text-center">
          <h2 class="mb-4">Interested in collaborating?</h2>
          <p class="mb-4">Let's discuss your next project and how we can work together.</p>
          <a href="contact.html" class="cta-button">Get In Touch</a>
        </div>
      </section>
    </main>


<!-- Header with Flex -->
<header class="header">
<a href="#" class="logo">Juzail</a>
<nav class="navbar">
<a href="#about">About</a>
<a href="#projects">Projects</a>
<a href="#contact">Contact</a>
</nav>
</header>
<!-- Flex container with text and image -->
```

```
<div class="container">
<div class="intro-text">
<h1>Hello, I'm <span class="highlight"> Saad </span></h1>
<p class="intro-descrip on">Frontend developer with a passion for responsive design.</p>
</div>
<div class="intro-image">
<img src="me.jpg" alt="Profile Picture" class="profile-picture">
</div>
</div>
```

Css

```
.container {
display: flex;
flex-direc on: row;
align-items: center;
jus fy-content: center;
}
```

```
  <footer>
    <div class="container">
      <p> Designed and Developed by <a href="https://www.saadmaz.com/">Saad Mazhar</a> </p>
    </div>
  </footer>
</body>
</html>
```