raise

Product Requirements Document: Raise v1

This is the PRD for the rebuilt Raise app. Every requirement has an acceptance test, and every metric has a definition, a target and a way to measure it. It builds on my research (28 parents and 15 teenagers on my form, 31 interviews) and on the first version of the app, which parents have already used.

Product	Raise, a mobile web app that prepares a parent for one hard conversation with a 14 to 18-year-old
Owner	Saadurya K V, Aspiring Product Manager
Version and status	v1.0 for design and development review, 31 October 2026
Related documents	Journey maps, wireframes (three key screens and three supporting screens), design notes, and a separate AI instruction document that sets what the AI may and may not do

1. Summary

Problem	Parents of teenagers need to have one calm conversation about something hard, but have no first sentence they trust and are afraid of saying too much or too little. 24 of 28 had been putting a conversation off for over six months.
Users	Parents and caregivers of 14 to 18-year-olds in India. 23 of 28 parents on my form had not yet tried (82%) and 5 had tried and it went badly (18%).
Solution	The parent says what is worrying her, whether she has tried before and how she feels. Raise then writes one short plan: what the teenager may be feeling, three ways to begin that she can edit or replace with her own, up to three likely reactions (one of them “not now”), and three settings to choose from or her own. She saves it and has the conversation away from the app. She comes back, taps how it went, and if they were not ready or it went badly she gets a follow-up and a rebuilt plan. Then she says what happened.
v1 scope	Five topics, the situation questions, safety check, plan, edit and alternatives, save, saved topics, how it went with a next step, reflection, and event logging. The app and the plans are in English. Voice input accepts English, Tamil or Hindi.
North star	Completed conversation rate: topics where the parent returns within 14 days and gives at least two of four specifics, divided by topics started. **Target: 40% or more of topics started, with 20 or more parents.** Baseline not yet measured.
Out of scope	Content for teenagers, monitoring, therapy or diagnosis, social features, accounts, payments, streaks and reminders. Full list in section 15.
Technical constraints	Mobile browser on a mid-range Android phone, on mobile data. No install. No accounts. Nothing about the teenager stored.
Dependencies	Next.js app on Vercel, a Gemini model for plans, the browser’s speech recognition for voice, and a Google Sheet (through Apps Script) for feedback and events.

2. Problem and evidence

The problem is not that parents lack information. They lack a first sentence they trust, and they are afraid of getting it wrong.

Finding	Evidence (n = 28 parents unless stated)
They put it off	24 had been putting a conversation off for over 6 months (11 for over a year). Only 4 for 1 to 6 months
The barrier is feeling and words	Afraid of saying too much or too little: 9 (32%). Did not know what to say: 7 (25%). Embarrassed: 3. Never had this talk with their own parents: 1. So 13 of 28 (46%) named a feeling and 7 named words
Content does not turn into a conversation	0 said it always does, 16 sometimes, 12 rarely or never. What they had actually tried: asked other parents (12), read articles (5), waited for school (5), tried and it went badly (5)
What would help them start	Knowing how their teenager might react: 10. Knowing what is normal for their age: 8
Time they will give	5 minutes: 39%. 10 minutes: 29%. 15 or more: 32%
How a teenager shuts a conversation down (n = 15)	Bad time: 33%. Lecturing: 20%. Awkwardness: 20%. Raised in front of others: 13%. Feeling checked up on: 13%
What would make it easier (n = 15)	Not face to face: 47%. Short: 20%. A written note first: 20%
What parents fear about a tool like this	Privacy of what they type: 39%. Their child finding out and feeling managed: 29%

Three insights follow from this and they shape every requirement. **Insight 1:** parents have content but lack a first sentence they trust. **Insight 2:** teenagers shut a conversation down because of how and when it starts, not what it is about. **Insight 3:** wanting help is not the same as wanting it from a parent.

What the first version taught me. The first version asked for a topic and a concern and returned a plan. It had no way to know whether the parent had tried before, and it recorded only whether the plan was helpful. I have 8 usable feedback entries from 6 labelled browser profiles (not necessarily 6 people). All 8 said the plan was helpful, and only 1 described a real conversation. A “helpful” tap says nothing about whether a conversation happened, so v1 changes both the questions at the start and the reflection at the end.

3. Users

Segment	Who she is	Size in my research	What she needs from Raise
First time (primary)	Has not yet had the conversation. May have asked other parents, read articles or waited for school	23 of 28 (82%)	A way to begin, a moment to choose, and a next step if they are not ready
Tried before (primary)	Raised it once or more and it did not go well. Often knows how the teenager reacted	5 of 28 (18%)	A plan built around how the teenager responded last time

Parents are mostly mothers (50%) and fathers (43%), with 7% other guardians. The most common profile was a parent of a 14 to 15-year-old (16 of 28).

Not for: families who find these conversations easy, households in crisis (they need a professional and Raise points them to one), parents who want to monitor or control a teenager, and teenagers themselves.

Internal user: me, reading feedback and events to decide what to change. I read every reflection by hand in v1, so the reflection screen has to produce text I can read quickly and count.

4. Goals and non-goals

Goal	Measure	Target
G1. More parents have the conversation and can say what happened	Completed conversation rate	At least 40% of topics started, within 14 days
G2. Starting feels small	Median time from first tap to a plan	4 minutes or less
G3. The plan fits her situation	Intake completion; share who edit the opener or ask another approach	90%; 40%
G4. Raise is safe	Danger wording that gets a plan	0
G5. The teenager is not harmed or surveilled	Parents who report the teenager felt watched or managed	Under 10% of feedback

Non-goals for v1: time in the app, number of sessions, daily use, revenue, personalisation across sessions. A good session ends with the parent leaving to talk to her teenager.

5. Solution overview

Flow: Home and topic, then the questions about her situation, then the safety check, then the plan, then edit or try another approach, then save, then the conversation (away from the app), then she comes back and taps how it went, then a next step (follow-up lines and a rebuilt plan if they were not ready or it went badly), and only then the feedback form. A rebuild starts again from the questions with “tried before” already answered.

Principles that apply to every requirement.

- **Parent-facing.** Raise speaks to the parent throughout. It never writes anything for the teenager to read.
- **Ask first, then advise.** The plan is written after Raise knows her situation.
- **Tentative, never a verdict.** “One possibility is…”. No diagnosis, no prediction.
- **The parent decides.** She edits the words, picks the moment, and can pause or come back later. Nothing pushes her.
- **Collect only what she volunteers.** No accounts, no names, no school, nothing about the teenager that she does not choose to say.
- **Ordinary conversation first.** No doctor, counsellor or helpline by default. Professional help appears only when the situation calls for it.
- **Honest labels.** “Plan saved” is not “conversation had”.

6. v1 scope

In v1	Step 3 feature
Five topics: Relationships and friendships, Respect and boundaries, Stress and low mood, Exams and career, General conversations	
Questions about her situation (tried before, how they responded, how she feels, her concern)	1 Conversation Readiness Check

In v1	Step 3 feature
Three openers in different styles, editable	2 Choose Your Opening
Listening guidance inside the plan	3 Listen, Don’t Lecture Coach
Privacy and no-monitoring guidance, and refusal of monitoring requests	4 Privacy vs Monitoring Guide
Prompt to ask whether the teenager would prefer someone else to talk to	5 Choose Who to Talk To
Topic guidance that asks before advising, with up to three likely reactions	7 Topic guidance
A specific moment and setting	9 Find the Right Moment
Replies for when it stalls and for “I already know this”	10 When it stalls
Reflection with four prompts	13 Reflection and Next Step
Safety check before every plan	14 Safety check
Content engine, run by hand weekly	15 Content engine

v2 (not in this release): Trusted Support Finder, Stress Check-In Builder, Repair After a Difficult Conversation, optional reminders, social media as its own topic, plans and interface text in Tamil and Hindi. A fuller repair flow (words for apologising, a guided second conversation) stays in v2. v1 has fixed follow-up lines and a rebuilt plan. **Cut:** a library of articles, streaks, co-parent invite, anything the teenager reads.

7. Functional requirements

Priority: **P0** must ship in v1. **P1** ships if time allows and does not block release.

FR1. Home and topic selection (P0)

- Shows the age chip “For parents of teens · 14–18”, the promise “Big conversations can start small.”, five topic cards with one-line descriptions, a privacy line, and navigation: Home, Explore topics, Your topics.
- **Acceptance.** Given a 360 × 640 viewport, when the page loads, then the age chip and the first topic card are visible without scrolling and there is no horizontal scroll. Given she taps a topic, then the questions screen opens with the topic shown and `topic_selected` is logged. No screen asks for a name, email, phone number or sign-up.

FR2. Questions about her situation (P0)

Question	Type	Required	Rule
Have you tried talking about this before?	One tap: Not yet, Once, A few times	**Yes**	Asked for every topic
How did they respond?	Chips, more than one allowed: Went quiet, Got irritated, Changed the subject, Said they’re fine, Said not now, Something else	No	Shown only if she did not choose “Not yet”
How are you feeling about it?	Chips, more than one allowed: Nervous, Embarrassed, Not sure what to say, Worried I’ll make it worse, Fairly calm	No	

Question	Type	Required	Rule
What is your concern?	Text up to 500 characters, or voice	No	Prompt tells her to leave out names and identifying details. Anything the taps did not cover goes here

- **Rule for preparing a plan.** “Prepare my plan” works when the first question is answered and at least one other input is given (a response chip, a feeling, or text).
- **Acceptance.** Given she chose “Not yet”, then the response question is hidden and nothing about a response is sent. Given she taps “Prepare my plan” without the first question, then a plain message appears next to that question, focus moves to it, and nothing is sent. Given 500 characters are entered, then input stops and the counter shows 500 of 500. Each optional question can be skipped.
- The format of each question (taps, short text, voice) may change during design as long as these four inputs are captured. This is the screen where I expect to lose the most parents before the plan, so it is tested first.

FR3. Voice input (P0)

- A “Speak instead” control next to the concern box and in the reflection, using the browser’s speech recognition. A “Speak in” choice (English, Tamil or Hindi) sits beside the mic and is the only place a language is chosen.
- The text lands in an editable box. It is never sent automatically. Tamil and Hindi are for speaking only. A transcript in Tamil or Hindi script is converted to Roman letters by the AI before she edits it, so the plan, which is written in English, can use what she said.
- It says: “Audio is not saved by Raise. Your browser’s speech service may process it. Speech may be mis-heard, so check the text.”
- **Acceptance.** Given the browser does not support speech recognition, or she refuses microphone permission, then the control is hidden or disabled with one plain line, and typing works with no error. Given she dictates, then the transcript can be edited before she continues, and no audio is stored by Raise.

FR4. Safety check (P0)

See section 9. It runs on every free-text input before anything goes to the AI.

FR5. Plan generation (P0)

The plan has these parts, in this order, each at most three sentences:

1. **Your situation.** Her own answers played back, built in the app from what she selected, not by the AI.
2. **Understand the moment.** One tentative reading.
3. **How to begin.** Three openers, one each in a gentle, a casual and a direct style, with one shown first, and “Other: write my own”.
4. **Likely reactions.** At most three, each with a short way to respond, and one of them is “not now” where it fits, with a line she can use to pause. Collapsed by default.
5. **Choose the moment.** Three suggested settings, for example a walk, the car, or quiet time after dinner, and “Other: add my own”. She picks one.
6. **After you talk.** A fixed card, not written by the AI: come back to this plan from Your topics, tap “How it went”, and Raise helps with what to do next.
7. **A professional note**, only when the situation calls for it (section 9).

- **Acceptance.** Given a valid request, then the plan is returned in English and holds all of parts 2 to 5, with at most three reactions and exactly three suggested settings. Given she reported how the teenager responded last time, then that response is one of the likely reactions and the opener is written with it in mind. Given a first-time parent, then no reaction is presented as something the teenager did. Given the first response takes more than 300 ms, then a “Preparing your plan…” state shows. Given the AI response is invalid or empty, then the app retries once and, if that fails, shows an error with “Try again” and keeps her answers. Median time from first tap to plan: 4 minutes or less. Plan generation: at least 98% successful, 95th percentile at most 10 seconds, hard timeout at 20 seconds.

FR6. Edit and alternatives (P0)

- The opener is an editable text box with three style chips. Tapping a style shows that style’s opener. Her edited text is never overwritten unless she taps a style.
- “Try another approach” requests a plan that differs meaningfully from the last one, keeping her answers and edited opener. At most three alternatives per topic.
- **Acceptance.** Given she edits the opener and saves, then her edited text is what is saved. Given she asks for another approach, then her answers are kept and `alternative_requested` is logged. Given she taps “Other: write my own”, then the opener box clears and her words are what is saved. Given she has asked three times, then the control is replaced by a short line saying she can save any plan so far.

FR7. Save and confirm (P0)

- Saves the plan on her own device: the topic, her answers, the plan, her edits, the date, the setting she chose (one of the three, or her own words), an optional intention (Today, Tomorrow, Another time, none), and a random plan ID.
- Confirmation says “Your conversation plan is saved” and shows the status “Plan saved”. It never says the conversation happened.
- **Acceptance.** Given she saves without choosing an intention, then it saves with no intention. Given she saves, then `plan_saved` is logged with the intention, whether she chose a suggested setting or her own, and no personal data. The saved plan shows the date it was made.

FR8. Your topics (P0)

- Lists saved plans by topic with date and status (Plan saved, then the outcome she chose, then Feedback shared). She can open one to see the plan and “How it went”, or delete it.
- **Acceptance.** Given she deletes a plan, then it is removed from her device immediately with one confirmation. Given she has no saved plans, then an empty state invites her to pick a topic.

FR9. How it went and the next step (P0)

- Opened from a saved plan. One tap, five outcomes: **It went well. It went okay, partly. It didn’t go well. They weren’t ready. I haven’t talked yet.** The outcome is saved with the date, and she can change it later. Feedback is not asked before this.
- What she sees next depends on the outcome:

Outcome	Next
They weren’t ready	Fixed follow-up lines written by me (“a not now is not a no”: leave it a few days, say once that you are there, pick a different moment). Then three choices: rebuild the plan another way, try the same plan on another day, or come back later. “Tell me what happened” is optional

Outcome	Next
It didn't go well	Different fixed follow-up lines (give it a day or two, then start by saying what you would do differently). The same three choices
It went okay, partly	The feedback form, with the same rebuild option if she wants another try
It went well	The feedback form, with an option to plan a follow-up conversation
I haven't talked yet	Back to her plan with two options: pick a different moment, or edit the words. No pressure, no feedback form, and it is not counted as an attempt

- **Rebuild.** Opens the questions for the same topic with "tried before" raised by one step (Not yet to Once, Once to A few times) and "how did they respond" filled in where the outcome says (They weren't ready fills "Said not now"). The new plan has its own plan ID, the earlier one is kept as `retry_of`, and the AI receives the outcome and the earlier plan and adds a short `followUp` note at the top of the new plan. The limit of three alternatives applies to each topic.
- **Acceptance.** Given she taps Continue with no outcome chosen, then a plain message appears and nothing is saved. Given she chooses "They weren't ready", then the outcome is saved, the follow-up lines show without waiting for the AI, and "Rebuild my plan" opens the questions with "Once" and "Said not now" already chosen. Given she chooses "I haven't talked yet", then no feedback form and no pressure wording appear. Given she closes the app after choosing an outcome, then the outcome is kept.

FR10. Reflection (P0)

- Reached after an outcome, from "Tell me what happened" or from the saved plan. Four prompts, each optional, by typing or voice: what the teenager said or asked, where the conversation stalled, what surprised you, what you would change next time. Plus Helpful: Yes or No, and two optional taps: "My teenager seemed to feel watched or managed" and "I felt pushed to do this before I was ready." "Skip for now" is always available because the outcome is already saved.
- **Acceptance.** Given she submits with fewer than two prompts answered, then the prompts show once more with a plain line ("Even a sentence helps"), and she can still send what she has. Given she submits, then one row is added to the feedback sheet with a server timestamp, the plan ID, topic, "tried before" answer, outcome, helpful, the four texts, the two taps, and days since the plan was made. Given the send fails, then her text stays on screen with "Try again" and the topic is not marked as shared. Given her text contains danger wording, then the helplines are shown after she sends, and the row is still saved.
- The feedback pipeline already exists: a topic or concern title, helpful, additional feedback, an anonymous "Parent N" label and a feedback ID, with editing of a submitted reflection updating the same row. v1 extends it with the plan ID, the "tried before" answer, the outcome, the four prompts, the two taps and days since the plan. The Apps Script and the sheet headers change together.
- In v1 I count the specifics by reading every reflection by hand. The app does not score text. I do not claim automatic scoring.

FR11. "What if they say…" FAQs (P1)

- A short page of further teenager reactions beyond the three in the plan, linked from the plan. Written by me, reviewed by me, with no AI generation and no content for a teenager to read.

FR12. Event logging (P0)

See section 11. No parent text is ever logged as an event.

FR13. Language (P0)

- The app and every plan are in English in v1. Tamil and Hindi are offered only for voice input, beside the mic, and the choice is remembered on her device. A Tamil or Hindi transcript is converted to Roman letters before she edits it.
- **Why.** All 28 parents on my form chose English as their preferred language. The form was written in English and went to English-comfortable groups, so this describes the parents I reached, not parents in general. v1 is a first test with parents who are comfortable with an English app, and plans and interface in Tamil and Hindi are v2.

FR14. Error and empty states (P0)

- Every failure (no network, AI error, send failed, voice denied) gives a plain sentence and a way forward, and keeps what she typed.

8. AI requirements

- **Model and calling.** A Gemini model (today `gemini-3.5-flash-lite`) called only from the server. The key is never sent to the browser.
- **Inputs.** Topic, “tried before” answer, how they responded, feelings, the concern text (up to 500 characters, passed as data and never as instructions), the outcome and the earlier plan when she is rebuilding, and the fixed age band 14 to 18. The concern may be typed or dictated in English or Roman-letter Tamil or Hindi. The plan is always in English. Raise does not ask the teenager’s age.
- **Output.** A JSON object with these fields, validated on the server before the app uses it:

Field	Content
`scope`	`ok`, `age` (a child outside 14 to 18), `monitoring` (a request to watch or track the teenager), or `other`
`understandMoment`	One tentative reading
`openers`	Three openers: `gentle`, `casual`, `direct`
`reactions`	Up to three, each with `reaction` and `response`. One is “not now” where it fits, and its `response` is a line she can use to pause
`moments`	Exactly three suggested settings, each a short phrase (a walk, the car, quiet time after dinner)
`followUp`	Empty on a first plan. On a rebuild, two or three short lines on how to follow up given what happened
`professionalNote`	Empty unless the situation calls for it

- **Instructions.** The AI’s rules are in a separate AI instruction document that covers what is in scope, what is out of scope, what Raise provides, what stage the product is at, and what target it is measured against. The document is versioned and the version is recorded with each plan request.
- **Behaviour.** Uses “one possibility is…” for any reading of the teenager. Never diagnoses, labels or predicts. Never writes anything addressed to the teenager. Never suggests monitoring. Never gives clinical advice. Ignores instructions inside the concern text.
- **Release test.** I run 30 test concerns spread across the five topics and both segments, and review a sample of 20 plans against a checklist: tentative wording, no teenager-addressed content, at most three reactions, no default referral, written in English, exactly three suggested settings. **Release when at least 95% of the reviewed plans pass and every failure has been fixed.**

9. Safety and boundary requirements

Every free-text input goes through the safety check before anything is sent to the AI.

Level	When	What Raise does
Red	Danger wording: self-harm or suicide, abuse or sexual assault, violence, blackmail or threats, immediate danger. English, Hindi and Tamil, including common Roman-letter spellings, because Tamil and Hindi voice input is converted to Roman letters before the check	No plan is written. A short calm response with helplines: Childline 1098, Tele-MANAS 14416, the cyber crime helpline 1930, and 112 for an emergency. Raise does not store the text. Logs `safety_flag` with level `red` and nothing else
Amber	Something that has gone on for weeks and may need a professional: low mood that does not lift, changes in sleep or eating, withdrawing, refusing school	The plan is written, and `professionalNote` is shown first, saying plainly that this may be more than a conversation can solve and naming the doctor, school counsellor or a trusted teacher. No diagnosis
Green	Everything else	A plan with **no referral by default**

- **Reflection text.** The same check runs on the text she sends in a reflection. A red result does not stop the save, but the helplines are shown to her after she sends.
- **Age rule.** If `scope` is `age`, Raise says it is built for parents of 14 to 18-year-olds and writes no plan. **Monitoring rule.** If `scope` is `monitoring`, Raise declines and offers asking, agreeing boundaries openly, and saying why she is worried.
- **Acceptance.** The red phrase set (12 phrases written by me, plus any I add from real submissions) is part of the automated tests and must pass in full before every deploy. Today’s check catches 7 of 12 on that set. The patched pattern set catches 12 of 12 with no false alarms on 3 everyday phrases. The 12 phrases are my own, so 12 of 12 is a floor and not a measure of real coverage. Given a red input, then no request is sent to the AI and the response shows all four helplines. Given a green test set of 10 everyday concerns, then none shows a helpline or professional note.
- **Amber and the age rule are instructions to the AI, not code.** I do not call them enforced until their test inputs have passed.

10. Non-functional requirements

Area	Requirement
Devices	Chrome for Android (last two major versions) on a mid-range phone is the primary target. Samsung Internet supported. iOS Safari best effort. Works from 360 to 430 px wide and at 200% zoom
Network	Usable on mobile data. Largest Contentful Paint at most 2.5 seconds at the 75th percentile on a mid-range Android over 4G
Accessibility	WCAG 2.2 AA: text contrast at least 4.5:1, large text and component borders at least 3:1, tap targets at least 44 × 44 CSS px, visible keyboard focus, no meaning carried by colour alone, labels on every field
Privacy	No accounts, names, phone numbers or email. Nothing about the teenager beyond what she writes. No tracking or behavioural monitoring of children (consistent with the DPDP Act, 2023, section 9)
Security	Keys on the server only. Length and type validation on every input. A basic rate limit on plan requests before a wider launch. No parent text in logs
Reliability	Plan generation at least 98% successful. Failures never lose what she typed

What is stored where

Data	Where	Kept for
Saved plans, her answers and edits	Her own phone (browser storage)	Until she deletes it or clears her browser
What she types to get a plan	Sent to the AI provider to generate the plan. Not stored by Raise	Not kept by Raise
Anonymous parent ID	A random ID in her browser, turned into “Parent N” by the sheet. No name, email or phone. Clearing browser storage creates a new one	Until I delete it
Reflection text and taps	Feedback sheet, under her “Parent N” label	Until I delete it
Events	Events tab in the same sheet. No parent text	Until I delete it
Audio	Not stored by Raise. The browser’s speech service processes it	Not kept by Raise

11. Success metrics

North star: completed conversation rate

Definition. A topic is *completed* when, within 14 days of the plan being made, the parent returns, chooses an outcome other than “I haven’t talked yet”, and records something specific about what happened: at least two of what the teenager said or asked, where it stalled, what surprised her, and what she would change. A bad outcome, or “they weren’t ready”, counts if it is specific, because a stall is a normal result. I report completion for each outcome separately, so a stall does not hide inside a good number. Opening the app, saving a plan, choosing an outcome with no detail, general praise and an intention to talk do not count.

Formula. Completed conversation rate = topics completed within 14 days ÷ topics started. A topic is *started* when she chooses it. The unit is a topic, and I also report distinct parents.

Target. 40% or more of topics started, with 20 or more parents. **Baseline.** Not measured. The first build has a first reading, set out in Step 6: 3 of the 5 parents I followed up with on WhatsApp (60%) and 1 of 8 usable feedback entries (12.5%) described a conversation with two or more specifics. Both are among parents who gave me feedback, and I had asked the WhatsApp parents to come back, so they overstate the rate per topic started and are not a baseline for the north star.

Funnel

Step	Event	Definition	Target (planning)
1. Started	`topic_selected`	She chose a topic	
2. Questions done	`intake_completed`	She finished the questions	90% of started
3. Plan made	`plan_generated`	A valid plan was returned	98% of questions done
4. Saved	`plan_saved`	She saved it (activation)	70% of plans made
5. Returned	`outcome_selected`	She chose an outcome other than “I haven’t talked yet” within 14 days	50% of plans saved

Step	Event	Definition	Target (planning)
6. Specific	`feedback_submitted`, read by hand	At least two of four specifics	70% of returns

At those targets 0.90 × 0.98 × 0.70 × 0.50 × 0.70 = **21.6%**, which is below the 40% target, so reaching 40% needs those steps to do better than I planned. I keep both numbers visible so the gap is not hidden. These are planning numbers, not measurements, and I have no data yet for any step after the questions. The step I expect to hurt most is step 5, because the parent has to return on her own and v1 has no reminders. The reason to come back is the saved plan and “How it went”. In v1 I also send a message by hand within a day to each parent who tried Raise.

Leading indicators

Indicator	Definition	Target
Time to plan	Median time from `topic_selected` to `plan_generated`	4 minutes or less
Ownership	Share of plans where the opener is edited or another approach is asked	40%
Intention set	Share of saved plans with Today, Tomorrow or Another time	Reported only
Attempt rate	Saved plans with an outcome other than “I haven’t talked yet” within 14 days ÷ saved plans	Reported only
Outcome mix	Share of outcomes: well, okay, didn’t go well, weren’t ready, haven’t talked	Reported only
Rebuild rate	Rebuilt plans ÷ outcomes of “weren’t ready” or “didn’t go well”	Reported only
Prep finished	Saved plans where an opener and a setting were both chosen ÷ plans made	70%
First-time vs tried before	Completed conversation rate for each	Reported separately

Guardrails

Guardrail	Measure	Threshold	Action
Teenager felt watched or managed	Share of reflections with that tap	10% or more (with at least 10 reflections), or any 2 in 14 days	Read every entry, change the plan wording, pause that topic
Pushed before she was ready	Share with that tap	Same	Review the moment and save wording, strengthen the “not now” response
Surveillance intent	Plan requests with `scope monitoring` ÷ requests, per week	Over 5% in a week (planning assumption)	Read every one, strengthen the refusal
“They weren’t ready” outcomes	Share of outcomes	Reported only until 20 outcomes, then reviewed	Read the moment options and the save wording
Danger wording got a plan	Count	0. Any one is a P0	Fix the patterns, rerun the red set, ship the same day
Danger response without helplines	Count	0	Block the deploy

Guardrail	Measure	Threshold	Action
Monitoring or teenager-addressed content in a plan	Count in the review sample	0	Fix the AI instructions and rerun the release test
Plan failures	Failed requests ÷ requests over 7 days	Over 2%	Investigate before sharing more widely
Questions too long	`intake_completed` rate	Under 75%	Shorten or change the questions

Statistical plan

- **Unit and interval.** The unit is a topic started. I report every rate with a 95% Wilson confidence interval.
- **What small numbers can say.** My sample comes from my own network, not a random sample, so results describe these parents and are not an estimate for all parents. With few topics, intervals are wide:

Observed	Topics started	95% interval
4 completed (20%)	20	8.1% to 41.6%
8 completed (20%)	40	10.5% to 34.8%
16 completed (40%)	40	26.3% to 55.4%

- **Sample size.** The first 20 topics give a direction and 40 give a decision.
- **Decision rule at 40 topics.** I treat 16 or more completed (40%) as meeting the target. With 8 to 15 completed (20% to 39%) I run the planned experiment and collect 40 more. With fewer than 8 (under 20%) I rework the questions and the plan.
- **Segments.** I compare first-time and tried-before parents only in words until each has at least 20 topics.

Tracking plan

Events go to the events tab of the same sheet. None carries parent text. `plan_id` is a random ID made on the parent's device and is not linked to a person.

Event	Fired when	Properties
`topic_selected`	She taps a topic	`plan_id`, `topic`
`intake_completed`	She taps Prepare	`tried_before`, `response_chips`, `feelings`, `input_mode`, `voice_language`, `concern_length`
`safety_flag`	A red or amber result	`level` only
`scope_declined`	The AI returns `age`, `monitoring` or `other`	`scope` only
`plan_generated`	A valid plan is shown	`latency_ms`, `prompt_version`, `reactions_shown`, `rebuild` (yes or no)
`opener_edited`	She changes the opener	`plan_id`
`alternative_requested`	She asks for another approach	`count`
`plan_saved`	She saves	`intention`, `opener_style`, `moment_source` (suggested or own), `retry_of`
`outcome_selected`	She taps an outcome	`outcome`, `days_since_plan`

Event	Fired when	Properties
`next_step_chosen`	She chooses rebuild, same plan another day, or later	`choice`
`feedback_submitted`	She sends a reflection	`helpful`, `outcome`, `watched_tap`, `pushed_tap`, `days_since_plan`

I add the number of specifics after reading each reflection.

12. Release and test plan

Stage	What happens	Exit when
0. Build and QA	All P0 acceptance tests pass. The automated tests, including the red set, pass. The AI release test passes (at least 95% of 20 reviewed plans). A walkthrough on a real mid-range Android over mobile data	Every item above is done, and I have a screen recording of the walkthrough
1. One real parent	The brief requires testing with at least one real parent. I watch her use it unaided and note the time to plan and where she hesitates	She reaches a saved plan without help, and I have fixed what made her stop
2. First 20 topics	I read the funnel and the reflections. Direction only	I know the step with the biggest loss
3. 40 topics	The decision read, using the rule in section 11	I choose to continue, run the experiment, or rework

QA checklist for developers. No horizontal scroll at 360 px. Every tap target at least 44 px. Voice refused: typing still works. A red phrase in each of three languages shows the helplines. A first-time and a tried-before plan are visibly different. Saving without an intention works. Each outcome leads to the right next step, and “I haven’t talked yet” shows no feedback form. A rebuilt plan opens with “tried before” raised by one. A failed feedback send keeps the text. No parent text appears in any log or event.

13. Risks

Risk	Likelihood	Impact	What I do	Early signal
The extra questions make parents drop off before the plan	Medium	High	One required tap, the rest optional or skippable, and I measure intake completion	Intake completion under 75%
Parents do not return to say what happened	**High**	High	A message by hand within a day, “How it went” one tap from the saved plan, and an optional reminder is planned for v2	Fewer than 40% of saved plans returned within 14 days
A plan sounds like a script, or pushes	Medium	High	Tentative wording, editable opener, a “not now” response, “I haven’t talked yet” with no deadline, release test	A reflection saying it made things worse
Danger wording is missed	Medium	Very high	Patched check, helplines, growing phrase set, weekly review of real submissions	Any danger wording that got a plan
A parent uses Raise to monitor	Low	High	The AI refuses and offers an alternative, and the guide says what Raise will not do	Questions about checking messages

Risk	Likelihood	Impact	What I do	Early signal
English-only leaves out parents who are more comfortable in Tamil or Hindi	Medium	Medium	v1 is a first test with English-comfortable parents. Voice accepts Tamil and Hindi. I log the voice language and ask in the feedback calls whether the English was easy to follow	A parent who asks for Tamil or Hindi, or who stops at the plan
The sample is too small to decide	High	Medium	Interval reporting, a 40-topic decision point, and plain wording about limits	Wide intervals at 40
The AI provider is slow or down, or voice worries parents	Medium	Medium	A timeout, one retry, an error that keeps her answers, a plain voice disclosure, and typing always works	Failure rate over 2%; parents skipping voice

14. Dependencies and decisions still open

Dependency	Why it matters	Owner
Vercel hosting and the Next.js app	Runs the app and the server calls	Me
Gemini model API	Writes the plans	Me
Browser speech recognition	Voice input. Support varies by browser	Me
Google Sheet and Apps Script webhook	Feedback and events. The deployment must allow public web app access	Me
AI instruction document	Defines what the AI may and may not do	Me

Open decision	Decide by
Whether I keep sending the return message by hand, or add an optional reminder earlier than v2	After Stage 2
How many further reactions go in the FAQs	Before Stage 1
Whether plans and interface text are translated into Tamil and Hindi	After Stage 3

15. Out of scope

From the brief: content aimed at teenagers, school curriculum design, therapy or counselling, medical diagnosis, child-monitoring or parental-control software, social features that expose a family’s conversations, and paid subscriptions. Also for v1: accounts, streaks, reminders, a co-parent invite, a stored article library, and the held-out topics (pornography, consent and personal safety, puberty, alcohol, smoking and vaping).