

PRODUCT REQUIREMENTS DOCUMENT

Tour Core

An open-source touring tool on Durin access infrastructure, delivered through Grok Bot.


STATUS v1.0 — Draft for approval	DECISION OWNER Beril Altiner
PREPARED BY Saad Khan	TARGET Two-week P0; demo by 30 Oct

BUILD GATE
Prototype work starts only after scope, safety boundary, demo definition and blocking decisions are approved.

1. Approve one narrow two-week build

Grok supports the experience. Deterministic services control state, verification and access.

One safe path from conversation to the door



CANONICAL DATA + AUDIT

Drive or Notion, using one exportable data contract

Demo: Google Drive. The records and rules remain portable.

Decision requested

SMS Choose Bland, Twilio or Telnyx. Demo: Bland.	ACCESS One entrance + two unit doors.
DATA STORE Choose Google Drive or Notion. Demo: Drive.	ACCESS INFRA Built for Durin access infrastructure. Not a Durin service.

WHAT TOUR CORE IS

Tour Core is not a Durin service. It is an open-source touring tool: a portable package of skills, rules and tool contracts. It runs on Durin's access infrastructure and the service is delivered through Grok Bot.


APPROVAL BOUNDARY

This approves a ten-working-day P0 build, not a production launch. The schedule assumes the required provider access is working on day one.

2. Keep the prospect journey effortless

The prospect completes the tour in one thread, without downloading an app.

The prospect journey stays in one calm thread



EXPERIENCE RULE

Conversation explains the next step. Code decides whether the next step is allowed.

Property answers come only from approved facts. Any unsupported question or failed safety check moves to a clear human path.

How the journey unfolds

- **1. Inquiry:** The prospect texts the property number. One thread, no app to install.
- **2. Consent:** Plain-language permission to message them and keep tour records.
- **3. Identity:** Verified before any access is issued, as described below.
- **4. Arrival:** Timed access instructions for the exact reserved route, only during the window.
- **5. In-tour:** The AI hosts the tour: proactive guidance at each stop, answers on demand.
- **6. Follow-up:** A recap text and one question about next steps.
- **7. Repeat:** A second tour on a different day reuses the existing record and history.

How identity is verified

Before any access is granted, the prospect's identity is checked at the level the operator chose during setup. There are two options.

- **Document check (recommended for real use):** The prospect gets a text with a secure link, opens it in the phone browser, and shows a government ID plus a quick selfie. A verification service (Veriff or Stripe Identity) returns a pass or fail with a reference number. Only the result is stored; raw ID documents are never kept. A failed check ends the journey gracefully: the operator is notified and the prospect is told what happens next in plain language.
- **Basic identity form (good for the demo):** The prospect fills out a short Google Form with government first name, last name, email and phone number. This records who they say they are and creates a paper trail, but it does not prove they are who they claim to be. Anyone can type answers. It is free and takes minutes to set up, so it fits the demo and low-risk properties where the operator accepts that gap. This matches how self-tour vendors operate today: a nearby self-guided tour booking asked only for government first name and last name, email and phone number on a form.

During setup the operator is asked in plain language: “How careful do you want to be about checking IDs?” The choices are “Basic form (free)” or “Full ID check (small fee per check)”. The operator can upgrade from the form to the document check at any time.

The AI hosts the tour, not just the booking

During the tour the text thread stays live. The AI guides proactively (“You should be in the lobby now. The two-bedroom is straight ahead.”), answers questions from approved property facts, and handles problems: a stuck door, a wrong turn or a locked unit becomes an operator exception while the prospect is kept informed in plain language. Competitors that host tours offer information on demand; the P0 does both, proactively and on request.


REPEAT TOURS

A prospect can book an additional tour on a different day. Prior verification stays valid for the operator-chosen window, so the second booking reuses the existing record and its full history. Tour Core keeps every tour on the same prospect timeline.

3. Make setup repeatable

The operator configures the route once, then sees only the exceptions that need judgment.

The setup bot guides configuration; staff review exceptions



GUIDED SETUP

The bot asks one setup question at a time, shows what it inferred, and runs a dry tour before it offers Publish.

P0 operating model

The installer adds the team template, connects Tour Core, chooses an SMS provider and a data store, imports one property, maps one entrance and two units, chooses tour hours, and approves a dry run. SMS can use Bland, Twilio or Telnyx; storage can use Google Drive or Notion. The demo configuration uses Bland and Google Drive. The operator then works exceptions from the same bot while Tour Core keeps the full history through the selected storage adapter.

SMALL-OPERATOR FIT

Start with manual or CSV setup. Add property-management integrations only after the workflow is proven.

4. Make the Grok template concrete

The shareable bot is an operator console, not the system of record and not a direct door controller.

The Grok Bot template is the operator console

BOT CARD

Durin Self-Touring

Set up a property, test a route, monitor tours and resolve exceptions.

START HERE

Set up a property

Run a dry tour

Show active tours

Export today's audit

INCLUDED IN THE TEAM TEMPLATE

Instructions	Role, facts-only rule, stop rules
Skills	Setup, test, inspect, export
Context	Field definitions and safe examples
Routines	Readiness and exception checks
Plugins	First-party plugin references

CONNECTED AFTER INSTALL

Tour Core MCP	Typed tools; shipped separately
SMS provider	Bland, Twilio or Telnix
Storage	Google Drive or Notion
Approval rules	Publish and live access boundaries

No secrets, custom code or live property records travel in the template.

Proposed template profile

Name: Tour Core. Description: Configure a property, test a self-guided route, monitor live tours, and resolve exceptions. The bot never unlocks a door directly. Tour Core is open source: the package lives in a public repository and the community improves it in the open.

What the template carries

The team template packages the bot instructions, safe examples, reusable context, skills, routine definitions, and supported plugin references. xAI describes templates as recipes: the installer gets a new copy, reviews the included context and integrations, then adds the bot. Custom code, custom MCP servers, credentials, private memories, and live property records do not travel with the template. [3]

ZERO INFRASTRUCTURE

Saad hosts nothing. All orchestration and AI compute runs inside Grok Bot, on Durin's access infrastructure. Tour Core is the open-source portable package: skill files with the instructions and rules, tool definitions, API keys stored in the bot, and the landlord's data folder on Drive. Bland and the verification provider run their own services. Move to another agent host tomorrow and the same package goes with it. No separate Tour Core server, no Saad-operated SaaS, and Tour Core is not a Durin service.

DISTRIBUTION

Tour Core is open source under Apache-2.0. The public GitHub repo is the canonical home for the package, the landlord setup guide and discussion, with a free Skool community as the non-technical front door. The Grok template ships team-only for P0; the install link opens a review screen showing context and integrations before Add Bot.

4.1 The first run ends with a tested property

The setup dialogue makes every inferred value visible and requires approval before publishing.

Suggested prompts on the bot card

SET UP Set up a property.	TEST Run a dry tour.
MONITOR Show active tours.	EXPORT Export today's audit.

Example first-run conversation

The bot speaks in everyday words. It never names providers, acronyms or endpoints; it asks “How do you want to text people?” and “Where should I keep the tour records?” and handles the technical mapping behind the scenes.

- **Operator:** “I want to set up my building.”
- **Bot:** “I can work from a spreadsheet or you can just tell me about it. What works for you?”
- **Operator:** “It’s 100 Alfred Way. Two units, one entrance.”
- **Bot:** “Got it. Which days and times can people tour?”
- **Operator:** “Weekdays, 9 to 5.”
- **Bot:** “Here is what I have: one entrance, two units, weekdays 9 to 5. Look right? Say yes and I will run a practice tour, then you can publish.”

LANGUAGE STANDARD

Every word the prospect or operator reads sounds like a person, not a settings page. Casual and non-technical is a requirement, not a style preference. Setup choices are offered in plain language with a recommended default, so an operator who has never configured anything technical cannot get tripped up.

The template ships with six operator skills

Setup Property, Map Route, Run Readiness Check, Simulate Tour, Work Exception, and Export Audit. Each skill defines required inputs, the allowed Tour Core tools, expected output, and a stop condition.

Tour Core defines typed actions, run by Grok Bot

Read or save property setup; list doors; map a route; set policy; validate; simulate; publish; inspect; and export. Publish, revoke, and access requests require an explicit operator or policy decision. These actions are defined in the Tour Core package and executed inside Grok Bot’s own tool environment. A standalone MCP server is deferred unless a future agent host actually requires one. [3-5]

STANDING STOP RULE

Never invent property facts, store credentials in chat, mint access credentials, or bypass a failed policy check.

4.2 Let operators choose the infrastructure

The template keeps one guided setup while Tour Core isolates provider-specific details.

SMS choices

BLAND

Managed setup path and the P0 demo choice.

TWILIO / TELNYX

Bring-your-own provider path for operators who prefer it.

The setup asks in plain language, for example “How do you want to text people?”, then shows the choices with a recommended default: Bland, the managed path used in the demo, or Twilio or Telnyx for operators who already have an account. The operator answers in one sentence; the bot handles number setup and authorization. Underneath, each provider speaks the same message contract, so switching later changes nothing else. Provider credentials are connected through the secure setup flow, never pasted into the conversation.

Data-store choices

GOOGLE DRIVE

Portable folder; the P0 demo choice.

NOTION

Workspace databases for a familiar table view.

The setup asks “Where should I keep the tour records?” The choices are Google Drive, the demo default, or Notion. Choosing Google Drive creates one dedicated touring folder inside the operator’s own Drive. The authorization is scoped to that folder only: the service cannot see or touch anything else in Drive, and the operator can revoke access or delete everything at any time. The folder holds versioned records, CSV views and an audit log. The data belongs to the operator, not to Durin and not to Saad.

DRIVE REASSURANCE

Your records live in one folder in your own Google Drive. The service only sees that folder, never the rest of your Drive. Export or delete it all at any time.

DEMO CONFIGURATION

Use Bland for SMS and Google Drive for canonical storage. Prove one inbound message, one outbound reply, one stored state change and one complete export before connecting locks.

5. Prove the whole loop before expanding

Setup, touring, safety, audit and export must work together before broader platform work begins.

Finish the loop before widening the platform

P0 - PROVE NOW

- Property setup
- Book + verify
- Scoped access
- Support + revoke
- Audit + export

PHASE 2

- Durin connector
- Neutral contract first

LATER

- Portfolio analytics
- More hardware
- PMS / CRM
- Production ops

P0 is done when

- **End to end:** One prospect completes one Alfred tour, from inquiry to follow-up.
- **Scoped access:** Only the reserved route works, only during the approved window.
- **Safe retries:** Duplicate messages create no second reservation, grant or confirmation.
- **Audit + export:** Every state change is reviewable, and records survive a host change.


NOT IN P0

Applicant selection, leasing decisions, universal lock support and portfolio analytics. Full production integration with Durin access infrastructure is Phase 2; P0 proves the loop on the demo property using the same contracts.

6. Grok never controls a lock

Grok coordinates the experience. Typed services and policy code own every consequential action.

Grok-first, with a portable product boundary



TWO GROK SURFACES

Tenant SMS reaches the Grok Bot through a Bland, Twilio or Telnyx adapter. The installed Grok template is the operator surface for setup, tests and exceptions.

A grant requires four checks

Valid records. Valid time. The exact reserved route. A healthy system with no conflict, provider failure or operator hold.

Portability is a product contract

PACKAGE Versioned skill, asset and context files.	CONTRACTS Versioned typed tool contracts, portable across agent hosts.
STORE External records; no unique state in Grok.	PROVE Repeat read and booking through Claude. [6]

Canonical data and export

Tour Core uses one provider-neutral schema for properties, units, doors, prospects, reservations, verifications, consents, access grants, messages and audit events. Google Drive or Notion can store it; the demo uses Drive. Both preserve stable IDs and schema versions. A versioned JSON bundle and CSV tables let the user leave Grok, change SMS providers or move stores without losing history. Audit events are append-only.

7. Match the lifecycle; compete on control

Existing self-tour products define the expected workflow. The opening is a lighter, portable and more governable service.

What each incumbent teaches us

PLAYER	BEST FIT	ACCESS + PRICE	UNDER 100	PRODUCT LESSON
RENTLY	SFR + multifamily	Own/partner locks Price not public	LOW	Strongest security; avoid app and hardware friction
TOUR24	Enterprise MDU	Partner PIN systems Price not public	LOW	Best guided web tour; stay access-agnostic
SHOWMOJO	Property managers	MojoLock / boxes Hardware from \$85	MED	Broad leasing funnel; keep P0 narrower
TENANT TURNER	Small + midsize	Partner boxes/locks \$1.30/unit, \$65 min	HIGH	Small-operator benchmark; no prospect app
ELISEAI	Enterprise MDU	Tour24 / partners Price not public	LOW	Conversation leader; physical access stays separate

Feature floor: answer, schedule, verify, grant, guide, revoke, follow up

Feature floor

Public materials show the same baseline: property answers, scheduling, verification, timed access, guidance, revocation and follow-up. Rently sets the security bar; Tour24 sets the guided web-tour bar; Tenant Turner sets the small-operator pricing bar; EliseAI shows why conversation and physical access should remain separate. [7-11]

POSITIONING

Bring your own AI. Win on app-free setup, portable data and governed access, not another closed leasing suite.

8. Build the P0 in ten working days

The core build runs 24 September through 7 October. The remaining runway is for property validation, defects and demo rehearsal.

Ten working days to a complete P0 build



DAY 1: access, verification and SMS must work, or scope is reduced.

SCHEDULE RULE

Two weeks covers the complete P0 build only with frozen scope, one engineer, working provider sandboxes on day one, and same-day decisions on blockers.

The live demo must prove

- **Configure:** Bland SMS, Google Drive storage, one property, two units and three locks.
- **Complete:** Book, consent, verify, arrive and tour.
- **Host:** Guide the prospect by text during the tour, proactively and on demand.
- **Repeat:** Book a second tour on a different day reusing the same prospect record.
- **Deny:** Reject access before start, after expiry and after revocation.
- **Recover:** Turn provider failure into a safe denial and a clear operator exception.
- **Deduplicate:** Ensure retries create no second write.
- **Export:** Produce a reviewable, provider-neutral audit trail and validated export.

9. Resolve the blockers before implementation

Most remaining risk is policy and integration risk, not model quality.

Four decisions carry most of the risk

ALFRED ACCESS

API or sandbox, route, events

OWNER Herman / access

VERIFICATION

Checks, retries, retention

OWNER Beril / legal

SMS + STORAGE

Bland + Drive demo; BYO options

OWNER Engineering owner

OPERATIONS

Handoff, revoke, emergency

OWNER Operations / legal

Build authorization checklist

- **Segment:** Confirm the initial operator segment; recommendation: fewer than 100 units.
- **Provider path:** Build Bland and Google Drive first; keep Twilio, Telnyx and Notion behind the same contracts.
- **Distribution:** Publish the Tour Core package to the public GitHub repo under Apache-2.0; choose team-only or public Grok template distribution and assign package ownership.
- **Team:** Assign one product engineer for ten working days, an access owner available daily, and part-time product, operations and privacy/legal reviewers.
- **Cost:** Hold the dollar estimate until hardware, Bland account terms and verification pricing are confirmed.
- **Target:** Confirm 30 October or replace it with an approved date.

START CONDITION

Each blocker has an owner and due date. Alfred access, Bland SMS delivery, Google Drive authorization, and Grok Bot eligibility are proven before day one. The verification sandbox is proven too when the document-check tier is selected; the basic form needs no sandbox.

10. Record the decision and owners

Beril's approval releases the two-week P0 build only. Production use requires a separate decision.

Approval record

OUTCOME Approve / Approve with changes / Revise	REQUIRED CHANGES Record in review comments or meeting notes.
BERIL Name / date	HERMAN Acknowledged / date
ENGINEERING OWNER Accepted / date	BLOCKERS Owner / due date

Assumptions to confirm

- **Build window:** The ten working days run from 24 September through 7 October 2026.
- **Demo date:** The stakeholder demo remains 30 October 2026.
- **Grok:** The operator has an eligible plan, can install a team template, and can add the Tour Core package (skills and tool definitions) to the bot.
- **SMS:** Operators may choose Bland, Twilio or Telnyx; the demo uses Bland.
- **Storage:** Operators may choose Google Drive or Notion; the demo uses Google Drive.
- **Verification:** The operator chooses the identity level at setup: a basic Google Form (free, records claimed identity: government first name, last name, email, phone) or a document check through Veriff or Stripe Identity (small fee per check, real verification). Failed checks route to the operator. The choice is a pre-kickoff decision.
- **Repeat tours:** Prior verification stays valid for the operator-chosen window.
- **Language:** All prospect and operator text is casual and non-technical.
- **Alfred:** The property provides one common entrance plus two unit locks.

Sources

- [1] Herman Yau self-touring assignment and team discussion, 22 Sep 2026.
- [2] Durin tiny-landlord study, 3 Sep 2026. Five friendly participants; directional, not representative.
- [3] [xAI - Templates for Grok Bot](#)
- [4] [xAI - Grok Bot for teams and enterprises](#)
- [5] [xAI - Grok Bot security](#)
- [6] [Anthropic - Remote MCP custom connectors](#)
- [7] [Rently - Self-Guided Tours](#)
- [8] [Tour24 - Web Tours](#)
- [9] [ShowMojo - MojoLock pricing and access](#)
- [10] [Tenant Turner - Pricing and access hardware](#)
- [11] [Tour24 and EliseAI - Self-guided tour integration](#)