AN AGENT-FIRST PROPERTY AUTOMATION PLATFORM

Tour Core
+ Cleaner Core

Phased implementation plan • Version 5.1

Keeps the Phase 0 evidence and phased roadmap. Adds the confirmed manual Airbnb-change pathway, urgent same-day turnover rules, optional cleaner-text history, property-level management roles, and future temporary lock codes.

PHASE 0 CLOSEOUT

5 of 6 original scoped milestones delivered. The Guesty Open API gap has been removed from MVP scope, rather than called solved. Real cleaner consent and production integration remain launch gates.

Updated delivery approach

NOW	NEXT, STILL THIS WEEK	THEN
Safety-first Twilio ingress; consolidate the cleaner module and validate first-host source + consent.	One full cleaner SMS job; add message scheduling, host communications and permanent-PIN relay.	Multi-source Google/Notion onboarding, real group MMS if eligible, second tenant and operational hardening.

SOURCE: Version 4 phased plan, project-partner setup decisions and official Twilio group-texting documentation • 13 October 2026

BUSINESS FLOW VISUAL

One-time setup + the complete cleaning-turn journey

Cleaner Core: Setup + Live Flow

How the landlord, Grok and the cleaner work together

01 SETUP ONCE IN GROK

1. **Property**
   Property info, local rules and checkout time.
2. **Booking sources**
   Connect multiple sources and resolve overlaps.
3. **People + chat**
   Cleaner, landlord visibility and extra participants.
4. **Text schedules**
   When to offer, remind, confirm and follow up.
5. **Permanent PIN**
   Store existing outdoor PIN securely; choose delivery rules.
6. **Activate**
   Test consent, scheduling, access and setup.

02 EVERY BOOKING AFTER SETUP

1	**Booking arrives**	Cleaner Core reconciles the linked calendar sources.
2	**Grok informs host**	Host confirms planned checkout time and changes.
3	**Cleaner conversation**	At configured trigger, cleaner gets an SMS; host may observe.
4	**Scheduling + reminders**	Cleaner accepts or negotiates; timed reminders go out.
5	**Departure + entry**	After departure clearance, privately send standing PIN.
6	**Cleaning completed**	START, DONE, checklist, photos and supply reports.
7	**Grok final update**	Host sees status, exceptions, readiness and cleaning cost.

Permanent PIN is host-created, not operated by the app. Arrival time is not vacancy; send access only after clearance. Group MMS must be tested; mirrored messaging is the fallback.

EXECUTIVE DECISION

Build on the proven platform

Preserve Phases 0–4 and the early live-job milestone. Guesty Lite remains the first booking feed, but the host separately tracks early check-ins and late checkouts agreed in Airbnb. The workflow must record those exceptions explicitly, prioritize same-day turns, and retain agent-first messaging, group visibility and protected permanent-PIN delivery.

AREA	FINAL DECISION
Pilot calendar	Guesty Lite iCal hourly for the first host; source-neutral multi-calendar setup for others, with duplicate and conflict detection.
Additional calendars	Google Calendar, Notion and future tools are optional agent-owned sources; source readiness and unattended operation must be verified.
Source truth	Guesty Lite is the baseline calendar feed; the host separately tracks Airbnb-negotiated early arrivals and late departures. Record host-confirmed overrides per reservation and use them when calculating cleaning windows. Neither a calendar block nor checkout time proves departure.
Onboarding	Grok collects property/source details, cleaner and observer/manager roles, reminder timing, standing lock PIN and optional historical cleaner texts (reviewed/redacted); first-house setup stays minimal.
SMS and intelligence	Grok reasons and notifies; engine controls subscriptions, reminders, STOP/HELP, recipients, PIN release, messaging and fallback.
Scope	No Guesty Pro API, reservation webhook, task writes or live lock operations in first demo; preserve evidence and later provider adapters.

PRODUCT DECISION

Prove one real cleaning-turn workflow that the host would pay for before investing further. A midweek real job is the delivery goal; Friday 16 October is the keep-or-park checkpoint. Five completed real jobs remain the full pilot target.

PHASE 0 SCORECARD

Validated scope versus live readiness

Completion applies to a research/prototype scope, not to a production-ready product.

MILESTONE	RESULT	WHAT CARRIES FORWARD
0.1 Unattended agent	Controlled Grok/MCP proof complete	Live-agent availability and deadlines require production monitoring.
0.2 Capability profiles	Implemented and scoped	Grok exposed 4 of 8 tools in recorded setup; native calendar/scheduled runs must be verified.
0.3 Responsibility contract	Architecture finalized	Engine remains authority for state, sends, tenant isolation and clearance.
0.4 Model choice	Decision complete	Keep rules/templates; Grok preferred; Perplexity optional only.
0.5 Shared multi-tenancy	Synthetic proof complete	Reuse SQLite, grants, leases, work and outbox; harden for live use.
0.6 Provider integrations	Live Twilio lab passed; Guesty API unverified	Retain carrier/consent gates; replace API blocker with real Guesty Lite feed trial.

Evidence boundary

The repository audit verified code, test evidence and a narrow live Twilio lab. It did not prove general calendar plugins in closed Grok runs, native group MMS in this account, live lock control or a production cleaner workflow.

RECLASSIFICATION, NOT RETROACTIVE SUCCESS

Do not mark Guesty API feasibility as passed. It is intentionally removed as an MVP dependency. The new source validation gate is the host-provided Guesty Lite link and a live calendar-event sample.

PHASE 0.1 - 0.3

What the agent prototypes proved

Keep the foundational findings exactly as engineering evidence, then apply them to the new calendar route.

0.1 Unattended execution

- An authenticated external event triggered Grok background work and MCP tool calls in controlled conditions with the conversation reported closed.
- The reported real SMS delegation took ~23.8 seconds to agent completion; one delivered phone reply was confirmed.
- Twenty ordinary two-tenant jobs completed before 120-second proof deadlines, with no duplicate simulated replies. These are not production latency guarantees.

0.2 Capabilities and adapter

- AgentProfile stores verified, time-limited evidence rather than trusting capability claims. Existing Grok event scope was cleaner.reschedule_requested.
- Available MCP tools were broader than app-visible discovery (eight vs four). Extra tool availability and background use of Google Calendar/Notion must be separately proven.
- Agent-native calendar reads should not grant booking, message, access or payout authority.

0.3 Engine/agent contract

LANDLORD AI AGENT	ENGINE MUST OWN
Reasoning, message drafting and clarification	Webhook verification, message compliance and exact recipient.
Native calendar/Notion integrations when available	Verified booking snapshots, provenance, conflicts and deadlines.
Optional background workflows and human notifications	Authorization, approval, versions, access clearance and outbox.
Explanations and photo reviews	Durable recovery, replay, audit and required inspection criteria.

PRACTICAL CONSEQUENCE

Grok is a reasoning and integration client, not a Twilio sender or source of physical vacancy. The first pilot does not wait on native calendar plugins because its Guesty Lite feed is polled by the engine.

PHASE 0.4 - 0.5

Model findings and shared economics

Avoid unnecessary inference infrastructure; use what the prior evaluation actually supports.

TESTED OPTION	SYNTHETIC INTENT SCREEN	DECISION
Existing rules	111/120 (92.5%)	Keep and fix known access-negation false positives.
Grok connected-agent packet	115/120 (95.8%)	First agent client; live multi-turn not established.
Perplexity Decider V1.1	115/120 (95.8%)	Optional research candidate, not a production dependency.
Microsoft Decision-1	100/120 (83.3%)	Do not add under evaluated configuration.
Small Qwen reply generator	10/24 factual checks	Operational replies stay deterministic until validated.

0.5: what is already worth reusing

- Two tenants completed 10 of 10 ordinary Grok jobs each using a shared hosted runtime; combined observed median ~19.67 seconds.
- Indexed SQLite, grants, source deduplication, transactional outbox, leasing, stable action keys, revocation and injected-provider recovery were implemented in the proof.
- Resource experiments modeled 2, 10 and 100 landlords with 20, 100 and 300 monthly requests, not billed production traffic.

COST IMPLICATIONS

At ten landlords, the modeled 1 GiB Railway Hobby reference was ~$1.02–$1.04 per landlord. At only two landlords it slightly exceeded $5. A shared EC2 t3.small baseline was ~$19.45/month before other costs. Keep the $2–$5 engine-cost goal conditional on shared utilization, billed measurements and no required hosted LLM calls.

PHASE 0.6 - UPDATED DECISION

Keep real SMS proof; change the calendar gate

Guesty Open API was never validated for this Lite host, so it remains outside the MVP. Guesty Lite iCal can be polled hourly for the first property, while the universal setup accepts multiple additional sources with reconciliation.

INTEGRATION	ALREADY PROVEN	NOW REQUIRED
Twilio sender / 10DLC	Read checks and host-reported cleaner-use wording coverage.	Verify actual cleaner opt-in and approved production use before live messages.
SMS transport	Two controlled replies delivered; STOP/START, signed callbacks and restart persistence.	Integrate provider input with real turn records, shared compliance and tenant outbox.
Guesty Open API	Fixtures, signatures and discovery only; no live credentials.	Remove API/webhook/task-write code from active cleaner build; retain archived evidence.
Guesty Lite iCal	Existing producer link chosen; add primary/aggregator designation and duplicate-check policy for multi-source setup.	Verify 1 stay, 1 block, 1 feed change and a separately tracked Airbnb late-checkout/early-check-in exception. Host confirms operational times even when iCal has no corresponding update.
Google Calendar / Notion	Potential native agent tools.	Prove Google/Notion plugin reads in closed-agent runs; source normalization and per-property multiple-source reconciliation.

New acceptance rule

A valid Guesty Lite feed response reflects published dates/blocks, not necessarily Airbnb-side exceptions: the host tracks negotiated early check-ins and late checkouts separately. Capture these as time-stamped, host-confirmed turn overrides; do not wait for an hourly poll to correct a live cleaning slot. Guesty publication and Vrbo propagation lag still require testing on the actual property. Calendar time is never proof of departure.

SAFE LAUNCH CONDITIONS

No active cleaner scheduling from ambiguous blocks, stale feeds or missing host confirmation. No real SMS until the cleaning-service owner opted in. A signed delivery callback is not evidence the cleaner accepted a proposed appointment.

REVISED ARCHITECTURE

Agent-first booking intake and secure thin engine

Grok guides landlords through as many permitted booking sources as they use. The first Guesty Lite link is an engine-polled path; agent-capable sources are optional and must prove unattended synchronization.

LANDLORD / BOOKING SOURCES / Property rules → connect one or more sources → choose primary → add cleaner contacts, visibility, reminders and standing PIN.

↓

BOOKING SOURCE ROUTER

Guesty Lite: direct hourly fetch | Google/Notion: verified agent connector + scheduled sync

↓

SOURCE-BOUND RESERVATION SNAPSHOTS

Stay/block, UID, version, freshness, + verified host Airbnb-time override

↓

SHARED TENANT-AWARE CLEANER CORE ENGINE

Turn state • safe inbound classification • leases • policies • outbox • audit

↓

EXTERNAL AI AGENT THROUGH MCP

Grok first: reasoning • tools • drafting • orchestration when available

↓

TWILIO SMS + CLEANER SERVICE OWNER

Opt-in → offer/counteroffer → confirmation → START/DONE → exceptions

↓

HOST REVIEW, INSPECTION AND LEDGER

Separate scheduled checkout, confirmed guest departure, ready-for-next-guest and payment

The external agent and engine exchange bounded work through authenticated MCP. The engine does not require the Grok API or duplicate calendar connectors for every landlord.

VERIFIED EVENT EXECUTION PATH

Bridge the existing prototypes into one real turn

This is the actual production work needed between the multi-tenant synthetic engine and the separately tested Twilio lab.

1. Booking intake: poll the first host's Guesty Lite link hourly; accept distinct host-confirmed Airbnb-side late-checkout/early-check-in overrides immediately. Store provenance, deduplicate stays, and flag blocks/conflicts.

2. Host review: Grok notifies the host and asks for planned checkout, any separately negotiated Airbnb timing changes, and the next check-in. Confirm actual departure independently before access instructions.

3. Shared messaging: verify Twilio signatures and consent; intercept STOP/HELP/emergencies. Apply chosen cleaner-only, eligible group MMS, or mirrored-host mode.

4. Durable work: create one versioned CleaningTurn, store the incoming message, trigger configuration and scheduled reminder jobs before acknowledgment.

5. Delegation: Grok handles eligible scheduling, explanations, source reads and host alerts. Engine owns durable timers, policy, sender/recipient and fallback.

6. Policy gate: reconciled source + current host-confirmed operational times + consent + feasible cleaning window + distinct departure clearance. A standing PIN never goes to group participants.

7. Delivery: send an authorized SMS or private permanent-PIN instruction, track receipts, request checklist evidence and notify host of completion or exceptions.

RESPONSE-TIME POLICY

The observed ~20–25s Grok turnaround may suit routine cleaner coordination, not a safety incident. HELP and emergencies must be recognized and escalated immediately by the engine without awaiting an agent. STOP must be enforced before any new outbound traffic.

CODEBASE STRATEGY

Reuse what exists; make the cleaner workflow switchable

Do not rewrite all of Tour Core to satisfy the first property pilot.

EXISTING REVIEW CODE	ACTION NOW
src/agents/profile.ts, grok.ts	Retain capability evidence, scopes and optional agent-specific hooks.
src/delegation/phase05/*	Merge tenant-aware store, grants, work, deadlines, outbox and fallback under cleaner-core boundary.
src/delegation/mcp.ts	Retain standard auth/lease/propose interface and add only necessary source and turn tools.
src/integrations/phase06/twilioLab.ts	Extract signature, opt-out, idempotency, status callback behavior; do not promote the fixed-phrase lab as production.
src/integrations/phase06/guesty.ts	Drop Guesty API projection, webhook and task-write from active MVP; keep test/research evidence out of runtime.
new src/cleaner-core/calendar/	Add secure hourly iCal reader, source identifiers, parsing, snapshots, sync-status and ambiguity review.
new src/cleaner-core/turns/	Add one-property turn domain and SMS/host confirmations; expand incrementally.

Runtime switch and isolation

Start with one reviewed cleaner-core module behind an OFF-by-default feature flag, with tenant-isolated source credentials, access secret references, recipient policies, messages, schedules and audit. Preserve the live touring workflow.

CHANGE LOG

What Version 2 keeps and what changes

The phased structure remains; only source assumptions and delivery priorities change.

VERSION 2 PLAN	VERSION 4 DECISION
Prove external Grok wakeup	Retain as completed prototype evidence; harden runtime on the actual workflow.
Multi-tenant shared platform	Reuse tested SQLite/grants/leases/outbox; integrate rather than rebuild.
Guesty Pro read/webhook/task writes	Remove entirely from pilot critical path; host uses Guesty Lite calendar export.
Reservation auto-sync via Guesty API	Hourly engine iCal read for pilot; agent-owned Google/Notion sync after first job.
Full universal onboarding first	Initial pilot can use Guesty Lite calendar and standing PIN; full Grok-led property/source/contacts/messaging/access onboarding is a same-week deliverable.
Synthetic before any real job	One real, opted-in SMS turn by midweek, safely gated.
Five turns before exit review	Five real jobs remain full pilot goal; add Friday early keep-or-park decision.
General hardening first or last	Safety routing and PIN privacy before first job; group MMS and broad hardening after first job, subject to actual carrier support.

REVISED CRITICAL PATH

Shared inbound controls → reviewed cleaner-core merge disabled → host iCal link + confirmation text → cleaner opt-in + one live turn → Google Calendar, Notion, general onboarding and additional hardening. The first real job never bypasses consent, emergency handling, source validity or duplicate-send controls.

PHASE 1A - FOUNDATION TRACK

Stabilize baseline and shared SMS ingress

Preserve Tour Core production behavior while preparing a release-ready cleaner-core slice.

1.1 Shared safe inbound pipeline - first task

- Route all incoming cleaner SMS through signature verification, tenant ownership, consent record and immutable source ID first.
- Intercept STOP, START and HELP deterministically; immediately route emergencies to human escalation. Do not let an agent override opt-out.
- Enforce source deduplication and safe one-message outbox behavior. Separate carrier acceptance/delivery from business confirmation.

1.2 Merge a reviewed, switched-off cleaner module

- Integrate earlier phase branches into a single cleaner-core folder behind an explicit disabled flag and test number.
- Remove Guesty API, reservation webhooks and task-writing code from MVP build/entrypoints; leave historical proof files for audit.
- Pin Node 24 and isolate test configuration and provider credentials. Run affected checks and the broader suite; disposition the existing two timeouts and compliance failure rather than suppressing them.

PHASE 1A GATE

One staging deployment accepts signed SMS safely, honors HELP/emergency/STOP/consent, keeps production tour flows untouched, and activates no cleaner messages until an authorized operator explicitly enables the workflow.

PHASE 1B - FOUNDATION TRACK

Harden the actual shared tenant engine

Reuse and strengthen existing persistence; do not insert a new model stack or full platform migration.

WORKSTREAM	ACCEPTANCE
Tenant scope	Scoped tenant binding for all sources, recipients, group participants, notification preferences, permanent PIN and inspection records.
Event sequencing	Unique provider source IDs, atomic inbox/outbox, monotonic versions, per-property conflict detection and cancellation tombstones.
Leases and grants	Expired, revoked or stale work cannot change an authorized turn; stable action IDs make replay safe.
Host review	Persist review for manual Airbnb-side booking exceptions, stale sources, same-day capacity risk, missed reminders, conflicting replies, failed/uncertain SMS, shared-chat routing and potential code exposure.
Scheduling fairness	Bound expensive polling and agent delivery; never let one slow tenant starve others; avoid aggressive idle sweeps.
Storage and operations	Encrypted/restricted PIN reference, no log echo, rotation procedure after compromise or cleaner offboarding; explicit time-cleared private delivery only.
Usage cost	Per-tenant CPU/memory/storage, job count, SMS segments, agent timeouts and API spending measurable.

Work sequencing this week

The first live job requires consent, scheduled triggers, deduplication, explicit manual change capture, host-confirmed timing, separate departure clearance and guarded PIN delivery. Four-hour same-day turns receive priority alerts. Broader source onboarding, group MMS and full hardening follow the first job, still this week.

PHASE 1C - FOUNDATION TRACK

Agent bridge, Grok-guided setup and live transport

Make the reviewed platform perform one real SMS job, while preserving agent-agnostic MCP.

1.3 Grok onboarding (quick pilot, expandable workflow)

1. Identify property and add the authorized Guesty Lite iCal link for the first property; additional sources may be connected through supported agent tools.

2. Set time zone, normal checkout and host confirmation rules; choose when to send first offers, reminders and day-of messages.

3. Add cleaner owner/extra contacts, opt-in and host visibility choice; securely record the host-provided permanent outdoor PIN and private delivery policy.

Grok then summarizes selected sources, duplicate rules, people, communication schedule, permanent-PIN precautions, checklists and approval boundaries before activation. Quick pilot defaults are allowed; never infer consent, vacancy or lock-code changes.

1.4 Production SMS bridge

- Merge the signed Twilio transport learnings with the persistent CleaningTurn engine; route real free-form replies, not only CLEANER CORE TEST.
- Use agent read/claim/propose for scheduling negotiations and notifications; test Twilio Conversations Group MMS eligibility before enabling a true group thread. Fall back to one-to-one cleaner SMS plus mirrored host updates.
- Track one work → controlled recipient(s) → outbox → provider receipt, with STOP/HELP handling per contact and opt-in for every SMS participant. Include durable scheduled reminders and private PIN sends.

FIRST RUNNABLE MILESTONE

An actual consented cleaner-owner phone receives one authorized cleaning request for the host's property, replies naturally, and the resulting turn remains traceable and recoverable. No engineering intervention between the automated messages; expected host confirmations remain allowed.

PHASE 1C — EXTENDED ONBOARDING

Grok-guided setup: ideal sequence

1. Property and operating defaults: nickname, address, time zone, check-in / checkout windows and primary host contact.

2. Booking sources: ask where bookings originate, authorize any number of sources and name the aggregator. Ask whether early check-ins or late checkouts are agreed outside that calendar (this pilot: yes, directly in Airbnb). Avoid duplicate Guesty/Airbnb/Vrbo feeds.

3. Source preview: show stays, blocks, freshness and conflicts. Explain that Airbnb-side timing exceptions may not appear in Guesty Lite. Capture the host-confirmed changed checkout/check-in time and verify every turn before messaging.

4. Cleaner and participants: add service-owner and backup numbers, opt-in, and roles per property (owner, active manager, observer). Cory observes the pilot conversation; a property manager can replace him on later properties.

5. Messaging schedule: select at booking creation, N days after check-in, N days before checkout, morning of checkout, after departure clearance, and no-response reminders. Ask for quiet hours and escalation preferences.

6. Outdoor access: record the existing permanent PIN, lock location and authorized cleaner contact. Explain that this demo cannot rotate, revoke or directly control the physical lock.

7. Optional scope: checklists, photos, supplies, ledger and prior cleaner SMS history. With appropriate permission, redact guest identifiers/old PINs, extract proposed communication preferences for host review, and never treat old texts as present consent.

8. Dry run and activation: simulate a normal turn and an Airbnb-side late-checkout/same-day conflict. Review who is notified, the cleaner slot, approved PIN delivery and host escalation. Activate only after opt-in and owner approval.

Demo priority: the first house may use the Guesty Lite link and defaults for fast setup. Universal multi-source onboarding is built afterward without changing the underlying engine contract.

PARALLEL SOURCE TRACK

Replace the Guesty API gate with Guesty Lite iCal

The first host uses Guesty Lite to aggregate booked/blocked dates, but handles certain Airbnb-negotiated early arrivals and late departures separately. Cleaner Core must support direct host-confirmed corrections without relying on a Guesty API.

C0: Prove the actual feed

- Fetch the host-authorized Guesty Lite iCal URL; compare one confirmed stay, one block and one feed change. Separately test an Airbnb-adjusted checkout that the host tracks outside Guesty.
- Inspect UID stability, date-only versus timed events, all-day semantics, revisions, time zones, duplicate/removed events, error responses and publication lag.
- Treat the calendar URL as a secret; reject non-HTTPS/private network/redirect abuse and put size/time limits on fetches.

C1: Implement engine-owned hourly source reconciliation

- Poll Guesty Lite once per hour (configurable later), store last successful fetch, content fingerprint, freshness and interpretation status.
- Do not additionally subscribe to separate Airbnb or Vrbo feeds for this property; Guesty already consolidates the booking channels, so duplicate feeds may conflict.
- Treat hourly Guesty publication and up-to-~3-hour Vrbo propagation as unverified lag. A newer authorized host timing override wins for the operational cleaning window until reconciled or explicitly canceled; never infer entry clearance from either source.

C2: Multiple booking sources - after first job, still this week

Allow each property multiple authorized sources, a primary/aggregator designation and record provenance. Use direct Guesty Lite polling where useful and verified agent-owned Google Calendar/Notion reads where supported. Do not re-import Airbnb/Vrbo separately when Guesty already consolidates the same stays; unresolved duplicate/block conflicts require review.

THIS TRACK DOES NOT BLOCK THE SMS BRIDGE

Real link/feed validation and host confirmation are needed before the first job. Native Google Calendar/Notion connector work follows that first job, not the following week.

PHASE 2A - CLEANER TURN DOMAIN

One turn record across multiple booking sources

Normalize calendar bookings but keep host-confirmed operational timing overrides as distinct, versioned facts. For this pilot, early check-ins and late departures may be negotiated in Airbnb yet tracked separately by the host. Recompute every affected turn and verify capacity before sending or keeping a cleaner appointment.

STATE	REQUIRED CONDITION
DISCOVERED / REVIEW	Calendar event observed; classify reservation/block/unknown and retain source provenance.
HOST_CONFIRMED	Host confirms scheduled checkout, next check-in and any Airbnb-side early/late adjustment for this turn; evidence and version retained.
OFFERED	Cleaner owner opted in; proposed slot falls inside safe window.
CONFIRMED	Cleaner acceptance matches the current offer and version; available cleaning window still accommodates the turn.
AWAITING_DEPARTURE	Scheduled checkout reached; does not itself authorize entry.
CLEARED	Host or approved evidence independently confirms guests have departed.
IN_PROGRESS	Cleaner START recorded, with authorized access handled separately.
REVIEW / READY	DONE plus required checklist/host review; readiness is a separate recorded decision.

Independent payment state

unbilled → reviewed → approved → paid → reconciled. Payment is never a prerequisite for readiness; neither SMS nor model output can authorize a payout.

Conflict and cancellation cases

RESCHEDULE_REQUIRED, STALE_SOURCE, SOURCE_BLOCKED, HOST_OVERRIDE_PENDING, TURN_WINDOW_AT_RISK, CHECKOUT_UNKNOWN, NO_SHOW, CANCELED and INSPECTION_FAILED are first-class outcomes. Store actor, source, version, reason and time on every transition.

Host-tracked Airbnb changes — pilot source-of-truth rule

Grok asks for separately approved late checkout / early check-in changes on each job and accepts later corrections through the host-facing workflow. Save the effective time, confirming host, reason, booking reference and revision. A newer verified host adjustment controls cleaner timing even if Guesty Lite has not reflected it; cancel stale reminders and revalidate the next arrival before sending new offers.

Same-day turns — priority workflow

Cory described a typical 10–11 AM checkout and 4 PM arrival, allowing roughly four usable cleaning hours after buffers. Compute latest allowable finish and required cleaning duration per property; flag insufficient time immediately. Escalate unconfirmed arrival, late cleaner start, no-show or overrun to the designated manager/host. Never silently compress the cleaning window or mark READY on a predicted finish.

PHASE 2B - SMS COORDINATION

Cleaner messaging, optional group chat and access instructions

One cleaning-service owner remains the operational contact. For Cory's first pilot, Cory observes messages rather than directing every reply; other properties may designate an active manager instead of the owner. Extra numbers still require verified opt-in.

WHEN	AGENT-ASSISTED WORK	ENGINE REQUIREMENT
Configured trigger	Draft the offer at booking creation, X days into stay, Y days before checkout, or an authorized host update to an Airbnb-side extension.	Version reminders against host-confirmed operational times; cancel stale offers after manual changes and suppress duplicates.
Cleaner accepts / counteroffers	Negotiate time, including chosen host-visible conversation mode.	Check current booking version, opt-in for every recipient, and source/freshness.
Reminder + checkout day	Reconfirm the planned operational checkout, any Airbnb-side exceptions and cleaner capacity; prioritize same-day turns.	Validate next arrival, required clean duration/buffer and the distinct actual-departure clearance before access.
After host clearance	Privately send the already-existing permanent outdoor PIN and entry instructions.	Recipient must be approved service owner; no group-wide PIN; no lock command or PIN rotation.
START / DONE + checklist	Interpret status, request photos/supplies and send final host update.	READY only after configured evidence/review; payment ledger separate.
STOP / HELP / emergency	Human escalation when needed; no autonomous delay.	Immediate shared inbound compliance and signed source handling.

Host confirmations, reminder timing and cleaner visibility

Guesty Lite iCal cannot be relied on for checkout clock times or separate Airbnb-negotiated timing changes. Each job asks the host to confirm the operational checkout and next check-in; later host corrections immediately recompute cleaner offers, reminders and any same-day urgency. These confirmations do not prove departure. Configurable reminders remain engine-owned and safe on restart.

CONVERSATION RISK

Replies like "yes," "later," "we can do two" and "guests staying longer" must be interpreted against the currently active offer. Unclear replies are explicitly clarified or escalated. The engine enforces a deadline and documented fallback if Grok does not respond.

PHASE 2B — COMMUNICATION & ACCESS RULES

Group visibility, automated reminders and permanent PIN

Communication modes

A. Cleaner-only SMS: the cleaning-service owner exchanges messages with Cleaner Core; Grok summarizes material changes to the landlord.

B. Native group MMS: cleaner + landlord (+ explicitly approved extra participants) share a true group thread only if the current Twilio account, number, participants, channel and consent support it.

C. Mirrored visibility: if native group messaging is unavailable, keep 1:1 cleaner SMS and send the host copies/summaries. Label this as mirrored messaging, not a reply-all group thread.

For Cory's pilot, configure Cory as a group observer or mirrored-recipient; let later properties assign the active property manager instead. Include additional numbers only after opt-in and role/visibility approval. STOP and HELP apply per participant/channel; the permanent access PIN stays in a private cleaner-only delivery.

Standing outdoor lock PIN — demo behavior

The landlord provides a permanent existing code. Store an encrypted secret reference, restrict which tenant/role can retrieve it, never print it in logs or prompts, and transmit it only to an authorized cleaner contact after explicit departure clearance. Do not send the code to group chats or unapproved extra numbers.

Because the code remains physically valid outside Cleaner Core, a message schedule does not make it temporary. Document the host's manual rotation/offboarding procedure and flag suspected compromise. The demo does not set, revoke or control the lock. Direct lock/MCP integration is a later capability.

Reminder correctness and change handling

All triggers are persisted server-side: booking creation, days after check-in, days before checkout, morning-of, after clearance, no response and after completion. Recompute or cancel future reminders on date changes and cancellations; honor time zones, quiet hours, opt-outs, consent and deadlines. Never regenerate a reminder solely because an agent retries.

SMS group platform note: Twilio announced Group Texting generally available in Conversations (2024). Confirm eligibility and costs for the actual sending account and 10DLC campaign before promising a native group thread. Source: twilio.com/en-us/changelog/group-texting-is-now-generally-available-in-conversations

PHASE 2C - CLEANING EVIDENCE

Checklist, inventory and financial ledger

Complete the business workflow without building a full property-management suite.

Mobile completion checklist

- Provide secure, expiring, turn-scoped browser links to fixed room setup photos, completion flags, optional after-clean photos and supply notes.
- Keep the service owner as the primary contact; support optional authorized group participants without requiring individual crew accounts or changing the shared permanent PIN.
- Retain validated images, provenance and exceptions privately; optional agent image analysis is advice rather than a readiness authority.
- Defer lost-and-found retrieval automation as requested by the host.

Inventory reporting

Track gift baskets, coffee, toiletries, linens and other supplies as sufficient/low/out or simple counts. Queue replenishment suggestions near upcoming cleaning windows. No autonomous purchasing in the first pilot.

Cleaner cost ledger

Link rate, extra charges, approval, service owner, completed turn and aggregate payment period. Enable MCP reads such as “What do I owe the cleaners?” without automating consumer Venmo actions or payments.

SCOPE GATE

The first real SMS job may be narrower than this complete Phase 2C workflow. Full checklist, inventory and ledger remain part of the multi-job pilot; Friday’s early validation tests whether the core scheduling/coordination experience saves sufficient time to justify continuing.

PHASE 3 - FIRST HOST PILOT

One real turn by midweek, then five total

Test with one landlord, one property and the existing cleaning-service owner before expanding.

GATE	TARGET	PASS EVIDENCE
P0 Feed verification	One real stay, one block, one feed change, plus one separately tracked Airbnb-side time adjustment.	Calendar provenance and manual host override reconciled independently; stale offers canceled without treating a block as departure.
P1 Midweek live job	Consented first job using selected cleaner messaging trigger, plus host checkout and separate departure confirmations.	Traceable consented SMS turn, host timing/guest-departure confirmations, cleaner negotiation, and no engineer intervention; use a same-day scenario if available.
P2 Friday validation	Value evidence from one real autonomous turn; confirm PIN was not included in any wider group thread.	Host reports enough time saved to pay for it; no manual rescue or duplicate action; exceptions surfaced.
P3 Full pilot	Five genuine turns; include a changed checkout and a tight same-day window (real if encountered, otherwise separately simulated).	Correct alert escalation, workable cleaning window, accepted schedule, checked turn completion and measured host effort/cost.
P4 Wider readiness	Second landlord after Google Calendar path; test multi-source deduplication and optional group MMS or mirror mode.	Tenant separation and alternate source sync with recovery; Notion and general setup remain this-week targets.

Definition of “no stepping in”

No developer manually dispatching messages, forwarding PINs, rescheduling timers or rescuing normal workflows. Host confirmation of scheduled checkout and actual departure, cleaner consent and safety approvals are expected participation. If group texting is unavailable, mirrored host updates are acceptable when disclosed.

EARLY BUSINESS DECISION

If an eligible real job cannot complete without engineering rescue by Friday, or the host would not pay because it saves insufficient time, park additional feature development and document the failure. Do not manufacture a pass when no genuine checkout/consented cleaner job occurs.

PHASE 4 - DELIBERATE EXPANSION

Only after repeatable cleaner value

Keep the long-term agent-native product path from Version 2.

CAPABILITY	POTENTIAL VALUE	RELEASE GATE
Ring / cameras	Arrival and departure signals to help detect exceptions.	Supported API/access rights; camera presence cannot prove vacancy.
Yale / smart locks	Time-bound cleaner PINs and eventually direct lock/MCP access to reduce standing-code risk.	After pilot: verify supported hardware/API, timed issuance and expiry, access clearance, revocation and emergency controls. Demo continues using host-provided permanent PIN.
Authorized payouts	Approved cleaning-service payout and reconciliation.	Supported payment rail, duplicate prevention, host authorization.
Supply orders	Forecast and coordinate low-stock replenishment.	Reliable inventory baseline, supplier and approval path.
Revenue extensions	Offer approved late checkout or extra night.	Fresh booking authority, cleaner capacity, guest consent and booking/charge writes.
More AI agents	Claude/other capable agents use same MCP contract.	New client verifies discovery, authorization, background work and safe failure.
Hosting expansion	Shared AWS/Beanstalk/EC2 or later horizontal scaling.	Measured cost, storage durability, backups, and transactional coordination; no multiwriter SQLite file sharing.

Architecture rule that remains constant

Agent capabilities enhance the experience but never replace engine-side policy or authorization. Portability comes from a stable MCP and booking contract, not from restricting every agent to the same lowest-common-denominator features.

DELIVERY SEQUENCE

This week - dependency-driven, not a postponed roadmap

All named workstreams stay on the calendar for the week of 12–16 October; only safety gates determine live activation.

ORDER	WORK PACKAGE	EVIDENCE / EXIT
A • First	Shared SMS ingress: STOP, HELP, emergencies, consent, signature, dedup.	Signed inbound safe path; no opted-out recipient can receive new agent-driven sends.
B • Next	Merge phase branches into disabled cleaner-core module; remove active Guesty API paths.	Build and rollback safe; touring unchanged; reviewed commit and module OFF.
C • Next	Guesty Lite link, per-job host operational time confirmation (including separately tracked Airbnb extensions), source/revision checks and configurable reminder triggers.	One stay, one block, one feed change and one host-only Airbnb timing adjustment; no outdated cleaning slot retained.
D • Midweek	Cleaner opt-in, configured reminder, authorized standing-PIN private send and one traceable live turn.	Opt-in, host confirmation, private PIN, cleaner replies and one durable turn/outbox/receipt without engineer rescue. Urgent same-day capacity checks when applicable.
E • After job	Google Calendar/Grok integration; second tenant and multiple-source normalization.	Source reads/change/sync with closed-conversation capability actually tested.
F • Same week	Notion/Grok, full conversational onboarding, optional group chat and participant consent.	Permission check, source-normalized record, tenant setup and fallback.
G • Same week	Full CI, review/replay, source freshness, permanent-code handling, backups, observability and recovery.	Documented safety gates and no product/touring regression.

SCHEDULE REALISM

This is the requested stretch schedule, not a claim each workstream is already ready. If a safety-critical acceptance gate fails, pause live activation; continue safe engineering tasks rather than sending unconsented or unverified messages.

EXECUTABLE ENGINEERING CHECKLIST

Acceptance, ownership and test evidence

Track each result against an exact branch commit and deployed environment.

ACTION	MANDATORY EVIDENCE
☐ Shared inbound compliance	Signed STOP/HELP/emergency handling, consent record, opt-out persistence, no duplicate replies.
☐ Booking sources	Guesty Lite iCal plus per-job host-entered Airbnb checkout/check-in exceptions; dedupe and provenance; agent-owned Google/Notion later.
☐ Guesty Lite feed	One stay/block/feed change and a separate manual Airbnb exception; hourly sync, freshness and override reconciliation.
☐ Messaging schedule	Versioned reminders replan on manual early/late change; strict same-day clean duration, buffer and escalation tests.
☐ One live job	Cleaner opted in; host confirms planned checkout and actual departure; private permanent-PIN send plus traceable start/done.
☐ Google Calendar	Native Grok foreground + unattended source read/change path measured; second tenant isolated.
☐ Notion	Structured database permission, date/status mapping and repeatable sync proved.
☐ Broader onboarding	Property roles (owner, manager, observer), multiple sources, messaging, optional redacted cleaner-text import, PIN and activation review.
☐ Access and chat	Validate Twilio Group MMS availability; otherwise mirror updates. PIN is never group-broadcast; record owner-controlled rotation process.
☐ Friday decision	Real evidence of automation plus explicit host willingness to pay; otherwise park and record reason.

Architecture decisions to freeze

- ADR-01: Engine owns source provenance, approved state, policy, consent and sending; agents propose.
- ADR-02: Multi-source reservations are reconciled; Guesty Lite iCal is polled hourly, while newer verified host-entered Airbnb timing exceptions control operational scheduling until reconciled.
- ADR-03: Google Calendar/Notion and future sources use validated native agent capabilities; each property may connect more than one source.
- ADR-04: Operational checkout, scheduled calendar checkout and actual guest departure are distinct. No group delivery of the permanent PIN; private delivery only after explicit clearance, with future time-limited lock codes prioritized post-pilot.
- ADR-05: $2–$5 monthly per-light-tenant cost remains a shared-scale objective, not a pilot invoice.

EVIDENCE & SOURCE REFERENCES

Traceability of decisions

The original Version 2 roadmap remains the structural and technical basis for this edition.

Original 23-page Version 2 phased implementation roadmap: user-supplied source PDF, preserved as the organizational baseline for this edition.

Unattended Grok execution proof https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/async-agent-proof.md

Capability profiles and onboarding https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-agent-capabilities.md

Agent-engine contract https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-engine-agent-contract.md

Decision model evaluation https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-model-evaluation.md

Two-tenant closure evidence https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-phase05-closure.md

Economics and container research https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-phase05-economics.md

Controlled Twilio/Gateway feasibility https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-phase06-integrations.md

Live SMS transport test https://github.com/saadvz/TourCore/blob/cleaner-core/phase06-integrations/docs/cleaner-phase06-live-twilio.md

Source versus new decisions

Phase 0 audit numbers derive from the audited repository evidence and the Version 2 phased roadmap. Cleaner scheduling, group messaging and standing-PIN rules derive from the project's October 13 decisions. The call notes add manually tracked Airbnb adjustments, tight same-day turn windows, observer/manager roles and optional historical SMS review; the host confirmed that timing changes are tracked separately. These are requirements, not already delivered capabilities.

FRESHNESS CAVEAT

Guesty Lite feed/Vrbo publication lag remains a field-test assumption. Airbnb-side late-checkout/early-check-in adjustments are separately tracked by this host, not guaranteed in iCal; agent calendar plugins in unattended routines are unverified.

READY-TO-BUILD BRIEF

One-page revised decision summary

A phased, evidence-based implementation plan with a deliberately narrow first customer proof.

What is already available

- Controlled unattended Grok→MCP execution, scoped capability evidence and a tenant-aware proof runtime.
- Durable source deduplication, lease/version checks, outbox and tested fallback patterns.
- A controlled live Twilio send/STOP/START/delivery demonstration, separate from the real turn engine.
- A measured model evaluation supporting rules/templates and agent-first reasoning, not mandatory model APIs.

What to implement now

1. Consolidate cleaner-core safely under OFF flag; prioritize emergency/HELP/STOP/consent SMS handling.

2. **Poll this host's Guesty Lite link hourly; ask for the host's separately tracked Airbnb extensions/early arrivals and confirm next check-in for every turn. Immediately replan on corrections.**

3. **Collect cleaner opt-in; use observer/mirrored visibility for Cory, support designated managers, and privately release the standing PIN only after clearance. Complete one traceable live job.**

4. **After the live job, deliver Google/Notion sources, multi-source normalization, full Grok onboarding, optional redacted cleaner-SMS import and additional hardening; prove a tight same-day turnover case.**

5. Use Friday 16 October as the early commercial keep/park decision; continue toward five completed real turns only if value is demonstrated.

Not part of the pilot critical path

Guesty Pro API/webhooks/task-write, automatic booking changes, lock-code rotation/direct lock MCP, Venmo payouts, independent premium model APIs and full AWS migration remain outside the first pilot. Manual PIN relay is included; physical lock control is not.

FINAL BUILD PRINCIPLE / Reuse the proven agent-first engine and phased release gates. Offer flexible booking sources and cleaner messages, but keep consent, deadlines, group visibility and permanent-PIN access under strict engine policy.