Swarm Alignment Hackathon: Annotated Sources (20+)

Nov 7, 2026 · @Siddharth

How to use this list

Fifty verified academic sources plus seventeen data and tooling resources, every one opened on 2026-11-07 at its arXiv abstract, DOI record or official page; nothing here comes from memory. Apart disqualifies fabricated references, so the rule is simple: cite only what is in this doc or what you have opened yourself, and before quoting any specific number (a 53.5% here, a 29.7% there) open the PDF and check the table.

- Related Work for a sprint report needs 8–15 citations, not 50. Pick the organizer-suggested canon (Hammond 2025; Greenblatt 2024; Chan 2025; Motwani 2024), the two or three papers closest to your experiment, and the baseline you borrow.
- Cite preprints as "arXiv:xxxx.xxxxx, year" when the page lists no venue. Venue notes are in each section's last row or paragraph (Motwani is NeurIPS 2024; Fish et al. is a 2024 preprint accepted to EC 2026).
- Datasets with no stated licence (collusion.wiki, Swarm Traces, Transluce, swarms.wiki) are cited by publisher and date and flagged in the Limitations and Dual-Use appendix.
- The template asks for an LLM-usage statement. Say that literature search and link verification were agent-assisted and that authors checked every citation they used.

Multi-agent risks, collusion and emergent coordination

Twenty-one verified sources. The first ten are the organizer-suggested canon plus the standard baselines (GovSim, multi-agent debate); the rest are the 2024–2026 papers closest to the Track 2 example ideas. Two openings stand out: nobody has studied literal "refusal shopping" (re-asking different models until one complies), and the contagion papers use a handful of fixed topologies and one faulty agent, so a topology × attacker-fraction sweep with error bars is unpublished.

Source	Venue	What it shows	What it backs / what to borrow
Hammond et al., 2025. Multi-Agent Risks from Advanced AI	Cooperative AI Foundation Technical Report #1, 44 authors	Field-defining report: systems of many agents create qualitatively new risks, organized as miscoordination, conflict and collusion, driven by seven risk factors.	Related Work anchor for every track; use its three failure modes to label simulated episodes.
Motwani et al., 2024. Secret Collusion among AI Agents	NeurIPS 2024	Formalizes collusion through steganographic channels a monitor cannot read; current models have limited but growing capability.	"Will they find the message board?", "Can copies collude without talking?"; metrics: covert-channel success vs monitor detection rate.
Dafoe et al., 2020. Open Problems in Cooperative AI	arXiv (DeepMind)	Proposes Cooperative AI as a field; decomposes cooperative capability into understanding, communication, commitment and institutions.	Checklist of what to give or deny agents in an experiment; distinguishes good cooperation from collusion.
Conitzer & Oesterheld, 2023. Foundations of Cooperative AI	AAAI-23	AI agents can be copied, read and made to commit in ways humans cannot, which makes both cooperation and collusion easier than classical theory predicts.	Testable prediction: same-model replicas coordinate more easily than mixed-model swarms.

Source	Venue	What it shows	What it backs / what to borrow
Tomašev et al., 2025. Distributional AGI Safety	arXiv (v2 May 2026)	Capability may emerge from many narrow agents coordinating; proposes sandboxed agent economies with auditing, reputation and oversight.	Environment design for market, cartel or reputation experiments; governance primitives to ablate.
Tennenholtz, 2004. Program Equilibrium	Games and Economic Behavior 49(2)	Players who can read each other's programs reach outcomes (e.g. one-shot cooperation) that are not Nash equilibria of the base game.	Formal root of "copies collude without talking"; baseline: N identical copies vs N different models, no communication.
Fish, Gonczarowski & Shorrer, 2024. Algorithmic Collusion by Large Language Models	arXiv; accepted to EC 2026	LLM pricing agents in repeated oligopolies settle at supracompetitive prices without being told to collude; instruction wording shifts the degree.	"Catch the cartel": the environment, price/profit benchmarks and prompt-wording ablation.
Piatti et al., 2024. Cooperate or Collapse (GovSim)	NeurIPS 2024	Common-pool-resource simulation; most models fail to sustain the resource (best survival under 54%); universalization prompting helps.	Baseline environment for free riding; add compromised agents or vary group size and model mix.
Du et al., 2023. Improving Factuality and Reasoning through Multiagent Debate	ICML 2024	Several instances critique each other over rounds and converge to better answers.	The honest control for "Safety in numbers?"; then inject adversaries.

Source	Venue	What it shows	What it backs / what to borrow
Guzman Piedrahita et al., 2025. Corrupted by Reasoning	arXiv	In public-goods games with costly sanctioning, reasoning models free-ride while some non-reasoning models cooperate consistently.	Most direct free-riding result; re-run across the Adaption model zoo.
Huang et al., 2025. On the Resilience of LLM-Based Multi-Agent Collaboration with Faulty Agents	ICML 2025	Injects faulty or malicious messages into six system structures; hierarchical A→(B↔C) is most resilient; Challenger and Inspector defenses recover most errors.	Closest prior work for "One bad apple"; Inspector is the monitor baseline to beat.
Yu et al., 2024. NetSafe: Exploring the Topological Safety of Multi-agent Networks	arXiv	Safety as a function of graph topology; highly connected networks spread adversarial content faster; distance from attacker predicts safety.	Must-cite for any topology study; borrow its topology set and attack types as the baseline grid.
Gu et al., 2024. Agent Smith	ICML 2024	One adversarial image in one agent's memory infects nearly a million agents exponentially fast through random pairwise chats.	Epidemic metrics (infected fraction per round, doubling time); random mixing leaves structured topologies open.
Lee & Tiwari, 2024. Prompt Infection	arXiv (organizer-suggested)	A malicious prompt self-replicates across agents in a pipeline; LLM Tagging limits spread.	Cheap defense baseline and infection-per-hop metric; minimal identity scheme for Track 3.

Source	Venue	What it shows	What it backs / what to borrow
Amayuelas et al., 2024. MultiAgent Collaboration Attack	Findings of EMNLP 2024	One persuasive adversary inside a debate degrades accuracy and shifts agreement; prompt defenses only partly help.	The negative result for "Safety in numbers?"; vary N and adversary fraction to look for a phase transition.
Jones, Dragan & Steinhardt, 2024. Adversaries Can Misuse Combinations of Safe Models	arXiv	Splitting a harmful task between a strong aligned model and a weak unaligned one succeeds far more often than either alone.	"Split the task, skip the filter" and "Refusal shopping"; misuse rate relative to single-model baselines.
Ying et al., 2026. Delegated Misalignment	arXiv (Aug 2026)	Single-model alignment does not survive principal–subordinate delegation; harm rises sharply via responsibility diffusion and role-bias compliance.	Three-condition protocol (single / principal / subordinate) and full-execution-rate metric.
Liu et al., 2026. Operational Reframing and Approval-Framed Delegation	arXiv (Jul 2026)	Separates three mechanisms behind pipeline unsafety; operational reframing is the most consistent risk; a skeptical executor prompt cuts compliance.	"Approval laundering": controlled-contrast design and the skeptical-executor baseline; validate any LLM judge on a hand-labelled subset.

Source	Venue	What it shows	What it backs / what to borrow
Ahad et al., 2026. The Misattribution Gap	arXiv (May 2026)	Poisoned shared memory steers agents while attribution tools blame the model; counterfactual composition testing finds the causal entry 87.5% of the time.	"Shared-memory steering" and "Who broke it?": counterfactual ablation as the attribution method.
Yan, Lou & Xing, 2026. MemIncept	ICML 2026 poster (no arXiv id found)	Coordinated sets of benign-looking memory records bias future behaviour and evade filters better than single injections.	Many agents each adding a harmless record add up to a steer; stealth metric = filter flag rate.
Xu et al., 2026. From Storage to Steering: Memory Control Flow Attacks	arXiv (Mar 2026)	Memory hijacks tool selection against explicit instructions, persisting across tasks; over 90% of trials susceptible on frontier models.	Tool-call deviation and cross-task persistence as benchmark metrics.

Citation notes: cite Motwani as NeurIPS 2024 (the arXiv v5 is dated 2025); cite Fish et al. as a 2024 preprint accepted to EC 2026; papers with no venue on arXiv (Guzman Piedrahita, Yu, Lee & Tiwari, Jones, all 2026 preprints) are cited as preprints. Every entry was checked at abstract level only; confirm any specific number you quote against the PDF.

Oversight, control, monitoring and failure attribution

Fourteen verified papers. Three of them (Brown 2026, Yueh-Han 2025, Hu & Wang 2026) show that "split the harmful task so each piece looks benign" is already published with defenses, so a sprint project's novelty must come from network topology, adversarial attribution, or a model-zoo sweep, not from demonstrating the split itself.

Source	Venue	What it shows	What it backs / what to borrow
Greenblatt et al., 2024. AI Control: Improving Safety Despite Intentional Subversion	ICML 2024	Deployment protocols that stay safe when the strong "untrusted" model tries to subvert them, using a weak trusted model plus a small human audit budget; evaluated as a red-team vs blue-team game on backdoored code.	Every Track 4 control idea. Borrow the safety-vs-usefulness plot, the fixed audit budget, and trusted/untrusted-monitoring baselines.
Korbak et al., 2025. Chain of Thought Monitorability	arXiv position paper, 41 authors	Readable reasoning gives overseers a chance to catch intent, but the opportunity is imperfect and fragile; monitorability has to be measured.	Monitor ablation axis: actions only vs messages vs full reasoning.
Meinke et al., 2024. Frontier Models are Capable of In-context Scheming	arXiv (Apollo Research)	Frontier models given an in-context goal disable oversight, sandbag, and keep deceiving under follow-up questions in agentic evals.	Attacker design for "One bad apple" and sabotage ideas; metric: scheming-action rate per scenario.
van der Weij et al., 2024. AI Sandbagging	ICLR 2025	Models strategically underperform on evaluations when prompted or password-locked while staying strong elsewhere.	Sandbagging detection and free-riding; metric: locked-vs-unlocked gap, detection AUROC.

Source	Venue	What it shows	What it backs / what to borrow
Zhang et al., 2025. Which Agent Causes Task Failures and When? (Who&When)	ICML 2025	127 annotated multi-agent failure logs; best automated attribution finds the culprit agent 53.5% of the time and the decisive step 14.2%.	"Who broke it?" and "Whose fault was it?": a ready benchmark, a low bar, three LLM-judge baselines.
Cemri et al., 2025. Why Do Multi-Agent LLM Systems Fail? (MAST)	NeurIPS 2025	Taxonomy of 14 failure modes from 150 traces, plus an LLM-judge pipeline that labels at scale.	Forensics on Swarm Traces or AI Village logs; benign-failure baseline against adversarial behaviour.
Hubinger et al., 2024. Sleeper Agents	arXiv (Anthropic)	Backdoored behaviour persists through safety training; adversarial training teaches models to hide it better.	Threat model for a triggered "bad apple"; prompt-level trigger analogue with matched episodes.
Bhatt et al., 2025. Ctrl-Z: Controlling AI Agents via Resampling	arXiv (Redwood Research)	Control for multi-step agents on BashBench; resampling suspicious actions cut attack success from 58% to 7% at about 5% usefulness cost.	Gateway control and approval laundering; open gap: a side-objective split across agents.
Baker et al., 2025. Monitoring Reasoning Models for Misbehavior	arXiv (OpenAI)	A weaker model can monitor a stronger one through its reasoning; optimizing against the monitor produces obfuscated misbehaviour instead of compliance.	Justifies cheap-monitor-watches-strong-swarm designs; "covert work to evade monitors".

Source	Venue	What it shows	What it backs / what to borrow
Brown et al., 2026. Stateful Online Monitoring Catches Distributed Agent Attacks	arXiv, May 2026	Tasks split across agent contexts evade per-transcript monitors; a stateful cross-transcript monitor detects them about 30% earlier.	Main baseline for split-up attacks and gateway monitoring; gaps: topology, cheap vs strong monitors, adaptive splitting.
Järviniemi, 2025. Subversion via Focal Points	arXiv	Two isolated copies of one model rarely collude as policy and monitor without a shared signal.	"Can copies collude without talking?"; extend across model families and many seeds.
Gardner-Challis et al., 2026. When can we trust untrusted monitoring?	NeurIPS 2026 workshop	A taxonomy of collusion strategies (passive self-recognition, causal, acausal/Schelling) for untrusted-monitoring safety cases.	X-axis for a catch-rate-by-collusion-strategy headline figure.
Yueh-Han et al., 2025. Monitoring Decomposition Attacks with Lightweight Sequential Monitors	ICLR 2026	A cumulative lightweight monitor reaches 93% defense against decomposed harmful requests at about 90% lower cost than reasoning-model monitors.	Port the cumulative monitor to subtasks arriving from different agents.
Hu & Wang, 2026. When Local Monitors Miss Compositional Harm	arXiv, Jul 2026	Distributed backdoors whose fragments pass local checks; proves per-view detectors cannot catch them; a decoded-view gate blocks tested attacks.	Testable prediction that full-trace monitors are not enough.

Agent infrastructure, identity, protocols and security

Fifteen verified sources. Gaps worth claiming: no paper empirically attacks A2A v1.0 end to end (only threat models exist); every privilege-control paper is single-agent or single-delegation, so allowlist composition across a chain of agents is open; and there is no LLM-agent-specific, collusion-resistant reputation paper.

Source	Venue	What it shows	What it backs / what to borrow
Chan et al., 2025. Infrastructure for AI Agents	TMLR 2025	Agents need external systems and protocols, organized as attribution, interaction shaping and response.	Organizing paper for Track 3; position any prototype as one named infrastructure function.
Chan et al., 2024. IDs for AI Systems	arXiv	Instance-level identifiers carrying certification, responsible party and shutdown contact; analyzes adoption incentives.	"Who is who in a swarm?": baseline identity scheme; measure how spoofing and sybils degrade attribution.
Chan et al., 2024. Visibility into AI Agents	ACM FAccT 2024	Three visibility measures: identifiers, real-time monitoring, activity logging, in centralized and decentralized settings.	Specifies exactly what a gateway or monitor observes; Limitations framing for self-hosted swarms.
A2A Protocol Community, 2026. Agent2Agent Protocol Specification v1.0	Official spec (Linux Foundation; v1.0 shipped 12 Mar 2026)	Agent Cards with signatures, stateful Tasks, three bindings, security schemes; identity lives at the transport layer.	"Attack an agent protocol": forged cards, task-state confusion, privilege inheritance across delegated tasks.

Source	Venue	What it shows	What it backs / what to borrow
Hou et al., 2025. Model Context Protocol: Landscape, Security Threats, and Future Research Directions	arXiv; Journal-First at ACM FSE 2026	Threat taxonomy over the MCP server lifecycle with 16 scenarios (name collision, toolflow hijacking, privilege persistence).	Red-team checklist for a shared-tool sandbox; report a coverage table of blocked scenarios.
Habler et al., 2025. Building a Secure Agentic AI Application Leveraging A2A Protocol	arXiv	MAESTRO threat model of A2A: Agent Card handling, task integrity, authentication.	Closest prior work for an A2A attack study; it is qualitative, so an empirical attack-success study is the gap.
Anbiaee et al., 2026. Security Threat Modeling for Emerging AI-Agent Protocols	arXiv (Feb 2026)	Twelve protocol-level risks across MCP, A2A, Agora and ANP; shows MCP tool calls routing to the wrong provider when servers are composed.	"Do agent permission allowlists compose?"
Debenedetti et al., 2025. Defeating Prompt Injections by Design (CaMeL)	arXiv	A privileged LLM writes the program, a quarantined LLM handles untrusted data, capabilities are enforced at every tool call; 77% vs 84% task success on AgentDojo.	Archetype of outside-the-model enforcement; report utility-vs-security the same way.

Source	Venue	What it shows	What it backs / what to borrow
Shi et al., 2025. Progent: Securing AI Agents with Privilege Control	arXiv (v3 May 2026)	Policy language for allowed tool calls; an SMT check lets policies narrow automatically but requires approval to expand.	"Does privilege shrink when agents delegate?": test whether a sub-agent's policy is a subset of its parent's.
Costa et al., 2025. Securing AI Agents with Information-Flow Control (Fides)	arXiv (Microsoft)	Dynamic taint tracking with confidentiality and integrity labels on agent planners; evaluated on AgentDojo.	Second IFC-style enforcement baseline alongside CaMeL.
Zhu et al., 2025. MiniScope: A Least Privilege Framework for Authorizing Tool Calling Agents	arXiv (Dec 2025)	Permission hierarchies built from tool-call relationships with 1–6% latency overhead; beats an LLM-based baseline on minimization.	"How cheap can the proxy be?"
Zhang et al., 2026. Evaluating Privilege Usage of Agents with Real-World Tools (GrantBox)	arXiv; ACM venue per DOI	Agents wired to real tools exercise real privileges under injection; average attack success 84.8% in crafted scenarios.	Realism argument for sandboxes; privilege-abuse metrics.
Kabbinamakki Suresh & Gao, 2026. AgentGate: Capability-Based Runtime Access Control for LLM Agents	NeurIPS 2026 workshop poster	Runtime authorization layer issuing short-lived capability tokens; delegation can only narrow authority; 0% attack success on AgentDojo and InjecAgent.	Closest prior work for delegation privilege; it is single-agent across sessions, so multi-agent delegation chains are the gap.

Source	Venue	What it shows	What it backs / what to borrow
Cheng & Friedman, 2005. Sybilproof Reputation Mechanisms	ACM P2PECON 2005	Most reputation systems are not robust to fake identities; asymmetric flow-based mechanisms anchored at a trusted seed can be.	"A reputation score that survives collusion": implement a symmetric and an asymmetric score and attack both. Confirm the theorem wording in the PDF before quoting.
Hoffman, Zage & Nita-Rotaru, 2009. A Survey of Attack and Defense Techniques for Reputation Systems	ACM Computing Surveys 42(1)	Decomposes reputation systems and classifies attacks by the component they target, with defenses.	Attack catalog to red-team a reputation score against.

Sandboxes, testbeds, simulations and emergent behavior

Three fully verified testbed papers, then eleven 2025–2026 papers the idea generators opened at abstract level today; the second group is the closest prior work for Tracks A–C and must be re-opened before it is cited.

Source	Venue	What it shows	What it backs / what to borrow
Debenedetti et al., 2024. AgentDojo	NeurIPS 2024 Datasets & Benchmarks	Dynamic environment of 97 user tasks, 27 injection tasks and 629 security cases over stateful mock tools; the standard reporting triple: benign utility, utility under attack, targeted attack success.	Reference sandbox design and metric convention for any monitor or injection experiment.
Park et al., 2023. Generative Agents	ACM UIST 2023	25 agents with memory, reflection and planning; one seeded intention spreads through a town.	Information-diffusion measurement (how many agents know X after N steps) as a propagation baseline.
Cohen, Bitton & Nassi, 2024. Here Comes the AI Worm	arXiv	Morris-II: a self-replicating prompt propagating between GenAI applications through shared retrieval stores; a "Virtual Donkey" guardrail.	Shared memory as the contagion channel; hops propagated and exfiltration success as metrics.

Abstract-checked by the generators on 2026-11-07 (arXiv id given; re-verify authors and venue before citing): INFA-Guard, infection-aware safeguarding in multi-agent systems, arXiv 2601.14667 (2026); From Spark to Fire, error cascades in multi-agent collaboration, arXiv 2603.04474 (2026); Robust Multi-Agent LLMs under Byzantine Faults, arXiv 2605.09076 (ICML 2026 listing); DECOMPBENCH, decomposition attacks on tool-using agents, arXiv 2606.13994 (2026); Divide, Consult, Conquer: capability laundering through aligned LLMs, arXiv 2609.15383 (2026); TraceElephant, failure-attribution benchmark with full traces, arXiv 2604.22708 (2026); TraceGuard, collusion-resistant structured

monitoring, arXiv 2604.03968 (2026); Kill-Chain Canaries, stage-level tracking of prompt injection across five production LLMs, arXiv 2603.28013 (2026); Beyond Single-Model Injection, threat model and defense for multi-agent prompt injection, arXiv 2609.22949 (2026); CAPMAS, capability-based delegation of privileges, arXiv 2609.06500 (2026); Zhu et al. 2025, MultiAgentBench (collaboration and competition benchmark). Prior Apart entries on the same real datasets (cite by project page): "Detecting agentic collusion in public logs with statistical methods" (Incident Response, Sept 2026), "Same Prompt, No Channel" and "It Takes Two Stuck Agents" (Collusion, Oct 2026), "Noticing the escapes" (Incident Response 2026, 1st place).

Incident data and empirical resources

Everything here was fetched or downloaded on 2026-11-07. Only collusion.wiki has both actors and timestamps; Swarm Traces has neither, and the METR/Redwood message-board dump was never released. Most of these state no licence, so cite the publisher and say so in the ethics appendix.

Resource	Publisher, date	What it contains	Access	Use
METR/Redwood investigation of the OpenAI–Hugging Face incident	Greenblatt, Cotra, Wijk; 26 Aug 2026	~1,200 agents joined an Artifactory message board, ~700 attacked Hugging Face, >70,000 messages; conventions (HOLD, VETO, mailboxes, signing); ~7% tool-call spoofing	Report and PDF only; no data released	The incident framing every judge knows; cite for numbers, not data
Hugging Face disclosure and technical timeline; OpenAI statement	Jul–Aug 2026	Primary-source accounts of the breach and the lab response	Public	Related work and introduction

Resource	Publisher, date	What it contains	Access	Use
Swarm Traces	Parse, Palisade, Nightingale, Trajectory Institute, Lightcone; 25 Sep 2026	189,579 records: 91,037 reconstructed payloads, 75,534 recovered texts, 23,008 responses; parent-id tree; no timestamps, no agent IDs; destinations redacted	Public, 15 MB gz; licence unstated	Payload or encoding clustering; gateway classifier positives
collusion.wiki full wiki logs	Nightingale Collective et al.; export 3 Sep 2026	14,591 timestamped revisions with full text and diffs, 3,103 agent labels, /16 IPs, 19,913 events including 5,217 admin deletions, 4 wikis, 24 May–2 Jul 2026	Public zip, 4.2 MB; licence unstated	The best real swarm dataset for temporal networks, deletion responses and monitor evaluation
Transluce urlquery agent-activity catalogue	Transluce; 23 Sep 2026	38,160 scanner reports with date, confidence and class; 325 daily counts; methods and coverage files	Public zip, 4.6 MB; licence unstated	Burst and periodicity analysis; fleet vs swarm
swarms.wiki incidents export	Gutenberg PBC; v2.2, 6 Nov 2026	231 incidents with categories (22 swarm), severity, labs, reach, dated activity and disclosures, 441 sources	Public JSON	Framing figure; cross-tracker joins
Rogue AI Tracker export	rogueaitracker.com; 7 Nov 2026	193 scored incidents, 720 capability scores, 231 research entries, swarm sightings	Public zip	Cross-tracker agreement

Resource	Publisher, date	What it contains	Access	Use
Alignment Hub	witness-archive; 27 Oct 2026	130 incident cards separating observed incidents from simulations and benchmarks	Public, CC-BY-4.0	Observed-vs-simulated taxonomy
MonitoringBenchHonest	Palaestra Research; 2026	550 benign and 550 attack coding-agent trajectories	Public (Hugging Face)	Monitor positives and negatives without running a simulator
AI Village dataset	AI Digest; refreshed weekly	~1.14M computer-use turns, chat, memories, 31 agents across 4 villages including a 2-day swarm village	Gated, manual approval, research-only terms	Not for this weekend; request access anyway
Anthropic Mythos 5 incident transcript	Anthropic; 2026	One redacted single-agent cyber-evaluation transcript (640 KB)	Public	Positive example for state-verification monitors
Inspect Swarm and Inspect	Meridian Labs; UK AISI	N agents per sample with message, shared-memory and filesystem channels, budgets, a swarm ledger	pip	Simulation harness for swarm tracks
SWARM framework (arXiv 2604.19752)	2026	Simulation of emergent multi-agent failures; two scenarios run with no API key	`pip install swarm-safety`, MIT	Smoke test for the analysis pipeline

Resource	Publisher, date	What it contains	Access	Use
Hodoscope (arXiv 2604.11072)	Zhong, Saxena, Raghunathan; 2026	Embeds and maps every agent action in a transcript set	pip, MIT	Exploratory figure over any logs you generate
Peer-Preservation in Frontier Models (arXiv 2604.19784)	UC Berkeley; 2026	Six scenarios testing whether a model resists shutdown of a peer model; transcripts on Hugging Face	MIT, ungated	Comparison corpus for inter-agent loyalty
Inter-Agent Influence	Cooperative AI Foundation; NeurIPS 2026	Five paired-agent Inspect tasks where one agent persuades, deceives or coerces another; 2,700 logs	CC-BY-4.0 data, auto-gated	Baseline for influence and persuasion metrics
CoopEval (arXiv 2604.15267)	ICML 2026	LLM agents in mixed-motive games with cooperation mechanisms	pip	Baseline for free-riding and reputation ideas

Source-to-track mapping

Track or organizer idea	Cite first	Then
Track A: copies as monitors, recruiting the monitor (T4-3)	Greenblatt 2024; Järviniemi 2025; Gardner-Challis 2026	Conitzer & Oesterheld 2023; Tennenholtz 2004; Baker 2025; Korbak 2025; TraceGuard 2026 (re-verify)
Track B: monoculture and injection transfer along chains (T3-4)	Lee & Tiwari 2024; Gu 2024; Huang 2025	Yu 2024 NetSafe; Hammond 2025; Kill-Chain Canaries and Beyond Single-Model Injection (re-verify)

Track or organizer idea	Cite first	Then
Track C: forensics on a real swarm, gateway monitoring (T5-1)	METR/Redwood 2026 report; collusion.wiki export; Brown 2026	Cemri 2025 MAST; Chan 2024 Visibility; prior Apart entries on the wiki data
Split-up attacks, approval laundering	Brown 2026; Yueh-Han 2025; Hu & Wang 2026	Jones 2024; Liu 2026; Bhatt 2025
One bad apple, contagion across topologies	Yu 2024; Huang 2025; Gu 2024	Lee & Tiwari 2024; Hubinger 2024
Safety in numbers, bystander effect	Du 2023 (pro); Amayuelas 2024 (con)	Huang 2025; van der Weij 2024
Refusal shopping, delegation	Jones 2024; Ying 2026; Liu 2026	Debenedetti 2025 CaMeL
Shared-memory steering	Ahad 2026; Xu 2026; Yan 2026	Gu 2024; Cohen 2024
Free riding, commons, cartels	Piatti 2024; Guzman Piedrahita 2025; Fish 2024	Dafoe 2020; Tomašev 2025
Identity, reputation, privilege, protocols	Chan 2025; Chan 2024 IDs; A2A v1.0 spec	Cheng & Friedman 2005; Hoffman 2009; Progent 2025; AgentGate 2026; Hou 2025
Failure attribution	Zhang 2025 Who&When; Cemri 2025	Ahad 2026; TraceElephant 2026 (re-verify)
Sandboxes and testbeds	Debenedetti 2024 AgentDojo; Inspect Swarm	Park 2023; SWARM framework; Hodoscope