

Cucumber Report

Jul 16, 2024, 1:12:04 PM

Start : Jul 16, 1:10:51.030 PM

End : Jul 16, 1:12:01.767 PM

Duration : 1 m 10.737 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 8




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Working on YourStore Search and Add to cart button</u>	1 m 10.737 s	1	0	1	0	14	5	1	8

#	Feature Name	Scenario Name
1	<u>Working on YourStore Search and Add to cart button</u>	<u>User searches and adds multiple products to the cart and sees a success message</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Search_And_AddToCart	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Working on YourStore Search and Add to cart button</u>	1	0	1	0	1 m 10.737 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Working on YourStore Search and Add to cart button</u>	<u>User searches and adds multiple products to the cart and sees a success message</u>	14	5	1	8	1 m 10.698 s




Working on YourStore Search and Add to cart button


FAILED	DURATION - 1 m 10.737 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 5 Fail - 1 Skip - 8	
/ 1:10:51.030 PM // 1:12:01.767 PM /					

User searches and adds multiple products to the cart and sees a success message

<div>FAILED</div> <div>DURATION - 1 m 10.698 s</div>			<div>Steps</div> <div>Total - 14</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 8</div>	
/ 1:10:51.069 PM // 1:12:01.767 PM /				
Working on YourStore Search and Add to cart button				
@Search_And_AddToCart				

#	Step / Hook Details	Status	Duration
1	Given User is logged in	PASSED	30.010 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.492 s
	image 		
2	And the user is on the home page	PASSED	0.002 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	image 		
3	Then User Clicks on Search bar	PASSED	0.116 s

#	Step / Hook Details	Status	Duration
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.409 s
4	When the user searches for "Phone"	PASSED	3.287 s
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.382 s
5	And User click search button	PASSED	0.610 s
	<p>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</p> <p>image</p> 	PASSED	0.310 s
6	And the user adds "Phone" to the cart	FAILED	25.100 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id="content"]/div[3]/div/div/div[2]/div[2]/button[1]/span"} (Session info: chrome=126.0.6478.127) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [62df55268bda286e2c864121ba4b96a2, findElement {using=xpath, value=//*[@id="content"]/div[3]/div/div/div[2]/div[2]/button[1]/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.127, chrome: {chromedriverVersion: 126.0.6478.126 (d36ace6122e..., userDataDir: C:\Users\UMMAYR~1\AppData\Local..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51559}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51559/devtoo..., se:cdpVersion: 126.0.6478.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 62df55268bda286e2c864121ba4b96a2</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		

#	Step / Hook Details	Status	Duration				
	<div>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</div> <div>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</div> <div>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</div> <div>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)</div> <div>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)</div> <div>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)</div> <div>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</div> <div>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)</div> <div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)</div> <div>at com.pdl.step_definitions.TeamB_Search_AddToCart_StepDef.the_user_adds_to_the_cart(TeamB_Search_AddToCart_StepDef.java:54)</div> <div>at ?.the user adds "Phone" to the cart(file:///C:/Roman's_WorkPlace/EAL_InternShip_Automation/EALIT-TeamB/src/test/resources/features/TeamB_Search_AddToCart.feature:10)</div> <div>* Not displayable characters are replaced by '?'. </div>						
	<div>AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)</div> <div>image</div> <div></div>	PASSED	0.177 s				
7	Then the user should see a success message "Phone has been added to your cart"	SKIPPED	0.004 s				
8	When the user searches for "Computer"	SKIPPED	0.002 s				
9	And the user adds "Computer" to the cart	SKIPPED	0.002 s				
10	Then the user should see a success message "Computer has been added to your cart"	SKIPPED	0.002 s				
11	When the user searches for "Camera"	SKIPPED	0.002 s				
12	And the user adds "Camera" to the cart	SKIPPED	0.002 s				
13	Then the user should see a success message "Camera has been added to your cart"	SKIPPED	0.001 s				
14	Then the cart should contain the following products:	SKIPPED	0.012 s				
	<table><tr><td>Product Name</td></tr><tr><td>Phone</td></tr><tr><td>Computer</td></tr><tr><td>Camera</td></tr></table>	Product Name	Phone	Computer	Camera		
Product Name							
Phone							
Computer							
Camera							