Cucumber Report

| Start : Jul 17, 9:28:42.647 PM	End : Jul 17, 9:29:38.509 PM	Duration : 55.862 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 2 FAILED - 1 SKIPPED - 18

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Working on YourStore Search and Add to cart button	*55.862 s*	*3*	*0*	*3*	*0*	*21*	*2*	*1*	*18*

#	Feature Name	Scenario Name
1	*Working on YourStore Search and Add to cart button*	*User Searching multiple product*
2		*User Searching multiple product*
3		*User Searching multiple product*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@Search_Multipleproduct	3	0	3	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	Working on YourStore Search and Add to cart button	3	0	3	0	55.862 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Working on YourStore Search and Add to cart button	User Searching multiple product	7	2	1	4	40.748 s
2		User Searching multiple product	7	0	0	7	7.554 s
3		User Searching multiple product	7	0	0	7	7.486 s

Working on YourStore Search and Add to cart button

FAILED	DURATION - 55.862 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 21 Pass - 2 Fail - 1 Skip - 18	21
/ 9:28:42.647 PM // 9:29:38.509 PM /					

User Searching multiple product

FAILED	DURATION - 40.748 s		Steps Total - 7 Pass - 2 Fail - 1 Skip - 4	7
/ 9:28:42.662 PM // 9:29:23.410 PM /				
Working on YourStore Search and Add to cart button				
@Search_Multipleproduct				

#	Step / Hook Details	Status	Duration
1	Given User is logged in	PASSED	30.007 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	image		
2	And User Clicks on Search bar	PASSED	0.084 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	image		
3	When the user searches for "Phone"	FAILED	0.056 s

#	Step / Hook Details	Status	Duration

	org.openqa.selenium.InvalidSelectorException: invalid selector from javascript error: {"status":32,"value":"Unable to locate an element with the xpath expression //*[@id=\\\"search\\\"]/input because of the following error:\nSyntaxError: Failed to execute 'evaluate' on 'Document': The string '//*[@id=\\\"search\\\"]/input' is not a valid XPath expression."} (Session info: chrome=126.0.6478.182) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#invalid-selector-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [f91b79b8580381016c0cd391eea35d16, findElement {using=xpath, value=//*[@id=\"search\"]/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.182, chrome: {chromedriverVersion: 126.0.6478.182 (5b5d8292ddf..., userDataDir: C:\Users\UMMAYR~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61632/devtoo..., se:cdpVersion: 126.0.6478.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: f91b79b8580381016c0cd391eea35d16
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165)
	    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:355)
	    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:349)
	    at com.pdl.step_definitions.TeamB_Search_AddToCart_StepDef.searchingProduct(TeamB_Search_AddToCart_StepDef.java:40)
	    at com.pdl.step_definitions.TeamB_Search_AddToCart_StepDef.the_user_searches_for(TeamB_Search_AddToCart_StepDef.java:48)
	    at ?.the user searches for "Phone"(file:///C:/Roman's_WorkPlace/EAL_InternShip_Automation/EALIT-TeamB/src/test/resources/features/TeamB_Search_AddToCart.feature:17)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario) image	PASSED	0.201 s

#	Step / Hook Details	Status	Duration
4	And User click search button	SKIPPED	0.003 s
5	And User click on add to cart	SKIPPED	0.002 s
6	And the Total number of results are 1	SKIPPED	0.001 s
7	Then Successfully message verification	SKIPPED	0.002 s

User Searching multiple product

FAILED	DURATION - 7.554 s
/ 9:29:23.444 PM // 9:29:30.998 PM /	
Working on YourStore Search and Add to cart button	
@Search_Multipleproduct	

Steps
Total - 7
Pass - 0
Fail - 0
Skip - 7

7

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	4.759 s

	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.182, chrome: {chromedriverVersion: 126.0.6478.182 (5b5d8292ddf..., userDataDir: C:\Users\UMMAYR~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61632/devtoo..., se:cdpVersion: 126.0.6478.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518)
	  at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463)
	  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:124)
	  at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1)
	  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205)
	  at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138)
	  at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		

1	Given User is logged in	SKIPPED	0.003 s
2	And User Clicks on Search bar	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
3	When the user searches for "Macbook Pro"	SKIPPED	0.001 s
4	And User click search button	SKIPPED	0.002 s
5	And User click on add to cart	SKIPPED	0.002 s
6	And the Total number of results are 1	SKIPPED	0.001 s
7	Then Successfully message verification	SKIPPED	0.001 s

User Searching multiple product

FAILED	DURATION - 7.486 s
/ 9:29:31.023 PM // 9:29:38.509 PM /	
Working on YourStore Search and Add to cart button	
@Search_Multipleproduct	

Steps
Total - 7
Pass - 0
Fail - 0
Skip - 7

7

#	Step / Hook Details	Status	Duration
	BEFORE - com.pdl.hooks.Hooks.setUp()	FAILED	4.763 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, executeScript {script=return document.readyState, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 126.0.6478.182, chrome: {chromedriverVersion: 126.0.6478.182 (5b5d8292ddf..., userDataDir: C:\Users\UMMAYR~1\AppData\L...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61632}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61632/devtoo..., se:cdpVersion: 126.0.6478.182, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:463) at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:124) at com.pdl.utilities.CommonMethods$1.apply(CommonMethods.java:1) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:205) at com.pdl.utilities.CommonMethods.waitForPageToLoad(CommonMethods.java:138) at com.pdl.hooks.Hooks.setUp(Hooks.java:67)		
1	Given User is logged in	SKIPPED	0.002 s

#	Step / Hook Details	Status	Duration
2	And User Clicks on Search bar	SKIPPED	0.001 s
3	When the user searches for "iMac"	SKIPPED	0.001 s
4	And User click search button	SKIPPED	0.001 s
5	And User click on add to cart	SKIPPED	0.001 s
6	And the Total number of results are 1	SKIPPED	0.002 s
7	Then Successfully message verification	SKIPPED	0.001 s