Cucumber Report

| Start : Jul 13, 12:50:32.067 AM	End : Jul 13, 12:51:32.804 AM	Duration : 1 m 0.737 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 3 FAILED - 0 SKIPPED - 0	PASSED - 12 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User Login	*1 m 0.737 s*	*3*	*3*	*0*	*0*	*12*	*12*	*0*	*0*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@unsuccessful-login	3	3	0	0	1	1	0	0

#	Feature Name	T	P	F	S	Duration
1	User Login	3	3	0	0	1 m 0.737 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login	User login with invalid credentials	4	4	0	0	23.896 s
2		User login with invalid credentials	4	4	0	0	18.221 s
3		User login with invalid credentials	4	4	0	0	18.595 s

User Login

PASSED	DURATION - 1 m 0.737 s	Scenarios Total - 3 Pass - 3 Fail - 0 Skip - 0	3	Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	12
/ 12:50:32.067 AM // 12:51:32.804 AM /					

User login with invalid credentials

PASSED	DURATION - 23.896 s		Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 12:50:32.077 AM // 12:50:55.973 AM /				
User Login				
@unsuccessful-login				

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.064 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	image		
2	And User navigates to loginpage	PASSED	0.387 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	image		

#	Step / Hook Details	Status	Duration
3	Then User types credentials "invalidEmail" and "password"	PASSED	7.451 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	image		
4	And User sees error message	PASSED	3.031 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	image		

User login with invalid credentials

PASSED	DURATION - 18.221 s		Steps
/ 12:50:55.982 AM // 12:51:14.203 AM /			Total - 4
			Pass - 4
User Login			Fail - 0
			Skip - 0
@unsuccessful-login			

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.035 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	image		

| #	Step / Hook Details	Status	Duration
2	And User navigates to loginpage	PASSED	0.906 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	image		
3	Then User types credentials "userId" and "invalidPassword"	PASSED	7.331 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	image		
4	And User sees error message	PASSED	3.019 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	image		

User login with invalid credentials

PASSED	*DURATION - 18.595 s*	Steps	
/ 12:51:14.209 AM // 12:51:32.804 AM /		Total - 4	
		Pass - 4	
User Login		Fail - 0	
		Skip - 0	
@unsuccessful-login			4

#	Step / Hook Details	Status	Duration
1	Given User is in homepage	PASSED	6.040 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	image 		
2	And User navigates to loginpage	PASSED	0.957 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	image 		
3	Then User types credentials "invalidEmail" and "invalidPassword"	PASSED	7.610 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	image 		
4	And User sees error message	PASSED	3.019 s
	AFTER_STEP - com.pdl.hooks.Hooks.takeScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	image 		